



Network Access & Bandwidth Controller (NAV-2500)

Intelligent all-in-one controller.

The UniBox **NAV-2500** is a versatile appliance that serves as a Wireless LAN Controller, Hotspot Gateway, and Billing Server for venues with up to 2,500 users. It enables centralized management of wired and wireless networks, real-time activity tracking, and network security against unauthorized access.




Advanced Connectivity

Features Gigabit LAN/WAN ports with Multi-WAN support to ensure zero downtime. Includes built-in bandwidth rate limiting and group-based routing for optimal speed distribution.



Revenue Generation

Complete billing solution with flexible plans, voucher creation, and payment gateway integration. Seamlessly connects with hotel PMS systems to automate guest access.



Enterprise Security

Fully compliant with TRAI/DoT regulations. Includes user activity logging, MAC blacklisting, content filtering, and a built-in firewall to keep your network safe.

High Performance

2,500

Concurrent Users

Global Support

24/7

Responsive customer support

With over years of experience, we have worked closely in the wireless space to solve problems where we see them. We evolve, innovate, and adapt to craft newer products that make your life easier. Simplifying connectivity is a principle we hold, and we plan on bringing it to everyone, everywhere.

Network Access & Bandwidth Controller (NAV-2500)



Product Overview

The UniBox **NAV-2500** is a smart, all-in-one solution for managing your network. It combines network access control, billing, and internet speed management into a single device.

This device helps network administrators control both wired and wireless (Wi-Fi) networks from one central place. It prevents unauthorized users from accessing your internet and tracks network activity in real-time.

Ideal For

The NAV-2500 is designed for large venues that need to manage up to 2,500 simultaneous users.

- Hotels & Resorts
- Universities & Schools
- Airports & Transport Hubs
- Healthcare Facilities
- Large Offices & Public Parks

The NAV-2500 acts as your

- Wi-Fi Controller
- Hotspot Gateway (Login Page)
- Billing System
- Firewall & Security System
- VPN Server
- User Activity Logger

Key Features

High-Performance Networking

- Equipped with 6 Gigabit Ethernet ports and Multi-WAN support for uninterrupted internet.
- Features automated Load Balancing and Group-based routing to manage traffic efficiently across different internet lines.

Smart Bandwidth Management

- Enforce strict download/upload speed limits, data quotas, and time limits for every user.
- Includes Dynamic Bandwidth Allocation and Fair Usage Policies to ensure heavy users don't slow down the network for others.

Integrated Hotspot Billing

- Built-in billing system supporting vouchers, access codes, and online payments via payment gateways.
- Seamlessly integrates with Hotel Property Management Systems (PMS) and allows for custom-branded login pages (Captive Portals).

Robust Security & Compliance

- Fully compliant with TRAI/DoT regulations with detailed web logging and user activity archiving.
- Advanced security features include MAC Blacklisting, URL Filtering, and Layer 2 User Isolation to block threats.

Reporting

- **User Data:** View who is online and how much data they are using.
- **Revenue Reports:** Track how much money you have made from Wi-Fi sales.
- **Automated Emails:** Get reports sent directly to your email automatically.

A powerful all-in-one Network Access Controller designed for large venues like hotels, airports, and universities. The NAV-2500 supports 2,500 concurrent user sessions and combines a firewall, billing server, and bandwidth manager into a single, reliable appliance.


Exclusive Features

- **Multiple Hotspots:** Create and manage multiple Wi-Fi hotspots for different locations simultaneously using just one device.
- **Virtual PMS (Property Management System):** Delivers the full guest experience of a hotel PMS system without the high cost. It allows you to manage guest access directly through the controller at no additional charge.
- **G-Suite Integration:** Seamlessly integrates with Google G-Suite, allowing users to log in to the Wi-Fi using their existing Google password.
- **LDAP/Active Directory Integration:** Eliminates the need for separate Wi-Fi passwords. Users can access the network using their standard office or email credentials (single sign-on).
- **Automatic Cloud Sync:** Automatically syncs data to the cloud and enables automatic software updates to increase productivity and data safety.
- **Group-Based Content Filtering:** Allows you to apply different internet restrictions and content filters to different groups of users.

New & Improve Capabilities

- **Multi-WAN & Load Balancer:** Connect multiple internet lines simultaneously to increase speed and reliability. If one line fails, the other takes over automatically.
- **AP Controller:** Manage your wireless Access Points (APs) directly from the NAV-2500 interface.
- **VPN Server:** Securely access your network from remote locations using the built-in VPN capabilities.
- **Traffic Analysis:** Get detailed insights into network usage and user behavior to better manage your resources.
- **Better Throughput:** Improved performance to handle higher data speeds and more traffic without slowing down.
- **Automatic Software Updates:** The system now updates itself automatically, ensuring you always have the latest security patches and features.
- **Configurable Portal Templates:** Easily customize the design of your Wi-Fi login pages (Captive Portals) to match your brand.
- **Virtual LAN (VLAN):** Segment your network into different virtual groups for better security and organization.

- **Enterprise Configuration:** Advanced settings enabled for large-scale, complex network environments.
- **Bandwidth Monitoring:** Track real-time speed and data usage to identify bottlenecks.
- **Remote Sys Logger:** Send system logs to a remote server for long-term storage and analysis.
- **Built-in Firewall:** Enhanced security to block unauthorized access and cyber threats.
- **Upgraded GUI:** A new, more user-friendly graphical user interface for easier management.
- **External DHCP Support:** Flexibility to use an external DHCP server if preferred over the built-in one.
- **Social Media Integration:** Allow users to log in using their social media accounts, which also helps with social profiling.
- **Branch Networking:** Optimized features for connecting and managing multiple branch office networks.



Technical Specifications

Category	Property	Details
Physical Property	Interface	6 Ethernet Ports (RJ-45) - 10/100/1000 base T/Tx 2 Optional SFP+ 10G ports Intel chipset 1 Console Port 2 USB ports
	Dimensions	Form Factor: 1U Rackmount Physical Dimensions: 430 x 380 x 45mm Net Weight: 5.53 kgs (12 lbs)
	Environmental	Operating Temperature: -10°C to 60°C Humidity: 5% - 95% (Non-condensing) Vibrations: 0.5g rms / 5-500HZ / random Fan Cooling Structure: Yes
Networking	Protocols & Features	Static & Dynamic routing DNS & DHCP server Layer 2 isolation VLAN Tagging SNMP v2c support NTP (RFC 1305) support
Power Rating	Power Specs	Input Voltage: 110-240V AC Power Consumption: 220W Heat Dissipation: 300 BTU
Compliance	Certifications	CE Emission, FCC Class A, ROHS
System Performance	Capacity	Concurrent User Sessions: 2500