

Created on....09.04.2018 Last changed on/by..... 13.11.2019 \$VBOGAWAT
Author.....\$KPHUTANE

Title.....Consolidated master data report

Type.....1 Reporting
Status.....
Application.....
Class.....
Logical database.....PN
 from Application....P Human resources
Selection screen.....
Authorization group...
Package.....ZHR1

Start by Variants
Deactivate editor lock
X Fixed point arithmetic active

```
1  *&-----*
2  *& Report ZRPPA0074
3  *&
4  *& Author      : Kundan K. Phutane
5  *& Requirements : The purpose of this requirement is to create a custom
6  *&               Report that generates a view that is similiar to an
7  *&               infotype (in the sense that it will display smartform)
8  *&               that also allows to export a printable/PDF version.
9  *&               (Report is for chile employees only)
10 *& Charm       : Charm2000001565
11 *& TR          : DS1K9A09KS
12 *& Date        : 21.03.2018
13 *&-----*
14 *& Name        : K.Jaisy Augustine
15 *& Charm       : Charm2000003591
16 *& TR          : DS1K9A0DOB
17 *& Date        : 06.02.2018
18 *& Description : Fetching Qualification Text instead of Qualification G
19 *&-----*
20
21 report zrppa0074.
22 tables: pernr.
23 infotypes :0002 ,0024,0041,0001,0008.
24 tables : hrp1001,hrp1000,t510g,t500p,t005t,t527x.
25 include <cntn01>.
26
27 data : l_fm_name type rs381_fnam.
28 data : lt_final type table of zsmart_tabl,
29       ls_final type zsmart_tabl.
30 data : l_yrs      type cmp_noyrs,
31       l_month     type cmp_nomns,
32       ls_name(42) type c.
33
34 data : lt_t510g type table of t510g,
35       ls_t510g type t510g.
36 data : lt_t500p type table of t500p,
37       ls_t500p type t500p.
38 data : lt_t527x type table of t527x,
39       ls_t527x type t527x.
40 data : lt_t005t type table of t005t,
41       ls_t005t type t005t.
42
43 types : begin of ly_pa0002,
44       pernr type pa0002-pernr,
45       vorna type pa0002-vorna,
46       nachn type pa0002-nachn,
47       begda type pa0002-begda,
48       endda type pa0002-enddda,
49       end of ly_pa0002.
50
51 data : lt_pa0002 type table of ly_pa0002,
52       ls_pa0002 type ly_pa0002.
53
54 data: lt_pa0008 type table of pa0008,
55       ls_pa0008 type pa0008.
56
57 data : lv_darxx type p0041-dar01,
58       lv_datxx type p0041-dat01.
59
60 types :begin of ly_pernr,
```

```

61         pernr type pa0001-pernr,
62         plans type pa0001-plans,
63         tbjid type hrp1001-sobid,
64         orgeh type hrp1001-objid,
65         line_m type hrp1001-sobid,
66         sobid type hrp1001-sobid,
67     end of ly_pernr.
68 *****
69     types : begin of ly_qual,
70             pernr type pa0001-pernr,
71             objid type hrp1000-objid,
72 *             tbjid type hrp1000-sobid,
73 *             sobid type hrp1001-sobid,
74         end of ly_qual.
75     data : lt_qual type table of ly_qual,
76           ls_qual type ly_qual.
77 *****
78
79     data : lt_pernr type table of ly_pernr,
80           ls_pernr type ly_pernr.
81
82     data: lt_obj like hrsobid occurs 0 with header line,
83           lt_prof like hrpe_profq occurs 0 with header line,
84           ls_prof type hrpe_profq,
85           lt_objec like objec occurs 0 with header line,
86           ls_objec type objec.
87
88     data: lt_actor_tab type table of swfactor,
89           ls_actor_tab type swfactor,
90           lt_ac_container type table of swcont,
91           l_plvar like hrsobid-plvar,
92           l_org_agent like swfactor.
93
94     types : begin of ly_hrp1001,
95             objid type hrp1001-objid,
96             sobid type hrp1001-sobid,
97             begda type hrp1001-begda,
98             endda type hrp1001-endda,
99         end of ly_hrp1001.
100
101     data : lt_hrp1001 type table of ly_hrp1001,
102           ls_hrp1001 type ly_hrp1001,
103           lt2_hrp1001 type table of ly_hrp1001,
104           ls2_hrp1001 type ly_hrp1001,
105           lt3_hrp1001 type table of ly_hrp1001,
106           ls3_hrp1001 type ly_hrp1001,
107           lt4_hrp1001 type table of ly_hrp1001,
108           ls4_hrp1001 type ly_hrp1001,
109           lt5_hrp1001 type table of ly_hrp1001,
110           ls5_hrp1001 type ly_hrp1001,
111           lt6_hrp1001 type table of ly_hrp1001,
112           ls6_hrp1001 type ly_hrp1001.
113
114     types : begin of ly_hrp1000,
115             objid type hrp1000-objid,
116             stext type hrp1000-stext,
117             begda type hrp1000-begda,
118             endda type hrp1000-endda,
119         end of ly_hrp1000.
120
121     types : begin of ly_skip,

```

```

122         pernr type pa0000-pernr,
123         end of ly_skip.
124
125 data : lt_skip type table of ly_pernr,
126         ls_skip type ly_pernr.
127
128 data : lt_hrp1000 type table of ly_hrp1000,
129         ls_hrp1000 type ly_hrp1000,
130         lt2_hrp1000 type table of ly_hrp1000,
131         ls2_hrp1000 type ly_hrp1000,
132         lt3_hrp1000 type table of ly_hrp1000,
133         ls3_hrp1000 type ly_hrp1000,
134         lt4_hrp1000 type table of ly_hrp1000,
135         ls4_hrp1000 type ly_hrp1000,
136         lt5_hrp1000 type table of ly_hrp1000,
137         ls5_hrp1000 type ly_hrp1000.
138
139 *for smartform
140 data : lt_zlearnact type table of zlearnact,
141         ls_zlearnact type zlearnact,
142         lt_zpcidp_histo type table of zpcidp_histo,
143         ls_zpcidp_histo type zpcidp_histo,
144         lt_zhisto_posicio type table of zhisto_posicio,
145         ls_zhisto_posicio type zhisto_posicio.
146
147 data :ls_appraisees type hrsobid,
148         lt_appraisees type table of hrsobid,
149         lv_output_options type ssfcompop.
150
151 data: ls_sel_date type hap_s_sel_dates.
152 data :lt_templates type table of hrobject,
153         ls_templates type hrobject.
154 data: ls_sel_with_or_without type hap_s_sel_with_or_without.
155 data :ls_documents type hap_s_documents,
156         lt_documents type table of hap_s_documents,
157         ls_appraisal_id type hap_s_appraisal_id,
158         lt_body_cells type table of hap_s_body_cells,
159         ls_body_cells1 type hap_s_body_cells,
160         ls_body_cells2 type hap_s_body_cells,
161         ls_ap_status_name type hap_s_documents-ap_status_name.
162
163 data: l_betrg type pa0008-bet01,
164         l_lga_p0008 type pa0008-lga01,
165         l_bet_p0008 type pa0008-bet01,
166         ls_hrwpc_s_ep_generaldata type hrwpc_s_ep_generaldata,
167         lt_t530f type table of t530f,
168         ls_t530f type t530f,
169         l_tabix type sy-tabix,
170         l_molga type t5001-molga.
171
172 *photo
173 data : list_filename(255) type c,
174         imagefile(255) type c,
175         imagename type stxbitmaps-tdname,
176         image_len type sapb-length,
177         imagedesc type bapiproper-prop_value.
178 data : xstr1 type xstring,
179         xstr1 type xstring.
180 data : l_color type c,
181         l_exists type c,
182         image_tab type table of tbl1024 with header line , "OPTION

```

```

AL
183      l_connect_info type toav0 . " VALUE(P_CONNECT_INFO) LIKE TOAV0 S
STRUCTURE TOAV0
184
185 data : bitmap      type w3mimetabtype,
186       bitmapline type w3mime.
187 data : lv_flag type c.
188 data : lv_ipm type p decimals 1,
189 *      LV_bet TYPE i,
190       lv_bet type p decimals 0.
191 *lv_bet1 TYPE C.
192 *      lv_curr(3) TYPE c
193 *
194 *      lv_bet1 TYPE P .
195
196 data: lv_dcpfm type usr01-dcpfm.
197
198
199 types:
200   ty_boolean(1) type c.
201 constants:
202   c_true type ty_boolean value 'X'.
203 constants:
204   c_bds_classname type sbdst_classname value 'DEVC_STXD_BITMAP',
205   c_bds_classtype type sbdst_classtype value 'OT', " others
206   c_bds_mimetype type bds_mimetp value 'application/octet-stream'.
207
208
209 start-of-selection.
210
211   perform get_text.
212
213 get pernr.
214   perform get_pernr.
215
216 end-of-selection.
217
218   perform select_data.
219   perform get_data.
220
221   perform filter_data.
222   perform disp_smartform.
223   perform skip_pernrs.
224
225 *&-----*
226 *&      Form  SELECT_DATA
227 *&-----*
228 *      text
229 *-----*
230 *  →  p1      text
231 *  ←  p2      text
232 *-----*
233 form select_data .
234 data : lv_holder like pernr-pernr.
235
236   if lt_pernr is not initial.
237 *Position
238     select objid stext begda endda from hrp1000 into table lt_hrp1000 fo
r all entries in lt_pernr
239       where objid = lt_pernr-plans
240       and plvar = '01'

```

```

241         and otype = 'S'
242         and langu = sy-langu
243         and endda ge pn-begda
244         and begda le pn-endda.
245         if sy-subrc = 0. endif.
246
247 *Formal qualification
248         select objid sobid begda endda from hrp1001 into table lt2_hrp1001 f
or all entries in lt_pernr
249         where sobid = lt_pernr-tbjid
250         and plvar = '01'
251         and otype = 'QK'
252         and sclas = 'Q'
253         and endda ge pn-begda
254         and begda le pn-endda.
255
256 ***Start of changes by Jaisy Augustine under Charm2000003591 TR-DS1K9A0D
OB***
257 *-Fetching Text of the Qualification instead of Qualification Group Text
258         select objid stext begda endda from hrp1000 into table lt2_hrp1000
259         for all entries in lt_qual
260         where objid = lt_qual-objid
261         and plvar = '01'
262         and otype = 'Q'
263         and langu = sy-langu
264         and endda ge pn-begda
265         and begda le pn-endda.
266         if sy-subrc = 0. endif.
267
268 *         if sy-subrc = 0."Commented by Jaisy Augustine
269 *         if lt2_hrp1001 is not initial.
270 *         select objid stext begda endda from hrp1000 into table lt2_hrp1
000
271 *         for all entries in lt2_hrp1001 "#EC CI_NO_TRANSFORM
272 *         where objid = lt2_hrp1001-objid
273 *         and plvar = '01'
274 *         and otype = 'QK'
275 *         and langu = sy-langu
276 *         and endda ge pn-begda
277 *         and begda le pn-endda.
278 *         if sy-subrc = 0. endif.
279 *         endif.
280 *         endif . "Commented by Jaisy Augustine
281 ***End of changes by Jaisy Augustine under Charm2000003591 TR-DS1K9A0DOB
***
282
283 *Line manager
284         select objid sobid begda endda from hrp1001 into table lt_hrp1001 fo
r all entries in lt_pernr
285         where sobid = lt_pernr-line_m
286         and plvar = '01'
287         and otype = 'P'
288         and rsign = 'B'
289         and relat = '008'
290         and sclas = 'S'
291         and endda ge pn-begda
292         and begda le pn-endda.
293         if sy-subrc = 0.
294
295         if lt_hrp1001 is not initial.
296         select pernr vorna nachn begda endda from pa0002 into table lt_p

```

```
a0002 for all entries in lt_hrp1001 "#EC CI_NO_TRANSFORM
297     where pernr = lt_hrp1001-objid
298     and endda ge pn-begda
299     and begda le pn-endda.
300     if sy-subrc = 0. endif.
301 endif.
302 endif .
303 **Organizational Unit/ Business Area
304 * O-9E-9D if not default to the Org Unit long description text.
305     select objid sobid begda endda from hrp1001 into table lt4_hrp1001 f
or all entries in lt_pernr
306     where objid = lt_pernr-orgeh
307     and otype = 'O'
308     and sclas = '9E'
309     and plvar = '01'
310     and endda ge pn-begda
311     and begda le pn-endda.
312     if sy-subrc = 0.
313         sort lt4_hrp1001 descending by endda.
314     endif.
315
316     if lt4_hrp1001 is not initial.
317         select objid sobid begda endda from hrp1001 into table lt5_hrp1001
for all entries in lt4_hrp1001
318         where sobid = lt4_hrp1001-sobid
319         and otype = '9D'
320         and sclas = '9E'
321         and plvar = '01'
322         and endda ge pn-begda
323         and begda le pn-endda.
324         if sy-subrc = 0.
325             sort lt5_hrp1001 descending by endda.
326         endif.
327     endif.
328
329     if lt5_hrp1001 is not initial.
330         select objid stext begda endda from hrp1000 into table lt4_hrp100
0 for all entries in lt5_hrp1001
331         where objid = lt5_hrp1001-objid
332         and otype = '9D'
333         and plvar = '01'
334         and langu = sy-langu
335         and endda ge pn-begda
336         and begda le pn-endda.
337         if sy-subrc = 0.
338             sort lt4_hrp1000 descending by endda.
339         endif.
340     endif.
341
342
343     select objid stext begda endda from hrp1000 into table lt5_hrp1000
for all entries in lt_pernr
344     where objid = lt_pernr-orgeh
345     and otype = 'O'
346     and plvar = '01'
347     and langu = sy-langu
348     and endda ge pn-begda
349     and begda le pn-endda.
350     if sy-subrc = 0.
351         sort lt5_hrp1000 descending by endda.
352     endif.
```

```

353
354 * For learning activity table
355     select objid sobid begda endda from hrp1001 into table lt3_hrp1001 f
or all entries in lt_pernr
356         where objid = lt_pernr-pernr
357         and otype = 'P'
358         and rsign = 'B'
359         and relat = '025'
360         and plvar = '01'
361         and sclas = 'E'
362         and endda ge pn-begda
363     and begda le pn-endda.
364     if sy-subrc = 0.
365         sort lt3_hrp1001 by objid ascending endda descending.
366     endif.
367
368     if lt3_hrp1001 is not initial.
369         select objid sobid begda endda from hrp1001 into table lt6_hrp1001
for all entries in lt3_hrp1001
370             where sobid = lt3_hrp1001-sobid
371             and otype = 'D'
372             and rsign = 'B'
373             and relat = '020'
374             and plvar = '01'
375             and sclas = 'E'
376             and endda ge pn-begda
377         and begda le pn-endda.
378         if sy-subrc = 0.
379             sort lt6_hrp1001 descending by objid endda.
380         endif.
381
382         if lt6_hrp1001 is not initial.
383             select objid stext begda endda from hrp1000 into table lt3_hrp10
00 for all entries in lt6_hrp1001
384                 where objid = lt6_hrp1001-objid
385                 and otype = 'D'
386                 and plvar = '01'
387                 and endda ge pn-begda
388             and begda le pn-endda.
389             if sy-subrc = 0. endif.
390         endif.
391     endif.
392 endif.
393
394 endform.
395
396 *-----*
397 *      Form  GET_DATA
398 *-----*
399 *      text
400 *-----*
401 *  —>  p1      text
402 *  <—  p2      text
403 *-----*
404 form get_data .
405
406     loop at  lt_pernr into ls_pernr .
407         READ TABLE lt_qual INTO ls_qual with key pernr = ls_pernr-pernr.
408
409 * * Position
410     sort lt_hrp1000 by objid ascending endda descending.

```



```

411      read table lt_hrp1000 into ls_hrp1000 with key objid = ls_pernr-plan
s binary search .
412      if sy-subrc = 0.
413
414          sort lt_final descending by pernr.
415          read table lt_final into ls_final with key pernr = ls_pernr-pernr
.
416          if sy-subrc = 0.
417
418              ls_final-posit = ls_hrp1000-stext.
419              modify lt_final from ls_final index sy-tabix.
420              if sy-subrc = 0.endif.
421          endif.
422      endif.
423
424  **Formal Qualification
425      sort lt2_hrp1001 by sobid ascending endda descending.
426  *   read table lt2_hrp1001 into ls2_hrp1001 with key sobid = ls_pernr-t
bjid binary search.
427      read table lt2_hrp1001 into ls2_hrp1001 with key sobid = ls_qual-obj
id binary search.
428      if sy-subrc = 0.
429
430          sort lt2_hrp1000 by objid ascending endda descending.
431  *   read table lt2_hrp1000 into ls2_hrp1000 with key objid = ls2_hrp1
001-objid binary search.
432      read table lt2_hrp1000 into ls2_hrp1000 with key objid = ls2_hrp10
01-sobid binary search.
433      if sy-subrc = 0.
434
435          sort lt_final descending by pernr.
436          read table lt_final into ls_final with key pernr = ls_pernr-pern
r .
437          if sy-subrc = 0.
438
439              ls_final-profes = ls2_hrp1000-stext.
440              modify lt_final from ls_final index sy-tabix.
441              if sy-subrc = 0. endif.
442          endif.
443      endif.
444  endif.
445
446  *Organizational Unit/ Business Area
447      sort lt4_hrp1001 by objid ascending endda descending.
448      read table lt4_hrp1001 into ls4_hrp1001 with key objid = ls_pernr-or
geh binary search.
449      if sy-subrc = 0.
450
451          sort lt5_hrp1001 by sobid ascending endda descending.
452          read table lt5_hrp1001 into ls5_hrp1001 with key sobid = ls4_hrp10
01-sobid binary search.
453          if sy-subrc = 0.
454
455              sort lt4_hrp1000 by objid ascending endda descending.
456              read table lt4_hrp1000 into ls4_hrp1000 with key objid = ls5_hrp
1001-objid binary search.
457              if sy-subrc = 0.
458
459                  sort lt_final descending by pernr.
460                  read table lt_final into ls_final with key pernr = ls_pernr-pe
rnr .

```

```

461         if sy-subrc = 0.
462
463             ls_final-org_unt = ls4_hrp1000-stext.
464             modify lt_final from ls_final index sy-tabix.
465             if sy-subrc = 0. endif.
466         endif.
467     endif.
468 endif.
469 endif.
470
471     if ls_final-org_unt is initial .
472         sort lt5_hrp1000 by objid ascending endda descending.
473         read table lt5_hrp1000 into ls5_hrp1000 with key objid = ls_pernr-
orgeh binary search.
474         if sy-subrc = 0.
475
476             sort lt_final descending by pernr.
477             read table lt_final into ls_final with key pernr = ls_pernr-pern
r.
478             if sy-subrc = 0.
479
480                 ls_final-org_unt = ls5_hrp1000-stext.
481                 modify lt_final from ls_final index sy-tabix.
482                 if sy-subrc = 0. endif.
483             endif.
484         endif.
485     endif.
486
487     ** Line Manager
488     sort lt_hrp1001 by sobid ascending endda descending.
489     read table lt_hrp1001 into ls_hrp1001 with key sobid = ls_pernr-line
_m binary search.
490     if sy-subrc = 0.
491
492         sort lt_pa0002 by pernr ascending endda descending.
493         read table lt_pa0002 into ls_pa0002 with key pernr = ls_hrp1001-ob
jid binary search.
494         if sy-subrc = 0.
495
496             sort lt_final descending by pernr.
497             read table lt_final into ls_final with key pernr = ls_pernr-pern
r.
498             if sy-subrc = 0.
499
500                 concatenate ls_pa0002-vorna ls_pa0002-nachn into ls_final-line
_manager separated by space.
501                 modify lt_final from ls_final index sy-tabix.
502                 if sy-subrc = 0. endif.
503             endif.
504         endif.
505     endif.
506
507     endloop.
508
509     endform.
510
511
512
513
514 *&-----*
515 *&          Form  DISP_SMARTFORM

```

```

516 *-----*
517 *      text
518 *-----*
519 *  →  p1      text
520 *  ←  p2      text
521 *-----*
522 form disp_smartform .
523 ***** Start of changes by $vbogawat under Charm : 2000001565 TR :
DS1K9A0CRL *****
524
525 data: ls_control type ssfctrlop.
526 data: out_option type ssfcompop.
527 data: info type ssfcrescl.
528 data: info_full type ssfcrescl.
529
530 ***** End of changes by $vbogawat under Charm : 2000001565 TR : DS
1K9A0CRL *****
531 clear l_fm name.
532 call function 'SSF_FUNCTION_MODULE_NAME'
533     exporting
534         formname          = 'ZSFPPA_MASTERDATA'
535     importing
536         fm_name           = l_fm_name
537     exceptions
538         no_form           = 1
539         no_function_module = 2
540         others            = 3.
541 if sy-subrc = 0.
542 * Implement suitable error handling here
543
544 lv_output_options-tdnoprev = space.
545 lv_output_options-tdnoprint = space.
546 lv_output_options-tdnoarch = space.
547 lv_output_options-tdarmod = 1.
548
549 ***** Start of changes by $vbogawat under Charm : 2000001565 TR :
DS1K9A0CRL *****
550
551 ls_control-no_dialog = 'X'.
552 ls_control-getotf = 'X'. "Uncommented under Charm 2000005231
553 ls_control-device = 'PRINTER'.
554 ls_control-preview = 'X'.
555 * out_option-tddest = 'LOCL'.
556 **TDNOPREV
557 ***** End of changes by $vbogawat under Charm : 2000001565 TR : DS
1K9A0CRL *****
558 sort lt_final by pernr.
559 call function l_fm_name
560     exporting
561         control_parameters = ls_control "Added by $vbogawat under Charm
: 2000001565 TR : DS1K9A0CRL
562         output_options     = lv_output_options
563         user_settings      = ''
564         itab1              = lt_final
565         learnact           = lt_zlearnact
566         pcidp_histo       = lt_zpcidp_histo
567         histo_posicio     = lt_zhisto_posicio
568 * LV_DCPFM              = lv_dcpfm
569     importing
570 * DOCUMENT_OUTPUT_INFO =
571         job_output_info    = info "Added by $vbogawat under Charm

```

```

: 2000001565 TR : DS1K9A0CRL
572 *      JOB_OUTPUT_OPTIONS =
573     exceptions
574         formatting_error    = 1
575         internal_error      = 2
576         send_error          = 3
577         user_canceled       = 4
578         others               = 5.
579     if sy-subrc <> 0.
580 * Implement suitable error handling here
581     endif.
582     append lines of  info-otfdata to info_full-otfdata.      "Added by by $
vbogawat under Charm : 2000001565 TR : DS1K9A0CRL
583     endif.
584
585 ***** Start of changes by $vbogawat under Charm : 2000001565 TR :
DS1K9A0CRL """"""DS1K9A0CXM*****
586
587     CALL FUNCTION 'ZHR_EFI_SHOW_PDF_FORM' "Uncommented under Charm 2000005
231
588     EXPORTING
589         top_edge    = 0
590         left_edge   = 0
591     TABLES
592         otf_table   = info_full-otfdata.
593
594
595     """"DS1K9A0CXM
596 *CALL FUNCTION 'SSFCOMP_PDF_PREVIEW'
597 *   EXPORTING
598 *       I_OTF                        = info_full-otfdata
599 *   EXCEPTIONS
600 *       CONVERT_OTF_TO_PDF_ERROR    = 1
601 *       CNTL_ERROR                  = 2
602 *       OTHERS                      = 3
603 *
604 *IF SY-SUBRC <> 0.
605 ** Implement suitable error handling here
606 *ENDIF.
607 *call function 'SSFCOMP_OTF_OUTPUT'
608 *   exporting
609 *       input_params                =
610 *       archive_params              =
611 *       otf_data                    = info_full-otfdata
612 **   BMNÖPRI                      =
613 ** IMPORTING
614 **   OUTPUT_PARAMS                 =
615 *   EXCEPTIONS
616 *       ERROR                      = 1
617 *       OTHERS                     = 2
618 *
619 *if sy-subrc <> 0.
620 ** Implement suitable error handling here
621 *endif.
622 * data: t_pdf_tab type table of tline, " SAPscript: Text Lines
623 *       t_otf      type table of itcoo. " OTF Structure
624 ** Variables used to pass to GUI_DOWNLOAD
625 * data: w_filesize type i,
626 *       w_bin_filesize type i.
627 *
628 * data:

```

```

629 **      w_form_name type tdsfname value 'ZSURESH_TEST',
630 **      w_fmodule type rs381_fnam,
631 **      w_cparam type ssfctrlop,
632 **      w_outoptions type ssfcompop,
633 **      W_bin_filesize type i, " Binary File Size
634 *      w_FILE_NAME type string,
635 *      w_File_path type string,
636 *      w_FULL_PATH type string.
637 *
638 *T_OTF = info-otfdata.
639 * _call function 'CONVERT_OTF'
640 *     exporting
641 *         format                = 'PDF'
642 *         max_linewidth         = 132
643 **         ARCHIVE_INDEX        = ' '
644 **         COPYNUMBER           = 0
645 **         ASCII_BIDI_VIS2LOG   = ' '
646 **         PDF_DELETE_OTFTAB    = ' '
647 **         PDF_USERNAME         = ' '
648 **         PDF_PREVIEW          = ' '
649 **         USE_CASCADING        = ' '
650 **         MODIFIED_PARAM_TABLE =
651 *     importing
652 *         bin_filesize          = w_bin_filesize
653 **         BIN_FILE              =
654 *     tables
655 *         otf                   = t_otf
656 *         lines                  = t_pdf_tab
657 *     exceptions
658 *         err_max_linewidth      = 1
659 *         err_format             = 2
660 *         err_conv_not_possible = 3
661 *         err_bad_otf           = 4
662 *         others                 = 5.
663 * if sy-subrc <> 0.
664 ** Implement suitable error handling here
665 * endif.
666 *     call method cl_gui_frontend_services=>file_save_dialog
667 ** EXPORTING
668 ** WINDOW TITLE =
669 ** DEFAULT_EXTENSION =
670 ** DEFAULT_FILE_NAME =
671 ** FILE_FILTER =
672 ** INITIAL_DIRECTORY =
673 ** WITH_ENCODING =
674 ** PROMPT_ON_OVERWRITE = 'X'
675 *     changing
676 *         filename = w_FILE_NAME
677 *         path = w_FILE_PATH
678 *         fullpath = w_FULL_PATH
679 ** USER_ACTION =
680 ** FILE_ENCODING =
681 *     exceptions
682 *         CNTL_ERROR = 1
683 *         ERROR_NO_GUI = 2
684 *         NOT_SUPPORTED_BY_GUI = 3
685 *         others = 4
686 *
687 * if sy-subrc <> 0.
688 *     message id SY-MSGID type SY-MSGTY number SY-MSGNO
689 *     with SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.

```

```

690 *      endif.
691 *
692 *call function 'GUI_DOWNLOAD'
693 *  exporting
694 *    BIN_FILESIZE           = w_bin_filesize
695 *    filename               = w_FILE_NAME
696 *    FILETYPE               = 'BIN'
697 **    APPEND                 = ' '
698 **    WRITE_FIELD_SEPARATOR = ' '
699 **    HEADER                 = '00'
700 **    TRUNC_TRAILING_BLANKS = ' '
701 **    WRITE_LF               = 'X'
702 **    COL_SELECT             = ' '
703 **    COL_SELECT_MASK        = ' '
704 **    DAT_MODE                = ' '
705 **    CONFIRM_OVERWRITE      = ' '
706 **    NO_AUTH_CHECK          = ' '
707 **    CODEPAGE                = ' '
708 **    IGNORE_CERR             = ABAP_TRUE
709 **    REPLACEMENT             = '#'
710 **    WRITE_BOM               = ' '
711 **    TRUNC_TRAILING_BLANKS_EOL = 'X'
712 **    WK1_N_FORMAT            = ' '
713 **    WK1_N_SIZE              = ' '
714 **    WK1_T_FORMAT            = ' '
715 **    WK1_T_SIZE              = ' '
716 **    WRITE_LF_AFTER_LAST_LINE = ABAP_TRUE
717 **    SHOW_TRANSFER_STATUS    = ABAP_TRUE
718 **    VIRUS_SCAN_PROFILE      = '/SCET/GUI_DOWNLOAD'
719 ** IMPORTING
720 **    FILELENGTH              =
721 *  tables
722 *    data tab                 = t_pdf_tab
723 **    FIELDNAMES              =
724 * EXCEPTIONS
725 *    FILE_WRITE_ERROR         = 1
726 *    NO_BATCH                  = 2
727 *    GUI_REFUSE_FILETRANSFER  = 3
728 *    INVALID_TYPE              = 4
729 *    NO_AUTHORITY              = 5
730 *    UNKNOWN_ERROR             = 6
731 *    HEADER_NOT_ALLOWED        = 7
732 *    SEPARATOR_NOT_ALLOWED     = 8
733 *    FILESIZE_NOT_ALLOWED      = 9
734 *    HEADER_TOO_LONG           = 10
735 *    DP_ERROR_CREATE           = 11
736 *    DP_ERROR_SEND              = 12
737 *    DP_ERROR_WRITE            = 13
738 *    UNKNOWN_DP_ERROR          = 14
739 *    ACCESS_DENIED              = 15
740 *    DP_OUT_OF_MEMORY           = 16
741 *    DISK_FULL                  = 17
742 *    DP_TIMEOUT                 = 18
743 *    FILE_NOT_FOUND             = 19
744 *    DATAPROVIDER_EXCEPTION     = 20
745 *    CONTROL_FLUSH_ERROR        = 21
746 *    OTHERS                     = 22
747 *
748 *if sy-subrc <> 0.
749 ** Implement suitable error handling here
750 *endif.

```

```

751
752
753
754
755
756
757
758 ***** End of changes by $vbogawat under Charm : 2000001565 TR : DS
1K9A0CRL """"DS1K9A0CXM*****
759
760
761 endform.
762 *&-----*
763 *&      Form  FILTER_DATA
764 *&-----*
765 *      text
766 *-----*
767 *  —>  p1      text
768 *  <—  p2      text
769 *-----*
770 form filter_data .
771
772 *for Learning activity table
773 *Display only latest 5 records
774   clear ls_zlearnact.
775   clear l_tabix.
776
777   data : it_usr01 type table of usr01,
778         wa_usr01 type usr01.
779   select * from usr01 into table it_usr01 where bname = sy-uname.
780   read table it_usr01 into wa_usr01 index 1.
781   lv_dcpfm = wa_usr01-dcpfm.
782
783   loop at lt3_hrp1001 into ls3_hrp1001.
784
785     on change of ls3_hrp1001-objid.
786       clear l_tabix.
787     endon.
788
789     if l_tabix <= 4.
790       sort lt6_hrp1001 by sobid ascending begda descending.
791       read table lt6_hrp1001 into ls6_hrp1001
792       with key sobid = ls3_hrp1001-sobid binary search.
793
794       if sy-subrc = 0.
795         sort lt3_hrp1000 by objid ascending begda descending.
796         read table lt3_hrp1000 into ls3_hrp1000
797         with key objid = ls6_hrp1001-objid binary search.
798
799         if sy-subrc = 0.
800           ls_zlearnact-learnact = ls3_hrp1000-stext.
801         endif.
802
803         ls_zlearnact-pernr = ls3_hrp1001-objid.
804         ls_zlearnact-enddate = ls6_hrp1001-enddda.
805         append ls_zlearnact to lt_zlearnact.
806         l_tabix = l_tabix + 1.
807
808         clear :ls_zlearnact,ls3_hrp1001,ls3_hrp1000,ls6_hrp1001.
809       endif.
810     endif.

```

```

811
812     endloop.
813     clear:lt_tabix .
814     sort lt_zlearnact descending by enddate.
815
816 *for PCIDP table
817     clear :ls_sel_with_or_without,ls_sel_date.
818
819 * Read the template
820     ls_sel_with_or_without = 'XX'.
821     ls_sel_date-validity_from_date = pn-begda.
822     ls_sel_date-validity_to_date = pn-endda.
823     ls_templates-plvar = '01'.
824     ls_templates-otype = 'VA'.
825     ls_templates-objid = '80000703'.
826     append ls_templates to lt_templates.
827     clear ls_templates.
828
829     call function 'HRHAP_DOCUMENT_GET_LIST_XXL'
830         exporting
831             add_on_application      = ''
832             plan_version            = '01'
833             t_templates             = lt_templates
834             t_appraisees           = lt_appraisees
835             s_sel_with_or_without  = ls_sel_with_or_without
836             s_sel_date             = ls_sel_date
837             no_dialog              = 'X'
838         importing
839             t_documents             = lt_documents.
840
841     clear :ls_ap_status_name.
842     ls_ap_status_name = text-004.
843
844     loop at lt_documents into ls_documents where ap_status_name = ls_ap_st
atus_name.
845
846         concatenate ls_documents-appraisal_id '0000' into
847             ls_appraisal_id.
848
849         call function 'HRHAP_DOCUMENT_GET_DETAIL'
850             exporting
851                 plan_version      = '01'
852                 s_appraisal_id    = ls_appraisal_id
853                 administrator     = 'X'
854             importing
855                 t_body_cells      = lt_body_cells.
856
857         sort lt_body_cells descending by row_iid column_iid.
858         read table lt_body_cells into ls_body_cells1
859         with key row_iid = '0001' column_iid = '0003' .
860         if sy-subrc = 0.
861
862             ls_zpcidp_histo-rating = ls_body_cells1-value_txt.
863         endif.
864
865         read table lt_body_cells into ls_body_cells2
866         with key row_iid = '0001' column_iid = '0014'.
867         if sy-subrc = 0.
868             case lv_dcpfm.
869
870                 when 'X'.

```



```

871         lv_ipm = ls_body_cells2-value_txt.
872         ls_zpcidp_histo-ipm_val = lv_ipm.
873         replace all occurrences of '.' in ls_zpcidp_histo-ipm_val with
            ' '.
874         when ' '.
875             replace all occurrences of ',' in ls_body_cells2-value_txt wit
h ' '.
876         lv_ipm = ls_body_cells2-value_txt.
877         ls_zpcidp_histo-ipm_val = lv_ipm.
878         replace all occurrences of '.' in ls_zpcidp_histo-ipm_val with
            ' '.
879 *         LS_ZPCIDP_HISTO-IPM_VAL = LS_BODY_CELLS2-VALUE_TXT.
880         when 'Y'.
881 *         REPLACE ALL OCCURRENCES OF ',' in LS_BODY_CELLS2-VALUE_TXT WITH '
            ' '.
882
883         endcase.
884
885     endif.
886
887     ls_zpcidp_histo-pernr = ls_documents-appraisee_id.
888     ls_zpcidp_histo-enddate = ls_documents-ap_end_date.
889
890     append ls_zpcidp_histo to lt_zpcidp_histo.
891     sort lt_zpcidp_histo descending by enddate.
892     clear :ls_zpcidp_histo,ls_body_cells2 ,ls_body_cells1,ls_documents,l
s_appraisal_id.
893
894     endloop.
895
896 * FOR position history table
897 if lt_final is not initial.
898     select * from pa0008 into table lt_pa0008
899         for all entries in lt_final
900         where pernr = lt_final-pernr
901         and endda ge pn-begda
902         and begda le pn-endda.
903     if sy-subrc = 0.
904         sort lt_pa0008 descending by begda.
905     endif.
906
907     select * from t530f into table lt_t530f
908     where infty = '0008'
909     and sprsl = sy-langu.
910     if sy-subrc = 0. endif.
911
912     clear ls_zhisto_posicio.
913
914     loop at lt_pa0008 into ls_pa0008.
915
916         do 40 times
917             varying l_lga_p0008
918                 from ls_pa0008-lga01 next ls_pa0008-lga02
919             varying l_bet_p0008
920                 from ls_pa0008-bet01 next ls_pa0008-bet02.
921
922             if l_lga_p0008 is not initial
923                 and ( l_lga_p0008 = '0100' or l_lga_p0008(2) = '5X' or l_lga_p
0008(2) = '6X').
924                 l_betrg = l_bet_p0008 + l_betrg .
925             endif.

```

```

926      enddo.
927
928      call function 'HRWPC_RFC_EP_READ_GENERALDATA'
929          exporting
930              pernr          = ls_pa0008-pernr
931              datum         = ls_pa0008-begda
932          importing
933              generaldata    = ls_hrwpc_s_ep_generaldata
934          exceptions
935              not_supported  = 1
936              nothing_found  = 2
937              no_authorization = 3
938              internal_error  = 4
939              others         = 5.
940      if sy-subrc = 0.
941          ls_zhisto_posicio-pers_area = ls_hrwpc_s_ep_generaldata-werks_te
xt.
942          ls_zhisto_posicio-posit = ls_hrwpc_s_ep_generaldata-plans_text.
943      endif.
944
945      sort lt_t530f descending by preas.
946      read table lt_t530f into ls_t530f
947      with key preas = ls_pa0008-preas .
948      if sy-subrc = 0.
949          ls_zhisto_posicio-motivo = ls_t530f-rtext.
950      endif.
951
952      ls_zhisto_posicio-pernr = ls_pa0008-pernr.
953      ls_zhisto_posicio-startdate = ls_pa0008-begda.
954      *      LS_ZHISTO_POSICIO-SUELDO = L_BETRГ.
955
956      *lv_curr = 'SGD'.
957          lv_betrg = lv_betrg * 100.
958          lv_bet = lv_betrg .
959      *lv_bet1 = lv_bet.
960
961      data: lv_money(13),
962            lv_value      type konv-kbetr,
963            lv_curr       type konv-waers.
964
965      lv_curr = 'SGD'.
966
967      lv_value = lv_bet.
968
969      write lv_value currency lv_curr to lv_money.
970
971      case lv_dcpfm.
972
973          when 'X'.
974              replace all occurrences of ',' in lv_money with '.'.
975          when ' '.
976              replace all occurrences of ',' in lv_money with '.'.
977          when 'Y'.
978              replace all occurrences of ',' in lv_money with ' '.
979
980      endcase.
981
982      * SHIFT lv_money RIGHT DELETING TRAILING '.00'.
983
984      ls_zhisto_posicio-sueldo = lv_money+(9).
985

```

```

986
987 *lv_bet1 = lv_money
988
989 *WRITE lv_money.
990 *
991 *replace all OCCURRENCES OF '(\d) (?(=\d{3})+(?!\d))' in lv_bet with '$1,
992 *
993 **CALL FUNCTION 'FKK_AMOUNT_CHECK_AND_CONVERT'
994 **   EXPORTING
995 **     I_AMOUNT           = lv_bet
996 **     I_WAERS            = lv_curr
997 **   IMPORTING
998 ***     E_AMOUNT_C        =
999 **     E_AMOUNT_P        = lv_bet1
1000 **   EXCEPTIONS
1001 **     INVALID_INPUT_FORMAT = 1
1002 **     OTHERS              = 2
1003 **
1004 **IF SY-SUBRC <> 0.
1005 *** Implement suitable error handling here
1006 **ENDIF.
1007 *
1008 *
1009 *
1010 **WRITE: lv_bet TO lv_bet1.
1011 **lv_bet1 = lv_bet.
1012 *
1013 *       LS_ZHISTO_POSICIO-SUELDO = Lv_bet1.
1014
1015
1016       ls_zhisto_posicio-banda = ls_pa0008-trfgr.
1017       ls_zhisto_posicio-grado = ls_pa0008-trfst.
1018
1019       append ls_zhisto_posicio to lt_zhisto_posicio.
1020       clear :ls_zhisto_posicio,ls_pa0008,ls_t530f,ls_hrwpc_s_ep_generald
ata.
1021       clear :l_betrg,l_lga_p0008, l_bet_p0008.
1022
1023     endloop.
1024
1025   endif.
1026
1027 endform.
1028 *&-----*
1029 *&       Form   FETCH_AND_CONVERT_EMP_PHOTO
1030 *&-----*
1031 *&       text
1032 *&-----*
1033 *&   —>  p1           text
1034 *&   <—  p2           text
1035 *&-----*
1036 form fetch_and_convert_emp_photo .
1037
1038 * check whether image document exists for given employee
1039 * if image exist create a directory for image
1040 clear :l_connect info .",l_CONNECT_INFO[ ].
1041 call function 'HR_IMAGE_EXISTS'
1042     exporting
1043         p_pernr           = pernr-pernr
1044         p_tclas           = 'A'

```

```

1045         p_begda                = sy-datum
1046         p_endda                = sy-datum
1047     importing
1048         p_exists                = l_exists
1049         p_connect_info          = l_connect_info
1050     exceptions
1051         error_connectiontable = 1
1052         others                 = 2.
1053     if sy-subrc <> 0.
1054 * Implement suitable error handling here
1055         ls_final-photo = 1.
1056     endif.
1057
1058     if ls_final-photo ne 1.
1059 *fill tab with picture
1060         clear :image_tab,image_tab[].
1061         call function 'ARCHIVOBJECT_GET_TABLE'
1062             exporting
1063                 archiv_id          = l_connect_info-archiv_id
1064                 document_type      = 'PREL'
1065                 archiv_doc_id      = l_connect_info-arc_doc_id
1066             importing
1067                 length             = image_len
1068             tables
1069                 binarchivobject    = image_tab
1070             exceptions
1071                 error_archiv       = 1
1072                 error_communicationtable = 2
1073                 error_kernel       = 3
1074                 others             = 4.
1075         if sy-subrc <> 0.
1076 * Implement suitable error handling here
1077         endif.
1078
1079 *write the binary file to /usr/sap/trans/ directory in jps format
1080         clear :list_filename.
1081         if image_tab[] is not initial.
1082             clear :list_filename.
1083             concatenate '/usr/sap/trans/' pernr-pernr '.jpg' into list_filename.
1084 e.
1085         try .
1086             open dataset list_filename in binary mode for output.
1087             if sy-subrc = 0.
1088                 loop at image_tab.
1089                     transfer image_tab to list_filename.
1090                 endloop.
1091                 close dataset list_filename.
1092             endif.
1093         endtry.
1094     endif.
1095
1096 *read & convcert jpg file
1097         open dataset list_filename in binary mode for input.
1098         if sy-subrc = 0.
1099             clear xstr1.
1100 * read jpg file
1101             read dataset list_filename into xstr1.
1102
1103 * delete jpg file
1104             delete dataset list_filename.

```

```

1105         clear bitmap.
1106
1107         call function 'ZBMP_CREATE_FROM_EXT_FORMAT'
1108             exporting
1109                 xstream = xstr1
1110                 format   = 'JPG'
1111             importing
1112                 bitmap   = bitmap.
1113     endif.
1114
1115     *write this converted bitmap file to the same directory
1116     if bitmap[] is not initial.
1117         clear : list_filename.
1118         concatenate '/usr/sap/trans/' pernr-pernr '.bmp'
1119         into list_filename.
1120
1121         try .
1122             open dataset list_filename in binary mode for output.
1123
1124             if sy-subrc = 0.
1125                 loop at bitmap into bitmapline.
1126                     transfer bitmapline to list_filename.
1127                 endloop.
1128                 close dataset list_filename.
1129             endif.
1130         endtry.
1131     endif.
1132
1133 endif.
1134
1135 endform.
1136 *&-----*
1137 *&      Form  IMPORT_BITMAP_BDS_LOCAL                *
1138 *&-----*
1139 *      text                                           *
1140 *-----*
1141 *  →>  p1      text                                  *
1142 *  <←  p2      text                                  *
1143 *-----*
1144 form import_bitmap_bds_local .
1145 * create a BDS object of bmp image crated in directory
1146     if ls_final-photo ne 1.
1147
1148         move list_filename to imagefile.
1149         move pernr-pernr   to imagename.
1150         move pernr-pernr   to imagedesc.
1151
1152         data: l_resolution type stxbitmaps-resolution.
1153         data: l_docid      type stxbitmaps-docid.
1154
1155         data: l_object_key type sbdst_object_key.
1156         data: l_tab        type ddobjname.
1157
1158         data: begin of l_bitmap occurs 0,
1159             l(64) type x,
1160             end of l_bitmap.
1161
1162         data: l_filename      type string,
1163             l_bytecount       type i,
1164             l_bds_bytecount   type i.
1165

```

```

1166 data: l_color(1) type c,
1167         l_width_tw type stxbitmaps-widthtw,
1168         l_height_tw type stxbitmaps-heighttw,
1169         l_width_pix type stxbitmaps-widthpix,
1170         l_height_pix type stxbitmaps-heightpix.
1171
1172 data: l_bds_object type ref to cl_bds_document_set,
1173         l_bds_content type sbdst_content,
1174         l_bds_components type sbdst_components,
1175         wa_bds_components type line of sbdst_components,
1176         l_bds_signature type sbdst_signature,
1177         wa_bds_signature type line of sbdst_signature,
1178         l_bds_properties type sbdst_properties,
1179         wa_bds_properties type line of sbdst_properties.
1180
1181 data wa_stxbitmaps type stxbitmaps.
1182
1183 * Enqueue
1184 perform enqueue_graphic using 'GRAPHICS'
1185 imagename
1186 'BMAP'
1187 'BCOL'.
1188
1189 *** Read BMP File
1190 clear list_filename.
1191 move imagefile to list_filename.
1192 open dataset list_filename in binary mode for input.
1193 if sy-subrc eq 0.
1194     clear xstr1.
1195 *** Read BMP File
1196     read dataset list_filename into xstr1.
1197
1198 **** Delete BMP File
1199 delete dataset list_filename.
1200
1201 clear l_bitmap.
1202 call function 'SCMS_XSTRING_TO_BINARY'
1203     exporting
1204         buffer = xstr1
1205     importing
1206         output_length = l_bytecount
1207     tables
1208         binary_tab = l_bitmap.
1209 ##FM_SUBRC_OK
1210 case sy-subrc.
1211     when 0.
1212     when 2.
1213         perform dequeue_graphic using 'GRAPHICS'
1214         imagename
1215         'BMAP'
1216         'BCOL'.
1217         message e811(td) with imagefile.
1218
1219     when 3.
1220         perform dequeue_graphic using 'GRAPHICS'
1221         imagename
1222         'BMAP'
1223         'BCOL'.
1224         message e812(td) with imagefile.
1225
1226     when others.

```

```

1227         perform dequeue_graphic using 'GRAPHICS'
1228         imagename
1229         'BMAP'
1230         'BCOL'.
1231         message e813(td) with imagefile.
1232
1233     endcase.
1234
1235     l_color = c_true.
1236
1237     clear l_resolution.
1238 * Bitmap conversion
1239     call function 'SAPSCRIPT_CONVERT_BITMAP_BDS'
1240         exporting
1241             color                = l_color
1242             format                = 'BMP'
1243             resident              = space
1244             bitmap_bytecount      = l_bytecount
1245             compress_bitmap       = space
1246         importing
1247             width_tw              = l_width_tw
1248             height_tw             = l_height_tw
1249             width_pix             = l_width_pix
1250             height_pix            = l_height_pix
1251             dpi                   = l_resolution
1252             bds_bytecount         = l_bds_bytecount
1253         tables
1254             bitmap_file           = l_bitmap
1255             bitmap_file_bds       = l_bds_content
1256         exceptions
1257             format_not_supported = 1
1258             no_bmp_file          = 2
1259             bmperr_invalid_format = 3
1260             bmperr_no_colortable = 4
1261             bmperr_unsup_compression = 5
1262             bmperr_corrupt_rle_data = 6
1263             others                = 7.
1264     if sy-subrc <> 0.
1265         perform dequeue_graphic using 'GRAPHICS'
1266         imagename
1267         'BMAP'
1268         'BCOL'.
1269     endif.
1270
1271 * Save bitmap in BDS
1272     create object l_bds_object.
1273
1274     wa_bds_components-doc_count = '1'.
1275     wa_bds_components-comp_count = '1'.
1276     wa_bds_components-mimetype = c_bds_mimetype.
1277     wa_bds_components-comp_size = l_bds_bytecount.
1278     append wa_bds_components to l_bds_components.
1279
1280     if l_docid is initial.
1281         " " GRAPHIC IS NEW
1282
1283         wa_bds_signature-doc_count = '1'.
1284         append wa_bds_signature to l_bds_signature.
1285
1286         call method l_bds_object->create_with_table
1287             exporting

```

```

1288         classname = c_bds_classname
1289         classtype  = c_bds_classtype
1290         components = l_bds_components
1291         content    = l_bds_content
1292     changing
1293         signature  = l_bds_signature
1294         object_key = l_object_key
1295     exceptions
1296         others     = 1.
1297 if sy-subrc <> 0.
1298     perform dequeue_graphic using 'GRAPHICS'
1299     imagename
1300     'BMAP'
1301     'BCOL'.
1302
1303     message e285(td) with imagename 'BDS'.
1304
1305 endif.
1306 read table l_bds_signature index 1 into wa_bds_signature
1307 transporting doc_id.
1308 if sy-subrc = 0.
1309     l_docid = wa_bds_signature-doc_id.
1310 else.
1311     perform dequeue_graphic using 'GRAPHICS'
1312     imagename
1313     'BMAP'
1314     'BCOL'.
1315
1316     message e285(td) with imagename 'BDS'.
1317
1318 endif.
1319
1320 else.                                     """ GRAPHIC ALREADY EXISTS
1321 ***** read object_key for faster access *****
1322     clear l_object_key.
1323     select single * from stxbitmaps into wa_stxbitmaps
1324     where tdoobject = 'GRAPHICS'
1325     and tdid       = 'BMAP'
1326     and tdname     = imagename
1327     and tdbtype    = 'BCOL'.
1328     select single tabname from bds_locl into l_tab
1329     where classname = c_bds_classname
1330     and classtype   = c_bds_classtype.
1331     if sy-subrc = 0.
1332         select single object_key from (l_tab) into l_object_key
1333         where loio_id = wa_stxbitmaps-docid+10(32)
1334         and classname = c_bds_classname
1335         and classtype = c_bds_classtype.
1336     endif.
1337 ***** read object_key end *****
1338
1339     call method l_bds_object->update_with_table
1340     exporting
1341         classname      = c_bds_classname
1342         classtype      = c_bds_classtype
1343         object_key      = l_object_key
1344         doc_id         = l_docid
1345         doc_ver_no     = '1'
1346         doc_var_id     = '1'
1347     changing
1348         components     = l_bds_components

```



```

1349         content          = l_bds_content
1350     exceptions
1351         nothing_found = 1
1352         others        = 2.
1353 if sy-subrc = 1.
1354     " " INCONSISTENCY STXBITMAPS # BDS; REPEAT CHECK IN
1355     wa_bds_signature-doc_count = '1'.
1356     append wa_bds_signature to l_bds_signature.
1357
1358     call method l_bds_object->create_with_table
1359         exporting
1360             classname      = c_bds_classname
1361             classtype      = c_bds_classtype
1362             components     = l_bds_components
1363             content        = l_bds_content
1364         changing
1365             signature      = l_bds_signature
1366             object_key     = l_object_key
1367     exceptions
1368         others            = 1.
1369 if sy-subrc <> 0.
1370     perform dequeue_graphic using 'GRAPHICS'
1371     imagename
1372     'BMAP'
1373     'BCOL'.
1374
1375     message e285(td) with imagename 'BDS'.
1376 endif.
1377 read table l_bds_signature index 1 into wa_bds_signature
1378 transporting doc_id.
1379 if sy-subrc = 0.
1380     l_docid = wa_bds_signature-doc_id.
1381 else.
1382     perform dequeue_graphic using 'GRAPHICS'
1383     imagename
1384     'BMAP'
1385     'BCOL'.
1386     message e285(td) with imagename 'BDS'.
1387 endif.
1388
1389 elseif sy-subrc = 2.
1390     perform dequeue_graphic using 'GRAPHICS'
1391     imagename
1392     'BMAP'
1393     'BCOL'.
1394     message e285(td) with imagename 'BDS'.
1395 endif.
1396
1397 endif.
1398
1399 ** Save bitmap header in STXBITPMAPS "$ssinha
1400     l_resolution = '300'.
1401     wa_stxbitmaps-tdname      = imagename.
1402     wa_stxbitmaps-tdobject   = 'GRAPHICS'.
1403     wa_stxbitmaps-tdid       = 'BMAP'.
1404     wa_stxbitmaps-tdbtype    = 'BCOL'.
1405     wa_stxbitmaps-docid      = l_docid.
1406     wa_stxbitmaps-widthpix   = l_width_pix.    "180."
1407     wa_stxbitmaps-heightpix  = l_height_pix.    "275."
1408     wa_stxbitmaps-widthtw    = l_width_tw.      "3500."
1409     wa_stxbitmaps-heighttw   = l_height_tw.     " 5000."

```

```

1410     wa_stxbitmaps-resolution = l_resolution.
1411     wa_stxbitmaps-resident    = space.
1412     wa_stxbitmaps-autoheight  = 'X'.
1413     wa_stxbitmaps-bmcomp      = space.
1414
1415     insert into stxbitmaps values wa_stxbitmaps.
1416
1417     if sy-subrc <> 0.
1418         update stxbitmaps from wa_stxbitmaps.
1419         if sy-subrc <> 0.
1420             message e285(td) with imagename 'STXBITMAPS'.
1421         endif.
1422     endif.
1423     * Set description in BDS attributes
1424     wa_bds_properties-prop_name = 'DESCRIPTION'.
1425     wa_bds_properties-prop_value = imagedesc.
1426     append wa_bds_properties to l_bds_properties.
1427
1428     call method l_bds_object->change_properties
1429         exporting
1430             classname          = c_bds_classname
1431             classtype          = c_bds_classtype
1432             object_key         = l_object_key
1433             doc_id             = l_docid
1434             doc_ver_no         = '1'
1435             doc_var_id         = '1'
1436         changing
1437             properties         = l_bds_properties
1438         exceptions
1439             nothing_found      = 1
1440             internal_error     = 2
1441             error_kpro         = 3
1442             not_authorized     = 4
1443             not_allowed        = 5
1444             parameter_error    = 6
1445             others              = 7.
1446     if sy-subrc <> 0.
1447     * Implement suitable error handling here
1448     endif.
1449
1450     perform dequeue_graphic using 'GRAPHICS'
1451     imagename
1452     'BMAP'
1453     'BCOL'.
1454
1455     endif.
1456
1457
1458     endif.
1459
1460     endform.
1461     *&-----*
1462     *&      Form  DEQUEUE_GRAPHIC
1463     *&-----*
1464     *      text
1465     *-----*
1466     *      -->P_2324    text
1467     *      -->P_IMAGENAME text
1468     *      -->P_2326    text
1469     *      -->P_2327    text
1470     *-----*

```

```

1471 form dequeue_graphic using p_object
1472                               p_name
1473                               p_id
1474                               p_btype.
1475 call function 'DEQUEUE_ESSGRABDS'
1476   exporting
1477     tdoobject = p_object
1478     tdname    = p_name
1479     tdid      = p_id
1480     tdbtype   = p_btype.
1481
1482 endform.
1483 *&-----*
1484 *&      Form  ENQUEUE_GRAPHIC
1485 *&-----*
1486 *      text
1487 *-----*
1488 *      —>P_2266    text
1489 *      —>P_IMAGENAME text
1490 *      —>P_2268    text
1491 *      —>P_2269    text
1492 *-----*
1493 form enqueue_graphic using p_object
1494                               p_name
1495                               p_id
1496                               p_btype.
1497
1498 call function 'ENQUEUE_ESSGRABDS'
1499   exporting
1500     tdoobject = p_object
1501     tdname    = p_name
1502     tdid      = p_id
1503     tdbtype   = p_btype
1504   exceptions
1505     foreign_lock = 1
1506     others       = 2 ##FM_SUBRC_OK.
1507
1508   if sy-subrc <> 0.
1509     endif.
1510
1511 endform.
1512 *&-----*
1513 *&      Form  GET_PERNR
1514 *&-----*
1515 *      text
1516 *-----*
1517 *      —>  p1      text
1518 *      <—  p2      text
1519 *-----*
1520 form get_pernr .
1521
1522 *Report is only for Chile employees
1523 clear : l_molga.
1524 call function 'RH_PM_GET_MOLGA_FROM_PERNR'
1525   exporting
1526     plvar      = '01'
1527     pernr      = pernr-pernr
1528     begda      = pn-begda
1529     endda      = pn-endda
1530   importing
1531     molga      = l_molga

```

```

1532     exceptions
1533         nothing_found    = 1
1534         no_active_plvar  = 2
1535         others           = 3.
1536 if sy-subrc <> 0.
1537 * Implement suitable error handling here
1538 endif.
1539
1540 if l_molga eq '39'.
1541
1542     clear :ls_final .
1543
1544     rp-provide-from-last p0001 space pn-begda pn-enddda.
1545     rp-provide-from-last p0002 space pn-begda pn-enddda.
1546     rp-provide-from-last p0008 space pn-begda pn-enddda.
1547     rp-provide-from-last p0041 space pn-begda pn-enddda.
1548
1549 *PERID
1550     move p0002-perid to ls_final-perid .
1551
1552 *Last Name + first name
1553     concatenate p0002-name2 ',' into ls_name.
1554     concatenate p0002-nachn ls_name p0002-vorna into ls_final-name separ
ated by space.
1555
1556 *Age
1557     call function 'HRCM_TIME_PERIOD_CALCULATE'
1558         exporting
1559             begda          = p0002-gbdat
1560             enddda          = sy-datum
1561         importing
1562             noyrs           = ls_final-age
1563         exceptions
1564             invalid_dates  = 1
1565             overflow       = 2
1566             others         = 3.
1567     if sy-subrc <> 0.
1568 * Implement suitable error handling here
1569     endif.
1570
1571 *Personnel Number
1572     move pernr-pernr to ls_final-pernr.
1573
1574 *Date type
1575     loop at p0041.
1576         do 12 times
1577             varying lv_darxx
1578                 from p0041-dar01 next p0041-dar02
1579             varying lv_datxx
1580                 from p0041-dat01 next p0041-dat02.
1581
1582             if lv_darxx is not initial and lv_darxx = '02'.
1583                 ls_final-darxx = lv_datxx.
1584             endif.
1585         enddo.
1586     endloop.
1587
1588 *Seniority
1589     call function 'HRCM_TIME_PERIOD_CALCULATE'
1590         exporting
1591             begda          = ls_final-darxx

```

```

1592         enddda             = sy-datum
1593     importing
1594         noyrs             = l_yrs
1595         nomns             = l_month
1596     exceptions
1597         invalid_dates = 1
1598         overflow      = 2
1599         others        = 3.
1600     if sy-subrc = 0.
1601 * Implement suitable error handling here
1602     concatenate l_yrs text-002 l_month text-003 into ls_final-senio.
1603 endif.
1604
1605 *Cost Center
1606     move p0001-kostl to ls_final-kostl.
1607
1608 *Nationality
1609     sort lt_t005t descending by landl .
1610     read table lt_t005t into ls_t005t with key landl = p0002-natio .
1611     if sy-subrc = 0.
1612         ls_final-natio = ls_t005t-natio.
1613     endif.
1614
1615 *Personnel Area
1616     sort lt_t500p descending by persa.
1617     read table lt_t500p into ls_t500p with key persa = p0001-werks .
1618     if sy-subrc = 0.
1619         ls_final-werks = ls_t500p-name1.
1620     endif.
1621
1622 * Name of pay scale area (Basic Pay infotype)
1623     sort lt_t510g descending by trfgb.
1624     read table lt_t510g into ls_t510g with key trfgb = p0008-trfgb .
1625     if sy-subrc = 0.
1626         ls_final-tgbtx = ls_t510g-tgbtx.
1627     endif.
1628
1629 * *for photo
1630     data wa_stxbitmaps type stxbitmaps.
1631     select single * from stxbitmaps into wa_stxbitmaps where tdoject =
'GRAPHICS'
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641 * Added Under TR:DS1K9A0BMY
1642 * if sy-subrc ne 0.
1643 *     perform fetch_and_convert_emp_photo.
1644 *     perform import_bitmap_bds_local.
1645 * endif.
1646     ls_final-photo = '1'.

```

```

1646
1647     append ls_final to lt_final.
1648     clear : ls_final ,lv_darxx ,lv_datxx,l_yrs,l_month..
1649     clear : ls_t510g, ls_t500p, ls_t005t.
1650     clear : l_molga.
1651
1652     *for smartform tables
1653         ls_appraisees-plvar = '01'.
1654         ls_appraisees-otype = 'P'.
1655         ls_appraisees-sobid = pernr-pernr.
1656         append ls_appraisees to lt_appraisees.
1657         clear ls_appraisees.
1658
1659     *Formal Qualification
1660         refresh: lt_obj, lt_prof.
1661         lt_obj-plvar = '01'.
1662         lt_obj-otype = 'P'.
1663         lt_obj-sobid = p0001-pernr.
1664         append lt_obj.
1665     *Read the qualification infotype for employee
1666         call function 'ZRHPP_Q_PROFILE_READ'
1667             exporting
1668                 begda                = pn-begda
1669                 endda                = pn-endda
1670                 with_stext            = ' '
1671                 with_qk_info         = ' '
1672             tables
1673                 objects              = lt_obj
1674                 profile              = lt_prof
1675             exceptions
1676                 no_authority         = 1
1677                 wrong_otype          = 2
1678                 object_not_found     = 3
1679                 undefined            = 4
1680                 others               = 5.
1681         if sy-subrc = 0.
1682     * Implement suitable error handling here
1683     *      sort lt_prof ASCENDING by profcy."Added under Charm 2000003591
1684         read table lt_prof into ls_prof with key zzhhigh = 'X'.
1685         if sy-subrc = 0.
1686             move ls_prof-tbjid to ls_pernr-tbjid.
1687             move ls_prof-tbjid to ls_qual-objid."Added by Jaisy Augustine un
1688         endif.
1689     endif.
1690
1691     * Line Manager
1692         refresh : lt_ac_container,lt_actor_tab.
1693         l_plvar = '01'.
1694         l_org_agent-otype = 'P'.
1695         l_org_agent-objid = p0001-pernr.
1696         swc_set_element lt_ac_container 'PLVAR' l_plvar ##FM_SUBRC_OK.
1697         swc_set_element lt_ac_container 'ORG_AGENT' l_org_agent ##FM_SUBRC_O
1698     K.
1699
1700     *to get the leading position of employee
1701         call function 'RH_ACT_LEADING_POSITION'
1702             tables
1703                 actor_tab            = lt_actor_tab
1704                 ac_container         = lt_ac_container
1705             exceptions

```

```

1705         no_lead_pos_found = 1
1706         no_active_plvar      = 2
1707         others                = 3.
1708     if sy-subrc = 0.
1709 * Implement suitable error handling here
1710         read table lt_actor_tab into ls_actor_tab with key otype = 'S'.
1711         if sy-subrc = 0.
1712             move ls_actor_tab-objid to ls_pernr-line_m.
1713         endif.
1714     endif.
1715
1716     move p0001-orgeh to ls_pernr-orgeh.
1717     move p0001-plans to ls_pernr-plans.
1718     move pernr-pernr to ls_pernr-pernr.
1719     move pernr-pernr to ls_qual-pernr. "Added by Jaisy Augustine under 2
000003591
1720     move pernr-pernr to ls_pernr-sobid.
1721     append ls_pernr to lt_pernr.
1722     append ls_qual to lt_qual."Added by Jaisy Augustine under 200003591
1723     clear: ls_pernr ,lt_ac_container ,ls_actor_tab,l_org_agent,
1724            l_plvar.
1725
1726     else.
1727
1728         move pernr-pernr to ls_skip-pernr.
1729         append ls_skip to lt_skip.
1730         clear :ls_skip .
1731
1732     endif.
1733
1734
1735 endform.
1736 *&-----*
1737 *&          Form  GET_TEXT
1738 *&-----*
1739 *          text
1740 *-----*
1741 *  —>  p1          text
1742 *  <—  p2          text
1743 *-----*
1744 form get_text .
1745
1746     select * from t005t into table lt_t005t where spras = sy-langu.
1747     if sy-subrc = 0. endif.
1748     select * from t500p into table lt_t500p where molga = '39'.
1749     if sy-subrc = 0. endif.
1750     select * from t510g into table lt_t510g where molga = '39'.
1751     if sy-subrc = 0. endif.
1752
1753 endform.
1754 *&-----*
1755 *&          Form  SKIP_PERNRS
1756 *&-----*
1757 *          text
1758 *-----*
1759 *  —>  p1          text
1760 *  <—  p2          text
1761 *-----*
1762 form skip_pernrs .
1763
1764     if lt_skip is not initial.

```

```
1765     write: /1 'Employees which are not in Chile are skipped'.
1766     skip.
1767     loop at lt_skip into ls_skip.
1768         write : 75 ls_skip-pernr.
1769         clear ls_skip.
1770     endloop.
1771 endif.
1772 endform.
```


Title:
Consolidated master data report

Text elements:

001 Report is for Chile employees only
002 Years ,
003 Months
004 Completed

Owner..... SAP
Short text..... SAPscript: Texteditor, Composer, Formulare, Stile und Fonts
Edit Language DE
Status 20.11.15

TD285 **Graphic &1 could not be saved (2&)**
TD811 **Error opening file &**

Diagnosis
Error during upload
Procedure
Possible reasons and measures:

Name or path of the file to be imported is not correct:
Check and correct the file name.

The file is already open as it is being used by another application
(e.g. an editor):
Close the file and, if necessary, the application.

You do not have authorization to read the file:
Change the authorization.

Other problems in the operating system

TD812 **Error reading file &**

Diagnosis
Error during upload
Procedure
The operating system reports a read error. The reasons for it should be
looked for there.

TD813 **Error loading file &**

Subroutines:

		Line	Page
DEQUEUE_GRAPHIC.....	ZRPPA0074	1213	22
	ZRPPA0074	1220	22
	ZRPPA0074	1227	23
	ZRPPA0074	1265	23
	ZRPPA0074	1298	24
	ZRPPA0074	1311	24
	ZRPPA0074	1370	25
	ZRPPA0074	1382	25
	ZRPPA0074	1390	25
	ZRPPA0074	1450	26
	ZRPPA0074	1471	27
DISP_SMARTFORM.....	ZRPPA0074	222	5
	ZRPPA0074	522	11
ENQUEUE_GRAPHIC.....	ZRPPA0074	1184	22
	ZRPPA0074	1493	27
FETCH AND CONVERT_EMP_PHOTO...	ZRPPA0074	1036	19
FILTER_DATA.....	ZRPPA0074	221	5
	ZRPPA0074	770	15
GET_DATA.....	ZRPPA0074	219	5
	ZRPPA0074	404	8
GET_PERNR.....	ZRPPA0074	214	5
	ZRPPA0074	1520	27
GET_TEXT.....	ZRPPA0074	211	5
	ZRPPA0074	1744	31
IMPORT_BITMAP_BDS_LOCAL.....	ZRPPA0074	1144	21
SELECT_DATA.....	ZRPPA0074	218	5
	ZRPPA0074	233	5
SKIP_PERNRS.....	ZRPPA0074	223	5
	ZRPPA0074	1762	31

Messages:

		Line	Page
TD285.....	ZRPPA0074	1303	24
	ZRPPA0074	1316	24
	ZRPPA0074	1375	25
	ZRPPA0074	1386	25
	ZRPPA0074	1394	25
	ZRPPA0074	1420	26
TD811.....	ZRPPA0074	1217	22
TD812.....	ZRPPA0074	1224	22
TD813.....	ZRPPA0074	1231	23

External calls

Function modules:

	Line	Page
?.....	ZRPPA0074	559 11
ARCHIVOBJECT GET TABLE.....	ZRPPA0074	1061 20
DEQUEUE_ESSGRABDS.....	ZRPPA0074	1475 27
ENQUEUE_ESSGRABDS.....	ZRPPA0074	1498 27
HRCM_TIME_PERIOD_CALCULATE....	ZRPPA0074	1557 28
	ZRPPA0074	1589 28
HRHAP_DOCUMENT_GET_DETAIL.....	ZRPPA0074	849 16
HRHAP_DOCUMENT_GET_LIST_XXL...	ZRPPA0074	829 16
HRWPC RFC EP READ_GENERALDATA.	ZRPPA0074	928 18
HR_IMAGE_EXISTS.....	ZRPPA0074	1041 19
RH_ACT_LEADING_POSITION.....	ZRPPA0074	1700 30
RH_PM_GET_MOLGA_FROM_PERNR....	ZRPPA0074	1524 27
SAPSCRIPT_CONVERT_BITMAP_BDS..	ZRPPA0074	1239 23
SCMS_XSTRING_TO_BINARY.....	ZRPPA0074	1202 22
SSF_FUNCTION_MODULE_NAME.....	ZRPPA0074	532 11
SWC_ELEMENT_SET.....	SWC_SET_ELEMENT	0
	SWC_SET_ELEMENT	0
ZBMP_CREATE_FROM_EXT_FORMAT...	ZRPPA0074	1107 21
ZHR_EFI_SHOW_PDF_FORM.....	ZRPPA0074	587 12
ZRHPP_Q_PROFILE_READ.....	ZRPPA0074	1666 30

DATABASE OPERATIONS

SELECT:		Line	Page
?	ZRPPA0074	1332	24
BDS LOCL	ZRPPA0074	1328	24
HRP1000	ZRPPA0074	238	5
	ZRPPA0074	258	6
	ZRPPA0074	330	7
	ZRPPA0074	343	7
	ZRPPA0074	383	8
HRP1001	ZRPPA0074	248	6
	ZRPPA0074	284	6
	ZRPPA0074	305	7
	ZRPPA0074	317	7
	ZRPPA0074	355	8
	ZRPPA0074	369	8
PA0002	ZRPPA0074	296	7
PA0008	ZRPPA0074	898	17
STXBITMAPS	ZRPPA0074	1323	24
	ZRPPA0074	1631	29
T005T	ZRPPA0074	1746	31
T500P	ZRPPA0074	1748	31
T510G	ZRPPA0074	1750	31
T530F	ZRPPA0074	907	17
USR01	ZRPPA0074	779	15

UPDATE:		Line	Page
STXBITMAPS	ZRPPA0074	1418	26

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
IT_USR01.....	ZRPPA0074	780	15
LT2_HRP1000.....	ZRPPA0074	432	9
LT2_HRP1001.....	ZRPPA0074	427	9
LT3_HRP1000.....	ZRPPA0074	796	15
LT4_HRP1000.....	ZRPPA0074	456	9
LT4_HRP1001.....	ZRPPA0074	448	9
LT5_HRP1000.....	ZRPPA0074	473	10
LT5_HRP1001.....	ZRPPA0074	452	9
LT6_HRP1001.....	ZRPPA0074	791	15
LT_ACTOR_TAB.....	ZRPPA0074	1710	31
LT_BODY_CELLS.....	ZRPPA0074	858	16
	ZRPPA0074	865	16
LT_FINAL.....	ZRPPA0074	415	9
	ZRPPA0074	436	9
	ZRPPA0074	460	9
	ZRPPA0074	477	10
	ZRPPA0074	497	10
LT_HRP1000.....	ZRPPA0074	411	9
LT_HRP1001.....	ZRPPA0074	489	10
LT_PA0002.....	ZRPPA0074	493	10
LT_PROF.....	ZRPPA0074	1684	30
LT_QUAL.....	ZRPPA0074	407	8
LT_T005T.....	ZRPPA0074	1610	29
LT_T500P.....	ZRPPA0074	1617	29
LT_T510G.....	ZRPPA0074	1624	29
LT_T530F.....	ZRPPA0074	946	18
L_BDS_SIGNATURE.....	ZRPPA0074	1306	24
	ZRPPA0074	1377	25
P0001.....	RP-PROVIDE-FROM-LAST	0	
P0002.....	RP-PROVIDE-FROM-LAST	0	
P0008.....	RP-PROVIDE-FROM-LAST	0	
P0041.....	RP-PROVIDE-FROM-LAST	0	

MODIFY:

		Line	Page
LT_FINAL.....	ZRPPA0074	419	9
	ZRPPA0074	440	9
	ZRPPA0074	464	10
	ZRPPA0074	481	10
	ZRPPA0074	501	10