

Created on....31.08.2017 Last changed on/by..... 15.04.2020 \$DJAIN
Author.....CPOORTER

Title.....Employee Direct Managers and HR Manager

Type.....1 Reporting
Status.....K Customer Program
Application.....P Human resources
Class.....
Logical database.....PN
 from Application....P Human resources
Selection screen.....
Authorization group...
Package.....ZP-PA-APPL

Start by Variants
Deactivate editor lock
X Fixed point arithmetic active

```

1  *&-----*
2  *& Report  ZREAD MANAGERS
3  *&
4  *&-----*
5  *&
6  *& RT20856
7  *&-----*
8
9  REPORT zread_managers.
10
11 TABLES: pernr, pa0000,pa0001.
12
13 INFOTYPES: 0000, 0001. ",0008.
14
15 DATA: p0008 TYPE p0008.
16
17 DATA: BEGIN OF gt_mantab OCCURS 0,
18         pernr      LIKE pernr-pernr,
19         ignact(1),
20         manager    LIKE pernr-pernr,
21         circflag(1),
22     END OF gt_mantab.
23
24 DATA: BEGIN OF itab OCCURS 0,
25         pernr      LIKE pernr-pernr,
26         empname(40),
27         plans      LIKE p0001-plans,
28         orgeh      LIKE p0001-orgeh,
29         bukrs      LIKE p0001-bukrs,
30         grpdept_code LIKE p0001-grpdept_code,
31         kostl      LIKE p0001-kostl,
32         werks      LIKE p0001-werks,
33         btrtl      LIKE p0001-btrtl,
34         trfgr      LIKE p0008-trfgr,
35         trfst      LIKE p0008-trfst,
36         manager(8),
37         manname(40),
38         circ,
39         actman(8),
40         actname(40),
41         circ2,
42         hrman(8),
43         hrname(40),
44         hrvia(20),
45         rwman(8),    "added under charm 2000006055 TR DS1K9A0L2R
46         rwname(40),  "added under charm 2000006055 TR DS1K9A0L2R
47         rwvia(20),   "added under charm 2000006055 TR DS1K9A0L2R
48     END OF itab.
49
50 DATA: BEGIN OF gt_orgs OCCURS 0,
51         objid LIKE hrp1000-objid,
52     END OF gt_orgs.
53 DATA: BEGIN OF gt_posns OCCURS 0,
54         objid LIKE hrp1000-objid,
55     END OF gt_posns.
56 DATA: gv_count TYPE i.
57
58
59 DATA: fldcat TYPE slis_t_fieldcat_alv.
60
61 DATA: ls_fldcat TYPE slis_fieldcat_alv.

```

```

62
63 DATA: gv_info      TYPE string,
64         gt_details  TYPE zstrings,
65         gv_pernr    LIKE p0000-pernr,
66         gt_pernr    LIKE p0000-pernr OCCURS 10 WITH HEADER LINE.
67
68 * Block B1
69 SELECTION-SCREEN BEGIN OF BLOCK b1 WITH FRAME TITLE t01.
70 SELECT-OPTIONS: p_trfgr FOR p0008-trfgr.
71 PARAMETERS: p_datum  TYPE d DEFAULT sy-datum OBLIGATORY,
72             p_detail AS CHECKBOX,
73             p_vacant AS CHECKBOX,
74             p_bypass AS CHECKBOX DEFAULT 'X'.
75 SELECTION-SCREEN ULINE.
76 PARAMETERS: p_emp   RADIOBUTTON GROUP rad2 DEFAULT 'X',
77             p_emp2  RADIOBUTTON GROUP rad2,
78             p_mgr   RADIOBUTTON GROUP rad2.
79 SELECTION-SCREEN END OF BLOCK b1.
80
81 * Block B2
82 SELECTION-SCREEN BEGIN OF BLOCK b2 WITH FRAME TITLE t02.
83 PARAMETERS: p_nochk  RADIOBUTTON GROUP rad1 DEFAULT 'X',
84             p_chkcir RADIOBUTTON GROUP rad1,
85             p_onlcir RADIOBUTTON GROUP rad1.
86 SELECTION-SCREEN END OF BLOCK b2.
87
88 INITIALIZATION.
89     t01 = 'Program parameters'.
90     t02 = 'Circular Reporting Checks'.
91
92 AT SELECTION-SCREEN.
93     IF p_mgr = 'X'
94     AND p_nochk IS INITIAL.
95         MESSAGE e050(zp) WITH
96             'Manager context always without circular check'.
97     ENDIF.
98
99 START-OF-SELECTION.
100
101 GET pernr.
102
103 CALL FUNCTION 'SAPGUI_PROGRESS_INDICATOR'
104     EXPORTING
105         percentage = 0
106         text       = pernr-pernr.
107
108 CLEAR itab.
109 CASE 'X'.
110     WHEN p_emp.
111         PERFORM employee_manager_details USING pernr-pernr.
112     WHEN p_emp2.
113         gv_pernr = pernr-pernr.
114         CLEAR gv_count.
115         REFRESH gt_pernr.
116         DO.
117             CLEAR itab.
118             READ TABLE gt_pernr WITH KEY = gv_pernr.
119             IF sy-subrc EQ 0. "Already processed this employee
120                 EXIT.
121             ELSE.
122                 gt_pernr = gv_pernr.

```

```

123         APPEND gt_pernr.
124     ENDIF.
125     PERFORM employee_manager_details USING gv_pernr.
126     IF itab-manager IS INITIAL.
127         EXIT.
128     ELSE.  "Process reporting line for manager
129         gv_pernr = itab-manager.
130         ADD 1 TO gv_count.
131         IF gv_count GT 20.  "Maximum to prevent endless loop
132             EXIT.
133         ENDIF.
134     ENDIF.
135 ENDDO.
136 WHEN p_mgr.
137     PERFORM manager_employee_details.
138 ENDCASE.
139
140 IF p_detail = 'X'.
141     ULINE.
142 ENDIF.
143
144 END-OF-SELECTION.
145
146 IF p_onlcir = 'X'.
147     DELETE itab
148     WHERE circ IS INITIAL AND circ2 IS INITIAL.
149 ENDIF.
150
151 CALL FUNCTION 'REUSE_ALV_FIELDATALOG_MERGE'
152     EXPORTING
153         i_program_name      = sy-repid
154         i_internal_tabname  = 'ITAB'
155         i_client_never_display = 'X'
156         i_inclname          = sy-repid
157         i_bypassing_buffer  = ''
158     CHANGING
159         ct_fieldcat         = fldcat
160     EXCEPTIONS
161         inconsistent_interface = 1
162         program_error         = 2
163         OTHERS                 = 3.
164
165 IF sy-subrc = 0.
166     LOOP AT fldcat INTO ls_fldcat.
167         CASE ls_fldcat-fieldname.
168             WHEN 'EMPNAME'.
169                 ls_fldcat-seltext_s =
170                 ls_fldcat-seltext_m =
171                 ls_fldcat-seltext_l =
172                 'Employee Name'.
173             WHEN 'ACTMAN'.
174                 ls_fldcat-seltext_s =
175                 ls_fldcat-seltext_m =
176                 ls_fldcat-seltext_l =
177                 'Manager(incl Acting)'.
178             WHEN 'ACTNAME'.
179                 ls_fldcat-seltext_s =
180                 ls_fldcat-seltext_m =
181                 ls_fldcat-seltext_l =
182                 'Manager Name (incl Acting)'.
183             WHEN 'CIRC'.

```

```

184         ls_fldcat-seltext_s =
185         ls_fldcat-seltext_m =
186         ls_fldcat-seltext_l =
187         'CircFlag'.
188     WHEN 'CIRC2'.
189         ls_fldcat-seltext_s =
190         ls_fldcat-seltext_m =
191         ls_fldcat-seltext_l =
192         'Circ(Act)'.
193     WHEN 'MANAGER'.
194         ls_fldcat-seltext_s =
195         ls_fldcat-seltext_m =
196         ls_fldcat-seltext_l =
197         'Direct Manager'.
198     WHEN 'MANNAME'.
199         ls_fldcat-seltext_s =
200         ls_fldcat-seltext_m =
201         ls_fldcat-seltext_l =
202         'Direct Manager Name'.
203     WHEN 'HRMAN'.
204         ls_fldcat-seltext_s =
205         ls_fldcat-seltext_m =
206         ls_fldcat-seltext_l =
207         'HR Manager'.
208     WHEN 'HRNAME'.
209         ls_fldcat-seltext_s =
210         ls_fldcat-seltext_m =
211         ls_fldcat-seltext_l =
212         'HR Manager Name'.
213     WHEN 'HRVIA'.
214         ls_fldcat-seltext_s =
215         ls_fldcat-seltext_m =
216         ls_fldcat-seltext_l =
217         'HR Determination'.
218     *** Begin of changes- under charm 2000006055 TR DS1K9A0L2R by $DJAIN
219     WHEN 'RWMAN'.
220         ls_fldcat-seltext_s =
221         ls_fldcat-seltext_m =
222         ls_fldcat-seltext_l =
223         'BU Reward Manager'.
224     WHEN 'RWNAME'.
225         ls_fldcat-seltext_s =
226         ls_fldcat-seltext_m =
227         ls_fldcat-seltext_l =
228         'BU Reward Manager Name'.
229     WHEN 'RWVIA'.
230         ls_fldcat-seltext_s =
231         ls_fldcat-seltext_m =
232         ls_fldcat-seltext_l =
233         'BU Reward Manager Determination'.
234     *** End of changes- under charm 2000006055 TR DS1K9A0L2R by $DJAIN
235     ENDCASE.
236     MODIFY fldcat FROM ls_fldcat.
237     ENDLOOP.
238
239     CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY'
240     EXPORTING
241         it_fieldcat    = fldcat
242     TABLES
243         t_outtab       = itab
244     EXCEPTIONS

```

```

245         program_error = 1
246         OTHERS         = 2.
247
248         PERFORM Fill_ZBW_MANAGER."Added by Kundan P. under charm2000003788
249
250     ENDIF.
251
252
253 *-----*
254 *      Form  GET_MANAGER_ID
255 *-----*
256 FORM get_manager_id  USING  p_pernr
257                             p_ignact
258                             p_apprid
259                             p_circ.
260
261     DATA: act_tab  TYPE swfactor OCCURS 0 WITH HEADER LINE,
262            act_cont TYPE swcont OCCURS 0 WITH HEADER LINE.
263
264     DATA: lv_line  TYPE string,
265            lv_subrc LIKE sy-subrc,
266            lv_stat2 LIKE p0000-stat2.
267
268     CLEAR: p_apprid, p_circ.
269
270 * First check if manager already recorded in Manager tab
271     READ TABLE gt_mantab WITH KEY pernr = p_pernr
272                                ignact = p_ignact.
273
274     IF sy-subrc EQ 0. "Found
275         p_apprid = gt_mantab-manager.
276         p_circ = gt_mantab-circflag.
277         RETURN.
278     ENDIF.
279
280     CLEAR: act_tab, act_cont.
281     REFRESH: act_tab, act_cont.
282
283     act_cont-element      = 'ORG OBJECT'.
284     act_cont-elemlength = '025'.
285     act_cont-type        = 'C'.
286     CONCATENATE 'P' p_pernr INTO act_cont-value
287         SEPARATED BY space.
288     APPEND act_cont.
289
290     CLEAR gv_info.
291     REFRESH gt_details.
292     CALL FUNCTION 'ZSWX_GET_DIRECT_MANAGER'
293         EXPORTING
294             ignore_acting          = p_ignact
295             effective_date         = p_datum
296             explain                = p_detail
297             bypass_restrictions    = p_bypass
298     TABLES
299         actor_tab                 = act_tab
300         ac_container              = act_cont
301     CHANGING
302         manager_info              = gv_info
303         details_tab               = gt_details
304     EXCEPTIONS
305         nobody_found              = 1

```

```

306     workflow_position_exception = 2
307     no_employee_position         = 3
308     no_orgunit_found             = 4
309     no_chiefpos_found            = 5
310     circular_reference           = 6
311     OTHERS                       = 7.
312
313 lv_subrc = sy-subrc.
314
315 IF p_detail = 'X' .
316
317     IF lv_subrc > 0.
318         WRITE:/ p_pernr,'IGNACT=',p_ignact,'Result:',gv_info.
319
320     CASE lv_subrc.
321         WHEN 1.
322             WRITE:/ 'Error: Nobody found'.
323         WHEN 2.
324             WRITE:/ 'Error: Workflow position exception'.
325         WHEN 3.
326             WRITE:/ 'Error: No employee position'.
327         WHEN 4.
328             WRITE:/ 'Error: No orgunits found'.
329         WHEN 5.
330             WRITE:/ 'Error: No chief positions found'.
331         WHEN 6.
332             WRITE:/ 'Error: Circular reference'.
333         WHEN 7.
334             WRITE:/ 'Error: Other error'.
335     ENDCASE.
336 ENDIF.
337
338 WRITE:/ TEXT-100.
339 LOOP AT gt_details INTO lv_line.
340     WRITE:/ lv_line.
341 ENDLOOP.
342 WRITE:/ TEXT-101.
343
344 ENDIF.
345
346 CHECK lv_subrc EQ 0.
347
348 LOOP AT act_tab WHERE otype = 'P'.
349 * Check whether manager is active
350     SELECT SINGLE stat2 INTO lv_stat2
351     FROM pa0000
352     WHERE pernr = act_tab-objid
353           AND sprps = space
354           AND begda LE p_datum
355           AND endda GE p_datum.
356     IF sy-subrc EQ 0.
357         IF lv_stat2 = '3'.
358             p_apprid = act_tab-objid.
359 * Store entry in manager tab
360             CLEAR gt_mantab.
361             gt_mantab-pernr = p_pernr.
362             gt_mantab-ignact = p_ignact.
363             gt_mantab-manager = p_apprid.
364             gt_mantab-circflag = ' '.
365             COLLECT gt_mantab.
366             EXIT.

```

```

367         ENDIF.
368     ENDIF.
369 ENDLOOP.
370
371 ENDFORM.                                " GET_MANAGER_ID
372 *&-----*
373 *&      Form  SHOW_OM_DETAILS
374 *&-----*
375 FORM show_om_details .
376
377     DATA: lv_posnid(8),
378            lv_orgid(8),
379            lv_sobid LIKE hrp1001-sobid.
380
381     WRITE:/'Employee:',pernr-pernr.
382     WRITE:/'Position:',p0001-plans.
383     WRITE:/'OrgUnit  :',p0001-orgeh.
384     WRITE:/'A002Path:'.
385     lv_posnid = p0001-plans.
386     DO 3 TIMES.
387         CLEAR lv_sobid.
388         IF lv_posnid IS NOT INITIAL AND lv_posnid NE '99999999'.
389             SELECT SINGLE sobid INTO lv_sobid
390             FROM hrp1001
391             WHERE plvar = '01'
392                   AND otype = 'S'
393                   AND objid = lv_posnid
394                   AND istat = '1'
395                   AND begda LE sy-datum
396                   AND endda GE sy-datum
397                   AND subty = 'A002'
398                   AND sclas = 'S'.
399             IF sy-subrc NE 0.
400                 EXIT.
401             ENDIF.
402             WRITE: lv_sobid(8).
403             lv_posnid = lv_sobid(8).
404             SELECT SINGLE sobid INTO lv_sobid
405             FROM hrp1001
406             WHERE plvar = '01'
407                   AND otype = 'S'
408                   AND objid = lv_posnid
409                   AND istat = '1'
410                   AND begda LE sy-datum
411                   AND endda GE sy-datum
412                   AND subty = 'A008'
413                   AND sclas = 'P'.
414             IF sy-subrc EQ 0.
415                 WRITE: ' [=P',lv_sobid(8),']'.
416             ENDIF.
417         ENDIF.
418     ENDDO.
419     WRITE:/'ChfPosns:'.
420     lv_orgid = p0001-orgeh.
421     DO 3 TIMES.
422         CLEAR lv_sobid.
423         IF lv_orgid IS NOT INITIAL.
424             SELECT SINGLE sobid INTO lv_sobid
425             FROM hrp1001
426             WHERE plvar = '01'
427                   AND otype = 'O'

```



```

428         AND objid = lv_organid
429         AND istat = '1'
430         AND begda LE sy-datum
431         AND endda GE sy-datum
432         AND subty = 'B012'
433         AND sclas = 'S'.
434     IF sy-subrc EQ 0.
435         WRITE: lv_sobid(8).
436         lv_posnid = lv_sobid(8).
437         SELECT SINGLE sobid INTO lv_sobid
438         FROM hrp1001
439         WHERE plvar = '01'
440             AND otype = 'S'
441             AND objid = lv_posnid
442             AND istat = '1'
443             AND begda LE sy-datum
444             AND endda GE sy-datum
445             AND subty = 'A008'
446             AND sclas = 'P'.
447     IF sy-subrc EQ 0.
448         WRITE: '[=P',lv_sobid(8),']'.
449     ENDIF.
450 ENDIF.

```

```

451 * Get next hier org
452 SELECT SINGLE sobid INTO lv_sobid
453 FROM hrp1001
454 WHERE plvar = '01'
455     AND otype = 'O'
456     AND objid = lv_organid
457     AND istat = '1'
458     AND begda LE sy-datum
459     AND endda GE sy-datum
460     AND subty = 'A003'
461     AND sclas = 'O'.
462 IF sy-subrc NE 0.
463     EXIT.
464 ENDIF.
465 lv_organid = lv_sobid(8).
466 WRITE: '[=> O',lv_organid,']'.
467 ENDIF.
468 ENDDO.

```

```

470 ENDFORM.                                " SHOW_OM_DETAILS

```

```

471 *&-----*
472 *&      Form  GET_HR_MANAGER_ID
473 *&-----*

```

```

474 FORM get_hr_manager_id  USING      p_pernr
475                             CHANGING p_manager
476                             p_hrvia.
477

```

```

478 DATA: lv_pernr TYPE persno,
479         lv_mgr   TYPE persno,
480         lv_datum TYPE datum,
481         lv_via   TYPE char20.
482

```

```

483 lv_pernr = p_pernr.
484 lv_datum = p_datum.
485

```

```

486 CALL FUNCTION 'Z_GET_HR_MANAGER'
487     EXPORTING
488         pernr                = lv_pernr

```

```

489      datum                = lv_datum
490      skipvacant            = 'X'
491  IMPORTING
492      hr_pernr               = lv_mgr
493      hr_via                 = lv_via
494  EXCEPTIONS
495      no_result              = 1
496      manager_position_vacant = 2
497      OTHERS                 = 3.
498
499  IF sy-subrc EQ 0.
500      p_manager = lv_mgr.
501      p_hrvia   = lv_via.
502  ENDIF.
503  ENDFORM.                                " GET HR MANAGER ID
504  ***begin of changes under charm 2000006055 TR DS1K9A0L2R by $DJAIN
505  *&-----*
506  *&      Form  GET_RW_MANAGER_ID
507  *&-----*
508  FORM get_rw_manager_id  USING      p_pernr
509                          CHANGING  p_manager
510                                  p_rmvia.
511
512  DATA: lv_pernr TYPE persno,
513         lv_rmmgr TYPE persno,
514         lv_datum TYPE datum,
515         lv_rmvia  TYPE char20.
516
517  lv_pernr = p_pernr.
518  lv_datum = p_datum.
519
520  CALL FUNCTION 'Z_GET_RW_MANAGER'
521  EXPORTING
522      pernr                = lv_pernr
523      datum                = lv_datum
524      skipvacant            = 'X'
525  IMPORTING
526      rm_pernr              = lv_rmmgr
527      rm_via                = lv_rmvia
528  EXCEPTIONS
529      no_result              = 1
530      manager_position_vacant = 2
531      OTHERS                 = 3.
532
533  IF sy-subrc EQ 0.
534      p_manager = lv_rmmgr.
535      p_rmvia   = lv_rmvia.
536  ENDIF.
537
538  ENDFORM.                                " GET RW MANAGER ID
539  ***end of changes under charm 2000006055 TR DS1K9A0L2R by $DJAIN
540  *&-----*
541  *&      Form  CIRCULAR_TEST
542  *&-----*
543  FORM circular_test  USING      p_manid
544                          p_ignact
545                          CHANGING p_circflag.
546
547  DATA: BEGIN OF chktab OCCURS 0,
548         pernr LIKE pernr-pernr,
549  END OF chktab,

```

```

550         lv_test          LIKE pernr-pernr,
551         lv_testman        LIKE pernr-pernr,
552         lv_testcirc(1).
553
554 REFRESH chktab.
555 * Store person and manager in check table
556 * since no further reporting lines should point to them
557 chktab-pernr = pernr-pernr.
558 APPEND chktab.
559 chktab-pernr = p_manid.
560 APPEND chktab.
561 lv_test = p_manid.
562 DO.
563 * Get next reporting line
564     PERFORM get_manager_id USING lv_test p_ignact
565                               lv_testman lv_testcirc.
566     IF lv_testman IS INITIAL.
567         EXIT. "No more managers found
568     ENDIF.
569     IF lv_testcirc = 'X'. "already part of circular loop
570         p_circflag = 'X'.
571         EXIT.
572     ENDIF.
573 * Check if new circular found
574 READ TABLE chktab WITH KEY pernr = lv_testman.
575 * If found, then flag it as circular
576 IF sy-subrc EQ 0.
577     p_circflag = 'X'.
578 * Mark all related entries in manager tab
579 * as part of circular loop
580 WRITE:/ pernr-pernr,['',p_ignact,'],
581 '- Circular reportline line:'.
582 LOOP AT chktab.
583     WRITE: chktab-pernr,'=>'.
584     READ TABLE gt_mantab WITH KEY pernr = chktab-pernr
585                               ignact = p_ignact.
586     IF sy-subrc EQ 0.
587         gt_mantab-circflag = 'X'.
588         MODIFY gt_mantab INDEX sy-tabix.
589     ENDIF.
590 ENDLOOP.
591 WRITE: lv_testman.
592 EXIT.
593 ENDIF.
594 * Continue to next manager
595 chktab-pernr = lv_testman.
596 APPEND chktab.
597 lv_test = lv_testman.
598 ENDDO. "check for circular reporting
599
600 ENDFORM. " CIRCULAR_TEST
601 *&-----*
602 *& Form EMPLOYEE_MANAGER_DETAILS *
603 *&-----*
604 FORM employee_manager_details USING p_pernr.
605
606
607
608 CLEAR p0001.
609 SELECT SINGLE pernr ename plans orgeh bukrs grpdept_code
610             kostl werks btrtl

```

```

611 INTO CORRESPONDING FIELDS OF p0001
612 FROM pa0001
613 WHERE pernr = p_pernr
614     AND sprps = space
615     AND begda LE p_datum
616     AND endda GE p_datum.
617
618 MOVE-CORRESPONDING p0001 TO itab.
619 itab-pernr = p_pernr.
620 itab-empname = p0001-ename.
621
622 SELECT SINGLE trfgr trfst FROM pa0008
623 INTO (itab-trfgr,itab-trfst)
624 WHERE pernr = p_pernr
625     AND sprps = space
626     AND begda LE p_datum
627     AND endda GE p_datum.
628 IF sy-subrc NE 0.
629     CLEAR: itab-trfgr, itab-trfst.
630 ENDIF.
631
632 CHECK itab-trfgr IN p_trfgr.
633
634 IF p_detail = 'X'.
635     PERFORM show_om_details.
636 ENDIF.
637
638 * Get manager - ignore acting
639 PERFORM get_manager_id USING p_pernr 'X'
640                             itab-manager itab-circ.
641 IF NOT itab-manager IS INITIAL.
642     SELECT SINGLE ename INTO itab-mannname
643     FROM pa0001
644     WHERE pernr = itab-manager
645         AND sprps = space
646         AND begda LE p_datum
647         AND endda GE p_datum.
648 ENDIF.
649
650 * Check for circular reporting lines
651 IF ( p_chkcir EQ 'X' OR p_onlcir = 'X' )
652     AND itab-manager IS NOT INITIAL
653     AND itab-circ IS INITIAL.
654     PERFORM circular_test USING itab-manager 'X'
655                             CHANGING itab-circ.
656 ENDIF.
657
658 * Get manager - include acting
659 PERFORM get_manager_id USING p_pernr ' '
660                             itab-actman itab-circ2.
661 IF NOT itab-actman IS INITIAL.
662     SELECT SINGLE ename INTO itab-actname
663     FROM pa0001
664     WHERE pernr = itab-actman
665         AND sprps = space
666         AND begda LE sy-datum
667         AND endda GE sy-datum.
668 ENDIF.
669
670 * Check for circular reporting lines
671 IF ( p_chkcir EQ 'X' OR p_onlcir = 'X' )

```

```

672 AND itab-actman IS NOT INITIAL
673 AND itab-circ2 IS INITIAL.
674     PERFORM circular_test USING itab-actman ' '
675                               CHANGING itab-circ2.
676 ENDIF.
677
678 * Get HR manager
679 PERFORM get_hr_manager_id USING p_pernr
680                               itab-hrman itab-hrvia.
681 IF NOT itab-hrman IS INITIAL.
682     SELECT SINGLE ename INTO itab-hrname
683     FROM pa0001
684     WHERE pernr = itab-hrman
685           AND sprps = space
686           AND begda LE sy-datum
687           AND endda GE sy-datum.
688 ENDIF.
689
690 ***begin of changes under charm 2000006055 TR DS1K9A0L2R by $DJAIN
691 * Get BU Reward Manager
692 PERFORM get_rw_manager_id USING p_pernr
693                               itab-rwman itab-rwvia.
694 IF NOT itab-rwman IS INITIAL.
695     SELECT SINGLE ename INTO itab-rwname
696     FROM pa0001
697     WHERE pernr = itab-rwman
698           AND sprps = space
699           AND begda LE sy-datum
700           AND endda GE sy-datum.
701 ENDIF.
702 ***end of changes under charm 2000006055 TR DS1K9A0L2R by $DJAIN
703 APPEND itab.
704
705 ENDFORM.
706 *&-----*
707 *&      Form  MANAGER_EMPLOYEE_DETAILS
708 *&-----*
709 FORM manager_employee_details .
710
711 DATA: lv_sobid  LIKE hrp1001-sobid,
712        lt_subord LIKE pernr-pernr OCCURS 20 WITH HEADER LINE,
713        lt_orgs   LIKE hrp1000-objid OCCURS 5 WITH HEADER LINE,
714        BEGIN OF lt_posns OCCURS 0,
715            posnid LIKE hrp1000-objid,
716            orgid  LIKE hrp1000-objid,
717        END OF lt_posns,
718        lt_posn2   LIKE lt_posns OCCURS 0 WITH HEADER LINE,
719        lv_mgrno   LIKE pernr-pernr,
720        lv_mgrname LIKE p0001-ename,
721        lv_pernr   LIKE pernr-pernr,
722        lv_mgrposn LIKE p0001-plans.
723
724 rp-provide-from-last p0001 space p_datum p_datum.
725 lv_mgrno = p0001-pernr.
726 lv_mgrname = p0001-ename.
727 lv_mgrposn = p0001-plans.
728
729 * Get all orgunits which employee is a chief of
730 REFRESH lt_orgs.
731 SELECT sobid INTO lv_sobid
732 FROM hrp1001

```

```

733 WHERE plvar = '01'
734 AND otype = 'S'
735 AND objid = lv_mgrposn "Manager position
736 AND subty = 'A012'
737 AND istat = '1'
738 AND begda LE p_datum
739 AND endda GE p_datum
740 AND rsign = 'A'
741 AND relat = '012'
742 AND sclas = 'O'.
743 lt_orgs = lv_sobid(8).
744 IF p_detail = 'X'.
745     WRITE:/ lv_mgrno,'position',
746     lv_mgrposn,'is chief of orgunit',lt_orgs.
747 ENDIF.
748 COLLECT lt_orgs.
749 ENDSELECT.
750
751 * Get subsidiary orgs without a chief
752 REFRESH: gt_orgs, gt_posns.
753 LOOP AT lt_orgs.
754     CLEAR gv_count.
755     PERFORM get_suborgs USING lt_orgs lt_orgs.
756 ENDLOOP.
757
758 * Consolidate orgs lists
759 LOOP AT gt_orgs.
760     lt_orgs = gt_orgs-objid.
761     COLLECT lt_orgs.
762 ENDLOOP.
763
764 IF p_detail = 'X'.
765     SKIP.
766     WRITE:/ 'Evaluate positions:'.
767     SKIP.
768 ENDIF.
769
770 * Get all positions in each orgunit
771 REFRESH lt_posns.
772 LOOP AT lt_orgs.
773     SELECT sobid INTO lv_sobid
774     FROM hrp1001
775     WHERE plvar = '01'
776     AND otype = 'O'
777     AND objid = lt_orgs
778     AND subty = 'B003'
779     AND istat = '1'
780     AND begda LE p_datum
781     AND endda GE p_datum
782     AND rsign = 'B'
783     AND relat = '003'
784     AND sclas = 'S'.
785     CLEAR lt_posns.
786     lt_posns-posnid = lv_sobid(8).
787     lt_posns-orgid = lt_orgs.
788     IF lt_posns-posnid NE lv_mgrposn. "Exclude self
789         IF p_detail = 'X'.
790             WRITE:/ 'Orgunit',lt_orgs,
791             'contains position',lt_posns-posnid.
792         ENDIF.
793     COLLECT lt_posns.

```

```

794         ENDIF.
795     ENDSELECT.
796 ENDLOOP.
797
798 * Add positions that were chiefs of sub orgs
799 LOOP AT gt_posns.
800     CLEAR lt_posns.
801     lt_posns-posnid = gt_posns-objid.
802     IF p_detail = 'X'.
803         WRITE:/ 'Chief position',lt_posns-posnid,
804             'added as a subordinate'.
805     ENDIF.
806     SELECT SINGLE sobid INTO lv_sobid
807     FROM hrp1001
808     WHERE plvar = '01'
809         AND otype = 'S'
810         AND objid = lt_posns-posnid
811         AND subty = 'A003'
812         AND istat = '1'
813         AND begda LE p_datum
814         AND endda GE p_datum
815         AND rsign = 'A'
816         AND relat = '003'
817         AND sclas = 'O'.
818     IF sy-subrc = 0.
819         lt_posns-orgid = lv_sobid(8).
820     ENDIF.
821     COLLECT lt_posns.
822 ENDLOOP.
823
824 * Remove positions with different reporting line
825 LOOP AT lt_posns.
826     SELECT SINGLE sobid INTO lv_sobid
827     FROM hrp1001
828     WHERE plvar = '01'
829         AND otype = 'S'
830         AND objid = lt_posns-posnid
831         AND subty = 'A002'
832         AND istat = '1'
833         AND begda LE p_datum
834         AND endda GE p_datum
835         AND rsign = 'A'
836         AND relat = '002'
837         AND sclas = 'S'.
838     IF sy-subrc EQ 0.
839         IF lv_sobid(8) NE lv_mgrposn.
840             IF p_detail = 'X'.
841                 WRITE:/ 'Position',lt_posns-posnid,
842                     'reports to another manager',
843                     lv_sobid(8),' - Ignored'.
844             ENDIF.
845             DELETE lt_posns.
846         ENDIF.
847     ENDIF.
848 ENDLOOP.
849
850
851 * Get all direct management positions
852 REFRESH lt_posn2.
853 SELECT sobid INTO lv_sobid
854 FROM hrp1001

```

```

855 WHERE plvar = '01'
856 AND otype = 'S'
857 AND objid = lv_mgrposn "Manager position
858 AND subty = 'B002'
859 AND istat = '1'
860 AND begda LE p_datum
861 AND endda GE p_datum
862 AND rsign = 'B'
863 AND relat = '002'
864 AND sclas = 'S'.
865 CLEAR lt_posn2.
866 lt_posn2-posnid = lv_sobid(8).
867 IF lt_posn2-posnid NE lv_mgrposn. "Exclude self
868     IF p_detail = 'X'.
869         WRITE:/ 'Position',lt_posn2-posnid,
870             'directly reports',lv_mgrposn,
871             ' - Included'.
872     ENDIF.
873 SELECT SINGLE sobid INTO lv_sobid
874 FROM hrp1001
875 WHERE plvar = '01'
876 AND otype = 'S'
877 AND objid = lt_posn2-posnid
878 AND subty = 'A003'
879 AND istat = '1'
880 AND begda LE p_datum
881 AND endda GE p_datum
882 AND rsign = 'A'
883 AND relat = '003'
884 AND sclas = 'O'.
885 IF sy-subrc = 0.
886     lt_posn2-orgid = lv_sobid(8).
887 ENDIF.
888 COLLECT lt_posn2.
889 ENDIF.
890 ENDSELECT.
891
892 * Create single position list
893 LOOP AT lt_posn2.
894     lt_posns-posnid = lt_posn2-posnid.
895     lt_posns-orgid = lt_posn2-orgid.
896     COLLECT lt_posns.
897 ENDLOOP.
898
899 * Get holders of managed positions
900 LOOP AT lt_posns.
901
902     CLEAR: itab, lv_pernr.
903
904     SELECT SINGLE sobid INTO lv_sobid
905     FROM hrp1001
906     WHERE plvar = '01'
907         AND otype = 'S'
908         AND objid = lt_posns-posnid
909         AND subty = 'A008'
910         AND istat = '1'
911         AND begda LE p_datum
912         AND endda GE p_datum
913         AND rsign = 'A'
914         AND relat = '008'
915         AND sclas = 'P'.

```



```

916
917 IF sy-subrc NE 0.  "No holder
918     IF p_vacant IS INITIAL.
919         CONTINUE.
920     ELSE.
921         itab-empname = '<Vacancy>'.
922         itab-plans = lt_posns-posnid.
923         itab-orgeh = lt_posns-orgid.
924     ENDIF.
925
926 ELSE. "Holder exists
927
928     lv_pernr = lv_sobid(8).
929
930 * Check IT0000
931     CLEAR p0000.
932     SELECT SINGLE stat2
933     INTO p0000-stat2
934     FROM pa0000
935     WHERE pernr = lv_pernr
936         AND sprps = space
937         AND begda LE p_datum
938         AND endda GE p_datum.
939     IF sy-subrc NE 0.
940         CONTINUE.
941     ENDIF.
942     IF p0000-stat2 NE '3' AND p_vacant IS INITIAL.
943         CONTINUE.
944     ENDIF.
945
946     CLEAR p0001.
947     SELECT SINGLE
948     pernr plans orgeh bukrs grpdept_code
949     kostl werks btrtl ename
950     INTO CORRESPONDING FIELDS OF p0001
951     FROM pa0001
952     WHERE pernr = lv_pernr
953         AND sprps = space
954         AND begda LE p_datum
955         AND endda GE p_datum.
956     MOVE-CORRESPONDING p0001 TO itab.
957     itab-empname = p0001-ename.
958     itab-pernr = lv_pernr.
959     IF p0000-stat2 NE '3'.
960         CONCATENATE '(' itab-empname ')'
961         INTO itab-empname.
962     ENDIF.
963
964
965     SELECT SINGLE trfgr trfst FROM pa0008
966     INTO CORRESPONDING FIELDS OF p0008
967     WHERE pernr = lv_pernr
968         AND sprps = space
969         AND begda LE p_datum
970         AND endda GE p_datum.
971     IF sy-subrc EQ 0.
972         itab-trfgr = p0008-trfgr.
973         itab-trfst = p0008-trfst.
974     ENDIF.
975
976     IF NOT itab-trfgr IN p_trfgr.

```

```

977         CONTINUE.
978     ENDIF.
979
980 ENDIF.
981
982     itab-manager = lv_mgrno.
983     itab-manname = lv_mgrname.
984
985 * Get HR manager
986     IF lv_pernr IS NOT INITIAL.
987         PERFORM get_hr_manager_id USING lv_pernr
988                                     itab-hrman itab-hrvia.
989         IF NOT itab-hrman IS INITIAL.
990             SELECT SINGLE ename INTO itab-hrname
991             FROM pa0001
992             WHERE pernr = itab-hrman
993                   AND sprps = space
994                   AND begda LE sy-datum
995                   AND endda GE sy-datum.
996         ENDIF.
997     ENDIF.
998
999 ***begin of changes under charm 2000006055 TR DS1K9A0L2R by $DJAIN
1000 * Get BU Reward Manager
1001     PERFORM get_rw_manager_id USING lv_pernr
1002                                     itab-rwman itab-rwvia.
1003     IF NOT itab-rwman IS INITIAL.
1004         SELECT SINGLE ename INTO itab-rwname
1005         FROM pa0001
1006         WHERE pernr = itab-rwman
1007               AND sprps = space
1008               AND begda LE sy-datum
1009               AND endda GE sy-datum.
1010     ENDIF.
1011 ***end of changes under charm 2000006055 TR DS1K9A0L2R by $DJAIN
1012     COLLECT itab.
1013
1014
1015     ENDLOOP.
1016
1017     SORT itab BY manager pernr.
1018
1019 ENDFORM.
1020 *&-----*
1021 *&      Form  GET_SUBORGS
1022 *&-----*
1023 FORM get_suborgs USING p_orgid p_parent.
1024
1025     DATA: lv_sobid    LIKE hrp1001-sobid,
1026           lt_orglist   LIKE hrp1000-objid OCCURS 5 WITH HEADER LINE,
1027           lv_circflag.
1028
1029 * Recursive check
1030     ADD 1 TO gv_count.
1031     IF gv_count GT 9.
1032         RETURN.
1033     ENDIF.
1034
1035     CLEAR lv_circflag.
1036
1037 * Get all orgunits which org is the superior of

```

```

1038 REFRESH lt_orglst.
1039 SELECT sobid INTO lv_sobid
1040 FROM hrp1001
1041 WHERE plvar = '01'
1042     AND otype = 'O'
1043     AND objid = p_orgid
1044     AND subty = 'B002'
1045     AND istat = '1'
1046     AND begda LE p_datum
1047     AND endda GE p_datum
1048     AND rsign = 'B'
1049     AND relat = '002'
1050     AND sclas = 'O'.
1051 lt_orglst = lv_sobid(8).
1052 IF lt_orglst NE p_parent.
1053     IF p_detail = 'X'.
1054         WRITE:/ 'Orgunit',p_orgid,'has subordinate',lt_orglst.
1055     ENDIF.
1056 COLLECT lt_orglst.
1057 ELSE.
1058     IF p_detail = 'X'.
1059         WRITE:/ 'Orgunit',p_orgid,
1060             'has circular reporting line to',p_parent.
1061     ENDIF.
1062     lv_circflag = 'X'.
1063 ENDIF.
1064 ENDSELECT.
1065 IF sy-subrc NE 0 OR lv_circflag = 'X'.
1066     RETURN.
1067 ENDIF.
1068

```

*** Check if subordinate orgs have chiefs**

```

1069 LOOP AT lt_orglst.
1070     SELECT SINGLE sobid INTO lv_sobid
1071     FROM hrp1001
1072     WHERE plvar = '01'
1073         AND otype = 'O'
1074         AND objid = lt_orglst
1075         AND subty = 'B012'
1076         AND istat = '1'
1077         AND begda LE p_datum
1078         AND endda GE p_datum
1079         AND rsign = 'B'
1080         AND relat = '012'
1081         AND sclas = 'S'.
1082 IF sy-subrc EQ 0. "Chief exists
1083     IF p_detail = 'X'.
1084         WRITE:/ 'Orgunit',lt_orglst,
1085             'has a chief',lv_sobid(8),' - orgunit ignored,',
1086             'position added to subordinate list'.
1087     ENDIF.
1088     gt_posns-objid = lv_sobid(8).
1089     COLLECT gt_posns.
1090     DELETE lt_orglst.
1091 ENDIF.
1092 ENDLOOP.
1093 IF lt_orglst[] IS INITIAL.
1094     RETURN.
1095 ENDIF.
1096

```

*** Add orgs to global orglist**

```

1099 LOOP AT lt_orglist.
1100     gt_orgs-objid = lt_orglist.
1101     COLLECT gt_orgs.
1102 ENDLOOP.
1103
1104
1105 * Recursive call for subordinate orgunits
1106 LOOP AT lt_orglist.
1107     PERFORM get_suborgs USING lt_orglist p_parent.
1108 ENDLOOP.
1109
1110
1111 ENDFORM.
1112 *&-----*
1113 *&      Form  FILL_ZBW_MANAGER
1114 *&-----*
1115 *      text
1116 *-----*
1117 *  —>  p1      text
1118 *  <—  p2      text
1119 *-----*
1120 FORM FILL_ZBW_MANAGER .
1121
1122     data: ls_bwmanager TYPE ZBW_MANAGER.
1123
1124
1125 LOOP AT itab.
1126     LS_BWMANAGER-PERNR = itab-PERNR.
1127     LS_BWMANAGER-PERNR_M = itab-ACTMAN.
1128
1129     LS_BWMANAGER-PLANS = itab-PLANS.
1130
1131     SELECT SINGLE begda endda
1132     INTO ( LS_BWMANAGER-BEGDA, LS_BWMANAGER-enddda )
1133     FROM hrp1001
1134     WHERE plvar = '01'
1135           AND otype = 'S'
1136           AND objid = itab-PLANS
1137           AND subty = 'A008'
1138           AND istat = '1'
1139           AND begda LE p_datum
1140           AND enddda GE p_datum
1141           AND rsign = 'A'
1142           AND relat = '008'
1143           AND sclas = 'P'.
1144
1145     if sy-subrc = 0.
1146     endif.
1147
1148     modify ZBW_MANAGER from LS_BWMANAGER.
1149
1150 ENDLOOP.
1151
1152 ENDFORM.

```

Title:
Employee Direct Managers and HR Manager

Text elements:

100	*	_____	Expain Details Start	_____	*
101	*	_____	Expain Details End	_____	*

Selection texts:

P_BYPASS	Bypass restrictions
P_CHKCIR	Circular Reporting Check
P_DATUM	Effective date
P_DETAIL	Show details
P_EMP	Context = Employee
P_EMP2	Context = Full Employee Line
P_MGR	Context = Manager
P_NOCHK	No Circular Reporting Check
P_ONLCIR	List Only Circular Errors
P_TRFGR	Payscale Groups (bands)
P_VACANT	Include vacancies

Owner..... ECERONIO
Short text..... Anglo American Corporation Pensioners Payroll messages
Edit Language EN
Status 30.05.16

ZP050 & & & &

Subroutines:

		Line	Page
CIRCULAR_TEST.....	ZREAD MANAGERS	543	10
	ZREAD MANAGERS	654	12
	ZREAD MANAGERS	674	13
EMPLOYEE_MANAGER_DETAILS.....	ZREAD MANAGERS	111	3
	ZREAD MANAGERS	125	4
	ZREAD MANAGERS	604	11
FILL_ZBW_MANAGER.....	ZREAD MANAGERS	248	6
	ZREAD MANAGERS	1120	20
GET_HR_MANAGER_ID.....	ZREAD MANAGERS	474	9
	ZREAD MANAGERS	679	13
	ZREAD MANAGERS	987	18
GET_MANAGER_ID.....	ZREAD MANAGERS	256	6
	ZREAD MANAGERS	564	11
	ZREAD MANAGERS	639	12
	ZREAD MANAGERS	659	12
GET_RW_MANAGER_ID.....	ZREAD MANAGERS	508	10
	ZREAD MANAGERS	692	13
	ZREAD MANAGERS	1001	18
GET_SUBORGS.....	ZREAD MANAGERS	755	14
	ZREAD MANAGERS	1023	18
	ZREAD MANAGERS	1107	20
MANAGER_EMPLOYEE_DETAILS.....	ZREAD MANAGERS	137	4
	ZREAD MANAGERS	709	13
SHOW_OM_DETAILS.....	ZREAD MANAGERS	375	8
	ZREAD MANAGERS	635	12

Messages:

		Line	Page
ZP050.....	ZREAD MANAGERS	95	3

External calls

Function modules:	Line	Page
REUSE_ALV_FIELDCATALOG_MERGE.. ZREAD MANAGERS	151	4
REUSE_ALV_GRID_DISPLAY..... ZREAD MANAGERS	239	5
SAPGUI_PROGRESS_INDICATOR.... ZREAD MANAGERS	103	3
ZSWX_GET_DIRECT_MANAGER..... ZREAD MANAGERS	292	6
Z_GET_HR_MANAGER..... ZREAD MANAGERS	486	9
Z_GET_RW_MANAGER..... ZREAD MANAGERS	520	10

DATABASE OPERATIONS

SELECT:		Line	Page
HRP1001.....	ZREAD MANAGERS	390	8
	ZREAD MANAGERS	405	8
	ZREAD MANAGERS	425	8
	ZREAD MANAGERS	438	9
	ZREAD MANAGERS	453	9
	ZREAD MANAGERS	732	13
	ZREAD MANAGERS	774	14
	ZREAD MANAGERS	807	15
	ZREAD MANAGERS	827	15
	ZREAD MANAGERS	854	15
	ZREAD MANAGERS	874	16
	ZREAD MANAGERS	905	16
	ZREAD MANAGERS	1040	19
	ZREAD MANAGERS	1072	19
	ZREAD MANAGERS	1133	20
PA0000.....	ZREAD MANAGERS	351	7
	ZREAD MANAGERS	934	17
PA0001.....	ZREAD MANAGERS	612	12
	ZREAD MANAGERS	643	12
	ZREAD MANAGERS	663	12
	ZREAD MANAGERS	683	13
	ZREAD MANAGERS	696	13
	ZREAD MANAGERS	951	17
	ZREAD MANAGERS	991	18
	ZREAD MANAGERS	1005	18
PA0008.....	ZREAD MANAGERS	622	12
	ZREAD MANAGERS	965	17

MODIFY:		Line	Page
ZBW_MANAGER.....	ZREAD MANAGERS	1148	20

INTERNAL TABLE OPERATIONS

READ TABLE:		Line	Page
CHKTAB.....	ZREAD MANAGERS	574	11
GT_MANTAB.....	ZREAD MANAGERS	271	6
	ZREAD MANAGERS	584	11
GT_PERNR.....	ZREAD MANAGERS	118	3
P0001.....	RP-PROVIDE-FROM-LAST	0	

MODIFY:		Line	Page
FLDCAT.....	ZREAD MANAGERS	236	5
GT_MANTAB.....	ZREAD MANAGERS	588	11

DELETE:		Line	Page
ITAB.....	ZREAD MANAGERS	147	4
LT_ORGLIST.....	ZREAD MANAGERS	1091	19
LT_POSNS.....	ZREAD MANAGERS	845	15