

Created on....03.07.2018 Last changed on/by..... 13.07.2018 \$KPHUTANE
Author.....\$KPHUTANE

Title.....Long Service Award Payment

Type.....1 Reporting

Status.....

Application.....

Class.....

Logical database.....PN

 from Application....P Human resources

Selection screen.....

Authorization group...

Package.....ZHR1

 Start by Variants

 Deactivate editor lock

X Fixed point arithmetic active

```

1  *&-----*
2  *& Report ZRPPA0087
3  *&-----*
4  *&
5  *& Author      : Kundan K. Phutane
6  *&
7  *& Requirements : 1.It will consider the period of service from IT0041 ,
8  *&                  Date type 11.
9  *&                  2.For the 5th, 10th and 20th year completion in the
10 *&                  month of execution, the report will mail the list
11 *&                  of such employees to decided mail id(s).
12 *&                  3.IT0015 wage type 2500 will be created for that month
13 .
14 *& Charm       : Charm2000002447
15 *& TR          : DS1K9A0ATI
16 *& Date        : 27.6.18
17 *&-----*
18 REPORT ZRPPA0087.
19
20 TABLES :PERNR ,PA0105.
21 INFOTYPES :0000,0002,0041.
22
23 TYPES :BEGIN OF TY_FINAL,
24         DATE      TYPE PA0041-DAT01,
25         PERNR     TYPE PA0001-PERNR,
26         NAME(80)  TYPE C,
27         YEARS(2)  TYPE C,
28         AMOUNT(13) TYPE C,
29         STATUS    TYPE STRING,
30         REASON    TYPE STRING,
31
32         END OF TY_FINAL.
33
34 DATA : LT_FINAL TYPE TABLE OF TY_FINAL,
35         LS_FINAL TYPE TY_FINAL.
36
37 DATA : LS_LAYOUT TYPE SLIS_LAYOUT ALV .
38 DATA : LT_FCAT TYPE SLIS_T_FIELDCAT ALV,
39         LS_FCAT TYPE SLIS_FIELDCAT_ALV.
40
41 DATA : LV_DARXX      TYPE P0041-DAR01,
42         LV_DATXX     TYPE P0041-DAT01,
43         LV_DATE      TYPE SY-DATUM,
44         LV_YEARS     TYPE CMP_NOYRS,
45         LV_MONTHS    TYPE CMP_NOMNS,
46         LV_START_DATE TYPE SY-DATUM.
47 DATA : LV_ADD_YEARS TYPE T5A4A-DLYYR.
48
49 DATA : LV_MOLGA     LIKE T500L-MOLGA,
50         LV_RET      LIKE BAPIRETURN1,
51         LV_RECORD   TYPE P0015,
52         LV_RETURN   LIKE BAPIRETURN1,
53         LV_KEY      LIKE BAPIPAKEY,
54         LV_MESSAGE  TYPE STRING.
55
56 DATA : LV_ENDDA TYPE SY-DATUM.
57
58 LS_LAYOUT-ZEBRA = 'X' .
59 LS_LAYOUT-COLWIDTH_OPTIMIZE = 'X' .
60

```

```

61  SELECTION-SCREEN : BEGIN OF BLOCK B1 WITH FRAME TITLE TEXT-001  ##TEXT_P
    OOL.
62  PARAMETERS : P_DATE  LIKE SY-DATUM.
63  PARAMETERS : P_CHECK AS CHECKBOX .
64  SELECT-OPTIONS : S_EMAIL FOR PA0105-USRID_LONG NO INTERVALS .
65  SELECTION-SCREEN END OF BLOCK B1.
66
67  AT SELECTION-SCREEN OUTPUT.
68      LOOP AT SCREEN.
69          IF (  SCREEN-NAME = 'PNPTIMR6'
70              OR SCREEN-NAME = 'PNPBEGDA'
71              OR SCREEN-NAME = 'PNPTBEG' ) .
72              SCREEN-INPUT = '0'.
73              SCREEN-INVISIBLE = '1'.
74              MODIFY SCREEN.
75          ENDIF.
76      ENDLOOP.
77
78  START-OF-SELECTION.
79
80  GET PERNR.
81      PERFORM SELECT_DATA.
82
83  END-OF-SELECTION.
84
85      SORT LT_FINAL BY PERNR.
86      IF P_CHECK NE 'X'.
87          PERFORM SEND_MAIL.
88      ENDIF.
89      PERFORM ALV_DISPLAY.
90
91
92  *&-----*
93  *&      Form  ALV_DISPLAY
94  *&-----*
95  *      text
96  *-----*
97  *  -->  p1      text
98  *  <--  p2      text
99  *-----*
100 FORM ALV_DISPLAY .
101
102  CLEAR LS_FCAT.
103  LS_FCAT-FIELDNAME = 'DATE'.
104  LS_FCAT-TABNAME = 'LT_FINAL'.
105  LS_FCAT-SELTEXT_M = 'Group Service Date' ##NO_TEXT .
106  APPEND LS_FCAT TO LT_FCAT.
107
108  CLEAR LS_FCAT.
109  LS_FCAT-FIELDNAME = 'PERNR'.
110  LS_FCAT-TABNAME = 'LT_FINAL'.
111  LS_FCAT-SELTEXT_M = 'PERNR' ##NO_TEXT.
112  APPEND LS_FCAT TO LT_FCAT.
113
114  CLEAR LS_FCAT.
115  LS_FCAT-FIELDNAME = 'NAME'.
116  LS_FCAT-TABNAME = 'LT_FINAL'.
117  LS_FCAT-SELTEXT_M = 'Name of the employee'##NO_TEXT.
118  APPEND LS_FCAT TO LT_FCAT.
119
120  CLEAR LS_FCAT.

```

```

121  LS_FCAT-FIELDNAME = 'YEARS'.
122  LS_FCAT-TABNAME = 'LT_FINAL'.
123  LS_FCAT-SELTEXT_L = 'Years of service completion'##NO_TEXT.
124  APPEND LS_FCAT TO LT_FCAT.
125
126  CLEAR LS_FCAT.
127  LS_FCAT-FIELDNAME = 'AMOUNT'.
128  LS_FCAT-TABNAME = 'LT_FINAL'.
129  LS_FCAT-SELTEXT_M = 'Amount to be paid'##NO_TEXT.
130  APPEND LS_FCAT TO LT_FCAT.
131
132  CLEAR LS_FCAT.
133  LS_FCAT-FIELDNAME = 'STATUS'.
134  LS_FCAT-TABNAME = 'LT_FINAL'.
135  LS_FCAT-SELTEXT_M = 'Status'##NO_TEXT.
136  APPEND LS_FCAT TO LT_FCAT.
137
138  CLEAR LS_FCAT.
139  LS_FCAT-FIELDNAME = 'REASON'.
140  LS_FCAT-TABNAME = 'LT_FINAL'.
141  LS_FCAT-SELTEXT_M = 'Reason'##NO_TEXT.
142  APPEND LS_FCAT TO LT_FCAT.
143
144  CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY'
145    EXPORTING
146      I_CALLBACK_PROGRAM = SY-REPID
147      IS_LAYOUT           = LS_LAYOUT
148      IT_FIELDCAT         = LT_FCAT
149    TABLES
150      T_OUTTAB            = LT_FINAL
151    EXCEPTIONS
152      PROGRAM_ERROR       = 1
153      OTHERS              = 2.
154
155  IF SY-SUBRC <> 0.
156  * Implement suitable error handling here
157  ENDIF.
158  CLEAR: LS_FCAT,LS_LAYOUT.
159
160  ENDFORM.
161  *&-----*
162  *&      Form  SEND_MAIL
163  *&-----*
164  *      text
165  *-----*
166  *  -->  p1      text
167  *  <--  p2      text
168  *-----*
169  FORM SEND_MAIL .
170
171  DATA : LV_DATA_STRING TYPE STRING, "declare string
172         LV_STRING       TYPE STRING,
173         LV_XSTRING      TYPE XSTRING,
174         L_ATT SUBJECT   TYPE SOOD-OBJDES,
175         LT_OUT_ABS      TYPE STANDARD TABLE OF TY_FINAL,
176         LT_OUT_ABS_T    TYPE STANDARD TABLE OF SOLI,
177         LS_OUT_ABS_T    TYPE SOLI,
178         LT_TEXT         LIKE SODOCCHGI1. "document data
179  DATA : LO_DOCUMENT    TYPE REF TO CL_DOCUMENT_BCS VALUE IS INITIAL. "
document object
180  DATA : LO_SEND_REQUEST TYPE REF TO CL_BCS VALUE IS INITIAL.

```

```

181 DATA : LO_SENDER TYPE REF TO IF_SENDER_BCS VALUE IS INITIAL,
182         LV_EMAIL1 TYPE ADR6-SMTP_ADDR. "Email input.
183 DATA : LV_MTITLE LIKE SODOCCHGI1-OBJ_DESCR.
184
185 CLASS CL_BCS DEFINITION LOAD.
186 LO_SEND_REQUEST = CL_BCS=>CREATE_PERSISTENT( ).
187 * * Email title
188 CLEAR LV_MTITLE .
189 CONCATENATE 'Long Service Award Payment' SY-DATUM INTO LV_MTITLE SEPAR
ATED BY '_'##NO_TEXT.
190
191 LO_DOCUMENT = CL_DOCUMENT_BCS=>CREATE_DOCUMENT( "create document
192 I_TYPE = 'TXT' "Type of document HTM, TXT etc
193 I_TEXT = LT_OUT_ABS_T[] "email body internal table
194 I_SUBJECT = LV_MTITLE ). "email subject
195 * Pass the document to send request
196 LO_SEND_REQUEST->SET_DOCUMENT( LO_DOCUMENT ).
197
198 LOOP AT LT_FINAL INTO LS_FINAL.
199
200     IF SY-TABIX = 1.
201         CONCATENATE 'Group Service Date'##NO_TEXT
202                     'PERNR'
203                     'Name of the employee'##NO_TEXT
204                     'Years of service completion'##NO_TEXT
205                     'Amount to be paid'##NO_TEXT
206                     'Status'##NO_TEXT
207                     'Reason'##NO_TEXT
208                     INTO LV_DATA_STRING SEPARATED BY CL_ABAP_CHAR_UTILITIES=>HORIZONT
AL_TAB. "write the field ** names seperated by tabs
209         CLEAR: LV_STRING.
210
211         CALL FUNCTION 'SCMS_STRING_TO_XSTRING' "Xstring is used in transfo
rmation of an XML document and
212         " for transfer of heavy files from Web Applications
213         EXPORTING
214             TEXT = LV_DATA_STRING
215         IMPORTING
216             BUFFER = LV_XSTRING
217         EXCEPTIONS
218             FAILED = 1
219             OTHERS = 2.
220         IF SY-SUBRC <> 0.
221             IF SY-SUBRC = 1 .
222                 ELSEIF SY-SUBRC = 2 .
223                 WRITE:/ 'invalid string ' ##NO_TEXT.
224             ENDIF.
225         ENDIF.
226
227         DATA: LIT_BINARY_CONTENT TYPE SOLIX_TAB.
228         ***Xstring to binary
229         CALL FUNCTION 'SCMS_XSTRING_TO_BINARY'
230         EXPORTING
231             BUFFER = LV_XSTRING
232             APPEND_TO_TABLE = 'X'
233         TABLES
234             BINARY_TAB = LIT_BINARY_CONTENT.
235
236         CLEAR : LV_DATA_STRING, LV_XSTRING.
237
238     ENDIF.

```

```

239      CONCATENATE LS_FINAL-DATE LS_FINAL-PERNR LS_FINAL-NAME LS_FINAL-YEAR
S LS_FINAL-AMOUNT LS_FINAL-STATUS LS_FINAL-REASON
240      INTO LV_STRING SEPARATED BY CL_ABAP_CHAR_UTILITIES=>HORIZONTAL_TAB.
      "write the field names seperated by tabs
241
242      CONCATENATE LV_DATA_STRING LV_STRING INTO LV_DATA_STRING SEPARATED B
Y CL_ABAP_CHAR_UTILITIES=>NEWLINE.
243      "write the above string into a new string on a new line.
244      CLEAR: LS_FINAL, LV_STRING.
245
246      **Xstring is used in transformation of an XML document and for transfer
of heavy files from Web Applications
247      CALL FUNCTION 'SCMS_STRING_TO_XSTRING'
248          EXPORTING
249              TEXT      = LV_DATA_STRING
250      *          MIMETYPE      = ' '
251      *          ENCODING      =
252          IMPORTING
253              BUFFER = LV_XSTRING
254          EXCEPTIONS
255              FAILED = 1
256              OTHERS = 2.
257      IF SY-SUBRC <> 0.
258          IF SY-SUBRC = 1 .
259
260              ELSEIF SY-SUBRC = 2 .
261                  WRITE:/ 'invalid string ' ##NO_TEXT.
262              ENDIF.
263          ENDIF.
264      ***Xstring to binary
265      CALL FUNCTION 'SCMS_XSTRING_TO_BINARY'
266          EXPORTING
267              BUFFER      = LV_XSTRING
268              APPEND_TO_TABLE = 'X'
269          TABLES
270              BINARY_TAB      = LIT_BINARY_CONTENT.
271
272      CLEAR : LV_DATA_STRING, LV_XSTRING.
273      ENDLOOP.
274
275      **add attachment name
276      CLEAR L_ATT SUBJECT .
277      CONCATENATE 'Long Service Award Payment' SY-DATUM INTO L_ATT SUBJECT ##
NO_TEXT.
278      * Create Attachment
279      TRY.
280          LO_DOCUMENT->ADD_ATTACHMENT( EXPORTING
281                                          I_ATTACHMENT_TYPE = 'XLS'
282                                          I_ATTACHMENT_SUBJECT = L_ATT SUBJECT
T
283                                          I_ATT_CONTENT_HEX = LIT_BINARY_CON
TENT ) .
284      ENDTRY.
285
286      **Set Sender
287      TRY.
288          LO_SENDER = CL_SAPUSER_BCS=>CREATE( SY-UNAME ). "sender is the log
ged in user
289      ** Set sender to send request
290          LO_SEND_REQUEST->SET_SENDER(
291              EXPORTING

```

```

292         I_SENDER = LO_SENDER ).
293     ENDTRY.
294
295     **Set recipient
296     DATA: LO_RECIPIENT TYPE REF TO IF_RECIPIENT_BCS VALUE IS INITIAL.
297
298     IF S_EMAIL IS NOT INITIAL.
299
300         LOOP AT S_EMAIL.
301             LV_EMAIL1 = S_EMAIL-LOW.
302
303             LO_RECIPIENT = CL_CAM_ADDRESS_BCS=>CREATE_INTERNET_ADDRESS( LV_EMA
IL1 ). "Here Recipient is email input p_email
304             TRY.
305                 LO_SEND_REQUEST->ADD_RECIPIENT(
306                     EXPORTING
307                         I_RECIPIENT = LO_RECIPIENT
308                         I_EXPRESS = 'X' ).
309             ENDTRY.
310         ENDLOOP.
311
312     ELSE.
313
314         MESSAGE 'Please enter Email address' TYPE 'I'##NO_TEXT.
315         RETURN.
316
317     ENDIF.
318
319     **Set immediate sending
320     TRY.
321         CALL METHOD LO_SEND_REQUEST->SET_SEND_IMMEDIATELY
322             EXPORTING
323                 I_SEND_IMMEDIATELY = 'X'.
324     ENDTRY.
325
326     TRY.
327         ** Send email
328         LO_SEND_REQUEST->SEND(
329             EXPORTING
330                 I_WITH_ERROR_SCREEN = 'X' ).
331         COMMIT WORK.
332         IF SY-SUBRC = 0.
333             WRITE :/ 'Mail sent successfully'##NO_TEXT.
334         ELSE.
335             WRITE :/ 'Mail Not Sent'##NO_TEXT.
336         ENDIF.
337
338     ENDTRY.
339
340     ENDFORM.
341     *&-----*
342     *&      Form  SELECT_DATA
343     *&-----*
344     *      text
345     *-----*
346     *  -->  p1      text
347     *  <--  p2      text
348     *-----*
349     FORM SELECT_DATA .
350
351     PN-ENDDA = '20180731'.

```

```

352     PN-BEGDA = '20180701'.
353
354     RP-PROVIDE-FROM-LAST P0000 SPACE PN-BEGDA PN-ENDDA.
355     RP-PROVIDE-FROM-LAST P0002 SPACE PN-BEGDA PN-ENDDA.
356     RP-PROVIDE-FROM-LAST P0041 SPACE PN-BEGDA PN-ENDDA.
357
358     CALL FUNCTION 'RH_PM_GET_MOLGA_FROM_PERNR'
359         EXPORTING
360             PLVAR          = '01'
361             PERNR          = PERNR-PERNR
362             BEGDA          = PN-BEGDA
363             ENDDA          = PN-ENDDA
364         IMPORTING
365             MOLGA          = LV_MOLGA
366     *   TRFKZ              =
367     EXCEPTIONS
368         NOTHING_FOUND     = 1
369         NO_ACTIVE_PLVAR   = 2
370         OTHERS             = 3.
371     IF SY-SUBRC <> 0.
372     *   Implement suitable error handling here
373     ENDIF.
374
375     IF LV_MOLGA EQ '25'. "report is for Singapore employees only
376     *   Name of Employee
377         CONCATENATE P0002-NACHN P0002-VORNA INTO LS_FINAL-NAME SEPARATED BY
SPACE.
378     *   PERNR
379         MOVE PERNR-PERNR TO LS_FINAL-PERNR.
380     *   Date/Month
381         DO 12 TIMES
382             VARYING LV_DARXX
383                 FROM P0041-DAR01 NEXT P0041-DAR02
384             VARYING LV_DATXX
385                 FROM P0041-DAT01 NEXT P0041-DAT02.
386             IF LV_DARXX IS NOT INITIAL AND LV_DARXX = '11'.
387                 LS_FINAL-DATE = LV_DATXX.
388             ENDIF.
389         ENDDO.
390         LV_DATE = LS_FINAL-DATE.
391
392     "Report should consider whole month in which report is being executed
393     CALL FUNCTION 'HR_JP_MONTH_BEGIN_END_DATE'
394         EXPORTING
395             IV_DATE          = P_DATE
396         IMPORTING
397     *   EV_MONTH_BEGIN_DATE      =
398         EV_MONTH_END_DATE = LV_ENDDA. ##FM_SUBRC_OK
399
400     IF SY-SUBRC = 0.
401     *   Years of service completion
402         CALL FUNCTION 'HRCM_TIME_PERIOD_CALCULATE'
403             EXPORTING
404                 BEGDA          = LV_DATE
405                 ENDDA          = LV_ENDDA
406             IMPORTING
407                 NOYRS          = LV_YEARS
408                 NOMNS          = LV_MONTHS
409     *   NODYS                  =
410             EXCEPTIONS
411                 INVALID_DATES = 1

```



```

412             OVERFLOW           = 2
413             OTHERS              = 3.
414
415             IF SY-SUBRC = 0.
416                 LS_FINAL-YEARS = LV_YEARS.
417 *   Reward Amount to be paid
418                 IF LS_FINAL-YEARS EQ '05' AND LV_MONTHS EQ '00'.
419                     LS_FINAL-AMOUNT = '500.00'.
420                 ELSEIF LS_FINAL-YEARS EQ '10' AND LV_MONTHS EQ '00'.
421                     LS_FINAL-AMOUNT = '800.00'.
422                 ELSEIF LS_FINAL-YEARS EQ '20' AND LV_MONTHS EQ '00'.
423                     LS_FINAL-AMOUNT = '2000.00'.
424                 ENDIF.
425             ENDIF.
426         ENDIF.
427
428         IF LS_FINAL-YEARS IS NOT INITIAL.
429 **   Add/Subtract months to date
430             LV_ADD_YEARS = LS_FINAL-YEARS.
431             CALL FUNCTION 'RP_CALC_DATE_IN_INTERVAL'
432                 EXPORTING
433                     DATE           = LS_FINAL-DATE
434                     DAYS           = 0
435                     MONTHS        = 0
436                     SIGNUM        = '+' " to calculate following date
437                     YEARS         = LV_ADD_YEARS
438                 IMPORTING
439                     CALC_DATE     = LV_START_DATE.
440             "IT0015 Record date will be created
441             IF P_CHECK NE 'X'. "Test Run check
442                 PERFORM CREATE_IT0015.
443             ENDIF.
444         ENDIF.
445
446         IF LS_FINAL-AMOUNT IS NOT INITIAL.
447             APPEND LS_FINAL TO LT_FINAL.
448         ENDIF.
449
450         CLEAR : LS_FINAL , LV_DATXX, LV_DARXX, LV_START_DATE, LV_DATE,
451                LV_YEARS, LV_MONTHS, LV_MOLGA.
452     ENDIF.
453
454 ENDFORM.
455 *&-----*
456 *&      Form   CREATE_IT0015
457 *&-----*
458 *&      text
459 *&-----*
460 *&  -->  p1      text
461 *&  <--  p2      text
462 *&-----*
463 FORM CREATE_IT0015 .
464
465 "Infoytp 0015 will be updated
466
467 CALL FUNCTION 'BAPI_EMPLOYEE_ENQUEUE'
468     EXPORTING
469         NUMBER = PERNR-PERNR
470     IMPORTING
471         RETURN = LV_RETURN.
472

```

```

473 *Error
474 IF LV_RETURN-NUMBER <> 0.
475   CLEAR : LV_MESSAGE.
476   CONCATENATE LV_RETURN-TYPE LV_RETURN-ID LV_RETURN-NUMBER LV_RETURN-M
MESSAGE
477   INTO LV_MESSAGE SEPARATED BY SPACE.
478   MESSAGE LV_RETURN-MESSAGE TYPE 'E'.
479
480 ELSE.
481   LV_RECORD-BETRG = LS_FINAL-AMOUNT.
482   LV_RECORD-LGART = '2500'.
483   DATA:LV_DIALOG_MODE TYPE C.
484   LV_DIALOG_MODE = 0.
485
486   IF LV_RECORD-BETRG IS NOT INITIAL.
487     CALL FUNCTION 'HR_INFOTYPE_OPERATION'
488       EXPORTING
489         INFTY           = '0015'
490         SUBTYPE         = '2500'
491         NUMBER          = PERNR-PERNR           "employeenumber
492         VALIDITYEND     = P0000-ENDDDA
493         VALIDITYBEGIN   = LV_START_DATE
494         RECORD          = LV_RECORD
495         OPERATION       = 'INS'
496         DIALOG_MODE     = LV_DIALOG_MODE
497       IMPORTING
498         RETURN          = LV_RET
499         KEY             = LV_KEY
500       EXCEPTIONS
501         OTHERS          = 0.
502   IF LV_RET IS NOT INITIAL.
503     LS_FINAL-STATUS = 'Error'##NO_TEXT.
504     LS_FINAL-REASON = LV_RET-MESSAGE.
505   ELSE.
506     LS_FINAL-STATUS = 'Successful'##NO_TEXT.
507   ENDIF.
508 ENDIF.
509
510 CALL FUNCTION 'BAPI_EMPLOYEE_DEQUEUE'
511   EXPORTING
512     NUMBER = PERNR-PERNR
513   IMPORTING
514     RETURN = LV_RETURN.
515 *Error
516 IF LV_RETURN-NUMBER <> 0.
517   CLEAR : LV_MESSAGE.
518   CONCATENATE LV_RETURN-TYPE LV_RETURN-ID LV_RETURN-NUMBER LV_RETURN
-MESSAGE
519   INTO LV_MESSAGE SEPARATED BY SPACE.
520   MESSAGE LV_RETURN-MESSAGE TYPE 'E'.
521   ENDIF.
522
523 ENDIF.
524
525 ENDFORM.

```

Title:
Long Service Award Payment

Selection texts:

P_CHECK	
P_DATE	Test Run
S_EMAIL	Date
	Email Id

Owner..... SAP
Short text..... Abrechnung / Terminsteuerung / Abschlag
Edit Language DE
Status 29.05.15

[TUV_R](#)

Subroutines:		Line	Page
ALV_DISPLAY.....	ZRPPA0087	89	3
	ZRPPA0087	100	3
CREATE_IT0015.....	ZRPPA0087	442	9
	ZRPPA0087	463	9
SELECT_DATA.....	ZRPPA0087	81	3
	ZRPPA0087	349	7
SEND_MAIL.....	ZRPPA0087	87	3
	ZRPPA0087	169	4

Messages:		Line	Page
?.....	ZRPPA0087	314	7
?.....	ZRPPA0087	478	10
?.....	ZRPPA0087	520	10

External calls

Function modules:

Function modules:	Line	Page	
BAPI_EMPLOYEE_DEQUEUE..... ZRPPA0087	510	10	
BAPI_EMPLOYEE_ENQUEUE..... ZRPPA0087	467	9	
HRCM_TIME_PERIOD_CALCULATE.... ZRPPA0087	402	8	
HR_INFOTYPE_OPERATION..... ZRPPA0087	487	10	
HR_JP_MONTH_BEGIN_END_DATE.... ZRPPA0087	393	8	
REUSE_ALV_GRID_DISPLAY..... ZRPPA0087	144	4	
RH_PM_GET_MOLGA_FROM_PERNR.... ZRPPA0087	358	8	
RP_CALC_DATE_IN_INTERVAL..... ZRPPA0087	431	9	
SCMS_STRING_TO_XSTRING..... ZRPPA0087	211	5	
	ZRPPA0087	247	6
SCMS_XSTRING_TO_BINARY..... ZRPPA0087	229	5	
	ZRPPA0087	265	6

INTERNAL TABLE OPERATIONS

READ TABLE:	Line	Page
P0000..... RP-PROVIDE-FROM-LAST	0	
P0002..... RP-PROVIDE-FROM-LAST	0	
P0041..... RP-PROVIDE-FROM-LAST	0	