

Created on....10.05.2019 Last changed on/by..... 30.03.2020 \$SIKUMAR
Author.....\$KPHUTANE

Title.....Automated email to Manager: Contract expiry date

Type.....1 Reporting
Status.....
Application.....
Class.....
Logical database.....PN
 from Application....P Human resources
Selection screen.....
Authorization group...
Package.....ZHR1

 Start by Variants
 Deactivate editor lock
X Fixed point arithmetic active

```

1  *&-----*
2  *& Report ZRPPA0096
3  *&-----*
4  *& Author       : Kundan K. Phutane
5  *& Requirements : 1.To send mail to manager of employees notifying with
6  *&                  contractor name and date of expiry of contract
7  *&                  from IT0016.
8  *&                  2.Informing mail before 60 days and 45 days about
9  *&                  renewing the contract.
10 *&                  3.Notification mail of expiry date will be sent before
    30 days
11 *&                  4.And after the expiry date of contract mail will be s
    ent
12 *& Charm         : Charm 2000004183
13 *& TR            : DS1K9A0EUX
14 *& Date          : 09.05.2019
15 *&-----*
16 REPORT zrppa0096.
17
18 TABLES: pernr.
19 INFOTYPES: 0000,0001,0002,0105,0016.
20
21 TYPES : BEGIN OF ly_final,
22         pernr          TYPE persno,
23         name(40)       TYPE c,
24         last(40)       TYPE c,
25         exp_date       TYPE sy-datum,
26         exp_date_16    TYPE sy-datum,
27         term_date      TYPE sy-datum,
28         manager        TYPE persno,
29         man_name(80)   TYPE c,
30         email_mgr      TYPE string,
31         error          TYPE string,
32         days(2)        TYPE c,
33         hr_mgr         TYPE persno,
34         hr_mail        TYPE string,
35         emp_mail       TYPE string,
36         day_exp(3)     TYPE c,
37         day_60         TYPE c,
38         day_45         TYPE c,
39         day_30         TYPE c,
40         day_0          TYPE c,
41         day_dyn        TYPE c,
42         extension      TYPE c,
43         link(300)      type c,
44     END OF ly_final.
45 DATA: init_flag.
46 DATA: lt_final TYPE TABLE OF ly_final,
47        ls_final TYPE ly_final.
48 DATA: lv_highdate TYPE datum VALUE '99991231'.
49 DATA :lt_pa0016 TYPE TABLE OF pa0016 WITH HEADER LINE,
50        lt_pa0105 TYPE TABLE OF pa0105 WITH HEADER LINE,
51        lt_l_pa0105 TYPE TABLE OF pa0105 WITH HEADER LINE,
52        lt_pa0000 TYPE TABLE OF pa0000 WITH HEADER LINE,
53        lt_pa0002 TYPE TABLE OF pa0002 WITH HEADER LINE.
54
55 DATA: act_tab TYPE swhactor OCCURS 0 WITH HEADER LINE,
56        act_cont TYPE swcont OCCURS 0 WITH HEADER LINE.
57
58 DATA: gv_begda TYPE datum,
59        lv_endda TYPE datum,

```

```

60      lv_begda_t    TYPE datum,
61      lv_flag       TYPE c,
62      lv_link(300)  TYPE c,
63      lv_dyn(3)     TYPE n,
64      lv_comp(3)    TYPE n,
65      lv_diff       TYPE i. "TYPE sy-datum.
66 DATA: lt_fcat     TYPE slis_t_fieldcat_alv,
67      ls_fcat      TYPE slis_fieldcat_alv,
68      ls_layout    TYPE slis_layout_alv.
69 DATA: lv_index    TYPE sy-tabix.
70 TYPES: BEGIN OF ty_pernr,
71         pernr TYPE pernr_d,
72     END OF ty_pernr.
73
74 DATA: it_pernr     TYPE STANDARD TABLE OF ty_pernr.
75 DATA: wa_pernr     TYPE ty_pernr.
76 DATA: nume(3) TYPE c.
77 ls_layout-zebra = 'X' .
78 ls_layout-colwidth_optimize = 'X' .
79
80 SELECTION-SCREEN : BEGIN OF BLOCK b1 WITH FRAME TITLE TEXT-001 ##TEXT_PO
OL.
81 SELECT-OPTIONS : s_dyn FOR nume NO INTERVALS OBLIGATORY .
82 PARAMETERS      : p_sender TYPE ad_smtpadr"string
83                   DEFAULT 'wf-batch@angloamerican.com'.
84
85 PARAMETERS      : p_cc TYPE ad_smtpadr"string
86                   DEFAULT 'JMLSupport@angloamerican.com'.
87
88 PARAMETERS      : p_bcc TYPE ad_smtpadr"string
89                   DEFAULT 'JMLSupport@angloamerican.com'.
90 PARAMETERS      : p_jml AS CHECKBOX.
91 SELECT-OPTIONS : s_orgeh FOR p0001-orgeh NO INTERVALS.
92 PARAMETERS      : p_wegid TYPE gdstr-wegid DEFAULT 'O-O-S-P'.
93 PARAMETERS      : p_jtext LIKE thead-tdname DEFAULT 'Z_EXPIRY_EMAIL_1'
94
94 PARAMETERS      : p_link(300) TYPE c DEFAULT 'http://10.144.25.44:858
5/app.AA_HR_ContractorManagement#!/CMA/task/0/EXTEND-' LOWER CASE.
95 SELECTION-SCREEN COMMENT /1(70) comm1.
96 SELECTION-SCREEN COMMENT /1(70) comm2.
97 SELECTION-SCREEN : END OF BLOCK b1.
98
99 SELECTION-SCREEN : BEGIN OF BLOCK b2 WITH FRAME TITLE TEXT-001 ##TEXT_PO
OL.
100 PARAMETERS : p_test AS CHECKBOX DEFAULT 'X'.
101 SELECTION-SCREEN : END OF BLOCK b2.
102
103 INITIALIZATION.
104     REFRESH s_dyn.
105     s_dyn-option = 'EQ'.
106     s_dyn-sign = 'I'.
107     s_dyn-low = '60'. APPEND s_dyn.
108     s_dyn-low = '45'. APPEND s_dyn.
109     s_dyn-low = '30'. APPEND s_dyn.
110     s_dyn-low = '0'. APPEND s_dyn.
111
112 CLEAR: pnptimr2,
113         pnptimr3,
114         pnptimr4,
115         pnptimr5,
116         pnptimr6.

```

```

117     pnptimr1 = 'X'.
118     pnpbegda = pnpendda = sy-datum.
119
120 AT SELECTION-SCREEN ON s_dyn.
121     LOOP AT s_dyn.
122         IF s_dyn-option NE 'EQ'
123             OR s_dyn-sign NE 'I'
124             OR s_dyn-high IS NOT INITIAL.
125             MESSAGE e050(zp) WITH 'Only specify discrete expiry days'.
126         ENDIF.
127     ENDLOOP.
128
129 AT SELECTION-SCREEN OUTPUT.
130     comm1 = 'Note: Contract Extension only gets activated when you select
the Check box'.
131     comm2 = '          You can run this option for all employee by keeping O
rg Unit field Blank'.
132
133
134 START-OF-SELECTION.
135     SORT s_dyn BY low DESCENDING.
136     CLEAR : lv_dyn , lv_comp.
137     LOOP AT s_dyn.
138         lv_comp = s_dyn-low.
139         IF lv_dyn IS INITIAL.
140             lv_dyn = s_dyn-low.
141         ELSEIF lv_comp GT lv_dyn.
142             lv_dyn = lv_comp.
143         ENDIF.
144     ENDLOOP.
145     lv_endda = pn-begda + lv_dyn.
146
147 *   Getting all employees falling under the Top Org Unit.
148 DATA act_otype      TYPE objec-otype.
149 DATA act_plvar      TYPE objec-plvar.
150 DATA act_objid      TYPE objid.
151 DATA result_tab     TYPE STANDARD TABLE OF swhactor.
152 DATA result_objec   TYPE STANDARD TABLE OF objec.
153 DATA result_struc   TYPE STANDARD TABLE OF struc.
154 DATA wa_result_struc TYPE struc.
155 if p_jml IS NOT INITIAL and s_orgeh is NOT INITIAL.
156 act_otype = 'O'.
157 LOOP AT s_orgeh.
158     CALL FUNCTION 'RH_STRUC_GET'
159         EXPORTING
160             act_otype      = act_otype
161             act_objid      = s_orgeh-low
162             act_wegid      = p_wegid
163 *           ACT_INT_FLAG   = ACT_INT_FLAG
164 *           ACT_PLVAR     = ' '
165             act_begda      = sy-datum
166             act_endda      = sy-datum
167 *           ACT_TDEPTH    = 0
168 *           ACT_TFLAG     = 'X'
169 *           ACT_VFLAG     = 'X'
170 *           AUTHORITY_CHECK = 'X'
171 *           TEXT_BUFFER_FILL = TEXT_BUFFER_FILL
172 *           BUFFER_MODE   = BUFFER_MODE
173         IMPORTING
174             act_plvar      = act_plvar
175     TABLES

```

```

176         result_tab      = result_tab
177         result_objec     = result_objec
178         result_struct    = result_struct
179     EXCEPTIONS
180         no_plvar_found = 1
181         no_entry_found = 2.
182     IF result_struct[] IS NOT INITIAL.
183         DELETE result_struct WHERE otype NE 'P'.
184         LOOP AT result_struct INTO wa_result_struct.
185             wa_pernr-pernr = wa_result_struct-objid.
186             APPEND wa_pernr TO it_pernr.
187         ENDLOOP.
188     ENDIF.
189     ENDLOOP.
190     endif.
191     GET pernr.
192     CLEAR: lv_flag , ls_final.
193     CALL FUNCTION 'SAPGUI_PROGRESS_INDICATOR'
194         EXPORTING
195             percentage = 0
196             text       = pernr-pernr.
197
198     "Check Employee has a valid AD Account.
199     rp-provide-from-last p0105 '0001' pn-begda pn-endda ##BOOL_OK.
200     CHECK pnp-sw-found EQ 1.
201     IF p_jml IS NOT INITIAL.
202         CONCATENATE p_link p0105-usrid INTO ls_final-link.
203     ENDIF.
204     rp-provide-from-last p0105 '0006' pn-begda pn-endda ##BOOL_OK.
205     CHECK pnp-sw-found EQ 1.
206     rp-provide-from-last p0001 space pn-begda pn-endda ##BOOL_OK.
207     CHECK pnp-sw-found EQ 1.
208     IF p0001-persg EQ '8' OR p0001-persg EQ '9'.
209         SORT p0016 BY endda DESCENDING.
210         DELETE ADJACENT DUPLICATES FROM p0016 COMPARING pernr.
211         LOOP AT p0016 WHERE ctedt GE pn-begda
212             AND ctedt LE lv_endda
213             AND ( cttyp EQ '02'
214                 OR cttyp EQ '01'
215                 OR cttyp EQ '03' ).
216         lv_diff = p0016-ctedt - pn-begda.
217         ls_final-exp_date = p0016-ctedt.
218         ls_final-exp_date_16 = p0016-ctedt.
219         LOOP AT s_dyn.
220             IF lv_diff EQ s_dyn-low.
221                 lv_flag = 'X'.
222                 ls_final-day_exp = s_dyn-low.
223             EXIT.
224         ENDIF.
225     ENDLOOP.
226     ENDLOOP.
227     ENDIF.
228
229     CLEAR lv_diff.
230     LOOP AT p0000 WHERE stat2 = 0 AND begda GE pn-begda
231         AND begda LE lv_endda.
232     *         AND endda GE lv_endda .
233         ls_final-term_date = p0000-begda - 1.
234         lv_diff = ls_final-term_date - pn-begda.
235         IF lv_flag IS INITIAL.
236             ls_final-exp_date = ls_final-term_date.

```

```

237     LOOP AT s_dyn.
238         IF lv_diff EQ s_dyn-low.
239             lv_flag = 'X'.
240             ls_final-day_exp = s_dyn-low.
241             EXIT.
242         ENDIF.
243     ENDLOOP.
244 ELSEIF ls_final-exp_date GT ls_final-term_date.
245     ls_final-exp_date = ls_final-term_date.
246     LOOP AT s_dyn.
247         IF lv_diff EQ s_dyn-low.
248             lv_flag = 'X'.
249             ls_final-day_exp = s_dyn-low.
250             EXIT.
251         ENDIF.
252     ENDLOOP.
253 ENDIF.
254 ENDLOOP.
255
256 CHECK lv_flag IS NOT INITIAL
257       OR ls_final-term_date IS NOT INITIAL
258       OR ls_final-exp_date IS NOT INITIAL.
259
260 rp-provide-from-last p0001 space pn-begda pn-endda  ##BOOL_OK.
261 CHECK pnp-sw-found EQ 1.
262
263 rp-provide-from-last p0002 space pn-begda pn-endda  ##BOOL_OK.
264 CHECK pnp-sw-found EQ 1.
265
266 ls_final-name = p0002-vorna .
267 ls_final-last = p0002-nachn .
268 ls_final-pernr = p0001-pernr.
269 ls_final-emp_mail = p0105-usrid_long.
270
271 CLEAR: act_tab, act_cont.
272 REFRESH: act_tab, act_cont.
273 "Determine Supervisor
274 act_cont-element = 'ORG OBJECT'.
275 act_cont-elemlength = '025'.
276 act_cont-type = 'C'.
277 CONCATENATE 'P' pernr-pernr INTO act_cont-value SEPARATED BY space.
278 APPEND act_cont.
279
280 ***Direct Line Manager
281 gv_begda = sy-datum.
282 IF ls_final-exp_date IS NOT INITIAL.
283     gv_begda = ls_final-exp_date.
284 ENDIF.
285 IF ls_final-term_date LT gv_begda
286 AND ls_final-term_date IS NOT INITIAL.
287     gv_begda = ls_final-term_date.
288 ENDIF.
289
290 * IF ls_final-term_date IS NOT INITIAL AND ls_final-term_date EQ pn-beg
da.
291 *     lv_begda_t = pn-begda - 1.
292 * ELSE.
293 *     lv_begda_t = pn-begda.
294 * ENDIF.
295
296 CALL FUNCTION 'ZSWX_GET_DIRECT_MANAGER'

```

```

297     EXPORTING
298         ignore_acting    = 'X'
299         effective_date   = gv_begda "pn-begda
300         max_levels       = 4  "For S-O-O eval of chiefs = 3 orgs up
301     TABLES
302         actor_tab        = act_tab
303         ac_container     = act_cont
304     EXCEPTIONS
305         nobody_found     = 1
306         OTHERS           = 2 ##FM_SUBRC_OK.
307
308     READ TABLE act_tab WITH KEY otype = 'P'.
309     IF sy-subrc = 0.
310         ls_final-manager = act_tab-objid.
311     ENDIF.
312 ***   HR Manager
313     CALL FUNCTION 'Z_GET_HR_MANAGER'
314         EXPORTING
315             pernr          = pernr-pernr
316         IMPORTING
317             hr_pernr       = ls_final-hr_mgr
318         EXCEPTIONS
319             no_result      = 1
320             manager_position_vacant = 2
321             OTHERS         = 3.
322     IF sy-subrc <> 0.
323     ENDIF.
324     IF it_pernr IS NOT INITIAL and p_jml is NOT INITIAL.
325         SORT it_pernr BY pernr.
326         READ TABLE it_pernr INTO wa_pernr WITH KEY pernr = ls_final-pernr.
327         IF sy-subrc = 0.
328             ls_final-extension = 'X'.
329         ENDIF.
330     ELSEif p_jml is NOT INITIAL and s_orgeh is INITIAL and it_pernr IS INITIAL.
331         ls_final-extension = 'X'. "Enable for all
332     ENDIF.
333     APPEND ls_final TO lt_final.
334     CLEAR: ls_final.
335
336 END-OF-SELECTION.
337
338     PERFORM get_detail.
339     SORT lt_final BY pernr.
340     LOOP AT lt_final INTO ls_final.
341         lv_index = sy-tabix.
342         PERFORM send_mail USING ls_final.
343         MODIFY lt_final FROM ls_final INDEX lv_index.
344     ENDLOOP.
345
346     PERFORM field_cat."Field Catalog
347     PERFORM disp_data."ALV
348
349 *&-----*
350 *&      Form  SEND_MAIL
351 *&-----*
352 *&      text
353 *&-----*
354 *&  -->  p1      text
355 *&  <--  p2      text
356 *&-----*

```

```

357 FORM send_mail USING ls_final TYPE ly_final .
358
359 CLASS cl_bcs DEFINITION LOAD.
360
361 DATA: lv_exp_date TYPE sy-datum,
362        lv_date      TYPE string.
363
364 DATA: lv_textname TYPE thead-tdname.
365 DATA: ls_header TYPE thead ##NEEDED,
366        lt_lines  TYPE TABLE OF tline WITH HEADER LINE.
367
368 CLEAR: lv_diff, lv_textname, lv_date.
369 IF p_test IS INITIAL.
370   CLEAR: lv_textname.
371   IF ls_final-exp_date IS NOT INITIAL AND ls_final-day_exp IS NOT INIT
IAL.
372     lv_exp_date = ls_final-exp_date.
373     IF p_jml IS NOT INITIAL and ls_final-extension is NOT INITIAL.
374       lv_textname = p_jtext.
375     ELSE.
376       lv_textname = 'Z_EXPIRY_EMAIL'.
377     ENDIF.
378     CALL FUNCTION 'READ_TEXT'
379       EXPORTING
380         id                = 'ST'
381         language          = sy-langu
382         name              = lv_textname
383         object            = 'TEXT'
384       IMPORTING
385         header            = ls_header
386       TABLES
387         lines            = lt_lines
388       EXCEPTIONS
389         id                = 1
390         language          = 2
391         name              = 3
392         not_found         = 4
393         object            = 5
394         reference_check   = 6
395         wrong_access_to_archive = 7
396         OTHERS            = 8 ##FM_SUBRC_OK.
397
398
399     DATA :lv_bcs_exception TYPE REF TO cx_bcs ##NEEDED.
400 * Message body and subject
401     DATA: lt_message_body TYPE bcsy_text VALUE IS INITIAL,
402           lo_document      TYPE REF TO cl_document_bcs VALUE IS INITIAL
403 .
404     DATA: lv_name TYPE string,
405           lv_mgr  TYPE string.
406     DATA: lv_subject TYPE so_obj_des.
407
408     CONCATENATE '<b>' ls_final-name ls_final-last '</b>' INTO lv_name
SEPARATED BY space.
409     CONCATENATE '<b>' ls_final-man_name '</b>' INTO lv_mgr.
410
411 *****
412     DATA: wk_month(2),
413 *         zwords(30),
414     zdate LIKE sy-datum.

```



```

415
416     TABLES: t015m.
417     MOVE ls_final-exp_date TO zdate.
418     MOVE zdate+4(2) TO wk_month.
419
420     SELECT SINGLE * FROM t015m
421     WHERE spras = sy-langu
422     AND monum = wk_month.
423
424     IF sy-subrc = 0.
425     CONCATENATE: zdate+6(2) t015m-monom zdate+0(4) INTO lv_date SEPA
RATED BY space.
426     ENDIF.
427
428     CONCATENATE '<b>' lv_date '</b>' INTO lv_date.
429
430     LOOP AT lt_lines WHERE tdformat NE '/*'.
431 *
432         REPLACE ALL OCCURRENCES OF '&name&' IN lt_lines WITH lv_name.
433         REPLACE ALL OCCURRENCES OF '&manager&' IN lt_lines WITH lv_mgr.
434         REPLACE ALL OCCURRENCES OF '&exp_date&' IN lt_lines WITH lv_date
.
435         REPLACE ALL OCCURRENCES OF '&pernr&' IN lt_lines WITH ls_final-p
ernr.
436         IF p_jml IS NOT INITIAL.
437         REPLACE ALL OCCURRENCES OF '&lv_link&' IN lt_lines WITH ls_fin
al-link.
438         ENDIF.
439         CONCATENATE lt_lines-tdline '<br/>' INTO lt_lines-tdline.
440
441         APPEND lt_lines-tdline TO lt_message_body.
442
443     ENDLOOP.
444
445     CONCATENATE 'Contract Expiry 'ls_final-name ls_final-last INTO lv_
subject SEPARATED BY space ##NO_TEXT.
446
447     TRY .
448         DATA:
449         lo_send_request TYPE REF TO cl_bcs VALUE IS INITIAL.
450         lo_send_request = cl_bcs=>create_persistent( ).
451
452         lo_document = cl_document_bcs=>create_document(
453         i_type = 'HTM' " 'TXT' " 'RAW'
454         i_text = lt_message_body
455         i_subject = lv_subject
456         ).
457
458 * Pass the document to send request
459     lo_send_request->set_document( lo_document ).
460
461 * * Create sender
462     DATA:
463         lo_sender TYPE REF TO if_sender_bcs VALUE IS INITIAL,
464         l_send TYPE adr6-smtp_addr, " value 'jacob.kata@transnet.
net'." " 'Gerhard.Wessels@transnet.net'.
465         l_receive TYPE adr6-smtp_addr.
466
467     l_send = p_sender.
468     IF l_send IS NOT INITIAL.
469         lo_sender = cl_cam_address_bcs=>create_internet_address( l_s

```

```

end ).
470         ELSE .
471             sy-uname = 'WF-BATCH'. ##WRITE_OK
472             lo_sender = cl_sapuser_bcs=>create( sy-uname ).
473         ENDIF.
474
475     * Set sender
476     lo_send_request->set_sender(
477         EXPORTING
478         i_sender = lo_sender ).
479
480     * Create recipient
481     DATA:
482         lo_recipient TYPE REF TO if_recipient_bcs VALUE IS INITIAL.
483
484     l_receive = ls_final-email_mgr.
485     lo_recipient = cl_cam_address_bcs=>create_internet_address( l_
receive ).
486
487     * Set recipient
488     lo_send_request->add_recipient(
489         EXPORTING
490         i_recipient = lo_recipient
491         i_express = 'X' ).
492
493     **Create cc with JML support mailbox from screen
494     DATA: l_smtp_addr TYPE adr6-smtp_addr.
495     CLEAR:l_smtp_addr .
496     IF p_cc IS NOT INITIAL.
497         l_smtp_addr = p_cc.
498         lo_recipient =
499         cl_cam_address_bcs=>create_internet_address( l_smtp_addr ).
500
501     * Add recipient with its respective attributes to send request
502     CALL METHOD lo_send_request->add_recipient
503     EXPORTING
504         i_recipient = lo_recipient
505         i_copy = 'X'.
506     ENDIF.
507
508     *****Add CC to HR manager
509     CLEAR:l_smtp_addr .
510     IF ls_final-hr_mail IS NOT INITIAL.
511         l_smtp_addr = ls_final-hr_mail.
512         lo_recipient =
513         cl_cam_address_bcs=>create_internet_address( l_smtp_addr ).
514
515     * Add recipient with its respective attributes to send request
516     CALL METHOD lo_send_request->add_recipient
517     EXPORTING
518         i_recipient = lo_recipient
519         i_copy = 'X'.
520     ENDIF.
521
522     *****Add cc to employee
523     CLEAR:l_smtp_addr .
524     IF ls_final-emp_mail IS NOT INITIAL.
525         l_smtp_addr = ls_final-emp_mail.
526         lo_recipient =
527         cl_cam_address_bcs=>create_internet_address( l_smtp_addr ).
528
529     * Add recipient with its respective attributes to send request
530     CALL METHOD lo_send_request->add_recipient
531     EXPORTING
532         i_recipient = lo_recipient
533         i_copy = 'X'.

```

```

529         ENDIF.
530
531     ****Bcc mail
532         DATA : lv_recipient      TYPE REF TO if_recipient_bcs.
533
534         IF p_bcc IS NOT INITIAL.
535             *      create recipient object
536                 lv_recipient = cl_cam_address_bcs=>create_internet_address(
537 p_bcc ).
538             *      add recipient object to send request
539                 lo_send_request->add_recipient( i_recipient = lv_recipient
540                                                 i_blind_copy = 'X').
541             ENDIF.
542
543     * * Send email
544         DATA: lv_sent_to_all(1) TYPE c VALUE IS INITIAL.
545
546         lo_send_request->send( EXPORTING i_with_error_screen = 'X'
547 RECEIVING result = lv_sent_to_all ).
548         COMMIT WORK.
549
550         IF lv_sent_to_all IS INITIAL.
551             ls_final_error = 'Mail not sent'  ##NO_TEXT.
552         ELSE.
553             ls_final_error = 'Mail sent'  ##NO_TEXT.
554         ENDIF.
555
556         CATCH cx_bcs INTO lv_bcs_exception.
557             ls_final_error = 'Mail not sent, Please check Manager Email Ad
558 dress' ##NO_TEXT.
559             RETURN.
560         ENDTRY.
561     *      ELSE.
562     *      ls_final_error = 'Employee Contract Expiry is not as per selectio
563 n criteria'.
564     *      ENDIF.
565     *      ELSE.
566     *      ls_final_error = 'Test Mode'.
567     *      ENDIF.
568     *      ENDFORM.
569
570     *&-----*
571     *&      Form  GET_MANAGER_EMAIL
572     *&-----*
573     *      text
574     *-----*
575     *      --> p1      text
576     *      <-- p2      text
577     *-----*
578     FORM get_detail .
579
580     IF lt_final IS NOT INITIAL.
581         SELECT * FROM pa0105 INTO TABLE lt_pa0105
582             FOR ALL ENTRIES IN lt_final
583             WHERE pernr = lt_final-manager
584             AND subty EQ '0006'
585             AND endda GE gv_begda
586             AND begda LE gv_begda.
587     IF sy-subrc = 0.

```

```

587      SORT lt_pa0105 BY pernr endda DESCENDING.
588  ENDIF.
589
590  SELECT * FROM pa0105 INTO TABLE lt1_pa0105
591          FOR ALL ENTRIES IN lt_final
592          WHERE pernr = lt_final-hr_mgr
593          AND subty EQ '0006'
594          AND endda GE gv_begda
595          AND begda LE gv_begda.
596  IF sy-subrc = 0.
597      SORT lt1_pa0105 BY pernr.
598  ENDIF.
599
600  SELECT * FROM pa0002 INTO TABLE lt_pa0002
601          FOR ALL ENTRIES IN lt_final
602          WHERE pernr = lt_final-manager
603          AND endda GE gv_begda
604          AND begda LE gv_begda.
605  IF sy-subrc = 0.
606      SORT lt_pa0002 BY pernr.
607  ENDIF.
608
609  ENDIF.
610
611  LOOP AT lt_final INTO ls_final.
612      lv_index = sy-tabix.
613      READ TABLE lt_pa0105 WITH KEY pernr = ls_final-manager BINARY SEARCH
614      .
615      IF sy-subrc = 0.
616          ls_final-email_mgr = lt_pa0105-usrid_long.
617      ENDIF.
618      READ TABLE lt1_pa0105 WITH KEY pernr = ls_final-hr_mgr BINARY SEARCH
619      .
620      IF sy-subrc = 0.
621          ls_final-hr_mail = lt1_pa0105-usrid_long.
622      ENDIF.
623      READ TABLE lt_pa0002 WITH KEY pernr = ls_final-manager BINARY SEARCH
624      .
625      IF sy-subrc = 0.
626          CONCATENATE lt_pa0002-vorna lt_pa0002-nachn INTO ls_final-man_name
627          SEPARATED BY space.
628      ENDIF.
629      MODIFY lt_final FROM ls_final INDEX lv_index.
630      CLEAR : ls_final,lt_pa0002,lt_pa0105,lt_pa0016,lv_index.
631  ENDLOOP.
632  ENDFORM.
633  *&-----*
634  *&      Form      FIELD_CAT
635  *&-----*
636  *&      text
637  *&-----*
638  *&  ->  p1      text
639  *&  <-  p2      text
640  *&-----*
641  FORM field_cat .
642
643      CLEAR ls_fcat.

```

```
644 ls_fcat-fieldname = 'PERNR'.
645 ls_fcat-tabname = 'LT_FINAL'.
646 ls_fcat-seltext_m = 'Personal Number'##NO_TEXT.
647 APPEND ls_fcat TO lt_fcat. "1
648
649 CLEAR ls_fcat.
650 ls_fcat-fieldname = 'NAME'.
651 ls_fcat-tabname = 'LT_FINAL'.
652 ls_fcat-seltext_m = 'Employee Name'##NO_TEXT.
653 APPEND ls_fcat TO lt_fcat. "1
654
655 CLEAR ls_fcat.
656 ls_fcat-fieldname = 'LAST'.
657 ls_fcat-tabname = 'LT_FINAL'.
658 ls_fcat-seltext_m = 'Surname'##NO_TEXT.
659 APPEND ls_fcat TO lt_fcat. "1
660 CLEAR ls_fcat.
661 ls_fcat-fieldname = 'EXP_DATE_16'.
662 ls_fcat-tabname = 'LT_FINAL'.
663 ls_fcat-seltext_m = 'Contract Expiry Date'##NO_TEXT.
664 APPEND ls_fcat TO lt_fcat. "1
665
666 CLEAR ls_fcat.
667 ls_fcat-fieldname = 'TERM_DATE'.
668 ls_fcat-tabname = 'LT_FINAL'.
669 ls_fcat-seltext_m = 'Termination Date'##NO_TEXT.
670 APPEND ls_fcat TO lt_fcat. "1
671
672 CLEAR ls_fcat.
673 ls_fcat-fieldname = 'EMP_MAIL'.
674 ls_fcat-tabname = 'LT_FINAL'.
675 ls_fcat-seltext_m = 'Employee Email ID'##NO_TEXT.
676 APPEND ls_fcat TO lt_fcat. "1
677
678 CLEAR ls_fcat.
679 ls_fcat-fieldname = 'MANAGER'.
680 ls_fcat-tabname = 'LT_FINAL'.
681 ls_fcat-seltext_m = 'Manager ID'##NO_TEXT.
682 APPEND ls_fcat TO lt_fcat. "1
683
684 CLEAR ls_fcat.
685 ls_fcat-fieldname = 'MAN_NAME'.
686 ls_fcat-tabname = 'LT_FINAL'.
687 ls_fcat-seltext_m = 'Manager Name'##NO_TEXT.
688 APPEND ls_fcat TO lt_fcat. "1
689
690 CLEAR ls_fcat.
691 ls_fcat-fieldname = 'EMAIL_MGR'.
692 ls_fcat-tabname = 'LT_FINAL'.
693 ls_fcat-seltext_l = 'Manager Email address'##NO_TEXT.
694 APPEND ls_fcat TO lt_fcat. "1
695
696 CLEAR ls_fcat.
697 ls_fcat-fieldname = 'HR_MAIL'.
698 ls_fcat-tabname = 'LT_FINAL'.
699 ls_fcat-seltext_l = 'HR Manager Email address'##NO_TEXT.
700 APPEND ls_fcat TO lt_fcat. "1
701
702 CLEAR ls_fcat.
703 ls_fcat-fieldname = 'DAY_EXP'.
704 ls_fcat-tabname = 'LT_FINAL'.
```

```

705     ls_fcat-seltext_1 = 'Number of Days Trigger'##NO_TEXT.
706     APPEND ls_fcat TO lt_fcat. "1
707
708     * CLEAR ls_fcat.
709     * ls_fcat-fieldname = 'DAY_45'.
710     * ls_fcat-tabname = 'LT_FINAL'.
711     * ls_fcat-seltext_1 = '45 Days Trigger'##NO_TEXT.
712     * APPEND ls_fcat TO lt_fcat. "1
713     *
714     * CLEAR ls_fcat.
715     * ls_fcat-fieldname = 'DAY_30'.
716     * ls_fcat-tabname = 'LT_FINAL'.
717     * ls_fcat-seltext_1 = '30 Days Trigger'##NO_TEXT.
718     * APPEND ls_fcat TO lt_fcat. "1
719     *
720     * CLEAR ls_fcat.
721     * ls_fcat-fieldname = 'DAY_DYN'.
722     * ls_fcat-tabname = 'LT_FINAL'.
723     * CONCATENATE p_dyn 'Days Trigger' INTO ls_fcat-seltext_1 SEPARATED BY
space.
724     ** ls_fcat-seltext_1 = 'Zero Days Trigger'##NO_TEXT.
725     * APPEND ls_fcat TO lt_fcat. "1
726
727     CLEAR ls_fcat.
728     ls_fcat-fieldname = 'ERROR'.
729     ls_fcat-tabname = 'LT_FINAL'.
730     ls_fcat-seltext_m = 'Mail Status'##NO_TEXT.
731     APPEND ls_fcat TO lt_fcat. "1
732
733     ENDFORM.
734     *&-----*
735     *&      Form  DISP_DATA
736     *&-----*
737     *      text
738     *-----*
739     *  —>  p1      text
740     *  <—  p2      text
741     *-----*
742     FORM disp_data .
743
744     IF lt_final IS NOT INITIAL.
745
746         CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY'
747             EXPORTING
748                 is_layout      = ls_layout
749                 it_fieldcat    = lt_fcat
750             TABLES
751                 t_outtab      = lt_final
752             EXCEPTIONS
753                 program_error = 1
754                 OTHERS       = 2 ##FM_SUBRC_OK.
755         IF sy-subrc <> 0 ##NEEDED.
756             ENDIF.
757
758     ELSE.
759         WRITE: 'No Employees for matching selection criteria'##NO_TEXT.
760     ENDIF.
761
762     ENDFORM.

```

Title:
Automated email to Manager: Contract expiry date

Text elements:

001

Selection texts:

P_BCC	Send BCC Mail
P_CC	Send CC Mail to Sender (self)
P_JML	Contract Extension Option
P_JTEXT	Mail Body
P_LINK	URL for Contract Extnsion
P_SENDER	Sender address
P_TEST	Test Mode Only Alv Display
P_WEGID	Evaluation Path
S_DYN	Check for Expiry Days(0 - 999)
S_ORGEH	Top Org Unit

Owner..... ECERONIO
Short text..... Anglo American Corporation Pensioners Payroll messages
Edit Language EN
Status 30.05.16

ZP050 & & & &

Subroutines:		Line	Page
DISP_DATA.....	ZRPPA0096	347	7
	ZRPPA0096	742	14
FIELD_CAT.....	ZRPPA0096	346	7
	ZRPPA0096	641	12
GET_DETAIL.....	ZRPPA0096	338	7
	ZRPPA0096	577	11
SEND_MAIL.....	ZRPPA0096	342	7
	ZRPPA0096	357	8

Messages:		Line	Page
ZP050.....	ZRPPA0096	125	4

External calls

Function modules:	Line	Page
READ_TEXT..... ZRPPA0096	378	8
REUSE_ALV_GRID_DISPLAY..... ZRPPA0096	746	14
RH_STRUC_GET..... ZRPPA0096	158	4
SAPGUI_PROGRESS_INDICATOR..... ZRPPA0096	193	5
ZSWX_GET_DIRECT_MANAGER..... ZRPPA0096	296	6
Z_GET_HR_MANAGER..... ZRPPA0096	313	7

DATABASE OPERATIONS

SELECT:		Line	Page
PA0002.....	ZRPPA0096	600	12
PA0105.....	ZRPPA0096	580	11
	ZRPPA0096	590	12
T015M.....	ZRPPA0096	420	9

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
ACT_TAB.....	ZRPPA0096	308	7
IT_PERNR.....	ZRPPA0096	326	7
LT1_PA0105.....	ZRPPA0096	618	12
LT_PA0002.....	ZRPPA0096	623	12
LT_PA0105.....	ZRPPA0096	613	12
P0001.....	RP-PROVIDE-FROM-LAST	0	
	RP-PROVIDE-FROM-LAST	0	
P0002.....	RP-PROVIDE-FROM-LAST	0	
P0105.....	RP-PROVIDE-FROM-LAST	0	
	RP-PROVIDE-FROM-LAST	0	

MODIFY:

		Line	Page
LT_FINAL.....	ZRPPA0096	343	7
	ZRPPA0096	628	12

DELETE:

		Line	Page
P0016.....	ZRPPA0096	210	5
RESULT_STRUC.....	ZRPPA0096	183	5