

Created on....27.08.2019 Last changed on/by..... 27.12.2019 \$KPHUTANE
Author.....\$KPHUTANE

Title.....Confidentiality Agreement Date Capture & Notifications

Type.....1 Reporting
Status.....
Application.....
Class.....
Logical database.....PN
 from Application....P Human resources
Selection screen.....
Authorization group...
Package.....ZHR1

Start by Variants
Deactivate editor lock
X Fixed point arithmetic active

```

1  *&-----*
2  *& Report ZRPPA0096
3  *&-----*
4  *& Author      : Kundan K. Phutane
5  *& Requirements : 1.An email notification sent to the contractor and/or
6  *&                the line manager/contract holder in IT0016
7  *&                (TES Contract) one month before expiry to complete a
8  *&                new confidentiality agreement.
9  *&                2.If there are multiple entries in IT0016 email
10 *&               notification should go to the Contract Holder of the
11 *&               most recent record.
12 *&               3.Notification mail of expiry date will be sent in for
13 m
14 *&               of PDF
15 *& Charm       : Charm 2000004313
16 *& TR         : DS1K9A0GF3
17 *& Date       : 27.08.2019
18 *&-----*
19 REPORT zrppa0098.
20
21 TABLES: pernr.
22
23 INFOTYPES: 0000,0001,0002,0105,0016,0019.
24
25 TYPES : BEGIN OF ly_final,
26         pernr          TYPE persno,
27         name(40)       TYPE c,
28         last(40)       TYPE c,
29         exp_date       TYPE sy-datum,
30         exp_date_16    TYPE sy-datum,
31         holder_16      TYPE plans,
32         holder_mail    TYPE string,
33         term_date      TYPE sy-datum,
34         manager        TYPE persno,
35         man_name(80)   TYPE c,
36         email_mgr      TYPE string,
37         error          TYPE string,
38         emp_mail       TYPE string,
39         day_exp(3)     TYPE c,
40     END OF ly_final.
41
42 *DATA: init_flag.
43 DATA: lt_final TYPE TABLE OF ly_final,
44       ls_final TYPE ly_final.
45
46 DATA :
47     lt_pa0105 TYPE TABLE OF pa0105 WITH HEADER LINE,
48     lt2_pa0105 TYPE TABLE OF pa0105 WITH HEADER LINE,
49     lt_pa0002 TYPE TABLE OF pa0002 WITH HEADER LINE,
50     lt_pa0001 TYPE TABLE OF pa0001 WITH HEADER LINE.
51
52 DATA: act_tab TYPE swfactor OCCURS 0 WITH HEADER LINE,
53       act_cont TYPE swcont OCCURS 0 WITH HEADER LINE.
54
55 DATA: lv_begda TYPE datum,
56       lv_endda TYPE datum,
57       lv_begda_t TYPE datum,
58       lv_flag TYPE c.
59
60 DATA: lt_fcat TYPE slis_t_fieldcat_alv,
61       ls_fcat TYPE slis_fieldcat_alv,
62       ls_layout TYPE slis_layout_alv.
63
64 DATA: lv_index TYPE sy-tabix.

```

```

61
62 DATA: lv_exp_date TYPE sy-datum.
63 DATA: lv_textname TYPE thead-tdname.
64 DATA: ls_header TYPE thead ##NEEDED,
65         lt_lines TYPE TABLE OF tline WITH HEADER LINE.
66
67 DATA :lv_bcs_exception TYPE REF TO cx_bcs ##NEEDED.
68 * Message body and subject
69 DATA: lt_message_body TYPE bcsy_text VALUE IS INITIAL,
70         lo_document TYPE REF TO cl_document_bcs VALUE IS INITIAL.
71 DATA: lv_name TYPE string.
72 DATA: lv_subject TYPE so_obj_des.
73 DATA: lo_send_request TYPE REF TO cl_bcs VALUE IS INITIAL.
74 DATA: lo_sender TYPE REF TO if_sender_bcs VALUE IS INITIAL,
75         l_send TYPE adr6-smtp_addr, "
76         l_receive TYPE adr6-smtp_addr.
77 DATA: lo_recipient TYPE REF TO if_recipient_bcs VALUE IS INITIAL.
78 DATA: l_smtp_addr TYPE adr6-smtp_addr.
79 DATA: lv_recipient TYPE REF TO if_recipient_bcs.
80 DATA: lv_sent_to_all(1) TYPE c VALUE IS INITIAL.
81 DATA: lv_link TYPE string.
82 DATA : lv_string TYPE string.
83 DATA: lv_tab TYPE solix_tab."xstring.
84
85 ls_layout-zebra = 'X' .
86 ls_layout-colwidth_optimize = 'X' .
87
88 SELECTION-SCREEN : BEGIN OF BLOCK b1 WITH FRAME TITLE TEXT-001 ##TEXT_PO
OL.
89
90 PARAMETERS      : p_sender TYPE ad_smtpadr"string
91                   DEFAULT 'wf-batch@angloamerican.com'##NO_TEXT..
92
93 PARAMETERS      : p_cc TYPE ad_smtpadr"string
94                   DEFAULT 'JMLSupport@angloamerican.com'.
95
96 PARAMETERS      : p_bcc TYPE ad_smtpadr"string
97                   DEFAULT 'JMLSupport@angloamerican.com'.
98
99 SELECTION-SCREEN : END OF BLOCK b1.
100
101 SELECTION-SCREEN : BEGIN OF BLOCK b2 WITH FRAME TITLE TEXT-001 ##TEXT_PO
OL.
102 PARAMETERS : p_test AS CHECKBOX DEFAULT 'X'.
103 SELECTION-SCREEN : END OF BLOCK b2.
104
105 START-OF-SELECTION.
106
107     lv_endda = pn-endda.
108     lv_begda = pn-begda.
109
110 GET pernr.
111 CLEAR: lv_flag , ls_final.
112 CALL FUNCTION 'SAPGUI_PROGRESS_INDICATOR'
113     EXPORTING
114         percentage = 0
115         text       = pernr-pernr.
116
117 "Check Employee has a valid AD Account.
118 rp-provide-from-last p0105 '0006' pn-begda pn-endda ##BOOL_OK.
119 CHECK pnp-sw-found EQ 1.

```

```

120 rp-provide-from-last p0001 space pn-begda pn-endda ##BOOL_OK.
121 CHECK pnp-sw-found EQ 1.
122
123 LOOP AT p0019 WHERE "Monitoring of Tasks
124                     tmart EQ '38' AND "Confidentiality Expr
125                     mndat GE pn-begda AND
126                     mndat LE pn-endda.
127     ls_final-exp_date = p0019-termn.
128     ls_final-exp_date_16 = p0019-termn.
129     lv_flag = 'X'.
130     ls_final-day_exp = p0019-termn - p0019-mndat.
131
132 ENDLOOP.
133
134 CHECK ls_final-exp_date IS NOT INITIAL.
135
136 * rp-provide-from-last p0016 space pn-begda '99993112'." pn-endda ##BO
OL_OK.
137 * CHECK pnp-sw-found EQ 1.
138 IF p0016[] IS NOT INITIAL.
139     SORT p0016 BY begda DESCENDING.
140     READ TABLE p0016 INDEX 1.
141     IF sy-subrc = 0.
142         ls_final-holder_16 = p0016-zzconpos.
143     ENDIF.
144 ENDIF.
145 CHECK lv_flag IS NOT INITIAL."
146
147 rp-provide-from-last p0002 space pn-begda pn-endda ##BOOL_OK.
148 CHECK pnp-sw-found EQ 1.
149
150 ls_final-name = p0002-vorna .
151 ls_final-last = p0002-nachn .
152 ls_final-pernr = p0001-pernr.
153 ls_final-emp_mail = p0105-usrid_long.
154
155 CLEAR: act_tab, act_cont.
156 REFRESH: act_tab, act_cont.
157 "Determine Supervisor
158 act_cont-element = 'ORG OBJECT'.
159 act_cont-elemlength = '025'.
160 act_cont-type = 'C'.
161 CONCATENATE 'P' pernr-pernr INTO act_cont-value SEPARATED BY space.
162 APPEND act_cont.
163
164 ***Direct Line Manager
165 lv_begda_t = pn-begda.
166
167 CALL FUNCTION 'ZSWX_GET_DIRECT_MANAGER'
168     EXPORTING
169         ignore_acting = 'X'
170         effective_date = lv_begda_t "pn-begda
171         max_levels = 4 "For S-O-O eval of chiefs = 3 orgs up
172     TABLES
173         actor_tab = act_tab
174         ac_container = act_cont
175     EXCEPTIONS
176         nobody_found = 1
177         OTHERS = 2 ##FM_SUBRC_OK.
178
179 READ TABLE act_tab WITH KEY otype = 'P'.

```

```

180     IF sy-subrc = 0.
181         ls_final-manager = act_tab-objid."Manager
182     ENDIF.
183
184     APPEND ls_final TO lt_final.
185     CLEAR: ls_final.
186
187 END-OF-SELECTION.
188     PERFORM get_detail.
189     SORT lt_final BY pernr.
190     LOOP AT lt_final INTO ls_final.
191         lv_index = sy-tabix.
192         PERFORM send_mail USING ls_final.
193         MODIFY lt_final FROM ls_final INDEX lv_index.
194     ENDLOOP.
195
196     PERFORM field_cat."Field Catalog
197     PERFORM disp_data."ALV
198
199 *-----*
200 *      Form  SEND_MAIL
201 *-----*
202 *      text
203 *-----*
204 *  -->  p1      text
205 *  <--  p2      text
206 *-----*
207 FORM send_mail USING ls_final TYPE ly_final .
208
209     CLASS cl_bcs DEFINITION LOAD.
210
211     CLEAR: lv_textname.
212     IF p_test IS INITIAL.
213         CLEAR: lv_textname.
214         IF ls_final-exp_date IS NOT INITIAL AND ls_final-day_exp IS NOT INIT
IAL.
215             lv_exp_date = ls_final-exp_date.
216             lv_textname = 'Z_CONFIDENTIALITY_MAIL'.
217             CALL FUNCTION 'READ_TEXT'
218                 EXPORTING
219                     id                = 'ST'
220                     language          = sy-langu
221                     name              = lv_textname
222                     object            = 'TEXT'
223                 IMPORTING
224                     header            = ls_header
225                 TABLES
226                     lines            = lt_lines
227                 EXCEPTIONS
228                     id                = 1
229                     language          = 2
230                     name              = 3
231                     not_found        = 4
232                     object            = 5
233                     reference_check  = 6
234                     wrong_access_to_archive = 7
235                     OTHERS          = 8 ##FM_SUBRC_OK.
236
237             CONCATENATE ls_final-name ls_final-last INTO lv_name SEPARATED BY
space.
238             REFRESH : lt_message_body.

```

```

239         lv_link = 'https://angloamerican.sharepoint.com/sites/esc-003/glob
al-shared-services-apac/Documents/Contractor%20Confidentiality%20Agreeme
nt%20v2.pdf'##NO_TEXT.
240         LOOP AT lt_lines WHERE tdformat NE '/*'.
241
242         REPLACE ALL OCCURRENCES OF '&name&' IN lt_lines WITH lv_name.
243
244         IF lt_lines-tdline EQ '&link&'.
245             CONCATENATE lv_string lv_link INTO lv_string.
246 *** Concatenate seperately as lt_line structure could not hold it in sin
gle row
247             ELSE.
248                 CONCATENATE lv_string lt_lines-tdline INTO lv_string.
249             ENDIF.
250         ENDLOOP.
251
252         lv_subject = 'SAP AOP Confidentiality Agreement Expiry'##NO_TEXT .
253         TRY .
254
255         lo_send_request = cl_bcs=>create_persistent( ).
256 ****Start of changes by Kundan 2000005456 DS1K9A0INZ
257         TRY.
258             CALL METHOD cl_bcs_convert=>string_to_solix
259                 EXPORTING
260                     iv_string = lv_string
261                 IMPORTING
262                     et_solix = lv_tab.
263             CATCH cx_bcs .
264         ENDTRY.
265 ****End of changes by Kundan 2000005456 DS1K9A0INZ
266
267         lo_document = cl_document_bcs=>create_document(
268             i_type = 'HTM' "'TXT' "'RAW'
269 * i_text = lt_message_body Commented by Kundan 2000005456 DS
1K9A0INZ
270             i_hex = lv_tab "Added by Kundan 2000005456 DS1K9A0I
NZ
271             i_subject = lv_subject
272         ).
273
274 * Pass the document to send request
275         lo_send_request->set_document( lo_document ).
276
277 * * Create sender
278
279         l_send = p_sender.
280         IF l_send IS NOT INITIAL.
281             lo_sender = cl_cam_address_bcs=>create_internet_address( l_s
end ).
282         ELSE .
283             sy-uname = 'WF-BATCH'##WRITE_OK . ##WRITE_OK
284             lo_sender = cl_sapuser_bcs=>create( sy-uname ).
285         ENDIF.
286
287 * Set sender
288         lo_send_request->set_sender(
289             EXPORTING
290                 i_sender = lo_sender ).
291
292 * Create recipient to employee
293         l_receive = ls_final-emp_mail."ls_final-email_mgr.

```

```

294         lo_recipient = cl_cam_address_bcs=>create_internet_address( l_
receive ).
295 * Set recipient
296         lo_send_request->add_recipient(
297         EXPORTING
298         i_recipient = lo_recipient
299         i_express = 'X' ).
300
301 **Create cc with JML support mailbox from screen
302
303         CLEAR:l_smtp_addr .
304         IF p_cc IS NOT INITIAL.
305             l_smtp_addr = p_cc.
306             lo_recipient =
307             cl_cam_address_bcs=>create_internet_address( l_smtp_addr ).
308 *         Add recipient with its respective attributes to send request
309             CALL METHOD lo_send_request->add_recipient
310             EXPORTING
311                 i_recipient = lo_recipient
312                 i_copy      = 'X'.
313             ENDIF.
314
315 *****Add cc to manager
316         CLEAR:l_smtp_addr .
317         IF ls_final-emp_mail IS NOT INITIAL.
318             l_smtp_addr = ls_final-email_mgr."ls_final-emp_mail.
319             lo_recipient =
320             cl_cam_address_bcs=>create_internet_address( l_smtp_addr ).
321 *         Add recipient with its respective attributes to send request
322             CALL METHOD lo_send_request->add_recipient
323             EXPORTING
324                 i_recipient = lo_recipient
325                 i_copy      = 'X'.
326             ENDIF.
327
328 *****Add cc to contract holder
329         CLEAR:l_smtp_addr .
330         IF ls_final-holder_mail IS NOT INITIAL.
331             l_smtp_addr = ls_final-holder_mail.
332             lo_recipient =
333             cl_cam_address_bcs=>create_internet_address( l_smtp_addr ).
334 *         Add recipient with its respective attributes to send request
335             CALL METHOD lo_send_request->add_recipient
336             EXPORTING
337                 i_recipient = lo_recipient
338                 i_copy      = 'X'.
339             ENDIF.
340
341 ****Bcc mail
342
343         IF p_bcc IS NOT INITIAL.
344 *         create recipient object
345             lv_recipient = cl_cam_address_bcs=>create_internet_address(
p_bcc ).
346 *         add recipient object to send request
347             lo_send_request->add_recipient( i_recipient = lv_recipient
348                                             i_blind_copy = 'X').
349             ENDIF.
350
351 * * Send email
352

```

```

353         lo_send_request->send( EXPORTING i_with_error_screen = 'X'
354         RECEIVING result = lv_sent_to_all ).
355         COMMIT WORK.
356
357         IF lv_sent_to_all IS INITIAL.
358             ls_final-error = 'Mail not sent'  ##NO_TEXT.
359         ELSE.
360             ls_final-error = 'Mail sent'  ##NO_TEXT.
361         ENDIF.
362
363         CATCH cx_bcs INTO lv_bcs_exception.
364             ls_final-error = 'Mail not sent, Please check Manager Email Ad
dress' ##NO_TEXT.
365             RETURN.
366
367         ENDTRY.
368     *     ELSE.
369     *         ls_final-error = 'Employee Contract Expiry is not as per selectio
n criteria'.
370     *     ENDIF.
371     ELSE.
372         ls_final-error = 'Test Mode'##NO_TEXT.
373     ENDIF.
374 ENDFORM.
375
376 *&-----*
377 *&         Form  GET_MANAGER_EMAIL
378 *&-----*
379 *         text
380 *-----*
381 *  ->  p1         text
382 *  <-  p2         text
383 *-----*
384 FORM get_detail .
385
386     IF lt_final IS NOT INITIAL.
387         SELECT * FROM pa0105 INTO TABLE lt_pa0105
388                 FOR ALL ENTRIES IN lt_final
389                 WHERE pernr = lt_final-manager
390                 AND subty EQ '0006'
391                 AND endda GE lv_begda
392                 AND begda LE lv_endda."#EC CI_ALL_FIELDS_NEEDED
393     IF sy-subrc = 0.
394         SORT lt_pa0105 BY pernr.
395     ENDIF.
396
397     SELECT * FROM pa0002 INTO TABLE lt_pa0002
398                 FOR ALL ENTRIES IN lt_final
399                 WHERE pernr = lt_final-manager
400                 AND endda GE lv_begda
401                 AND begda LE lv_endda."#EC CI_ALL_FIELDS_NEEDED
402     IF sy-subrc = 0.
403         SORT lt_pa0002 BY pernr.
404     ENDIF.
405
406     SELECT * FROM pa0001 INTO TABLE lt_pa0001
407                 FOR ALL ENTRIES IN lt_final
408                 WHERE plans = lt_final-holder_16
409                 AND endda GE lv_begda
410                 AND begda LE lv_endda ."#EC CI_NOFIRST .
411     IF sy-subrc = 0.

```



```

412      SORT lt_pa0001 BY plans.
413      SELECT * FROM pa0105 INTO TABLE lt2_pa0105
414              FOR ALL ENTRIES IN lt_pa0001
415              WHERE pernr = lt_pa0001-pernr
416              AND subty EQ '0006'
417              AND endda GE lv_begda
418              AND begda LE lv_endda."#EC CI_ALL_FIELDS_NEEDED
419      IF sy-subrc = 0.
420          SORT lt2_pa0105 BY pernr.
421      ENDIF.
422  ENDIF.
423
424  ENDIF.
425
426  LOOP AT lt_final INTO ls_final.
427      lv_index = sy-tabix.
428      READ TABLE lt_pa0105 WITH KEY pernr = ls_final-manager BINARY SEARCH
429      .
430      IF sy-subrc = 0.
431          ls_final-email_mgr = lt_pa0105-usrid_long.
432      ENDIF.
433      READ TABLE lt_pa0002 WITH KEY pernr = ls_final-manager BINARY SEARCH
434      .
435      IF sy-subrc = 0.
436          CONCATENATE lt_pa0002-vorna lt_pa0002-nachn INTO ls_final-man_name
437          SEPARATED BY space.
438      ENDIF.
439      READ TABLE lt_pa0001 WITH KEY plans = ls_final-holder_16 BINARY SEAR
440      CH.
441      IF sy-subrc = 0.
442          READ TABLE lt2_pa0105 WITH KEY pernr = lt_pa0001-pernr BINARY SEAR
443          CH.
444          IF sy-subrc = 0.
445              ls_final-holder_mail = lt2_pa0105-usrid_long.
446          ENDIF.
447      ENDIF.
448      MODIFY lt_final FROM ls_final INDEX lv_index.
449      CLEAR : ls_final,lt_pa0002,lt_pa0105,lv_index.
450  ENDLOOP.
451  ENDFORM.
452  *&-----*
453  *&      Form      FIELD_CAT*
454  *&-----*
455  *&      text*
456  *&-----*
457  *&      ->  p1      text*
458  *&      <-  p2      text*
459  *&-----*
460  FORM field_cat .
461
462      CLEAR ls_fcat.
463      ls_fcat-fieldname = 'PERNR'.
464      ls_fcat-tabname = 'LT_FINAL'.
465      ls_fcat-seltext_m = 'Personal Number'##NO_TEXT.
466      APPEND ls_fcat TO lt_fcat. "1
467
468      CLEAR ls_fcat.

```

```

468 ls_fcat-fieldname = 'NAME'.
469 ls_fcat-tabname = 'LT_FINAL'.
470 ls_fcat-seltext_m = 'Employee Name'##NO_TEXT.
471 APPEND ls_fcat TO lt_fcat. "1
472
473 CLEAR ls_fcat.
474 ls_fcat-fieldname = 'LAST'.
475 ls_fcat-tabname = 'LT_FINAL'.
476 ls_fcat-seltext_m = 'Surname'##NO_TEXT.
477 APPEND ls_fcat TO lt_fcat. "1
478 CLEAR ls_fcat.
479 ls_fcat-fieldname = 'EXP_DATE_16'.
480 ls_fcat-tabname = 'LT_FINAL'.
481 ls_fcat-seltext_m = 'Contract Expiry Date'##NO_TEXT.
482 APPEND ls_fcat TO lt_fcat. "1
483
484 CLEAR ls_fcat.
485 ls_fcat-fieldname = 'EMP_MAIL'.
486 ls_fcat-tabname = 'LT_FINAL'.
487 ls_fcat-seltext_m = 'Employee Email ID'##NO_TEXT.
488 APPEND ls_fcat TO lt_fcat. "1
489
490 CLEAR ls_fcat.
491 ls_fcat-fieldname = 'MANAGER'.
492 ls_fcat-tabname = 'LT_FINAL'.
493 ls_fcat-seltext_m = 'Manager ID'##NO_TEXT.
494 APPEND ls_fcat TO lt_fcat. "1
495
496 CLEAR ls_fcat.
497 ls_fcat-fieldname = 'MAN_NAME'.
498 ls_fcat-tabname = 'LT_FINAL'.
499 ls_fcat-seltext_m = 'Manager Name'##NO_TEXT.
500 APPEND ls_fcat TO lt_fcat. "1
501
502 CLEAR ls_fcat.
503 ls_fcat-fieldname = 'EMAIL_MGR'.
504 ls_fcat-tabname = 'LT_FINAL'.
505 ls_fcat-seltext_l = 'Manager Email address'##NO_TEXT.
506 APPEND ls_fcat TO lt_fcat. "1
507
508 CLEAR ls_fcat.
509 ls_fcat-fieldname = 'HOLDER_MAIL'.
510 ls_fcat-tabname = 'LT_FINAL'.
511 ls_fcat-seltext_l = 'Contract Holder Email address'##NO_TEXT.
512 APPEND ls_fcat TO lt_fcat. "1
513
514 CLEAR ls_fcat.
515 ls_fcat-fieldname = 'DAY_EXP'.
516 ls_fcat-tabname = 'LT_FINAL'.
517 ls_fcat-seltext_l = 'Number of Days Trigger'##NO_TEXT.
518 APPEND ls_fcat TO lt_fcat. "1
519
520 CLEAR ls_fcat.
521 ls_fcat-fieldname = 'ERROR'.
522 ls_fcat-tabname = 'LT_FINAL'.
523 ls_fcat-seltext_m = 'Mail Status'##NO_TEXT.
524 APPEND ls_fcat TO lt_fcat. "1
525
526 ENDFORM.
527 *&
528 *& Form DISP_DATA

```

```
529 *&-----*
530 *      text
531 *-----*
532 *  —>  p1      text
533 *  <—  p2      text
534 *-----*
535 FORM disp_data .
536
537     IF lt_final IS NOT INITIAL.
538
539         CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY'
540             EXPORTING
541                 is_layout      = ls_layout
542                 it_fieldcat    = lt_fcat
543             TABLES
544                 t_outtab       = lt_final
545             EXCEPTIONS
546                 program_error  = 1
547                 OTHERS         = 2 ##FM_SUBRC_OK.
548             IF sy-subrc <> 0 ##NEEDED.
549                 ENDIF.
550
551     ELSE.
552         WRITE: 'No Employees for matching selection criteria'##NO_TEXT.
553     ENDIF.
554
555 ENDFORM.
```

Title:
Confidentiality Agreement Date Capture & Notifications

Text elements:

001

Selection texts:

P_BCC	Send BCC Mail
P_CC	Send CC Mail to Sender (self)
P_SENDER	Sender address
P_TEST	Test Mode Only Alv Display

Subroutines:		Line	Page
DISP_DATA.....	ZRPPA0098	197	5
	ZRPPA0098	535	11
FIELD_CAT.....	ZRPPA0098	196	5
	ZRPPA0098	459	9
GET_DETAIL.....	ZRPPA0098	188	5
	ZRPPA0098	384	8
SEND_MAIL.....	ZRPPA0098	192	5
	ZRPPA0098	207	5

External calls

Function modules:	Line	Page
READ_TEXT..... ZRPPA0098	217	5
REUSE_ALV_GRID_DISPLAY..... ZRPPA0098	539	11
SAPGUI_PROGRESS_INDICATOR..... ZRPPA0098	112	3
ZSWX_GET_DIRECT_MANAGER..... ZRPPA0098	167	4

DATABASE OPERATIONS

SELECT:		Line	Page
PA0001.....	ZRPPA0098	406	8
PA0002.....	ZRPPA0098	397	8
PA0105.....	ZRPPA0098	387	8
	ZRPPA0098	413	9

INTERNAL TABLE OPERATIONS

READ TABLE:		Line	Page
ACT_TAB.....	ZRPPA0098	179	4
LT2_PA0105.....	ZRPPA0098	440	9
LT_PA0001.....	ZRPPA0098	438	9
LT_PA0002.....	ZRPPA0098	433	9
LT_PA0105.....	ZRPPA0098	428	9
P0001.....	RP-PROVIDE-FROM-LAST	0	
P0002.....	RP-PROVIDE-FROM-LAST	0	
P0016.....	ZRPPA0098	140	4
P0105.....	RP-PROVIDE-FROM-LAST	0	

MODIFY:		Line	Page
LT_FINAL.....	ZRPPA0098	193	5
	ZRPPA0098	446	9