

Created on....11.12.2018 Last changed on/by..... 30.11.2020 \$SJAMBHALE
Author.....\$KPHUTANE

Title.....ANNUAL EARNINGS REPORT PDF EMAIL

Type.....1 Reporting
Status.....
Application.....
Class.....
Logical database.....PN
 from Application....P Human resources
Selection screen.....
Authorization group...
Package.....ZP-PY-APPL

Start by Variants
Deactivate editor lock
X Fixed point arithmetic active

```

1  *&-----*
2  *& Report          ZRPPY0267                      *
3  *&-----*
4  *& Author          Kundan K Phutane                *
5  *& Company         Accenture                      *
6  *               *
7  *& Description     program to generate Annual Earnings report
8  *&                and send PDF password protected report to
9  *&                employee via email                *
10 *& Charm           Charm2000002986
11 *& Date            11.12.2018
12 *&-----*
13 report zrppy0267.
14 tables: pernr,user_addr,trdir,taplt.
15 infotypes: 0001,0002, 0105, 0655.
16
17 *-----*
18 * Declarations for output via function ALV_GRID_DISPLAY
19 *-----*
20 type-pools slis.
21 data: fldcat type slis_t_fieldcat_alv with header line,
22       layout type slis_layout_alv occurs 0 with header line.
23
24 *-----*
25 *
26 *               General report declarations
27 *-----*
28 * Collector for Primary list.
29 data: begin of itab occurs 0,
30       pernr          like pernr-pernr, " Personnel number
31       nachn(20),      " Surname
32       vorna(20),
33       bukrs          like p0001-bukrs, " Company code
34       kostl          like p0001-kostl, " Costcentre
35       subty          like p0105-subty, " IT0105 subtype
36       usrid_long     like p0105-usrid_long, " e-Mail address
37       message(80),    " Status message
38       encr_time      type i,
39       pdf_size       type so_obj_len,
40       pdf_encr_size  type so_obj_len,
41 *****Begin of Changes under ChaRM 2000006128
42       rqident        type tsp01-rqident,
43 *****End of Changes under ChaRM 2000006128
44 ***start of changes under charm 2000006128 TR DS1K9A0PWJ by Shrutika
45       pernr_file     type pernr-pernr,
46       name_file      type pad_cname,
47 ***end of changes under charm 2000006128 TR DS1K9A0PWJ by Shrutika
48       end of itab.
49
50 data lv_bcs_exception type ref to cx_bcs.
51 data lv_pdf_xstring   type xstring.
52 data lv_pdf_encr_xstring type xstring.
53 data lv_pdf_encr_size type so_obj_len.
54
55 data: p_ok(1),
56       lv_encrypt_err(1),
57       lv_password type char12,
58       lv_t1       type i,
59       lv_t2       type i.
60
61 data: gv_filepath type string.

```

```

61
62 *****Data declaration*****
63 types: begin of ty_tbtcp.
64     include structure tsp01.
65 types: end of ty_tbtcp.
66 data :lv_total_cnt                type i.
67 *
68 data: lt_tbtcp                    type standard table of ty_tbtcp.
69 data: ls_tbtcp type ty_tbtcp.
70
71 *****
72 data : lv_e_pdf type  fpcontent.
73 data : fp_formoutput      type fpformoutput.
74 data:  lt_att_content_hex type solix_tab.
75
76 *****
77 data: lv_number            type tbtcpjob-jobcount,
78       lv_name              type tbtcpjob-jobname value 'JOB_TEST',
79       lv_print_parameters type pri_params.
80 *****
81 data : lt_var type table of rsparams,
82       ls_var type rsparams.
83 data : lv_var type rsvar-variant,
84       lv_rep type rsvar-report.
85 *****
86 data :lv_job      type tbtco-jobname,
87       lv_count    type tbtco-jobcount,
88       lv_finish   type tbtcv-fin,
89       lv_abort    type tbtcv-abort,
90       lv_run      type tbtcv-run.
91 *****
92 data :lt_pdf type table of tline,
93       ls_pdf type tline.
94 data :lv_numbytes type i.
95 data :lv_output  type string,
96       lv_outputx type xstring.
97 *****
98
99 *****Begin of Changes under ChaRM 2000006128
100 data: lv_listident TYPE tbtcp-listident, " number of spool
101       lv_rqident   TYPE tsp01-rqident,  " number of spool
102       lv_rqdoctype TYPE tsp01-rqdoctype, "
103       lv_rqttitle  TYPE tsp01-rqttitle,"added under charm: 2000006128 TR
DS1K9A0P̄WJ by Shrutika
104       lv_vorna     TYPE p0002-vorna,    "added under charm: 2000006128 TR
DS1K9A0P̄WJ by Shrutika
105       lv_nachn     TYPE p0002-nachn,    "added under charm: 2000006128 TR
DS1K9A0P̄WJ by Shrutika
106       lv_cname     TYPE p0002-cname.    "added under charm: 2000006128 TR
DS1K9A0P̄WJ by Shrutika
107 data: lv_o_ref type ref to cx_root.
108
109 constants: c_erro type c VALUE 'E'.
110 *****End  of Changes under ChaRM 2000006128
111
112 * Report output variant.
113 selection-screen: begin of block var with frame title text-002 ##TEXT_PO
OL.
114 parameters: p_vari like disvariant-variant obligatory.
115 parameters: p_test radiobutton group rad1 default 'X',
116              p_encr radiobutton group rad1,

```

```

117         p_send radiobutton group rad1,
118         p_mailfr type adr6-smtp_addr "like sos04-1_adr_name "type te
xt128
119             default 'fusion@angloamerican.com'.
120 selection-screen uLINE.
121 parameters: p_debug as checkbox default ' ',
122             p_dbpass type zPays_pword,
123             p_dbmail type adr6-smtp_addr . "type string.
124 parameters: p_delps as checkbox default 'X'.
125 selection-screen end of block var.
126
127 initialization.
128
129     perform alv_catalog.
130
131 at selection-screen output.
132     if sy-uname ne '$KPHUTANE'
133     and sy-uname ne '$NJOSHI'
134     and sy-uname ne '$SIKUMAR'.
135         loop at screen.
136             if screen-name cs 'P_DEBUG'
137             or screen-name cs 'P_DBMAIL'
138             or screen-name cs 'P_DBPASS'.
139                 screen-input = '0'.
140                 screen-invisible = '1'.
141                 modify screen.
142             endif.
143         endloop.
144     endif.
145
146 start-of-selection.
147
148 get pernr.
149
150     perform get_data.
151
152     perform get_variant.
153 ***Create Spool
154     perform job_start.
155
156     if lv_abort ne 'X'.
157 *   Read Spool Number
158         perform f_obtain_spool_id.
159         perform pdf_from_spool.
160
161 *   Encrypt Pdf with password
162         perform pdf_encryption.
163         perform convert_pdf_binary.
164
165 *   Add PDF as attachment
166         if p_send eq 'X'.
167             perform mail_attachment using p_ok.
168             if p_ok = 'Y'.
169                 itab-message = 'Successfully sent'##NO_TEXT.
170             else.
171                 itab-message = 'Error during e-mail send'##NO_TEXT.
172             endif.
173         else.
174             itab-message = 'Testing only - no e-mail sent'##NO_TEXT.
175         endif.
176     endif.

```

```

177
178     append itab.
179 *****
180 end-of-selection.
181
182     perform disp_alv.
183
184 *****
185
186 *&-----*
187 *&       Form  F_OBTAIN_SPOOL_ID
188 *&-----*
189 *       text
190 *-----*
191 *  →  p1       text
192 *  ←  p2       text
193 *-----*
194 form f_obtain_spool_id .
195
196 *****Begin of Changes under ChaRM 2000006128
197
198 **Capture all Spool Numbers into a internal table
199 * refresh lt_tbtcp.
200 * clear  ls_tbtcp.
201 *
202 * wait up to 10 seconds.
203 * commit work.
204 *
205 * select * into table lt_tbtcp from tsp01
206 * where rqowner eq sy-uname
207 * and ( rqdoctype eq 'SMART' or rqdoctype eq 'ADSP' ).
208 * if sy-subrc = 0.
209 ** Sort by Spool Number
210 * sort lt_tbtcp by rqcretime descending.
211 *
212 ** Capture the number of spool numbers entered
213 * clear lv_total_cnt.
214 * describe table lt_tbtcp lines lv_total_cnt.
215 *
216 * if lv_total_cnt is not initial.
217 * read table lt_tbtcp into ls_tbtcp index 1.
218 * if sy-subrc <> 0.
219 * endif.
220 * endif.
221 * else.
222 * itab-message = 'No Spool generated'##NO_TEXT.
223 * endif.
224
225 *****End of Changes under ChaRM 2000006128
226
227 *****Begin of Changes under ChaRM 2000006128
228
229 clear: lv_listident, lv_rqdoctype, lv_rqident,lv_rqttitle,lv_vorna,lv_nac
hn,lv_cname.
230
231 select single listident
232 from tbtcp
233 into lv_listident
234 where jobname = lv_name
235 and jobcount = lv_number.
236

```

```

237     if sy-subrc eq 0 .
238 ***start of changes under charm 2000006128 TR DS1K9A0PWJ by Shrutika
239 select single rqtitle
240     from tsp01 into lv_rqtitle
241     where rqident = lv_listident.
242
243     if sy-subrc eq 0.
244         select SINGLE vorna nachn from pa0002 into ( lv_vorna,lv_nachn )
245             where pernr = lv_rqtitle and begda <= pn-endda and endda >= p
n-begda.
246         CONCATENATE lv_vorna lv_nachn INTO lv_cname SEPARATED BY space.
247     endif.
248     if lv_rqtitle is not initial.
249         itab-pernr_file = lv_rqtitle .
250         itab-name_file  = lv_cname.
251     endif.
252 ***end of changes under charm 2000006128 TR DS1K9A0PWJ by Shrutika
253     lv_rqident = lv_listident.
254
255     itab-rqident = lv_rqident.
256
257     select single rqdoctype
258         from tsp01
259         into lv_rqdoctype
260         where rqident = lv_rqident.
261
262     if sy-subrc ne 0.
263         itab-message = 'No Spool generated'##NO_TEXT.
264     endif.
265
266 else.
267     itab-message = 'No Spool generated'##NO_TEXT.
268 endif.
269
270 *****End of Changes under ChaRM 2000006128
271
272 endform.                " f_obtain_spool_id
273
274 *-----*
275 *      Form  PDF_FROM_SPOOL
276 *-----*
277 *      text
278 *-----*
279 *  —>  p1      text
280 *  <—  p2      text
281 *-----*
282 form pdf_from_spool .
283
284 *****Begin of Changes under ChaRM 2000006128
285 *  if ls_tbtcp-rqdoctype eq 'ADSP'.
286     if lv_rqdoctype eq 'ADSP'.
287 *****End of Changes under ChaRM 2000006128
288
289     call function 'FPCOMP_CREATE_PDF_FROM_SPOOL'
290         exporting
291 *****Begin of Changes under ChaRM 2000006128
292 *           i_spoolid      = ls_tbtcp-rqident
293           i_spoolid      = lv_rqident
294 *****End of Changes under ChaRM 2000006128
295           i_partnum      = '1'
296     importing

```

```

297         e_pdf                = lv_e_pdf
298 *       E_RENDERPAGECOUNT    =
299 *       E_PDF_FILE            =
300     exceptions
301         ads_error              = 1
302         usage_error            = 2
303         system_error          = 3
304         internal_error         = 4
305         others                 = 5.
306     if sy-subrc <> 0.
307         case sy-subrc.
308             when 1. itab-message = 'ADS_ERROR'.
309             when 2. itab-message = 'USAGE_ERROR'.
310             when 3. itab-message = 'SYSTEM_ERROR'.
311             when 4. itab-message = 'INTERNAL_ERROR'.
312         endcase.
313
314     endif.
315
316 *****Begin of Changes under CharM 2000006128
317 *   elseif ls_tbtcp-rqdoctype eq 'SMART'.
318     elseif lv_rqdoctype eq 'SMART'.
319 *****End   of Changes under CharM 2000006128
320
321
322     call function 'CONVERT_OTFSPoolJOB_2_PDF'
323         exporting
324 *****Begin of Changes under CharM 2000006128
325 *       src_spoolid            = ls_tbtcp-rqidnt
326         src_spoolid            = lv_rqident
327 *****End   of Changes under CharM 2000006128
328         pdf_destination        = 'X'
329     importing
330         pdf_bytecount          = lv_numbytes
331         bin_file               = lv_outputx
332     tables
333         pdf                    = lt_pdf
334     exceptions
335         err_no_otf_spooljob     = 1
336         err_no_spooljob         = 2
337         err_no_permission       = 3
338         err_conv_not_possible   = 4
339         err_bad_dstdevice       = 5
340         user_cancelled         = 6
341         err_spoolerror          = 7
342         err_temseerror          = 8
343         err_btcjob_open_failed  = 9
344         err_btcjob_submit_failed = 10
345         err_btcjob_close_failed = 11
346         others                 = 12 ##FM_SUBRC_OK.
347     if sy-subrc <> 0.
348     endif.
349
350     lv_e_pdf = lv_outputx .
351
352     endif.
353
354
355 endform.
356
357 *&

```

```

358 * &      Form  CONVERT_PDF_BINARY
359 * &-----*
360 *      text
361 *-----*
362 *  →  p1      text
363 *  ←  p2      text
364 *-----*
365 form convert_pdf_binary .
366
367     fp_formoutput-pdf = lv_e_pdf.
368
369     call function 'SCMS_XSTRING_TO_BINARY'
370         exporting
371             buffer      = fp_formoutput-pdf
372 *     APPEND_TO_TABLE      = ' '
373 *     IMPORTING
374 *     OUTPUT_LENGTH      =
375     tables
376         binary_tab = lt_att_content_hex.
377
378 endform.
379 * &-----*
380 * &      Form  MAIL_ATTACHMENT
381 * &-----*
382 *      text
383 *-----*
384 *  →  p1      text
385 *  ←  p2      text
386 *-----*
387 form mail_attachment changing p_flag .
388
389     class cl_bcs definition load.
390     clear: p_flag.
391     try .
392
393         data:
394             lo_send_request type ref to cl_bcs value is initial.
395             lo_send_request = cl_bcs=>create_persistent( ).
396
397 * Message body and subject
398     data:
399         lt_message_body type bcsy_text value is initial,
400         lo_document     type ref to cl_document_bcs value is initial,
401         lv_char(1000),
402         lv_char1        type sood-objdes.
403
404     if sy-langu = 'P'.
405         lv_char = 'Segue anexo o seu Informe de Rendimentos da Anglo Ame
406 rican para declaração de Imposto de Renda'##NO_TEXT.
407         lv_char1 = 'Informe de Rendimentos'##NO_TEXT.
408     else.
409         lv_char = 'Attached is your Income Statement from Anglo American
410 for Income Tax Return'##NO_TEXT.
411         lv_char1 = 'Report Income'##NO_TEXT.
412     endif.
413
414     append lv_char to lt_message_body.
415
416     lo_document = cl_document_bcs=>create_document(
417         i_type = 'RAW'
418         i_text = lt_message_body

```



```

417         i_subject = lv_char1 ).
418
419         data: lx_document_bcs type ref to cx_document_bcs value is initial
420     .
421     try.
422         lo_document->add_attachment(
423             exporting
424                 i_attachment_type = 'PDF'
425                 i_attachment_subject = lv_char1
426                 i_att_content_hex = lt_att_content_hex ).
427         catch cx_document_bcs into lx_document_bcs .
428     endtry.
429
430     * Add attachment
431     * Pass the document to send request
432     lo_send_request->set_document( lo_document ).
433     * * Create sender
434
435     data:
436         lo_sender type ref to if_sender_bcs value is initial,
437         l_send      type adr6-smtp_addr, " value 'jacob.kata@transnet.net'
438     .
439
440     l_receive type adr6-smtp_addr.
441
442     l_send = p_mailfr.
443     if l_send is not initial.
444         lo_sender = cl_cam_address_bcs=>create_internet_address( l_send
445     ).
446     else .
447         lo_sender = cl_sapuser_bcs=>create( sy-uname ).
448     endif.
449
450     * Set sender
451     lo_send_request->set_sender(
452         exporting
453         i_sender = lo_sender ).
454
455     * Create recipient
456     data:
457         lo_recipient type ref to if_recipient_bcs value is initial.
458     * lo_recipient = cl_sapuser_bcs=>create( P_DBMAIL ).
459     clear :l_receive.
460     l_receive = p_dbmail.
461
462     if l_receive is not initial.
463         lo_recipient = cl_cam_address_bcs=>create_internet_address( l_re
464 ceive ).
465     else.
466         l_receive = p0655-zpays_email.
467         lo_recipient = cl_cam_address_bcs=>create_internet_address( l_re
468 ceive ).
469     endif.
470
471     ** Set recipient
472     lo_send_request->add_recipient(
473         exporting
474         i_recipient = lo_recipient
475         i_express = 'X' ).
476
477     * * Send email
478     data: lv_sent_to_all(1) type c value is initial.

```

```

473
474     lo_send_request->send( exporting i_with_error_screen = 'X'
475     receiving result = lv_sent_to_all ).
476     commit work.
477
478     if lv_sent_to_all is initial.
479         message i500(sbcoms) with p_mailfr.
480         p_flag = 'N'.
481     else.
482         message s022(so).
483         p_flag = 'Y'.
484     endif.
485
486     catch cx_bcs into lv_bcs_exception.
487 *       message i865(so) with bcs_exception->error_type.
488     p_flag = 'N'##STMNT_EXIT .
489     return.
490
491 endtry.
492
493 endform.
494 *&-----*
495 *&       Form   JOB_START
496 *&-----*
497 *       text
498 *-----*
499 *  -->  p1       text
500 *  <--  p2       text
501 *-----*
502 form job_start .
503
504     clear :lv_name, lv_number.
505     lv_name = 'JOB_TEST'.
506     concatenate lv_name pernr-pernr into lv_name.
507
508     call function 'JOB_OPEN'
509         exporting
510             jobname          = lv_name
511         importing
512             jobcount         = lv_number
513         exceptions
514             cant_create_job  = 1
515             invalid_job_data = 2
516             jobname_missing = 3
517             others           = 4.
518
519     if sy-subrc = 0.
520         submit hbrccd0
521
522             to sap-spool
523             with selection-table lt_var
524 *           with PNPPEPNER-LOW = pernr-PERNR
525 *           with PNPSTAT2-LOW = pernr-STAT2
526 *           with PNPBUKRS-LOW = pernr-BUKRS
527 *           with PNPWERKS-LOW = pernr-WERKS
528 *           WITH pnpbtrtl-low = pernr-BTRTL
529 *           WITH PNPABKRS-LOW = pernr-ABKRS
530 *           with
531 *           via SELECTION-SCREEN
532             spool parameters lv_print_parameters
533             without spool dynpro
534             user sy-uname

```

```

534             via job lv_name number lv_number
535             and return.
536     if sy-subrc = 0.
537         call function 'JOB_CLOSE'
538             exporting
539                 jobcount           = lv_number
540                 jobname            = lv_name
541                 strtimed           = 'X'
542             exceptions
543                 cant_start_immediate = 1
544                 invalid_startdate   = 2
545                 jobname_missing     = 3
546                 job_close_failed    = 4
547                 job_nosteps         = 5
548                 job_notex           = 6
549                 lock_failed         = 7
550                 others              = 8 ##FM_SUBRC_OK.
551     if sy-subrc <> 0.
552     endif.
553 endif.
554 endif.
555
556 clear :lv_run,lv_abort,lv_finish.
557
558 do.
559     lv_count = lv_number.
560     lv_job = lv_name.
561     call function 'SHOW_JOBSTATE'
562         exporting
563             jobcount           = lv_count
564             jobname            = lv_job
565         importing
566             aborted           = lv_abort
567             finished          = lv_finish
568     ** PRELIMINARY =
569     ** READY =
570     * RUNNING = lv_run
571     * SCHEDULED =
572     * SUSPENDED =
573     * OTHER =
574     exceptions
575         jobcount_missing = 1
576         jobname_missing = 2
577         job_notex = 3
578         others = 4.
579     if sy-subrc <> 0.
580     * Implement suitable error handling here
581     endif.
582
583     if lv_finish = 'X' or lv_abort = 'X'.
584         exit.
585     endif.
586
587     * if lv_run ne 'X'.
588     * exit.
589     * ENDIF.
590
591 enddo.
592
593 if lv_abort = 'X'.
594     itab-message = 'Job Cancelled'##NO_TEXT.

```

```

595     endif.
596
597 endform.
598 *&-----*
599 *&-----*
600 *&      Form  pdf_encryption
601 *&-----*
602 *      text
603 *-----*
604 *  —>  p1      text
605 *  <—  p2      text
606 *-----*
607 form pdf_encryption.
608
609     if p_debug is initial.
610         lv_password = p0655-zpays_pword.
611     else.
612         lv_password = p_dbpass.
613     endif.
614
615     if p_encr eq 'X' or p_send = 'X'.
616
617         get run time field lv_t1.
618         lv_pdf_xstring = lv_e_pdf .
619         itab-pdf_size = xstrlen( lv_pdf_xstring ).
620
621         if lv_pdf_xstring is initial.
622             itab-message = 'Error creating payslip form in PDF'##NO_TEXT.
623
624         else.
625             perform encryptpdf
626                 using
627                     pernr-pernr
628                     lv_pdf_xstring
629                     lv_pdf_encr_xstring
630                     lv_pdf_encr_size
631                     lv_password.
632
633         endif.
634         lv_e_pdf = lv_pdf_encr_xstring.
635
636         get run time field lv_t2.
637         itab-encr_time = lv_t2 - lv_t1.
638         itab-pdf_encr_size = lv_pdf_encr_size.
639
640     endif.
641
642 endform.
643 *&-----*
644 *&      Form  ENCRYPTPDF
645 *&-----*
646 *      text
647 *-----*
648 *  —>P_PERNR_PERNR  text
649 *  —>P_PDF_XSTRING  text
650 *  —>P_PDF_ENCR_XSTRING  text
651 *  —>P_PDF_ENCR_SIZE  text
652 *  —>P_LV_PASSWORD  text
653 *  —>P_ENCRYPT_ERR  text
654 *-----*
655 form encryptpdf using p_pernr

```

```

656                                     p_xstring1
657                                     p_xstring2
658                                     p_size
659                                     p_pword.
660
661     data: uniq_id type char12.
662
663     uniq_id = p_pernr.
664
665     *****Begin of Changes under ChaRM 2000006128
666     try .
667     *****End   of Changes under ChaRM 2000006128
668
669     call function 'Z_FILE_PDF_ENCRYPT'
670     exporting
671         pdf_content      = p_xstring1
672         owner_pw         = 'Payslip@123' ##NO_TEXT
673         user_pw          = p_pword
674         allow_print      = 'X'
675     *   ALLOW_COPY      =
676     *   ALLOW_MODIFY    =
677         unique_id        = uniq_id
678     *   PATHNAME        = gv_filepath
679         delete_files     = p_delps
680     importing
681         pdf_encrypted    = p_xstring2
682         pdf_size         = p_size
683     exceptions
684         encrypt_error    = 1
685         enqueue_error    = 2
686         no_permission    = 3.
687     case sy-subrc.
688         when '0'.  itab-message = 'Successfully Encrypted'##NO_TEXT.
689         when '1'.  itab-message = 'PDF Encryption error'##NO_TEXT.
690         when '2'.  itab-message = 'Cannot lock file for PDF Encryption'##N
691 O_TEXT.
692         when '3'.  itab-message = 'No permission for Encryption function'##
693 #NO_TEXT.
694
695     endcase.
696     if sy-subrc <> 0.
697         p_size = 0.
698     endif.
699
700     *****Begin of Changes under ChaRM 2000006128
701     catch cx_root into lv_o_ref.
702     message text-t01 type c_erro.
703     endtry.
704     *****End   of Changes under ChaRM 2000006128
705
706     endform.
707
708     *&-----*
709     *&      Form  GET_DATA
710     *&-----*
711     *      text
712     *-----*
713     *  ->  p1      text
714     *  <-  p2      text
715     *-----*
716     form get_data .

```

```

715
716 rp-provide-from-last p0001 space pn-begda pn-endda.
717 check pnp-sw-found eq '1'.
718
719 rp-provide-from-last p0002 space pn-begda pn-endda.
720 check pnp-sw-found eq '1'.
721
722 clear: itab.
723 move-corresponding p0001 to itab.
724 move-corresponding p0002 to itab.
725
726 clear :p_dbmail."Added by Kundan
727 if p_debug is initial.
728     rp-provide-from-last p0655 space pn-begda pn-endda.
729     if pnp-sw-found eq '1'.
730
731         if p0655-zpays_email is initial.
732             itab-message = 'Missing employee e_mail in IT0655'##NO_TEXT.
733         endif.
734         if p0655-zpays_pword is initial .
735             itab-message = 'Missing employee encryption password in IT0655'##
736 #NO_TEXT.
737         endif.
738
739         case p0655-zpays_subty.
740             when '0006' or '0010' or '0013'.
741                 itab-subty = p0655-zpays_subty.
742             when others.
743                 itab-subty = p0655-zpays_subty.
744                 itab-message = 'Missing/invalid IT0105 subtype for e-mail spec
745 ified in IT0655 '##NO_TEXT."text-203.
746         endcase.
747
748     else.
749         itab-message = 'No Employee record in IT0655'##NO_TEXT.
750     endif.
751
752 rp-provide-from-last p0105 p0655-zpays_subty pn-begda pn-endda.
753 if pnp-sw-found ne '1' or p0105-usrid_long is initial.
754     itab-message = 'Missing e-mail address in IT0105'##NO_TEXT."text-2
755 04.
756 else.
757     itab-usrid_long = p0105-usrid_long.
758     p_dbmail = p0105-usrid_long.
759 endif.
760 else.
761     p_dbmail = p_dbmail.
762 endif.
763
764 endform.
765
766 *&-----*
767 *&          Form  ALV_CATALOG
768 *&-----*
769 *          text
770 *-----*
771 *  ->  p1          text
772 *  <-  p2          text
773 *-----*
774 form alv_catalog .

```

```
773
774 clear fldcat.
775 fldcat-fieldname = 'PERNR'.
776 fldcat-tabname = 'ITAB'.
777 fldcat-seltext_m = 'Personal Number'##NO_TEXT.
778 append fldcat."1
779
780 clear fldcat.
781 fldcat-fieldname = 'NACHN'.
782 fldcat-tabname = 'ITAB'.
783 fldcat-seltext_m = 'Surname'##NO_TEXT.
784 append fldcat."1
785
786 clear fldcat.
787 fldcat-fieldname = 'VORNA'.
788 fldcat-tabname = 'ITAB'.
789 fldcat-seltext_m = 'First Names'##NO_TEXT.
790 append fldcat."1
791
792 clear fldcat.
793 fldcat-fieldname = 'BUKRS'.
794 fldcat-tabname = 'ITAB'.
795 fldcat-seltext_m = 'CoCd'##NO_TEXT.
796 append fldcat."1
797
798 clear fldcat.
799 fldcat-fieldname = 'KOSTL'.
800 fldcat-tabname = 'ITAB'.
801 fldcat-seltext_m = 'Costcentre'##NO_TEXT.
802 append fldcat."1
803
804 clear fldcat.
805 fldcat-fieldname = 'SUBTY'.
806 fldcat-tabname = 'ITAB'.
807 fldcat-seltext_m = 'SubType'##NO_TEXT.
808 append fldcat."1
809
810 clear fldcat.
811 fldcat-fieldname = 'USRID_LONG'.
812 fldcat-tabname = 'ITAB'.
813 fldcat-seltext_m = 'e_mail address'##NO_TEXT.
814 append fldcat."1
815
816 clear fldcat.
817 fldcat-fieldname = 'MESSAGE'.
818 fldcat-tabname = 'ITAB'.
819 fldcat-seltext_m = 'Status Message'##NO_TEXT.
820 append fldcat."1
821
822 clear fldcat.
823 fldcat-fieldname = 'ENCR_TIME'.
824 fldcat-tabname = 'ITAB'.
825 fldcat-seltext_m = 'Encryption time'##NO_TEXT.
826 append fldcat."1
827
828 clear fldcat.
829 fldcat-fieldname = 'PDF_SIZE'.
830 fldcat-tabname = 'ITAB'.
831 fldcat-seltext_m = 'Original PDF size'##NO_TEXT.
832 append fldcat."1
833
```

```

834 clear fldcat.
835 fldcat-fieldname = 'PDF_ENCR_SIZE'.
836 fldcat-tabname = 'ITAB'.
837 fldcat-seltext_m = 'Encrypted PDF size'##NO_TEXT.
838 append fldcat."1
839
840 *****Begin of Changes under ChaRM 2000006128
841 clear fldcat.
842 fldcat-fieldname = 'RQIDENT'.
843 fldcat-tabname = 'ITAB'.
844 fldcat-seltext_m = 'Spool'##NO_TEXT.
845 append fldcat."1
846 *****End of Changes under ChaRM 2000006128
847 ***start of changes under charm 2000006128 TR DS1K9A0PWJ by Shrutika
848 clear fldcat.
849 fldcat-fieldname = 'PERNR_FILE'.
850 fldcat-tabname = 'ITAB'.
851 fldcat-seltext_m = 'Pers. Number - File'##NO_TEXT.
852 append fldcat."1
853
854 clear fldcat.
855 fldcat-fieldname = 'NAME_FILE'.
856 fldcat-tabname = 'ITAB'.
857 fldcat-seltext_m = 'Name - File'##NO_TEXT.
858 append fldcat."1
859 ***end of changes under charm 2000006128 TR DS1K9A0PWJ by Shrutika
860
861 endform.
862 *&-----*
863 *&      Form  DISP_ALV*
864 *&-----*
865 *      text*
866 *-----*
867 *  —>  p1      text*
868 *  <—  p2      text*
869 *-----*
870 form disp_alv .
871
872 data lines type i.
873
874 describe table itab lines lines.
875 if lines = 0.
876     message i050(zp) with 'No data found for selection criteria'##NO_TEX
T.
877     exit.
878 endif.
879
880 call function 'REUSE_ALV_GRID_DISPLAY'
881     exporting
882         i_callback_program = sy-repid
883         is_layout           = layout
884         it_fieldcat         = fldcat[]
885     tables
886         t_outtab            = itab
887     exceptions
888         program_error       = 1
889         others               = 2.
890
891 if sy-subrc <> 0.
892 * Implement suitable error handling here
893 endif.

```



```

894
895 endform.
896 *&-----*
897 *&      Form  GET_VARIANT
898 *&-----*
899 *      text
900 *-----*
901 *  →  p1      text
902 *  ←  p2      text
903 *-----*
904 form get_variant .
905
906
907   clear lt_var.
908
909   lv_rep = 'HBRCCED0'.
910   lv_var = p_vari.
911
912   call function 'RS_VARIANT_CONTENTS'
913     exporting
914       report          = lv_rep
915       variant         = lv_var
916 *   MOVE_OR_WRITE    = 'W'
917 *   NO_IMPORT        = ' '
918 *   EXECUTE_DIRECT   = ' '
919 * IMPORTING
920 *   SP               =
921   tables
922 *   L_PARAMS         =
923 *   L_PARAMS_NONV    =
924 *   L_SELOP          =
925 *   L_SELOP_NONV     =
926   valutab           = lt_var
927 *   VALUTABL         =
928 *   OBJECTS          =
929 *   FREE_SELECTIONS_DESC =
930 *   FREE_SELECTIONS_VALUE   =
931 *   FREE_SELECTIONS_OBJ    =
932   exceptions
933     variant_non_existent = 1
934     variant_obsolete    = 2
935     others               = 3.
936   if sy-subrc <> 0.
937 * Implement suitable error handling here
938   message 'Variant doesnt exist' type 'E' ##NO_TEXT.
939   endif.
940
941   delete lt_var where selname = 'PNPBEGPS'.
942   delete lt_var where selname = 'PNPENDPS'.
943
944   data :lv_date type datum.
945
946   loop at lt_var into ls_var .
947
948     if ls_var-selname = 'PNPPERNR'.
949       ls_var-low = pernr-pernr.
950       ls_var-sign = 'I'.
951       ls_var-option = 'EQ'.
952       modify lt_var from ls_var.
953     endif.
954

```

```
955     if ls_var-selname = 'PNPBEGDA'.
956         ls_var-low = pn-begda.
957         modify lt_var from ls_var.
958     endif.
959
960     if ls_var-selname = 'PNPENDDA'.
961         ls_var-low = pn-enddda.
962         modify lt_var from ls_var.
963     endif.
964
965     data:lv_external(10) type c.
966
967     if ls_var-selname = 'DATAACC'.
968         lv_external = ls_var-low.
969         call function 'CONVERT_DATE_TO_INTERNAL'
970             exporting
971                 date_external          = lv_external
972 *             ACCEPT_INITIAL_DATE      =
973             importing
974                 date_internal          = lv_date
975             exceptions
976                 date_external_is_invalid = 1
977                 others                  = 2 ##FM_SUBRC_OK.
978         ls_var-low = lv_date .
979         modify lt_var from ls_var.
980     endif.
981
982     endloop.
983 *CLEAR :lt_var.
984
985
986 endform.
```

Title:
ANNUAL EARNINGS REPORT PDF EMAIL

Text elements:

T01 PDF Encryption error

Selection texts:

P_BONDT	Off Cycle Payment Date
P_DBMAIL	Receiver e-mail
P_DBPASS	Debug password
P_DEBUG	Debug mode (single receiver)
P_DELPS	Delete files after encryption
P_ENCR	Test Encryption - No mail sent
P_MAILFR	Sender username
P_OCRSN	Off Cycle Reason
P_PAYID	Off Cycle Payroll ID
P_PAYTY	Off Cycle Payroll Type
P_PSVAR	Payslip variant
P_SEND	Normal - Encrypt and Send mail
P_STDTEXT	Body text reference (S010)
P_TEST	Test Mode - Report Only
P_VARI	Display variant

```
Owner..... SAP
Short text..... Meldungen für die Versionsverwaltung
Edit Language    DE
Status           22.06.19
```

SB500 Object type successfully stored

Owner..... SAP
Short text..... SAPoffice: Nachrichtentexte
Edit Language DE
Status 03.11.20

SO022 Document sent

Owner..... SAP
Short text..... Treasury Allgemein
Edit Language DE
Status 08.09.11

T0EXT

Owner..... ECERONIO
Short text..... Anglo American Corporation Pensioners Payroll messages
Edit Language EN
Status 30.05.16

ZP050 & & & &

Subroutines:		Line	Page
ALV_CATALOG.....	ZRPPY0267	129	4
	ZRPPY0267	772	14
CONVERT_PDF_BINARY.....	ZRPPY0267	163	4
	ZRPPY0267	365	8
DISP_ALV.....	ZRPPY0267	182	5
	ZRPPY0267	870	16
ENCRYPTPDF.....	ZRPPY0267	625	12
	ZRPPY0267	655	12
F_OBTAIN_SPOOL_ID.....	ZRPPY0267	158	4
	ZRPPY0267	194	5
GET_DATA.....	ZRPPY0267	150	4
	ZRPPY0267	714	13
GET_VARIANT.....	ZRPPY0267	152	4
	ZRPPY0267	904	17
JOB_START.....	ZRPPY0267	154	4
	ZRPPY0267	502	10
MAIL_ATTACHMENT.....	ZRPPY0267	167	4
	ZRPPY0267	387	8
PDF_ENCRYPTION.....	ZRPPY0267	162	4
	ZRPPY0267	607	12
PDF_FROM_SPOOL.....	ZRPPY0267	159	4
	ZRPPY0267	282	6

Messages:		Line	Page
?.....	ZRPPY0267	700	13
?.....	ZRPPY0267	938	17
SBCOMS500.....	ZRPPY0267	479	10
SO022.....	ZRPPY0267	482	10
ZP050.....	ZRPPY0267	876	16

External calls

Function modules:	Line	Page
CONVERT_DATE_TO_INTERNAL..... ZRPPY0267	969	18
CONVERT_OTFSPOOLJOB_2_PDF..... ZRPPY0267	322	7
FPCOMP_CREATE_PDF_FROM_SPOOL.. ZRPPY0267	289	6
JOB_CLOSE..... ZRPPY0267	537	11
JOB_OPEN..... ZRPPY0267	508	10
REUSE_ALV_GRID_DISPLAY..... ZRPPY0267	880	16
RS_VARIANT_CONTENTS..... ZRPPY0267	912	17
SCMS_XSTRING_TO_BINARY..... ZRPPY0267	369	8
SHOW_JOBSTATE..... ZRPPY0267	561	11
Z_FILE_PDF_ENCRYPT..... ZRPPY0267	669	13

Reports:	Line	Page
HBRCCED0..... ZRPPY0267	520	10

DATABASE OPERATIONS

SELECT:		Line	Page
PA0002.....	ZRPPY0267	244	6
TBTCP.....	ZRPPY0267	232	5
TSP01.....	ZRPPY0267	240	6
	ZRPPY0267	258	6

INTERNAL TABLE OPERATIONS

READ TABLE:	Line	Page
-------------	------	------

P0001.....	RP-PROVIDE-FROM-LAST	0
P0002.....	RP-PROVIDE-FROM-LAST	0
P0105.....	RP-PROVIDE-FROM-LAST	0
P0655.....	RP-PROVIDE-FROM-LAST	0

MODIFY:	Line	Page
---------	------	------

LT_VAR.....	ZRPPY0267	952	17
	ZRPPY0267	957	18
	ZRPPY0267	962	18
	ZRPPY0267	979	18

DELETE:	Line	Page
---------	------	------

LT_VAR.....	ZRPPY0267	941	17
	ZRPPY0267	942	17