

Created on....22.10.2019 Last changed on/by..... 21.05.2021 \$JKAMTHANKAR
Author.....\$JKAMTHANKAR

Title.....Employee CTS Slip

Type.....1 Reporting
Status.....
Application.....P Human resources
Class.....
Logical database.....PN
 from Application....P Human resources
Selection screen.....
Authorization group...
Package.....ZP-PA-PERU

Start by Variants
Deactivate editor lock
X Fixed point arithmetic active

```

1  *&-----*
2  *& Report ZRPPY0363
3  *&-----*
4  *& Author : Jaisy Augustine
5  *& Description: CTS Payslip
6  *&-----*
7  report zrppy0363.
8
9  tables: pernr.
10 infotypes:0000,0001,0002,0009,0041,0105,9041,0008.
11
12 data: dnice(9)          type c,
13         lv_bukrs        type p0001-bukrs,
14         ruc_no          type t001z-paval,
15         dni_ruc(50)     type c,
16         adrn_r          type t001-adrn_r,
17         ort01           type t001-ort01,
18         company_name(40) type c,
19         company_name1(40) type c,
20         address(120)    type c,
21         account_no      type p0009-bankn,
22         bank_name       type bnka-banka,
23         pay_curr(7)     type c,
24         pay_curr1(7)    type c,
25         name            type char120,
26         name1           type char120,
27         gv_1p26         type betrg,
28         gv_1p23         type betrg,
29         gv_9051         type betrg,
30         gv_9pb0         type betrg,
31         gv_1p29         type betrg,
32         gv_9p24         type betrg, "DS1K9A0J9D 2000005622
33         gv_9p25         type betrg, "DS1K9A0J9D 2000005622
34         gv_9pbc         type betrg, "****Added by Kundan under 200000777
35
36         1
37         afp1            type betrg,
38         gv_1p28         type betrg,
39         gv_1p10         type betrg,
40         afp2            type betrg,
41         gv_rate         type char25, " tcurr-ukurs,"****Added by Kundan
42         under 2000007771
43         gv_559          type betrg,
44         no_days         type i,
45         no_days1        type i,
46         begda           type char10,
47         begda_date      type d,
48         endda           type char10,
49         endda_date      type d,
50         period(24)      type c,
51         fetch_date      type char10,
52         tech_date       type char10.
53
54 data: lv_1p26(35) type c,
55         lv_1p23(40) type c,
56         lv_9051(35) type c,
57         lv_9pb0(40) type c,
58         lv_1p29(35) type c,
59         lv_1p28(35) type c,
60         lv_1p10(35) type c,
61         lv_559(35) type c,
62         lv_9p24(35) type c,
63         lv_9p25(35) type c.

```

```

60
61 data: month(2) type c,
62       date(2) type c,
63       year(4) type c.
64 data: v_dar like p0041-dar01,
65       v_dat like p0041-dat01,
66       v_dat_c like p0041-dat01.  "Variable to Capture Techn. date of ent
ry
67 data: ls_t001z type t001z,
68       ls_adrc type adrc,
69       ls_t001 type t001,
70       ls_bnka type bnka,
71       ls_0041 type p0041.
72 types:begin of ty_itab,
73       pernr type pernr-pernr,
74       company_name(40) type c, "Company name
75       company_name1(40) type c, "Company name for different field
76       address(120) type c,
77       ruc_no type t001z-paval,
78       bank_name type bnka-banka,
79       account_no type p0009-bankn,
80       pay_curr(7) type c, "Currency
81       pay_curr1(7) type c, "Currency but for different field
82       dnice(9) type c,
83       name type char120, "Employee Name
84       name1 type char120, "Employee Name but for different
field
85       tech_date type char10,
86       period(24) type c,
87       no_days type i, "No of days
88       no_days1 type i, "No of days for different field
89       gv_1p26 type betrg,
90       gv_1p23 type betrg,
91       gv_9051 type betrg,
92       gv_9pb0 type betrg,
93       gv_1p29 type betrg,
94 *       gv_5P07 type betrg, "DS1K9A0J9D 2000005622
95 *       gv_5P09 type betrg, "DS1K9A0J9D 2000005622
96       gv_9p24 type betrg, "DS1K9A0JMD
97       gv_9p25 type betrg, "DS1K9A0JMD
98       afp1 type betrg,
99       gv_1p28 type betrg,
100      gv_1p10 type betrg,
101      afp2 type betrg,
102      gv_rate type char25, " tcurr-ukurs,"****Added by Kunda
n under 2000007771
103      gv_559 type betrg,
104      fetch_date type char10,
105      dni_ruc(50) type c,
106      status type string,
107      zpassword type char12,
108      email type comm_id_long,
109      gv_9pbc type betrg, "****Added by Kundan under 2000007
771
110      lt_zperu_cts type zty_peru_cts_str, "****Added by Kundan u
nder 2000007771
111      end of ty_itab.
112
113 data: lt_itab type standard table of ty_itab,
114       ls_itab type ty_itab,
115       lt_0000 type standard table of pa0000,

```

```

116         ls_0000 type pa0000.
117
118 *****Start of changes by Kundan under Charm2000007771
119 types :begin of ly_zperu_cts,
120         lgart(4)         type c,
121         lgart_txt(45)    type c,
122         lgart_order(2)   type c,
123         betrg(12)        type c, "betrg,
124         text(45)         type c,
125         end of ly_zperu_cts.
126 data : lt_zperu_cts type table of zperu_cts_str, "ly_zperu_cts,
127         ls_zperu_cts type zperu_cts_str. "ly_zperu_cts.
128 *****End of changes by Kundan under Charm2000007771
129
130 data: fm_name          type rs381_fnam,          " CHAR 30 0 Name of Function
      Module
131         fp_docparams   type sfpdocparams,        " Structure  SFPDOCPARAMS Sh
ort Description Form Parameters for Form Processing
132         fp_outputparams type sfpoutputparams,
133         fp_formoutput   type fpformoutput.
134 *-PDF declaration
135 data pdf_size          type so_obj_len.
136 data pdf_content       type solix_tab.
137 data pdf_xstring       type xstring.
138 data pdf_encr_xstring  type xstring.
139 data pdf_encr_size     type so_obj_len.
140 data: bodytext         type bcsy_text,
141         encrypt_err(1).
142 data: t_att_content_hex type solix_tab.
143 type-pools slis.
144 data: report           like sy-repid,
145         variant        like disvariant,
146         event          type slis_t_event,
147         val_tab        like api_vali occurs 20 with header line,
148         char_tab       like api_char occurs 20 with header line,
149         att_tab        like api_ch_att occurs 20 with header line,
150         fldcat         type slis_t_fieldcat_alv with header line,
151         layout         type slis_layout_alv occurs 0 with header line,
152         sort           type slis_sortinfo_alv occurs 20 with header line,
153         ls_event       type slis_alv_event,
154         user_command   type slis_formname value 'USER COMMAND',
155         stats          type slis_formname value 'PF_STATUS',
156         heading        type slis_t_listheader,def_variant like disvarian
t,
157         variant_exit   type c,
158         variant_def     type c,
159         module(2),
160         module_text(30),
161         print          type slis_print_alv.
162 data:lt_curr           type standard table of tcurr,
163         lw_curr        type tcurr,
164         conv_date_var  type gdatu_inv,
165         external_date  type string.
166
167 data: lv_message type string."****Added by Kundan under 2000002000007771
168 data: pstring type flag.  "Added under DS1K9A0RCC 2000007959 by Jaisy
169
170 selection-screen: begin of block var with frame.
171 parameters: p_send radiobutton group rad1 default 'X',
172             p_disp radiobutton group rad1,
173             p_down radiobutton group rad1.

```

```

174 selection-screen begin of line.
175 selection-screen comment (23) cmlocdir for field p_locdir.
176 parameters: p_locdir type string.
177 selection-screen end of line.
178 selection-screen end of block var.
179
180 initialization.
181
182     perform initialize.
183
184 at selection-screen output.
185     move 'Local directory' to cmlocdir.
186
187 *****Start of changes by Kundan under Charm2000007771 DS1K9A0R9H
188 at selection-screen.
189     if ( pn-begda+0(6) ge '202011' ).
190         else.
191             if sy-langu eq 'S'.
192                 lv_message = 'El informe solo se puede ejecutar a partir del mes d
e noviembre / 2020'.
193             else.
194                 lv_message = 'Report can only be executed from the month of Novemb
er/2020'-.
195             endif.
196             message lv_message type 'E'.
197         endif.
198
199     if ( pn-begda+4(4) ge '0501' and pn-enddda+4(4) le '0531' )
200     or ( pn-begda+4(4) ge '1101' and pn-enddda+4(4) le '1130' ).
201     else.
202         if sy-langu = 'S'.
203             concatenate 'No hay pago de CTS para el empleado regular en ' pn-b
egda ' y ' pn-enddda
204             into lv_message separated by space.
205         else.
206             concatenate 'There is no payment of CTS for regular employee in '
pn-begda ' and ' pn-enddda
207             into lv_message separated by space.
208         endif.
209         message lv_message type 'E'.
210
211     endif.
212
213 *****End of changes by Kundan under Charm2000007771 DS1K9A0R9H
214
215 at selection-screen on value-request for p_locdir.
216
217     call method cl_gui_frontend_services=>directory_browse
218     exporting
219         window_title           = 'Local directory'
220 *     initial_folder           =
221     changing
222         selected_folder        = p_locdir
223     exceptions
224         cntl_error              = 1
225         error_no_gui            = 2
226         not_supported_by_gui    = 3
227         others                  = 4.
228     if sy-subrc <> 0.
229         message id sy-msgid type sy-msgty number sy-msgno
230         with sy-msgv1 sy-msgv2 sy-msgv3 sy-msgv4.

```

```

231     endif.
232
233 start-of-selection.
234
235     perform get_data_date.
236
237 get pernr.
238     rp-provide-from-last p0008 space pn-begda pn-endda.
239     if sy-subrc = 0.
240         if p0008-trfar = 'A3'.
241             perform fetch_data. "Fetching Infotype data
242             perform read_payresult. "Fetching Payroll data
243             perform fill_itab. "Data to display
244         endif.
245     endif.
246
247 end-of-selection.
248
249     if p_disp is not initial.
250         perform create_adobe_form.
251     endif.
252
253 import pstring from MEMORY ID 'PSTRING'. "Added under DS1K9A0RCC 20000079
59 by Jaisy
254     if p_send is not initial.
255         perform create_adobe_form_send.
256     endif.
257 *****Changes in Download
258     if p_down is not initial.
259         perform create_adobe_form_download.
260     endif.
261
262     if pstring is not initial. "Added under DS1K9A0RCC 2000007959 by Jaisy
263     else.
264         perform display_data.
265     endif.
266 *-----*
267 *      Form  FETCH_DATA
268 *-----*
269 *      text
270 *-----*
271 *  —>  p1      text
272 *  <—  p2      text
273 *-----*
274 form fetch_data .
275
276
277     rp-provide-from-last p9041 space pn-begda pn-endda.
278     if sy-subrc = 0.
279         dnice = p9041-tax_id.
280     endif.
281
282 *-Company
283     rp-provide-from-last p0001 space pn-begda pn-endda.
284     if sy-subrc = 0.
285         lv_bukrs = p0001-bukrs.
286     endif.
287 *-Pay Currency
288     rp-provide-from-last p0009 '5' pn-begda pn-endda.
289     if sy-subrc = 0.
290         if p0009-waers = 'PEN'.

```

```

291     pay_curr = 'SOLES'.
292     elseif p0009-waers = 'USD'.
293         pay_curr = 'DOLARES'.
294     endif.
295 endif.
296
297 *-Get RUC number
298 if lv_bukrs is not initial.
299     select single * from t001z into ls_t001z where
300     bukrs = lv_bukrs and party = 'PE_TID'.
301     if sy-subrc = 0.
302         ruc_no = ls_t001z-paval.
303         clear:ls_t001z.
304         concatenate 'R.U.C' ruc_no into dni_ruc separated by ':'.
305     endif.
306 endif.
307
308 *-Get company address
309 clear:ls_adrc.
310 select single adrn into adrn from t001
311 where bukrs = lv_bukrs.
312 if sy-subrc = 0.
313     select single * from adrc into ls_adrc where addrnumber = adrn.
314     if sy-subrc = 0.
315         company_name = ls_adrc-name1.
316         concatenate ls_adrc-street ',' ls_adrc-post_code1 '-'ls_adrc-city1
317 into address .
318     endif.
319 endif.
320 rp-provide-from-last p0009 '5' pn-begda pn-endda.
321 if sy-subrc = 0.
322     account_no = p0009-bankn.
323     select single * from bnka into ls_bnka where banks = p0009-banks and
324     bank1 = p0009-bank1."#EC CI_ALL_FIELDS_NEEDED
325     if sy-subrc = 0.
326         bank_name = ls_bnka-banka.
327     endif.
328 endif.
329 rp-provide-from-last p0002 space pn-begda pn-endda.
330 if sy-subrc = 0.
331     concatenate p0002-nachn p0002-name2 p0002-vorna into name separated
332 by ' '.
333 endif.
334
335 rp-provide-from-last p0041 space pn-begda pn-endda.
336 read table p0041 into ls_0041.
337 do 12 times
338     varying v_dar from ls_0041-dar01 next ls_0041-dar02
339     varying v_dat from ls_0041-dat01 next ls_0041-dat02.
340     if v_dar = '01'.
341         v_dat_c = v_dat.
342     endif.
343 enddo.
344 if v_dat_c is not initial.
345     perform convert_date using v_dat_c changing tech_date.
346 endif.
347
348

```

```

349 select * from pa0000 into table lt_0000 where pernr = pernr-pernr.
350 sort lt_0000 by endda descending.
351 read table lt_0000 into ls_0000 index 1.
352 if sy-subrc = 0.
353     if ls_0000-massn = 'Z7'.
354         endda_date = ls_0000-begda.
355         sort lt_0000 by begda ascending.
356         read table lt_0000 into ls_0000 index 1.
357         if ls_0000-begda lt pn-begda.
358             begda_date = ls_0000-begda.
359             month = pn-begda+4(2).
360             year = pn-begda+0(4).
361             concatenate year month '01' into endda_date.
362         else.
363             endif.
364
365     else.
366         sort lt_0000 by begda ascending.
367         read table lt_0000 into ls_0000 index 1.
368         begda_date = pn-begda.
369         month = pn-begda+4(2).
370         year = pn-begda+0(4).
371
372         if month = '05'.
373             concatenate year '04' '30' into endda_date.
374             year = year - 1.
375             concatenate year '11' '01' into begda_date.
376             if ls_0000-begda between begda_date and endda_date.
377                 begda_date = ls_0000-begda.
378             endif.
379         elseif month = '11'.
380             concatenate year '10' '31' into endda_date.
381             concatenate year '05' '01' into begda_date.
382             if ls_0000-begda between begda_date and endda_date.
383                 begda_date = ls_0000-begda.
384             endif.
385         endif.
386         clear : year,month.
387     endif.
388 endif.
389
390 perform convert_date using begda_date changing begda.
391 perform convert_date using endda_date changing endda.
392 concatenate begda 'AL' endda into period separated by ' '.
393 *****Commented by Kundan under 2000007771
394 * if begda_date is not initial and endda_date is not initial.
395 * clear : no_days1."no_days"*****Changed by Kundan under 2000007771
396 * call function 'HR_99S_INTERVAL_BETWEEN_DATES'
397 *     exporting
398 *         begda = begda_date
399 *         endda = endda_date
400 *     importing
401 *         days = no_days.
402 * endif.
403 * if no_days > 180.
404 *     no_days = 180.
405 * endif.
406 clear:month,year.
407 month = pn-begda+4(2).
408 year = pn-begda+0(4).
409 concatenate '15' month year into fetch_date separated by ' '.

```



```
410
411 endform.
412 *&-----*
413 *&      Form  READ_PAYRESULT
414 *&-----*
415 *      text
416 *-----*
417 *  →  p1      text
418 *  ←  p2      text
419 *-----*
420 form read_payresult .
421   data:molga      type molga value '99',
422         lt_rgdir   type table of pc261,
423         ls_rgdir   type pc261,
424         seqnr      type pc261-seqnr,
425         relid      type relid_pcl,
426         lt_result  type pay99_result,
427 *      ls_crt      like pc208.
428         lt_payresult like table of pc207 with header line,
429         ls_payresult like pc207.
430   data: lt_0021 type standard table of pa0021,
431         ls_0021 type pa0021,
432         lw_t511p type t511p,
433         lt_t511k type table of t511k with header line, "****Added by Kun
dan under 2000007771
434         lw_0014 type pa0014.
435   data: lv_begda like sy-datum,
436         lv_endda like sy-datum.
437
438   call function 'CCM_GO_BACK_MONTHS'
439     exporting
440       currrdate  = pn-begda
441       backmonths = '06'
442     importing
443       newdate    = lv_begda.
444
445   lv_endda = pn-begda - 1.
446   clear : gv_lp26.
447   select * from pa0021 into table lt_0021 where pernr = pernr-pernr and
subty = '03'
448   and begda <= pn-endda and endda >= pn-begda.
449   if sy-subrc = 0.
450     sort lt_0021 by zhigh_end descending.
451     read table lt_0021 into ls_0021 index 1.
452     if sy-subrc = 0.
453       if ls_0021-zhigh_end >= pn-begda .
454         select single * from t511p into lw_t511p where molga = '99' and
konst = 'Y1P26'
455         and begda <= pn-endda and endda >= pn-begda.
456         if sy-subrc = 0.
457           gv_lp26 = lw_t511p-betrg.
458         endif.
459       else.
460         select single * from pa0014 into lw_0014 where pernr = pernr-per
nr and subty = '1P47'
461         and begda <= lv_endda and endda >= lv_begda.
462         if sy-subrc = 0 .
463           select single * from t511p into lw_t511p where molga = '99' an
d konst = 'Y1P26'
464           and begda <= pn-endda and endda >= pn-begda.
465           if sy-subrc = 0.
```

```

466         gv_1p26 = lw_t511p-betrg.
467     endif.
468 endif.
469 endif.
470 endif.
471 endif.
472
473
474 call function 'PYXX_GET_RELID_FROM_PERNR'
475     exporting
476         employee                = pernr-pernr
477     importing
478         relid                   = relid
479         molga                   = molga
480     exceptions
481         error_reading_infotype_0001 = 1
482         error_reading_molga         = 2
483         error_reading_relid         = 3
484         others                      = 4.
485 if sy-subrc <> 0.
486 * Implement suitable error handling here
487 endif.
488
489 *****Get RGDIR Table
490 call function 'CU_READ_RGDIR'
491     exporting
492         persnr                = pernr-pernr
493     importing
494         molga                 = molga
495     tables
496         in_rgdir              = lt_rgdir
497     exceptions
498         no_record_found       = 1
499         others                 = 2.
500 if sy-subrc <> 0.
501 * Implement suitable error handling here
502 endif.
503
504 *****Start of changes by Kundan under Charm2000007771
505 * read table lt_rgdir into ls_rgdir with key fpper = '000000'
506 * inper = '000000'
507 loop at lt_rgdir into ls_rgdir where
508     fpper = '000000' "and inper = '000000'
509     and srtza = 'A'
510     and paydt ge pn-begda
511     and paydt le pn-enddda.
512     if sy-subrc = 0.
513         exit.
514     endif.
515 endloop.
516
517 *****End of changes by Kundan under Charm2000007771
518
519 if sy-subrc = 0.
520     call function 'PYXX_READ_PAYROLL_RESULT'
521         exporting
522             clusterid                = relid
523             employeenumber            = pernr-pernr
524             sequencenumber            = ls_rgdir-seqnr
525             read_only_international  = 'X'
526         changing

```

```

527         payroll_result                = lt_result
528     exceptions
529         illegal_isocode_or_clusterid = 1
530         error_generating_import      = 2
531         import_mismatch_error        = 3
532         subpool_dir_full              = 4
533         no_read_authority              = 5
534         no_record_found               = 6
535         versions_do_not_match         = 7
536         error_reading_archive         = 8
537         error_reading_relid           = 9
538         others                        = 10.
539     if sy-subrc ne 0.
540         clear lt_result.
541     else.
542         lt_payresult[] = lt_result-inter-rt.
543     endif.
544
545 else.
546     reject."****Added by Kundan under 2000007771
547 endif.
548
549 * *****Start of changes by Kundan under Charm2000007771
550 * delete lt_payresult[] where ( lgart <> '1P26' and
551 * lgart <> '9P23' and lgart <> '9051' and lgart <> '9PB0' and
552 * lgart <> '1P29' and lgart <> '1P28' and lgart <> '1P10' and lgart <>
553 * '/559' and lgart <> '9P29' and
554 * lgart <> '9P24' and lgart <> '9P25' ).
555 refresh : lt_zperu_cts, lt_t511k.
556 select * from zperu_cts                                "#EC CI_SEL_DEL
557         into                                           "#EC CI_SEL_DEL "#EC CI_SUBRC
558         corresponding fields of                         "#EC CI_NOWHERE
559         table lt_zperu_cts.
560 sort lt_zperu_cts by lgart.
561
562 * * *****End of changes by Kundan under Charm2000007771
563 clear : gv_559,gv_1p23,gv_9051,gv_9pb0,gv_1p29,afp1,gv_1p28,gv_1p10,af
564 p2,gv_9p24,gv_9p25,
565         gv_9pbc."****Added by Kundan under 2000007771
566 loop at lt_payresult[] into ls_payresult.
567
568     case ls_payresult-lgart.
569         when '1P26'.
570             gv_559 = ls_payresult-betrg.
571             if pay_curr = 'DOLARES'.
572                 gv_559 = gv_559 / gv_rate .
573             endif.
574         * when '1P26'.
575         when '9P23'.
576             gv_1p23 = ls_payresult-betrg.
577         when '9051'.
578             ls_payresult-betrg = ls_payresult-betrg / '6'.
579             gv_9051 = ls_payresult-betrg.
580         when '9PB0'.
581             gv_9pb0 = ls_payresult-betrg.
582         when '1P29'.
583             ls_payresult-betrg = ls_payresult-betrg / '12'.
584             gv_1p29 = ls_payresult-betrg.
585         when '1P28'.
586             gv_1p28 = ls_payresult-betrg.
587     *****Start of changes by Kundan under Charm2000007771

```

```

586 *      when '1P10'.
587         when '9P31'.
588             gv_1p10 = ls_payresult-betrg.
589         when '9PBC'.
590             gv_9pbc = ls_payresult-betrg.
591 *****End of changes by Kundan under Charm2000007771
592         when '9P29'.
593             afp2 = ls_payresult-betrg.
594             no_days = ls_payresult-anzhl."****Added by Kundan under 20000077
71
595         when '9P24'.      "DS1K9A0J9D 2000005622
596             gv_9p24 = ls_payresult-betrg.
597         when '9P25'.      "DS1K9A0J9D 2000005622
598             gv_9p25 = ls_payresult-betrg.
599         when others.
600     endcase.
601
602 *****Start of changes by Kundan under Charm2000007771
603     read table lt_zperu_cts into ls_zperu_cts with key lgart = ls_payres
ult-lgart binary search.
604     if sy-subrc = 0.
605         ls_zperu_cts-betrg = ls_payresult-betrg.
606         modify lt_zperu_cts from ls_zperu_cts index sy-tabix .
607     endif.
608 *****End of changes by Kundan under Charm2000007771
609
610     endloop.
611
612     if gv_1p26 is not initial.
613         lv_1p26 = 'ASIGNACION FAMILIAR (TEORICO )'.
614     endif.
615     if gv_1p23 is not initial.
616         lv_1p23 = 'BONIFICACION POR ZONA(TEORICO)'.
617     endif.
618     if gv_9051 is not initial.
619         lv_9051 = '1/6 ULTIMA GRATIFICACION'.
620     endif.
621     if gv_9pb0 is not initial.
622         lv_9pb0 = 'SUELDO BASICO TEORICO FINAL'.
623     endif.
624     if gv_1p29 is not initial.
625         lv_1p29 = 'PROMO BONO ANUAL CTS'.
626     endif.
627     if gv_1p28 is not initial.
628         lv_1p28 = 'REINTEGRO DE CTS'.
629     endif.
630     if gv_1p10 is not initial.
631         lv_1p10 = 'INTERESES CTS'.
632     endif.
633     if gv_559 is not initial.
634         lv_559 = 'DEPOSITO SOLES S/'.
635     endif.
636     if gv_9p24 is not initial.      "DS1K9A0J9D 2000005622
637         lv_9p24 = 'ASIGNACIÓN VEHICULAR'.
638     endif.
639     if gv_9p25 is not initial.      "DS1K9A0J9D 2000005622
640         lv_9p25 = 'ASIGNACIÓN DE VIVIENDA'.
641     endif.
642
643     afp1 = gv_1p26 + gv_1p23 +   gv_9051 + gv_9pb0 + gv_1p29 + gv_9p24 + gv
_9p25.

```

```

644 * *****Start of changes by Kundan under Charm2000007771
645 *afp2 = afp2 + gv_1p28 + gv_1p10.
646   afp2 =   afp2 "9p29-Betrg
647         + gv_1p10 ."9p31-Betrg
648
649   delete lt_zperu_cts where betrg is initial or betrg eq '      0.00'."
#EC CI_SEL_DEL
650   sort lt_zperu_cts by lgart_order ascending.      "#EC CI_SEL_DEL
651
652   ls_itab-lt_zperu_cts = lt_zperu_cts.
653
654 * *****End of changes by Kundan under Charm2000007771
655
656 endform.
657 *&-----*
658 *&      Form  FILL_ITAB
659 *&-----*
660 *      text
661 *-----*
662 *  —>  p1      text
663 *  <—  p2      text
664 *-----*
665 form fill_itab .
666
667   ls_itab-pernr      = pernr-pernr.
668   ls_itab-company_name = company_name.
669   ls_itab-company_name1 = company_name.
670   ls_itab-address    = address.
671   ls_itab-ruc_no     = ruc_no.
672   ls_itab-bank_name  = bank_name.
673   ls_itab-account_no = account_no.
674   ls_itab-pay_curr   = pay_curr.
675   ls_itab-pay_currl  = pay_curr.
676   ls_itab-dnice      = dnice.
677   ls_itab-name       = name.
678   ls_itab-name1      = name.
679   ls_itab-tech_date  = tech_date.
680   ls_itab-period     = period.
681   ls_itab-no_days    = no_days.
682   ls_itab-no_days1   = no_days.
683   ls_itab-gv_9pbc    = gv_9pbc."****Added by Kundan under 2000007771
684   ls_itab-gv_1p26    = gv_1p26.
685   ls_itab-gv_1p23    = gv_1p23.
686   ls_itab-gv_9051    = gv_9051.
687   ls_itab-gv_9pb0    = gv_9pb0.
688   ls_itab-gv_1p29    = gv_1p29.
689   ls_itab-gv_9p24    = gv_9p24.      "DS1K9A0J9D
690   ls_itab-gv_9p25    = gv_9p25.      "DS1K9A0J9D
691   ls_itab-afp1       = afp1.
692   ls_itab-gv_1p28    = gv_1p28.
693   ls_itab-gv_1p10    = gv_1p10.
694   ls_itab-afp2       = afp2.
695   ls_itab-gv_rate    = gv_rate.
696   ls_itab-gv_559     = gv_559.
697   ls_itab-fetch_date = fetch_date.
698   ls_itab-dni_ruc    = dni_ruc.
699
700   rp-provide-from-last p9041 space pn-begda pn-enddda.
701   if sy-subrc = 0.
702     ls_itab-zpassword = p9041-tax_id.
703   else.

```

```

704     ls_itab-status = 'Mantener en el infotipo 9041 para contraseña'.
705 endif.
706 rp-provide-from-last p0105 '0006' pn-begda pn-enddda.
707 if sy-subrc = 0.
708     ls_itab-email = p0105-usrid_long.
709 else.
710     ls_itab-status = 'No se mantiene ningún correo electrónico en el inf
otipo 0105'.
711 endif.
712 append ls_itab to lt_itab.
713 clear : company_name, address, ruc_no, bank_name, account_no, pay_curr, dn
ice, name, tech_date, period, no_days,
714         gv_559, fetch_date, dni_ruc,
715         ls_itab-zpassword, ls_itab-email, ls_itab-status.
716 endform.
717
718 include zrppy0363_create_adobe_formf01.
719 *&-----*
720 *&      Form  CONVERT_DATE
721 *&-----*
722 *      text
723 *-----*
724 *      —>P_PN_BEGDA  text
725 *      <—P_BEGDA    text
726 *-----*
727 form convert_date  using    p_pn_begda
728                        changing p_begda.
729     call function 'CONVERT_DATE_TO_EXTERNAL'
730     exporting
731         date_internal          = p_pn_begda
732     importing
733         date_external          = p_begda
734     exceptions
735         date_internal_is_invalid = 1
736         others                  = 2.
737     if sy-subrc <> 0.
738 * Implement suitable error handling here
739     endif.
740 endform.
741 *&-----*
742 *&      Form  GET_DATA_DATE
743 *&-----*
744 *      text
745 *-----*
746 *      —>  p1      text
747 *      <—  p2      text
748 *-----*
749 form get_data_date .
750
751     call function 'CONVERT_DATE_TO_EXTERNAL'
752     exporting
753         date_internal          = pn-begda
754     importing
755         date_external          = external_date
756     exceptions
757         date_internal_is_invalid = 1
758         others                  = 2.
759     if sy-subrc <> 0.
760 * Implement suitable error handling here
761     endif.
762

```

```
763 call function 'CONVERSION_EXIT_INVDT_INPUT'
764     exporting
765     input   = external_date
766     importing
767     output  = conv_date_var.
768
769 select * from tcurr into table lt_curr where kurst = 'M'
770 * and fcurr = 'PEN' and tcurr = 'USD'
771 and fcurr = 'USD' and tcurr = 'PEN' "****Added by Kundan under 2000007
771
772 and gdatu >= conv_date_var.
773 if sy-subrc = 0.
774     sort lt_curr by gdatu ascending.
775     read table lt_curr into lw_curr index 1.
776     if sy-subrc = 0.
777         if lw_curr-ukurs < 0.
778             lw_curr-ukurs = '-1' * lw_curr-ukurs.
779         endif.
780         gv_rate = lw_curr-ukurs.
781     endif.
782 endif.
783
784 endform.
```

```

1  *-----*
2  ***INCLUDE ZRPPY0363_CREATE_ADOBE_FORMF01.
3  *-----*
4  *&-----*
5  *&      Form  CREATE_ADOBE_FORM
6  *&-----*
7  *      text
8  *-----*
9  *  →  p1      text
10 *  ←  p2      text
11 *-----*
12 form create_adobe_form .
13   call function 'FP_JOB_OPEN'
14     changing
15       ie_outputparams = fp_outputparams
16   exceptions
17     cancel           = 1
18     usage_error      = 2
19     system_error     = 3
20     internal_error   = 4
21     others           = 5.
22   if sy-subrc <> 0.
23 * Implement suitable error handling here
24   endif.
25
26   call function 'FP_FUNCTION_MODULE_NAME'
27     exporting
28       i_name         = 'ZPY_AFP_CTS_FORM'
29     importing
30       e_funcname     = fm_name.
31   fp_docparams-langu = 'E'.
32   fp_docparams-country = 'US'.
33   fp_docparams-fillable = 'X'.
34   loop at lt_itab into ls_itab.
35     fp_docparams-langu = 'E'..
36     fp_docparams-dynamic = 'X'.
37     fp_docparams-fillable = 'X'.
38     call function fm_name
39       exporting
40         /lbcdw/docparams = fp_docparams
41 *       zcts_data         = ls_final
42       zty_peru_cts_str   = ls_itab-lt_zperu_cts "****Added by Kundan u
nder 2000007771
43       gv_9pbc           = ls_itab-gv_9pbc "****Added by Kundan under
2000007771
44       company_name      = ls_itab-company_name
45       company_name1     = ls_itab-company_name1
46       address           = ls_itab-address
47       ruc_no            = ls_itab-ruc_no
48       bank_name         = ls_itab-bank_name
49       account_no        = ls_itab-account_no
50       pay_curr          = ls_itab-pay_curr
51       pay_curr1         = ls_itab-pay_curr1
52       dnice             = ls_itab-dnice
53       name              = ls_itab-name
54       name1             = ls_itab-name1
55       tech_date         = ls_itab-tech_date
56       period            = ls_itab-period
57       no_days           = ls_itab-no_days
58       no_days1          = ls_itab-no_days1
59       gv_lp26           = ls_itab-gv_lp26

```



```

60         gv_1p23             = ls_itab-gv_1p23
61         gv_9051             = ls_itab-gv_9051
62         gv_9pb0             = ls_itab-gv_9pb0
63         gv_1p29             = ls_itab-gv_1p29
64     *         gv_5P07         = ls_itab-gv_5P07     "DS1K9A0J9D
65     *         gv_5P09         = ls_itab-gv_5P09     "DS1K9A0J9D
66         gv_9p24             = ls_itab-gv_9p24     "DS1K9A0JMD
67         gv_9p25             = ls_itab-gv_9p25     "DS1K9A0JMD
68         afp1                 = ls_itab-afp1
69         gv_1p28             = ls_itab-gv_1p28
70         gv_1p10             = ls_itab-gv_1p10
71         afp2                 = ls_itab-afp2
72         gv_rate              = ls_itab-gv_rate
73         gv_559               = ls_itab-gv_559
74         fetch_date           = ls_itab-fetch_date
75         dni_ruc              = ls_itab-dni_ruc
76     importing
77         /lbc dwb/formoutput = fp_formoutput
78     exceptions
79         usage_error          = 1
80         system_error         = 2
81         internal_error       = 3.
82     if sy-subrc <> 0.
83     * <error handling>
84     endif.
85     endloop.
86
87     call function 'FP_JOB_CLOSE'
88     exceptions
89         usage_error          = 1
90         system_error         = 2
91         internal_error       = 3
92         others                = 4.
93     if sy-subrc <> 0.
94     * Implement suitable error handling here
95     endif.
96
97
98
99     endform.
100 *-----*
101 *      Form  CONVET_PDF_BINARY
102 *-----*
103 *      text
104 *-----*
105 *  →  p1      text
106 *  ←  p2      text
107 *-----*
108     form convet_pdf_binary .
109         call function 'SCMS_XSTRING_TO_BINARY'
110         exporting
111             buffer          = fp_formoutput-pdf
112         tables
113             binary_tab = t_att_content_hex.
114
115     endform.
116 *-----*
117 *      Form  ENCRYPTPDF
118 *-----*
119 *      text
120 *-----*

```

```

121 *      —>P_LS_ITAB_PERNR text
122 *      —>P_PDF_XSTRING text
123 *      —>P_PDF_ENCR_XSTRING text
124 *      —>P_PDF_ENCR_SIZE text
125 *      —>P_LS_ITAB_ZPASSWORD text
126 *      —>P_ENCRYPT_ERR text
127 *-----*
128 form encryptpdf using p_pernr p_xstring1 p_xstring2 p_size p_pword e
rr.
129
130 data: uniq_id type char12.
131
132 uniq_id = p_pernr.
133 clear err.
134 call function 'Z_FILE_PDF_ENCRYPT'
135     exporting
136         pdf_content      = p_xstring1
137         owner_pw         = 'X04Dr6Gut'
138         user_pw          = p_pword
139         allow_print      = 'X'
140 *     ALLOW_COPY         =
141 *     ALLOW_MODIFY      =
142         unique_id       = uniq_id
143 *     PATHNAME          = gv_filepath
144         delete_files    = 'X'
145     importing
146         pdf_encrypted    = p_xstring2
147         pdf_size         = p_size
148     exceptions
149         encrypt_error    = 1
150         enqueue_error    = 2
151         no_permission    = 3.
152 if sy-subrc <> 0.
153     p_size = 0.
154     err = sy-subrc.
155 endif.
156 endform.
157 *&-----*
158 *&      Form MAIL_ATTACHMENT
159 *&-----*
160 *      text
161 *-----*
162 *      —> p1      text
163 *      <— p2      text
164 *-----*
165 form mail_attachment .
166 data:lv_name type string.
167 class cl_bcs definition load.
168 data:lo_send_request type ref to cl_bcs value is initial.
169 data: lv_attach type sood-objdes."****Added by Kundan under 2000007771
170 lo_send_request = cl_bcs=>create_persistent( ).
171
172 *****Message body and subject
173 data:lt_message_body type bcsy_text value is initial,
174     lo_document      type ref to cl_document_bcs value is initial.
175 append 'Estimado(a),' to lt_message_body.
176 append ' ' to lt_message_body.
177
178 lv_name = 'Se envía el recibo CTS de AFP correspondiente al período'.
179 * concatenate lv_name ls_itab-year into lv_name separated by space.
180 lv_name = lv_name & ls_itab-year.

```

```

181     append lv_name to lt_message_body.
182     append 'Cualquier duda o consulta, por favor comunicarse con su Busine
ss Partner.'
183     to lt_message_body.
184     append ' ' to lt_message_body.
185     append 'Gracias' to lt_message_body.
186     *****End of email Body
187
188     data: lx_document_bcs type ref to cx_document_bcs value is initial.
189     data: lx_send_req_bcs type ref to cx_send_req_bcs value is initial.
190     try.
191         lo_document = cl_document_bcs=>create_document(
192             i_type = 'RAW'
193             i_text = lt_message_body
194             i_subject = 'AFP CTS Slip' ).
195         catch cx_document_bcs into lx_document_bcs.
196     endtry.
197
198     pdf_content = cl_document_bcs=>xstring_to_solix( pdf_encr_xstring ).
199     concatenate ls_itab-pernr '- AFP Form Statement' into lv_attach separa
ted by space."****Added by Kundan under 2000007771
200     try.
201         lo_document->add_attachment(
202             exporting
203                 i_attachment_type = 'PDF'
204                 i_attachment_subject = lv_attach "****Added by Kundan under 2000
007771
205                 i_att_content_hex = pdf_content ).
206         catch cx_document_bcs into lx_document_bcs.
207     endtry.
208
209     * Add attachment
210     * Pass the document to send request
211     try.
212         lo_send_request->set_document( lo_document ).
213         catch cx_send_req_bcs into lx_send_req_bcs.
214     endtry.
215
216     * Create sender
217     data:lo_sender type ref to if_sender_bcs value is initial,
218         l_send type adr6-smtp_addr value 'fusion@angloamerican.com'.
219     data: lo_recipient type ref to if_recipient_bcs value is initial.
220     data:lx_cx_address_bcs type ref to cx_address_bcs.
221     * lo_sender = cl_cam_address_bcs=>create_internet_address( l_send ).
222     try.
223         lo_sender = cl_sapuser_bcs=>create( sy-uname ).
224         catch cx_address_bcs into lx_cx_address_bcs.
225     endtry.
226     * Set sender
227     try.
228         lo_send_request->set_sender( exporting i_sender = lo_sender ).
229         catch cx_send_req_bcs into lx_send_req_bcs .
230     endtry.
231     * Create recipient
232
233     * lo_recipient = cl_sapuser_bcs=>create( sy-uname ).
234     try .
235         lo_recipient = cl_cam_address_bcs=>create_internet_address( ls_ita
b-email ).
236         catch cx_address_bcs into lx_cx_address_bcs.
237     endtry.

```

```

238 ** Set recipient
239 try.
240     lo_send_request->add_recipient(
241         exporting
242             i_recipient = lo_recipient
243             i_express = 'X' ).
244     catch cx_send_req_bcs into lx_send_req_bcs .
245 endtry.
246
247 * Send email
248 data: lv_sent_to_all(1) type c value is initial.
249 try.
250     lo_send_request->send(
251         exporting
252             i_with_error_screen = 'X'
253         receiving
254             result = lv_sent_to_all ).
255     commit work.
256     catch cx_send_req_bcs into lx_send_req_bcs .
257 endtry.
258 if lv_sent_to_all is not initial.
259     ls_itab-status = 'Correo enviado'.
260     modify lt_itab from ls_itab.
261 else.
262     ls_itab-status = 'Correo no enviado'.
263     modify lt_itab from ls_itab.
264 endif.
265 endform.
266 *&-----*
267 *&      Form  DISPLAY_DATA
268 *&-----*
269 *      text
270 *-----*
271 *  —>  p1      text
272 *  <—  p2      text
273 *-----*
274 form display_data .
275 * data: lines type i.
276
277 report = sy-repid.
278 if lt_itab is not initial.
279     if sy-batch = 'X'.
280     else.
281         call function 'REUSE_ALV_GRID_DISPLAY'
282             exporting
283                 i_callback_program = report
284                 is_layout           = layout
285                 it_fieldcat         = fldcat[]
286                 i_save              = 'A'
287                 it_sort             = sort[]
288                 it_events           = event[]
289                 is_print            = print
290                 is_variant          = variant
291             tables
292                 t_outtab           = lt_itab
293             exceptions
294                 program_error      = 1
295                 others              = 2.
296     endif.
297 endif.
298 endform.

```

```

299 *-----*
300 *      Form  CREATE_ADOBE_FORM_SEND
301 *-----*
302 *      text
303 *-----*
304 *  →  p1      text
305 *  ←  p2      text
306 *-----*
307 form create_adobe_form_send .
308   loop at lt_itab into ls_itab.
309     fp_outputparams-nodialog = 'X'.
310     fp_outputparams-getpdf    = 'X'.
311     fp_outputparams-preview  = 'X'. "Added under DS1K9A0RCC 2000007959 b
y Jaisy
312     call function 'FP_JOB_OPEN'
313       changing
314         ie_outputparams = fp_outputparams
315       exceptions
316         cancel          = 1
317         usage_error     = 2
318         system_error    = 3
319         internal_error  = 4
320         others          = 5.
321     if sy-subrc <> 0.
322 * Implement suitable error handling here
323     endif.
324
325 try.
326   call function 'FP_FUNCTION_MODULE_NAME'
327     exporting
328       i_name      = 'ZPY_AFP_CTS_FORM'
329     importing
330       e_funcname = fm_name.
331
332 catch CX_FP_API_REPOSITORY.
333 catch CX_FP_API_INTERNAL.
334 catch CX_FP_API_USAGE.
335 endtry.
336
337
338   fp_docparams-langu = 'E'.
339   fp_docparams-country = 'US'.
340 if pstring is initial. "Added under DS1K9A0RCC 2000007959 by Jaisy
341   fp_docparams-fillable = 'X'.
342 else.
343   fp_docparams-fillable = ' '.
344 endif.
345
346   fp_docparams-langu = 'E'.
347   fp_docparams-dynamic = 'X'.
348   call function fm_name
349     exporting
350       /lbcdw/docparams = fp_docparams
351       zty_peru_cts_str  = ls_itab-lt_zperu_cts "****Added by Kundan u
nder 2000007771
352       gv_9pbc          = ls_itab-gv_9pbc "****Added by Kundan under
2000007771
353       company_name     = ls_itab-company_name
354       company_name1    = ls_itab-company_name1
355       address          = ls_itab-address
356       ruc_no           = ls_itab-ruc_no

```

```

357         bank_name             = ls_itab-bank_name
358         account_no            = ls_itab-account_no
359         pay_curr               = ls_itab-pay_curr
360         pay_curr1              = ls_itab-pay_curr1
361         dnice                  = ls_itab-dnice
362         name                   = ls_itab-name
363         name1                   = ls_itab-name1
364         tech_date              = ls_itab-tech_date
365         period                 = ls_itab-period
366         no_days                = ls_itab-no_days
367         no_days1               = ls_itab-no_days1
368         gv_1p26                = ls_itab-gv_1p26
369         gv_1p23                = ls_itab-gv_1p23
370         gv_9051                = ls_itab-gv_9051
371         gv_9pb0                = ls_itab-gv_9pb0
372         gv_1p29                = ls_itab-gv_1p29
373 *         gv_5P07               = ls_itab-gv_5P07      "DS1K9A0J9D
374 *         gv_5P09               = ls_itab-gv_5P09      "DS1K9A0J9D
375         gv_9p24                = ls_itab-gv_9p24      "DS1K9A0JMD
376         gv_9p25                = ls_itab-gv_9p25      "DS1K9A0JMD
377         afp1                   = ls_itab-afp1
378         gv_1p28                = ls_itab-gv_1p28
379         gv_1p10                = ls_itab-gv_1p10
380         afp2                   = ls_itab-afp2
381         gv_rate                = ls_itab-gv_rate
382         gv_559                 = ls_itab-gv_559
383         fetch_date             = ls_itab-fetch_date
384         dni_ruc                = ls_itab-dni_ruc
385     importing
386         /lbcddb/formoutput = fp_formoutput
387     exceptions
388         usage_error           = 1
389         system_error          = 2
390         internal_error        = 3.
391     if sy-subrc <> 0.
392 *     <error handling>
393     endif.
394
395
396     call function 'FP_JOB_CLOSE'
397 *     IMPORTING
398 *         E_RESULT             =
399     exceptions
400         usage_error           = 1
401         system_error          = 2
402         internal_error        = 3
403         others                 = 4.
404     if sy-subrc <> 0.
405 *     Implement suitable error handling here
406     endif.
407
408     perform convet_pdf_binary.
409     pdf_xstring = fp_formoutput-pdf.
410
411     if pstring is initial.      "Added under DS1K9A0RCC 2000007959 by Jaisy
412         clear pdf_encr_xstring.
413         perform encryptpdf using ls_itab-pernr
414 *         fp_formoutput-pdf
415         pdf_xstring
416         "t_att_content_hex
417         pdf_encr_xstring

```

```

418             pdf_encr_size
419             ls_itab-zpassword
420             encrypt_err.
421     if encrypt_err <> 0.
422     endif.
423     perform mail_attachment.
424 else.
425     export pdf_xstring to memory id 'PDFCTS'. "Added under DS1K9A0RCC 20
00007959 by Jaisy
426 endif."DS1K9A0RCC 2000007959 by Jaisy
427 endloop.
428 endform.
429 *&-----*
430 *&      Form  INITIALIZE
431 *&-----*
432 *      text
433 *-----*
434 *  →  p1      text
435 *  ←  p2      text
436 *-----*
437 form initialize .
438     variant-report = sy-repid.      " This is to enable variant selection
439     variant-log_group = 'ZVAR'.    " on screen 2 when not done on sel.scr
440
441 * Set up table with column headings and display parameters.
442 *name length desc datatype dec sum noout
443
444     perform column using:
445         'PERNR' '10' 'Empleada/Empleado' ' ' ' ' ' ',      " Pers. No.
446         'NAME' '40' 'Nombre' ' ' ' ' ' ',      " Surname
447         'EMAIL' '60' 'Email Id' ' ' ' ' ' ',      " Company code
448         'STATUS' '80' 'Detalles' ' ' ' ' ' '.      " Costcentre
449
450 * Printing layout
451     print-no_print_selinfos = 'X'.      " display no selection infos
452     print-no_coverpage = 'X'.
453     print-reserve_lines = 1.      " lines reserved for end of page
454     print-no_print_listinfos = 'X'.      " display no listinfos
455
456 * Display options
457     layout-colwidth_optimize = ' '.      " no column width optimization
458     layout-no_colhead      = ' '.      " no headings
459     layout-no_hotspot      = ' '.      " headings not as hotspot
460     layout-zebra      = 'X'.      " striped pattern
461     layout-no_vline      = ' '.      " columns separated by space
462     layout-no_min_linesize = ' '.      " line size = width of the list
463
464 * Sums
465     layout-no_sumchoice      = ' '.      " no choice for summing up
466     layout-no_totalline      = ' '.      " no total line
467     layout-no_subchoice      = ' '.      " no choice for subtotals
468     layout-no_subtotals      = ' '.      " no subtotals possible
469     layout-numc_sum      = ' '.      " totals for NUMC-Fields possib.
470     layout-totals_only      = ' '.      " show only totals
471     layout-totals_text      = 'Grand total:'.
472     layout-subtotals_text      = 'Sub total:'.
473
474 * Set up table with subroutine to be used for top-of-page processing.
475     report = sy-repid.      " THIS IS ESSENTIAL FOR TOP-OF-PAGE & EVENTS
476
477 * call function 'REUSE_ALV_EVENTS_GET'

```

```

478 *      exporting
479 *      i_list_type = 0
480 *      importing
481 *      et_events    = event.
482 *      read table event with key name =  slis_ev_top_of_page
483 *      into ls_event.
484 *      if sy-subrc = 0.
485 *          move 'TOP_OF_PAGE' to ls_event-form.
486 *          append ls_event to event.
487 *      endif.
488
489 endform.
490 *&-----*
491 *&      Form    COLUMN
492 *&-----*
493 *      text
494 *-----*
495 *      —>P_0740    text
496 *      —>P_0741    text
497 *      —>P_0742    text
498 *      —>P_0743    text
499 *      —>P_0744    text
500 *      —>P_0745    text
501 *      —>P_0746    text
502 *-----*
503 form column using name length desc datatype dec sum noout.
504   clear fldcat.
505
506   move desc to fldcat-seltext_1.
507
508   fldcat-row_pos = 0.
509   fldcat-fieldname = name.
510   fldcat-outputlen = length.
511   fldcat-datatype = datatype.
512   fldcat-decimals_out = dec.
513   fldcat-do_sum = sum.
514   fldcat-no_out = noout.
515   append fldcat.
516 endform.
517 *&-----*
518 *&      Form    CREATE_ADOBE_FORM_DOWNLOAD
519 *&-----*
520 *      text
521 *-----*
522 *      —>  p1      text
523 *      <—  p2      text
524 *-----*
525 form create_adobe_form_download .
526   types:begin of ty_pdf,
527         pdf_content type xstring,
528         end of ty_pdf.
529
530   data:all_pdf type standard table of ty_pdf,
531         wa_pdf type ty_pdf.
532   data: data_tab type table of x255.
533   data: data_tab2 type table of x255.
534   data: lo_pdf_merger      type ref to cl_rspo_pdf_merge,
535         lv_merged_document type xstring,
536         lv_rc              type i.
537   data:e_pdf_table type tfpcontent.
538   data:xpdf type xstring.

```



```

539
540 fp_outputparams-nodialog = 'X'.
541 fp_outputparams-regnew = 'X'.
542 * fp_outputparams-getpdf = 'X'.
543 * fp_outputparams-preview = space.
544 fp_outputparams-assemble = 'S'.
545
546 fp_outputparams-nodialog = 'X'.
547 fp_outputparams-assemble = 'S'.
548 fp_outputparams-getpdf = 'M'.
549 fp_outputparams-bumode = 'M'.
550
551 call function 'FP_JOB_OPEN'
552     changing
553         ie_outputparams = fp_outputparams
554     exceptions
555         cancel = 1
556         usage_error = 2
557         system_error = 3
558         internal_error = 4
559         others = 5.
560 if sy-subrc <> 0.
561 * Implement suitable error handling here
562 endif.
563
564 call function 'FP_FUNCTION_MODULE_NAME'
565     exporting
566         i_name = 'ZPY_AFP_CTS_FORM'
567     importing
568         e_funcname = fm_name.
569
570 fp_docparams-langu = 'E'.
571 fp_docparams-country = 'US'.
572 * fp_docparams-fillable = 'X'.
573 fp_docparams-langu = 'E'.
574 fp_docparams-dynamic = 'X'.
575 * fp_docparams-fillable = 'X'.
576
577 loop at lt_itab into ls_itab.
578     call function fm_name
579         exporting
580             /lbcdw/docparams = fp_docparams
581             zty_peru_cts_str = ls_itab-lt_zperu_cts "****Added by Kundan u
nder 2000007771
582             gv_9pbc = ls_itab-gv_9pbc "****Added by Kundan under
2000007771
583             company_name = ls_itab-company_name
584             company_name1 = ls_itab-company_name1
585             address = ls_itab-address
586             ruc_no = ls_itab-ruc_no
587             bank_name = ls_itab-bank_name
588             account_no = ls_itab-account_no
589             pay_curr = ls_itab-pay_curr
590             pay_curr1 = ls_itab-pay_curr1
591             dnice = ls_itab-dnice
592             name = ls_itab-name
593             name1 = ls_itab-name1
594             tech_date = ls_itab-tech_date
595             period = ls_itab-period
596             no_days = ls_itab-no_days
597             no_days1 = ls_itab-no_days1

```

```

598         gv_1p26             = ls_itab-gv_1p26
599         gv_1p23             = ls_itab-gv_1p23
600         gv_9051             = ls_itab-gv_9051
601         gv_9pb0             = ls_itab-gv_9pb0
602         gv_1p29             = ls_itab-gv_1p29
603 *         gv_5P07             = ls_itab-gv_5P07 "DS1K9A0J9D
604 *         gv_5P09             = ls_itab-gv_5P09 "DS1K9A0J9D
605         gv_9p24             = ls_itab-gv_9p24 "DS1K9A0JMD
606         gv_9p25             = ls_itab-gv_9p25 "DS1K9A0JMD
607         afp1                 = ls_itab-afp1
608         gv_1p28             = ls_itab-gv_1p28
609         gv_1p10             = ls_itab-gv_1p10
610         afp2                 = ls_itab-afp2
611         gv_rate              = ls_itab-gv_rate
612         gv_559               = ls_itab-gv_559
613         fetch_date           = ls_itab-fetch_date
614         dni_ruc              = ls_itab-dni_ruc
615     importing
616         /lbcdwbf/formoutput = fp_formoutput
617     exceptions
618         usage_error          = 1
619         system_error         = 2
620         internal_error       = 3.
621     if sy-subrc <> 0.
622 *     <error handling>
623     endif.
624
625
626     endloop.
627     call function 'FP_JOB_CLOSE'
628 *     IMPORTING
629 *     E_RESULT              =
630     exceptions
631         usage_error          = 1
632         system_error         = 2
633         internal_error       = 3
634         others                = 4.
635     if sy-subrc <> 0.
636 *     Implement suitable error handling here
637     endif.
638
639     create object lo_pdf_merger.
640     call function 'FP_GET_PDF_TABLE'
641         importing
642             e_pdf_table = e_pdf_table.
643
644     loop at e_pdf_table into data(lwa_form).
645         lo_pdf_merger->add_document( lwa_form ).
646     endloop.
647
648     lo_pdf_merger->merge_documents( importing merged_document = lv_merged_
document
649                                     rc = lv_rc ).
650     fp_formoutput-pdf = lv_merged_document.
651
652     call function 'SCMS_XSTRING_TO_BINARY'
653         exporting
654             buffer          = fp_formoutput-pdf
655         tables
656             binary_tab = data_tab2.
657

```

```
658     append lines of data_tab2 to data_tab.
659     clear data_tab2.
660
661
662     cl_gui_frontend_services=>gui_download(
663         exporting
664             filename = p_locdir
665             filetype = 'BIN'
666             changing
667 *           data_tab = data_tab ).
668         data_tab = data_tab ).
669     cl_gui_frontend_services=>execute(
670         exporting
671             document = p_locdir ).
672
673
674 endform.
```

Title:
Employee CTS Slip

Selection texts:

P_DISP	Display payslip
P_DOWN	Download
P_LOCDIR	
P_SEND	Send Email

Owner..... SAP
Short text..... Integration IMG - Funktionsmodell - SAP-Analyzer
Edit Language DE
Status 01.06.15

[SSV_M](#)

Subroutines:		Line	Page
COLUMN.....	ZRPPY0363_CREATE_ADOBE_FORMF01	444	23
	ZRPPY0363_CREATE_ADOBE_FORMF01	444	23
	ZRPPY0363_CREATE_ADOBE_FORMF01	444	23
	ZRPPY0363_CREATE_ADOBE_FORMF01	444	23
	ZRPPY0363_CREATE_ADOBE_FORMF01	503	24
CONVERT_DATE.....	ZRPPY0363	344	7
	ZRPPY0363	390	8
	ZRPPY0363	391	8
	ZRPPY0363	727	14
CONVET_PDF_BINARY.....	ZRPPY0363_CREATE_ADOBE_FORMF01	108	17
	ZRPPY0363_CREATE_ADOBE_FORMF01	408	22
CREATE_ADOBE_FORM.....	ZRPPY0363	250	6
	ZRPPY0363_CREATE_ADOBE_FORMF01	12	16
CREATE_ADOBE_FORM_DOWNLOAD....	ZRPPY0363	259	6
	ZRPPY0363_CREATE_ADOBE_FORMF01	525	24
CREATE_ADOBE_FORM_SEND.....	ZRPPY0363	255	6
	ZRPPY0363_CREATE_ADOBE_FORMF01	307	21
DISPLAY_DATA.....	ZRPPY0363	264	6
	ZRPPY0363_CREATE_ADOBE_FORMF01	274	20
ENCRYPTPDF.....	ZRPPY0363_CREATE_ADOBE_FORMF01	128	18
	ZRPPY0363_CREATE_ADOBE_FORMF01	413	22
FETCH_DATA.....	ZRPPY0363	241	6
	ZRPPY0363	274	6
FILL_ITAB.....	ZRPPY0363	243	6
	ZRPPY0363	665	13
GET_DATA_DATE.....	ZRPPY0363	235	6
	ZRPPY0363	749	14
INITIALIZE.....	ZRPPY0363	182	5
	ZRPPY0363_CREATE_ADOBE_FORMF01	437	23
MAIL_ATTACHMENT.....	ZRPPY0363_CREATE_ADOBE_FORMF01	165	18
	ZRPPY0363_CREATE_ADOBE_FORMF01	423	23
READ_PAYRESULT.....	ZRPPY0363	242	6
	ZRPPY0363	420	9

Messages:		Line	Page
?.....	ZRPPY0363	196	5
?.....	ZRPPY0363	209	5
?.....	ZRPPY0363	229	5

External calls

Function modules:		Line	Page
?.....	ZRPPY0363_CREATE_ADOBE_FORMF01	38	16
?.....	ZRPPY0363_CREATE_ADOBE_FORMF01	348	21
?.....	ZRPPY0363_CREATE_ADOBE_FORMF01	578	25
CCM GO BACK MONTHS.....	ZRPPY0363	438	9
CONVERSION_EXIT_INVDT_INPUT...	ZRPPY0363	763	15
CONVERT_DATE_TO_EXTERNAL.....	ZRPPY0363	729	14
	ZRPPY0363	751	14
CU_READ_RGDIR.....	ZRPPY0363	490	10
FP_FUNCTION_MODULE_NAME.....	ZRPPY0363_CREATE_ADOBE_FORMF01	26	16
	ZRPPY0363_CREATE_ADOBE_FORMF01	326	21
	ZRPPY0363_CREATE_ADOBE_FORMF01	564	25
FP_GET_PDF_TABLE.....	ZRPPY0363_CREATE_ADOBE_FORMF01	640	26
FP_JOB_CLOSE.....	ZRPPY0363_CREATE_ADOBE_FORMF01	87	17
	ZRPPY0363_CREATE_ADOBE_FORMF01	396	22
	ZRPPY0363_CREATE_ADOBE_FORMF01	627	26
FP_JOB_OPEN.....	ZRPPY0363_CREATE_ADOBE_FORMF01	13	16
	ZRPPY0363_CREATE_ADOBE_FORMF01	312	21
	ZRPPY0363_CREATE_ADOBE_FORMF01	551	25
PYXX_GET_RELID_FROM_PERNR.....	ZRPPY0363	474	10
PYXX_READ_PAYROLL_RESULT.....	ZRPPY0363	520	10
REUSE_ALV_GRID_DISPLAY.....	ZRPPY0363_CREATE_ADOBE_FORMF01	281	20
SCMS_XSTRING_TO_BINARY.....	ZRPPY0363_CREATE_ADOBE_FORMF01	109	17
	ZRPPY0363_CREATE_ADOBE_FORMF01	652	26
Z_FILE_PDF_ENCRYPT.....	ZRPPY0363_CREATE_ADOBE_FORMF01	134	18

DATABASE OPERATIONS

SELECT:		Line	Page
ADRC.....	ZRPPY0363	313	7
BNKA.....	ZRPPY0363	323	7
PA0000.....	ZRPPY0363	349	8
PA0014.....	ZRPPY0363	460	9
PA0021.....	ZRPPY0363	447	9
T001.....	ZRPPY0363	310	7
T001Z.....	ZRPPY0363	299	7
T511P.....	ZRPPY0363	454	9
	ZRPPY0363	463	9
TCURR.....	ZRPPY0363	769	15
ZPERU_CTS.....	ZRPPY0363	555	11

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
LT_0000.....	ZRPPY0363	351	8
	ZRPPY0363	356	8
	ZRPPY0363	367	8
LT_0021.....	ZRPPY0363	451	9
LT_CURR.....	ZRPPY0363	775	15
LT_ZPERU_CTS.....	ZRPPY0363	603	12
P0001.....	RP-PROVIDE-FROM-LAST	0	
P0002.....	RP-PROVIDE-FROM-LAST	0	
P0008.....	RP-PROVIDE-FROM-LAST	0	
P0009.....	RP-PROVIDE-FROM-LAST	0	
	RP-PROVIDE-FROM-LAST	0	
P0041.....	RP-PROVIDE-FROM-LAST	0	
	ZRPPY0363	335	7
P0105.....	RP-PROVIDE-FROM-LAST	0	
P9041.....	RP-PROVIDE-FROM-LAST	0	
	RP-PROVIDE-FROM-LAST	0	

MODIFY:

		Line	Page
LT_ITAB.....	ZRPPY0363_CREATE_ADOBE_FORMF01	260	20
	ZRPPY0363_CREATE_ADOBE_FORMF01	263	20
LT_ZPERU_CTS.....	ZRPPY0363	606	12

DELETE:

		Line	Page
LT_ZPERU_CTS.....	ZRPPY0363	649	13