

Modul 5

Langkah 6 dan 7

```
C:\Windows\system32\cmd.exe - mysql -u root -p

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(29, 119, 7, 'debit', '2009-12-5', 100000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(30, 110, 9, 'debit', '2009-12-6', 20000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> UPDATE nasabah
-> SET alamat_nasabah = 'Jl. Slamet Riyadi No.34'
-> WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.005 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank
-> SET alamat_cabang = 'Jl. A. Yani No.23'
-> WHERE kode_cabang = 'BRUH';
Query OK, 1 row affected (0.004 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah
-> WHERE id_nasabah = 7;
Query OK, 1 row affected (0.004 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank
-> WHERE nama_cabang = 'Bank Rut Unit Magelang';
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]>
```

Tugas

```
C:\Windows\system32\cmd.exe - mysql -u root -p

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(11, 'Kunil', 'Disini');
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(12, 'Mantol', 'Disana');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(13, 'Nizza', 'Dimana');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(14, 'N-wond', 'Kamana');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(15, 'Jotaro', 'Kesana');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(16, 'Sempai', 'Kesini');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(17, 'Mantod', 'Kesitu');
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(18, 'Lerolero', 'Disitu');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(19, 'Popo', 'Jupun');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(20, 'Corona-chan', 'Dimana mana');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]>
```

```
C:\Windows\system32\cmd.exe - mysql -u root -p

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUH', 'A1', 'Jl. Slamet Riyadi 91');
Query OK, 1 row affected (0.006 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUJ', 'A2', 'Jl. Slamet Riyadi 92');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUJ', 'A3', 'Jl. Slamet Riyadi 93');
Query OK, 1 row affected (0.005 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUJ', 'A4', 'Jl. Slamet Riyadi 94');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUX', 'A5', 'Jl. Slamet Riyadi 95');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUV', 'A6', 'Jl. Slamet Riyadi 96');
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUA', 'A7', 'Jl. Slamet Riyadi 97');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRIV', 'A8', 'Jl. Slamet Riyadi 98');
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRIT', 'A9', 'Jl. Slamet Riyadi 99');
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRQA', 'A10', 'Jl. Slamet Riyadi 100');
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]>
```

```
C:\Windows\system32\cmd.exe - mysql -u root -p
```

C:\Windows\system32\cmd.exe - mysql -u root -p

```
C:\Windows\system32\cmd.exe - mysql -u root -p
```