

# 第3次隨堂-隨堂-QZ3

---

學號：108111121

姓名：郭柏葳

作業撰寫時間：180 (mins，包含程式撰寫時間)

最後撰寫文件日期：2022/11/15

本份文件包含以下主題：(至少需下面兩項，若是有多者可以自行新增)

■說明內容

■個人認為完成作業須具備觀念

## 說明程式與內容

---

使用第一個FOR迴圈讓第一個陣列產生表單內的東西 第二個FOR迴圈是讓第二個表單內的東西配合第一個表單顯示

```
public partial class Test : System.Web.UI.Page
{

    string[] s_City = new string[3] { "台北市", "新北市", "台中市" };
    string[,] s_Area = new string[3, 3] {
        {"中正區", "文山區", "大安區"},
        {"淡水區", "石碇區", "土城區"},
        {"西屯區", "北屯區", "東區"}
    };

    protected void Page_Load(object sender, EventArgs e)
    {
        {
            if (!IsPostBack)
            {
                for (int I = 0; I < s_City.Length; I++)
                {
                    ListItem a_C = new ListItem();
                    a_C.Text = a_C.Value = s_City[I];
                    dpl_City.Items.Add(a_C);
                }
            }

            mt_GenSecondList();
        }
    }
}
```

```

    }

    protected void dpl_City_SelectedIndexChanged(object sender, EventArgs e)
    {
        {
            mt_GenSecondList();
        }
    }
    protected void mt_GenSecondList()
    {
        int i_ind = dpl_City.SelectedIndex;
        dpl_Area.Items.Clear();
        for (int J = 0; J < s_Area.GetLength(1); J++)
        {
            ListItem a_C = new ListItem();
            a_C.Text = a_C.Value = s_Area[i_ind, J];

            dpl_Area.Items.Add(a_C);
        }
    }
}

```

若要於內文中標示部分.aspx檔，則使用以下標籤 ``html 程式碼 ``，下段程式碼則為使用後結果：

```
<%@ Page Language="C#" AutoEventWireup="true" ...>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8"/>
```

```
<title></title>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<div>
```

```
<h1>保單電訪記錄</h1>
```

```
紀錄編碼:
```

```
<asp:TextBox ID="tb_Num" runat="server"></asp:TextBox>
```

```
<br/>
```

```
聯絡方式:
```

```
<asp:RadioButtonList ID="rbl_Phone" runat="server" RepeatDirection="
```

```
<asp:ListItem Text="手機" Selected="True"></asp:ListItem>
```

```
<asp:ListItem Text="市話"></asp:ListItem>
<asp:ListItem Text="無"></asp:ListItem>
</asp:RadioButtonList><br/>
<asp:TextBox ID="txt_Phone" runat="server"></asp:TextBox>
<br/>
<br/>
縣市與區域:
<asp:DropDownList ID="dpl_City" runat="server" OnSelectedIndexChanged
<asp:DropDownList ID="dpl_Area" runat="server"></asp:DropDownList>
<br/>
<asp:Button ID="btn_Submit" runat="server" Text="送出" PostBackUrl="
</div>
</form>
</body>
</html>
```

## 個人認為完成作業須具備觀念

---

陣列的使用方式，熟讀題目開啟個物件所需要開啟的事項，期中考時忘記開AutoPostBack導致答案顯示錯誤，這次將AutoPostBack開啟後答案就顯示正常。