

PDF 4

GENERATIVE ADVERSARIAL NETWORKS (GANs) FOR WEB SERVICE CLASSIFICATION

(Xie et al., 2023)

TITLE PAGE

Generative Adversarial Networks for Web Service Classification

A Mini Project Report Submitted in Partial Fulfillment of Literature Survey Requirements

Submitted By:

- Kuresu Sahu
- Mahes Kumar Sahu
- Sourava Pradhan
- Srikanta Panigrahy

Department of Computer Science and Engineering

Roland Institute of Technology

2026

ABSTRACT

Generative Adversarial Networks (GANs) are advanced deep learning models consisting of two neural networks called the Generator and the Discriminator. GANs are capable of learning complex data distributions and generating realistic data representations.

This report discusses the use of GANs for web service classification. The study explains GAN architecture, adversarial learning, methodology, advantages, disadvantages, observations, and result analysis. GAN-based systems improve classification accuracy by learning better feature representations from heterogeneous datasets.

INTRODUCTION

The rapid growth of web services has created challenges in accurately classifying and recommending high-quality services. Traditional machine learning models often struggle with heterogeneous datasets and incomplete information.

Generative Adversarial Networks provide an advanced deep learning solution for representation learning. GANs improve feature extraction and classification performance through adversarial training.

GAN-based models are capable of learning hidden patterns and generating better service representations for intelligent classification systems.

OBJECTIVES

Objectives of the Study

1. To study GAN architecture.
2. To understand adversarial learning.
3. To improve web service classification accuracy.
4. To learn hidden data representations.
5. To analyze GAN performance on heterogeneous datasets.
6. To compare GANs with traditional models.

EXISTING SYSTEM

Traditional classification systems used:

- Decision Tree
- SVM
- Logistic Regression
- Random Forest

These methods struggled with:

- Complex datasets
- High-dimensional features
- Representation learning
- Limited scalability

PROPOSED SYSTEM

The proposed system uses Generative Adversarial Networks for web service classification.

Technique Used

- Adversarial learning
- Deep neural networks
- Feature representation learning
- Generator-discriminator training

The GAN model learns hidden patterns from web service datasets.

GAN ARCHITECTURE

Components of GAN

1. Generator

The generator creates synthetic data samples similar to real web service data.

2. Discriminator

The discriminator identifies whether the data is real or generated.

Both networks compete with each other during training, improving overall learning performance.

METHODOLOGY

Steps Involved

1. Data Collection
2. Data Preprocessing
3. Generator Training
4. Discriminator Training
5. Adversarial Optimization
6. Feature Learning
7. Final Classification

The model continuously improves through adversarial learning.

WORKING PROCESS

The generator network creates synthetic web service data while the discriminator attempts to distinguish real and generated samples.

As training progresses, both networks improve simultaneously. The GAN model learns high-quality feature representations and improves classification accuracy.

The final model classifies services into different quality categories.

ADVANTAGES

Advantages of GANs

- Better feature learning
- High classification accuracy
- Handles heterogeneous datasets
- Improved representation learning
- Advanced deep learning capability

DISADVANTAGES

Disadvantages

- Training instability
- High computational cost
- Complex implementation
- Difficult parameter tuning
- Long training time

OBSERVATION

The GAN-based model showed strong capability in learning hidden data representations and improving classification performance.

However, training instability and computational complexity remained major challenges during implementation.

RESULT ANALYSIS

Performance Analysis

GAN-based systems achieved:

- Better feature extraction
- Improved classification performance
- Enhanced dataset representation
- Better handling of heterogeneous data

The model outperformed several traditional machine learning methods.

CONCLUSION

Generative Adversarial Networks provide a powerful deep learning approach for web service classification. Through adversarial learning, GANs improve feature representation and classification accuracy.

Although GAN models require high computational resources and careful tuning, they offer significant advantages for intelligent classification systems.

BIBLIOGRAPHY

1. Xie et al., “GANs for Web Service Classification”, 2023.
2. Ian Goodfellow et al., “Generative Adversarial Networks”.
3. IEEE Research Papers on GANs.
4. Deep Learning Journals.