
ium.com/v2/replay



```
MINGW32:/d/lab_work
                                                                        ×
                                                                                 A E ME
Олия@Lenovo-PC MINGW32 /d/lab_work (my_branch)
$ git push
fatal: The current branch my_branch has no upstream branch.
To push the current branch and set the remote as upstream, use
    git push --set-upstream origin my_branch
Юлия@Lenovo-PC MINGW32 /d/lab_work (my_branch)
$ git push --set-upstream origin my_branch
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 421 bytes | 21.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0)
 emote:
 remote: Create a pull request for 'my_branch' on GitHub by visiting:
 emote:
             https://github.com/KurilovaYuliia/lab_work/pull/new/my_branch
remote:
To https://github.com/KurilovaYuliia/lab_work.git
 * [new branch]
                     my_branch -> my_branch
Branch 'my_branch' set up to track remote branch 'my_branch' from 'origin'.
Олия@Lenovo-PC MINGW32 /d/lab_work (my_branch)
Юлия@Lenovo-PC MINGW32 /d/lab_work (my_branch)
$ git push
Everything up-to-date
Олия@Lenovo-PC MINGW32 /d/lab_work (my_branch)
```

