

General

Access

Collaborators and teams

Moderation options

▼

Code and automation

Branches

Tags

Actions

▼

Webhooks

Environments

Pages

Security

Code security and analysis

Deploy keys

Secrets and variables

▼

Integrations

GitHub apps

Email notifications

Branch protection rule

Branch name pattern *

main

Applies to 1 branch

Protect matching branches

☒ Require a pull request before merging

When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule.

☒ Require approvals

When enabled, pull requests targeting a matching branch require a number of approvals and no changes requested before they can be merged.

Required number of approvals before merging: 1 ▾

☒ Dismiss stale pull request approvals when new commits are pushed

New reviewable commits pushed to a matching branch will dismiss pull request review approvals.

☒ Require review from Code Owners

Require an approved review in pull requests including files with a designated code owner.

☐ Restrict who can dismiss pull request reviews

Specify people, teams, or apps allowed to dismiss pull request reviews.

☐ Allow specified actors to bypass required pull requests

Specify people, teams, or apps who are allowed to bypass required pull requests.

☒ Require approval of the most recent reviewable push

Whether the most recent reviewable push must be approved by someone other than the person who pushed it.

☐ Require status checks to pass before merging

Choose which [status checks](#) must pass before branches can be merged into a branch that matches this rule. When enabled, commits must first be pushed to another branch, then merged or pushed directly to a branch that matches this rule after status checks have passed.

☒ Require conversation resolution before merging

When enabled, all conversations on code must be resolved before a pull request can be merged into a branch that matches this rule. [Learn more](#).

☐ Require signed commits

Commits pushed to matching branches must have verified signatures.

☒ Require linear history

Prevent merge commits from being pushed to matching branches.

☐ Require merge queue Beta

Merges to matching branches must be performed via a merge queue.

☐ Require deployments to succeed before merging

Choose which environments must be successfully deployed to before branches can be merged into a branch that matches this rule.



Lock branch

Branch is read-only. Users cannot push to the branch.



Do not allow bypassing the above settings

The above settings will apply to administrators and custom roles with the "bypass branch protections" permission.



Restrict who can push to matching branches

Specify people, teams, or apps allowed to push to matching branches. Required status checks will still prevent these people, teams, and apps from merging if the checks fail.

Rules applied to everyone including administrators



Allow force pushes

Permit force pushes for all users with push access.



Everyone

Permit force pushes for all users with push access.



Specify who can force push

Only these people, teams, or apps are allowed to force push.



Search for people, teams, or apps

People, teams, or apps who can force push



Organization and repository administrators (automatic)



kurisaW
Yifang



Allow deletions

Allow users with push access to delete matching branches.

Save changes