



```
[I] → brew reinstall zsh-vi-mode
==> Downloading https://mirrors.aliyun.com/homebrew/homebrew-bottles/zsh-vi-mode-0.8.5.all.bottle.tar.gz
Already downloaded: /Users/cxr/Library/Caches/Homebrew/downloads/bdd34ac6b5d5460c1922c0a78d97d95f9be464ee7e8db63cac054ca0d1f4cf75--zsh-vi-mode-0.8.5.all.bottle.tar.gz
==> Reinstalling zsh-vi-mode
==> Pouring zsh-vi-mode-0.8.5.all.bottle.tar.gz
==> Caveats
To activate the zsh vi mode, add the following line to your .zshrc:
  source /opt/homebrew/opt/zsh-vi-mode/share/zsh-vi-mode/zsh-vi-mode.plugin.zsh
==> Summary
📦 /opt/homebrew/Cellar/zsh-vi-mode/0.8.5: 6 files, 108.8KB
==> `brew cleanup` has not been run in the last 30 days, running now...
Disable this behaviour by setting HOMEBREW_NO_INSTALL_CLEANUP.
Hide these hints with HOMEBREW_NO_ENV_HINTS (see `man brew`).
Removing: /Users/cxr/Library/Caches/Homebrew/autojump--22.5.3_3.arm64_monterey.bottle.tar.gz... (46.3KB)
Removing: /Users/cxr/Library/Caches/Homebrew/brotli--1.0.9.arm64_monterey.bottle.tar.gz... (993.3KB)
Removing: /Users/cxr/Library/Caches/Homebrew/c-ares--1.18.1_1.arm64_monterey.bottle.tar.gz... (156.7KB)
Removing: /Users/cxr/Library/Caches/Homebrew/gdbm--1.23.arm64_monterey.bottle.tar.gz... (269.2KB)
Removing: /Users/cxr/Library/Caches/Homebrew/mpdecimal--2.5.1.arm64_monterey.bottle.tar.gz... (540.7KB)
Removing: /Users/cxr/Library/Caches/Homebrew/python@3.10--3.10.2.arm64_monterey.bottle.tar.gz... (14.4MB)
Removing: /Users/cxr/Library/Caches/Homebrew/readline--8.1.2.arm64_monterey.bottle.tar.gz... (560.3KB)
Removing: /Users/cxr/Library/Caches/Homebrew/xz--5.2.5.arm64_monterey.bottle.tar.gz... (414.8KB)
Removing: /Users/cxr/Library/Caches/Homebrew/zsh-syntax-highlighting--0.7.1.arm64_monterey.bottle.1.tar.gz... (44.3KB)
Removing: /Users/cxr/Library/Caches/Homebrew/guile_bottle_manifest--3.0.7_2... (12.2KB)
Removing: /Users/cxr/Library/Logs/Homebrew/ncurses... (64B)
Removing: /Users/cxr/Library/Logs/Homebrew/utf8proc... (64B)
Removing: /Users/cxr/Library/Logs/Homebrew/tmux... (64B)
Pruned 2 symbolic links from /opt/homebrew
```

Movement

- `$` : To the end of the line
- `^` : To the first non-blank character of the line
- `0` : To the first character of the line
- `w` : [count] words forward
- `W` : [count] WORDS forward
- `e` : Forward to the end of word [count] inclusive
- `E` : Forward to the end of WORD [count] inclusive
- `b` : [count] words backward
- `B` : [count] WORDS backward
- `t{char}` : Till before [count]'th occurrence of {char} to the right
- `T{char}` : Till before [count]'th occurrence of {char} to the left
- `f{char}` : To [count]'th occurrence of {char} to the right
- `F{char}` : To [count]'th occurrence of {char} to the left
- `;` : Repeat latest f, t, F or T [count] times
- `,` : Repeat latest f, t, F or T in opposite direction

Insertion

- **i** : Insert text before the cursor
- **I** : Insert text before the first character in the line
- **a** : Append text after the cursor
- **A** : Append text at the end of the line
- **o** : Insert new command line below the current one
- **O** : Insert new command line above the current one