KUZLAB - KuzFM [WebRadiO]

COMPLETE AZURACAST INSTALLATION WITH APACHE (DEBIAN 12)

SYSTEM PREREQUISITES

- Debian GNU/Linux 12 (bookworm)
- Root access
- Docker and Docker Compose v2
- Apache2 already running in production
- Domain name: radio.kuzai.org
- Existing Let’s Encrypt certificate
- Recommended minimum resources:
  - CPU: 2 vCPU (4 recommended)
  - RAM: 2 GB minimum (4 GB recommended)

FULL CLEANUP OF A PREVIOUS AZURACAST INSTALLATION

```
docker ps -a | grep azuracast
docker stop azuracast azuracast_updater 2>/dev/null || true
docker rm azuracast azuracast_updater 2>/dev/null || true

docker volume rm \
  azuracast_db_data \
  azuracast_station_data \
  azuracast_backups \
  azuracast_www_uploads \
  azuracast_sftpgo_data \
  azuracast_geolite_install \
  azuracast_shoutcast2_install \
  azuracast_stereo_tool_install \
  azuracast_rsas_install \
  azuracast_acme 2>/dev/null || true

docker network rm azuracast_default azuracast_installer_default 2>/dev/null || true

rm -rf /var/azuracast/*
```

Validation:

```
docker ps -a | grep azura || echo OK
docker volume ls | grep azura || echo OK
```

AZURACAST DOWNLOAD AND INSTALLATION

```
mkdir -p /var/azuracast
cd /var/azuracast
curl -fsSL https://raw.githubusercontent.com/AzuraCast/AzuraCast/main/docker.sh -o docker.sh
chmod +x docker.sh
```

Run the installer:

```
./docker.sh install
```

Recommended choices during the interactive installer:

- Release channel: Stable
- Customize ports: YES
- HTTP port: 10080

- HTTPS port: 10443
- SFTP port: 2022
- Minimum station port: 8010
- Enable web updater: YES
- Block common crawlers: NO

FINAL DOCKER-COMPOSE FILE (SINGLE RADIO PORT 8010)

Create or replace `/var/azuracast/docker-compose.yml`:

```
name: azuracast
services:
  web:
    container_name: azuracast
    image: ghcr.io/azuracast/azuracast:latest

    ports:
      - 127.0.0.1:10080:10080
      - 127.0.0.1:10443:10443
      - 127.0.0.1:2022:2022
      - 8010:8010

    env_file:
      - .env
      - azuracast.env

    volumes:
      - station_data:/var/azuracast/stations
      - backups:/var/azuracast/backups
      - db_data:/var/lib/mysql
      - www_uploads:/var/azuracast/storage/uploads
      - sftpgo_data:/var/azuracast/storage/sftpgo

    environment:
      NGINX_RADIO_PORTS: "(8010)"
      NGINX_WEBDJ_PORTS: ""

    restart: unless-stopped

volumes:
```

```
  station_data: {}
  backups: {}
  db_data: {}
  www_uploads: {}
  sftpgo_data: {}
```

STARTING THE CONTAINERS

```
docker compose up -d
```

Validation:

```
docker ps | grep azuracast
ss -lntp | grep 10080
```

APACHE CONFIGURATION (REVERSE PROXY)

File `/etc/apache2/sites-available/radio.kuzai.org.conf`:

```
<VirtualHost *:80>
  ServerName radio.kuzai.org

  ProxyPreserveHost On
  RequestHeader set X-Forwarded-Proto "http"
  ProxyPass / http://127.0.0.1:10080/
  ProxyPassReverse / http://127.0.0.1:10080/
</VirtualHost>

<VirtualHost *:443>
  ServerName radio.kuzai.org

  SSLEngine on
  SSLCertificateFile /etc/letsencrypt/live/radio.kuzai.org/fullchain.pem
  SSLCertificateKeyFile /etc/letsencrypt/live/radio.kuzai.org/privkey.pem

  ProxyPreserveHost On
  RequestHeader set X-Forwarded-Proto "https"
  ProxyPass / http://127.0.0.1:10080/
  ProxyPassReverse / http://127.0.0.1:10080/
</VirtualHost>
```

Enable and reload:

```
a2enmod proxy proxy_http ssl headers
a2ensite radio.kuzai.org
apachectl -t
systemctl reload apache2
```

FIRST ACCESS AND WEB CONFIGURATION

Web access:

```
https://radio.kuzai.org/setup
```

UI steps:

- Create admin user
- Create station
- Type: AutoDJ
- Format: MP3
- Recommended bitrate: 128 kbps

AUDIO UPLOAD AND CONVERSION

Convert WAV → MP3 (keep source files):

```
cd /media/elijah/Data-3/Downloads/KUZAI-BLACK/KUZAI-HK-GLITCH/KUZAI-SOUND/REMINISCENCES


for f in *.wav; do
  ffmpeg -i "$f" -vn -ar 44100 -ac 2 -b:a 128k "${f%.wav}.mp3"
done
```

Upload MP3 files via:

- AzuraCast web interface
- Or SFTP (port 2022)

FINAL URLS

- Public page: https://radio.kuzai.org/public/kuzfm
- MP3 stream: https://radio.kuzai.org/listen/kuzfm/radio.mp3
- Embed player: https://radio.kuzai.org/public/kuzfm/embed

GRAPHIC ASSETS

Recommended image sizes:

- MOBILE: 1080×1920 (9:16)
- DESKTOP: 2560×1440 (16:9)

Configured in:

Admin → Branding → Background Image (Public Pages)

END OF PROCESS

AzuraCast installation completed with:

- Apache reverse proxy
- HTTPS enabled
- Stable streaming
- 24/7 AutoDJ

COMPLETE AZURACAST INSTALLATION WITH APACHE (DEBIAN 12)

SYSTEM PREREQUISITES

- Debian GNU/Linux 12 (bookworm)
- Root access
- Docker and Docker Compose v2
- Apache2 already running in production
- Domain name: radio.kuzai.org
- Existing Let’s Encrypt certificate
- Recommended minimum resources:
  - CPU: 2 vCPU (4 recommended)
  - RAM: 2 GB minimum (4 GB recommended)

FULL CLEANUP OF A PREVIOUS AZURACAST INSTALLATION

```
docker ps -a | grep azuracast
docker stop azuracast azuracast_updater 2>/dev/null || true
docker rm azuracast azuracast_updater 2>/dev/null || true

docker volume rm \
  azuracast_db_data \
  azuracast_station_data \
  azuracast_backups \
```

```
  azuracast_www_uploads \
  azuracast_sftpgo_data \
  azuracast_geolite_install \
  azuracast_shoutcast2_install \
  azuracast_stereo_tool_install \
  azuracast_rsas_install \
  azuracast_acme 2>/dev/null || true

docker network rm azuracast_default azuracast_installer_default 2>/dev/null || true

rm -rf /var/azuracast/*
```

Validation:

```
docker ps -a | grep azura || echo OK
docker volume ls | grep azura || echo OK
```

AZURACAST DOWNLOAD AND INSTALLATION

```
mkdir -p /var/azuracast
cd /var/azuracast
curl -fsSL https://raw.githubusercontent.com/AzuraCast/AzuraCast/main/docker.sh -o docker.sh
chmod +x docker.sh
```

Run the installer:

```
./docker.sh install
```

Recommended choices during the interactive installer:

- Release channel: Stable
- Customize ports: YES
- HTTP port: 10080
- HTTPS port: 10443
- SFTP port: 2022
- Minimum station port: 8010
- Enable web updater: YES
- Block common crawlers: NO

FINAL DOCKER-COMPOSE FILE (SINGLE RADIO PORT 8010)

Create or replace `/var/azuracast/docker-compose.yml`:

```
name: azuracast
services:
  web:
    container_name: azuracast
    image: ghcr.io/azuracast/azuracast:latest

    ports:
      - 127.0.0.1:10080:10080
      - 127.0.0.1:10443:10443
      - 127.0.0.1:2022:2022
      - 8010:8010

    env_file:
      - .env
      - azuracast.env

    volumes:
      - station_data:/var/azuracast/stations
      - backups:/var/azuracast/backups
      - db_data:/var/lib/mysql
      - www_uploads:/var/azuracast/storage/uploads
      - sftpgo_data:/var/azuracast/storage/sftpgo

    environment:
      NGINX_RADIO_PORTS: "(8010)"
      NGINX_WEBDJ_PORTS: ""

    restart: unless-stopped

volumes:
  station_data: {}
  backups: {}
  db_data: {}
  www_uploads: {}
  sftpgo_data: {}
```

STARTING THE CONTAINERS

```
docker compose up -d
```

Validation:

```
docker ps | grep azuracast
ss -lntp | grep 10080
```

APACHE CONFIGURATION (REVERSE PROXY)

File `/etc/apache2/sites-available/radio.kuzai.org.conf`:

```
<VirtualHost *:80>
  ServerName radio.kuzai.org

  ProxyPreserveHost On
  RequestHeader set X-Forwarded-Proto "http"
  ProxyPass / http://127.0.0.1:10080/
  ProxyPassReverse / http://127.0.0.1:10080/
</VirtualHost>

<VirtualHost *:443>
  ServerName radio.kuzai.org

  SSLEngine on
  SSLCertificateFile /etc/letsencrypt/live/radio.kuzai.org/fullchain.pem
  SSLCertificateKeyFile /etc/letsencrypt/live/radio.kuzai.org/privkey.pem

  ProxyPreserveHost On
  RequestHeader set X-Forwarded-Proto "https"
  ProxyPass / http://127.0.0.1:10080/
  ProxyPassReverse / http://127.0.0.1:10080/
</VirtualHost>
```

Enable and reload:

```
a2enmod proxy proxy_http ssl headers
a2ensite radio.kuzai.org
apachectl -t
systemctl reload apache2
```

FIRST ACCESS AND WEB CONFIGURATION

Web access:

```
https://radio.kuzai.org/setup
```

UI steps:

- Create admin user
- Create station
- Type: AutoDJ
- Format: MP3
- Recommended bitrate: 128 kbps

AUDIO UPLOAD AND CONVERSION

Convert WAV → MP3 (keep source files):

```
cd /media/elijah/Data-3/Downloads/KUZAI-BLACK/KUZAI-HK-GLITCH/KUZAI-SOUND/REMINISCENCES


for f in *.wav; do
  ffmpeg -i "$f" -vn -ar 44100 -ac 2 -b:a 128k "${f%.wav}.mp3"
done
```

Upload MP3 files via:

- AzuraCast web interface
- Or SFTP (port 2022)

FINAL URLS

- Public page: https://radio.kuzai.org/public/kuzfm
- MP3 stream: https://radio.kuzai.org/listen/kuzfm/radio.mp3
- Embed player: https://radio.kuzai.org/public/kuzfm/embed

GRAPHIC ASSETS

Interface Player Desktop/Mobile CSS

```
html, body {
    height: 100%;
    margin: 0 !important;
```

```
}

/* DESKTOP par défaut */
body:has(.radio-player-widget) {
    padding: 0 !important;
    min-height: 100vh !important;
    height: 100vh !important;

    background-image: url("/static/uploads/KUZFM-PUBLIC.png");
    background-repeat: no-repeat !important;
    background-position: top center !important;
    background-size: 100% 100% !important;
    background-attachment: scroll !important;
    overflow: hidden !important;

    display: flex !important;
    align-items: center !important;
    justify-content: center !important;
}

/* Widget: compaction + réglages d'espacement */
body:has(.radio-player-widget) .radio-player-widget {
    margin: clamp(1rem, 3vw, 3rem) !important;
    display: flex !important;
    flex-direction: column !important;

    /* espace global entre les 3 niveaux */
    gap: 0.55rem !important;
}

/* Card global (si présent) */
#public-radio-player .card{
    background: rgba(0,0,0,0.30) !important;
    border: 3px solid rgba(255,255,255,1) !important;
    box-shadow: none !important;
    border-radius: 12px !important;

    /* IMPORTANT: ajouter un padding bas global
       => espace entre bord inférieur du lecteur et les boutons bas */
    padding-bottom: 0.65rem !important;
```

```
}

/* Réduire padding internes */
#public-radio-player .card-body,
#public-radio-player .card-header{
    padding-top: 0.55rem !important;
    padding-bottom: 0.55rem !important;
}

/* Texte global */
body:has(.radio-player-widget) .radio-player-widget,
body:has(.radio-player-widget) .radio-player-widget *{
    color: #fff !important;
}

/* ========================================================
   ESPACER UN PEU LES 2 BLOCS HORIZONTAUX DU HAUT
   - Bloc 1 : now playing (cover + titres)
   - Bloc 2 : contrôles (play/progress/volume)
   ======================================================== */

/* Bloc "Now playing" */
body:has(.radio-player-widget) .radio-player-widget > *:has(img),
body:has(.radio-player-widget) .radio-player-widget .card-body > *:has(img){
    background: rgba(0,0,0,0.22) !important;
    border: 2px solid rgba(255,255,255,0.85) !important;
    border-radius: 12px !important;

    padding: 0.55rem 0.65rem !important;
    margin: 0 0 0.35rem 0 !important;  /* <-- espace sous le bloc haut */
}

/* Cover */
body:has(.radio-player-widget) .radio-player-widget img{
    border-radius: 12px !important;
    border: 1px solid rgba(255,255,255,0.55) !important;
    box-shadow: none !important;
}

/* Contrôles (bloc avec bouton + slider) */
```

```
body:has(.radio-player-widget) .radio-player-widget > *:has(button):has(input),
body:has(.radio-player-widget) .radio-player-widget > *:has(.btn):has(input),
body:has(.radio-player-widget) .radio-player-widget .card-body > *:has(button):has(input),
body:has(.radio-player-widget) .radio-player-widget .card-body > *:has(.btn):has(input){
    background: rgba(0,0,0,0.20) !important;
    border: 3px solid rgba(255,255,255,0.60) !important;
    border-radius: 12px !important;

    padding: 0.45rem 0.65rem !important;

    /* <-- espace au-dessus du bloc contrôles */
    margin: 0.15rem 0 0.35rem 0 !important;

    display: flex !important;
    align-items: center !important;
    justify-content: center !important;
    gap: 0.75rem !important;
}

/* Boutons (play etc.) */
#public-radio-player .btn,
#public-radio-player button{
    border-radius: 999px !important;
    border: 3px solid rgba(255,255,255,0.70) !important;
    background: rgba(0,0,0,0.25) !important;
    box-shadow: none !important;
    margin: 0 !important;
}

/* Sliders */
#public-radio-player input[type="range"]{
    accent-color: #fff !important;
    opacity: 0.95 !important;
}

/* ==========================================================
   ENLEVER LA BARRE (séparateur)
   ========================================================== */
#public-radio-player hr{
    display: none !important;
```

```
    height: 0 !important;
    margin: 0 !important;
    border: 0 !important;
}
#public-radio-player .card-header,
#public-radio-player .card-body,
#public-radio-player .card-body.pt-0{
    border-top: 0 !important;
    border-bottom: 0 !important;
}
#public-radio-player .border-top,
#public-radio-player .border-bottom{
    border-top: 0 !important;
    border-bottom: 0 !important;
}

/* ==========================================================
   BOUTONS BAS: blancs + espace avec le bord inférieur
   ========================================================== */

/* Zone buttons: pas de cadre + espace en bas */
#public-radio-player .card-body.buttons,
body:has(.radio-player-widget) .radio-player-widget .buttons{
    background: transparent !important;
    border: 0 !important;

    padding: 0 !important;

    /* <-- espace avec les contrôles (haut) */
    margin-top: 0.15rem !important;

    /* <-- espace entre bord inférieur du lecteur et les boutons */
    margin-bottom: 0.70rem !important;

    display: flex !important;
    justify-content: center !important;
    align-items: center !important;
    gap: 0.9rem !important;
}
```

```
/* Textes + icônes en blanc */
#public-radio-player .buttons,
#public-radio-player .buttons a,
#public-radio-player .buttons a:visited,
#public-radio-player .buttons .btn,
#public-radio-player .buttons .btn-link{
    color: #fff !important;
}
#public-radio-player .buttons svg{
    fill: #fff !important;
    color: #fff !important;
}

/* Pills boutons bas */
#public-radio-player .buttons a,
#public-radio-player .buttons .btn,
#public-radio-player .buttons .btn-link{
    text-transform: uppercase !important;
    letter-spacing: 0.04em !important;
    font-weight: 600 !important;

    border: 0 !important;
    background: transparent !important;
    padding: 0.45rem 0.75rem !important;
    border-radius: 999px !important;
}

/* Hover sobre */
@media (hover: hover) {
    #public-radio-player .buttons a:hover,
    #public-radio-player .btn:hover,
    #public-radio-player button:hover{
        background: rgba(255,255,255,0.10) !important;
    }
}

/* MOBILE */
@media (max-width: 575px) {
    body:has(.radio-player-widget) {
        background-image:
```

```
url("https://raw.githubusercontent.com/Kusanagi8200/kuzai.org/refs/heads/main/KUZFM-PUBLIC-MOB3.png") !important;
        background-position: top center !important;
        background-size: 100% 100% !important;
    }

    body:has(.radio-player-widget) .radio-player-widget {
        margin: 1rem !important;
        gap: 0.50rem !important;
    }

    #public-radio-player .card-body.buttons,
    body:has(.radio-player-widget) .radio-player-widget .buttons{
        flex-wrap: wrap !important;
        gap: 0.65rem !important;
        margin-bottom: 0.85rem !important;
    }
}
```

Recommended image sizes:

- MOBILE: 432×768 (9:16)
- DESKTOP: 1600×900 (16:9)

Configured in:

Admin → Branding → Background Image (Public Pages)

END OF PROCESS

AzuraCast installation completed with:

- Apache reverse proxy
- HTTPS enabled
- Stable streaming
- 24/7 AutoDJ

Revision #4
Created 8 February 2026 15:11:18 by Kusanagi8200
Updated 8 February 2026 15:25:31 by Kusanagi8200