THE KNW - INFRASTRUCTURE

Last updated: 2025-10-25

This page describes the current infrastructure for The KUZ NETWORK

Servers, domains, public websites, internal tools, and how everything fits together.



1) OVERVIEW

- **ONE LOCAL AI SERVER** (LLM TEST BENCH; NOT PUBLICLY EXPOSED)
- **TWO DEBIAN VPS**
  - **VPS 1 — INFOMANIAK (83.228.192.116)**: DOCKER HOST, INTERNAL TOOLING, DOCUMENTATION, PROJECT MANAGEMENT
  - **VPS 2 — LWS (91.234.194.49)**: APACHE2 FRONT FOR PUBLIC WEBSITES

DOMAINS

- **KUZAI.ORG** → PUBLIC PORTAL + PRODUCT SUBDOMAINS
- **KUZLAB.ORG** → INTERNAL TOOLING / INFRASTRUCTURE

---

2) COMPONENTS & PURPOSES

2.1 LOCAL SERVER — AI SERVER (LLM LAB)

- **PURPOSE:** MODEL LOADING, BENCHMARKING, RAG/AGENTS POCS, WITHOUT TOUCHING PRODUCTION
- **EXPOSURE:** LOCAL / LAB ONLY (NOT PUBLIC)

2.2 VPS INFOMANIAK — 83.228.192.116 (DOCKER + TOOLS)

- **HOST OS / ROLE:** DEBIAN; DOCKER ENGINE FOR INTERNAL SERVICES + MONITORING

Services

- **PORTAINER** — https://docker.kuzlab.org
  Docker administration (stacks, images, logs, deployments).
  ACCESS: Auth required (MFA recommended)
- **N8N** — https://n8n.kuzai.org
  Workflow engine for AI news harvesting & GitHub search that feeds KUZAI.ORG.
  BACKUP: Export workflows + persistent volume
- **UPTIME-KUMA** — https://uptime-kuma.kuzlab.org/dashboard
  Availability monitoring (HTTP/HTTPS), alerts, uptime history. **ACTION:** Add all public FQDNs to monitoring
- **WIKI (BOOKSTACK)** — https://wiki.kuzlab.org/login
  Central documentation (procedures, access, architecture, checklists).
- **BACKUPS:** DB + uploads + `.env`

2.3 VPS LWS — 91.234.194.49 (APACHE2 WEB FRONT)

- **HOST OS / ROLE:** DEBIAN; APACHE2 SERVING PUBLIC WEBSITES

Public websites

- **KUZAI.ORG (DESKTOP)** — https://kuzai.org
  Universal AI Index — desktop experience.
- **MOB.KUZAI.ORG (MOBILE)** — https://mob.kuzai.org
  Universal AI Index — mobile-optimized.
- **FIRST.KUZLAB.ORG (CNRS CLONE)** — https://first.kuzlab.org
  Reference clone of the CNRS “First” website.

- **KANBOARD** — https://kan.kuzai.org:9443
  Project management (kanban, backlog, roadmaps) served via Apache2 on this VPS.

2.4 SOCIAL & VERSIONING

- **GITHUB (GENERAL)** — https://github.com/kusanagi8200
  General versioning for The KUZ Network.
- **GITHUB (N8N)** — https://github.com/KuzaiN8N
  n8n workflows & automations.
- **YOUTUBE** — https://www.youtube.com/@kuzai-org
  Information & updates.
- **X (TWITTER)** — https://x.com/kuzai_org
  News & quick updates.

---

3) HOW IT FITS TOGETHER (FLOW)

1. **CODE & CONTENT** ARE VERSIONED ON GITHUB (GENERAL + N8N).
2. **N8N** (INFOMANIAK) HARVESTS/CURATES DATA (E.G., AI NEWS) → FEEDS **KUZAI.ORG**.
3. **PUBLIC SITES** ARE SERVED BY **APACHE2** ON THE **LWS** VPS.
4. **UPTIME-KUMA** (INFOMANIAK) MONITORS ALL EXPOSED FQDNS (ALERTS/HISTORY).
5. **KANBOARD** DRIVES PROJECT EXECUTION; **WIKI** IS THE DOCUMENTATION SOURCE OF TRUTH.
6. **AI SERVER** REMAINS THE SAFE R&D PLAYGROUND FOR LLMS.

---

4) SERVER TREES

INFOMANIAK — 83.228.192.116

```
Infomaniak (Debian)
├─ Apache2 (reverse/virtual host)
|
└─ Docker Engine
    ├─ Portainer                → docker.kuzlab.org
    ├─ n8n                      → n8n.kuzai.org
    ├─ Uptime-Kuma              → uptime-kuma.kuzlab.org/dashboard
    └─ BookStack (Wiki)         → wiki.kuzlab.org/login
```

LWS — 91.234.194.49

```
LWS (Debian)
└─ Apache2 (public front)
    ├─ kuzai.org                → Universal AI Index (Desktop)
```

```
    ├─ mob.kuzai.org            → Universal AI Index (Mobile)
    ├─ first.kuzlab.org         → “First” CNRS clone
    └─ kan.kuzai.org:9443       → Kanboard (project management)
```

AI SERVER (LOCAL)

```
AI SERVER (Local / Lab)
└─ LLM environments            → model tests, benchmarks, POCs (not publicly exposed)
```

---

5) DNS SUMMARY

```
kuzai.org:
  @ (apex)              → 91.234.194.49
  mob.kuzai.org         → 91.234.194.49
  n8n.kuzai.org         → 83.228.192.116
  kan.kuzai.org         → 83.228.192.116 (port 9443)

kuzlab.org:
  docker.kuzlab.org     → 83.228.192.116
  uptime-kuma.kuzlab.org→ 83.228.192.116
  wiki.kuzlab.org       → 83.228.192.116
  first.kuzlab.org      → 91.234.194.49
```

SOFTWARE INVOLVED IN THE INFRASTRUCTURE

This page lists the **software**, its **purpose**, and **how components connect** to each other.

SUMMARY (TABLE)

Software	Host / IP	Endpoints	Purpose	Connected to…
APACHE2 (WEB FRONT)	VPS LWS — **91.234.194.49**	`https://kuzai.org`, `https://mob.kuzai.org`, `https://first.kuzlab.org`	Serve public sites (HTTP/HTTPS)	Consumes **n8n** feeds; deployments from **GitHub**
APACHE2 (KANBOARD VHOST)	VPS INFOMANIAK — **83.228.192.116**	`https://kan.kuzai.org:9443`	Expose **Kanboard** over HTTPS	Serves **Kanboard**; internal users access
DOCKER ENGINE	VPS INFOMANIAK — **83.228.192.116**	—	Run internal **containers**	Hosts **Portainer**, **n8n**, **Uptime-Kuma**, **BookStack**

Software	Host / IP	Endpoints	Purpose	Connected to…
PORTAINER	VPS INFOMANIAK — **83.228.192.116**	`https://docker.kuzlab.org`	Docker administration (stacks, images, logs, deployments)	Controls **Docker Engine**; used by **admins**
n8n (WORKFLOWS)	VPS INFOMANIAK — **83.228.192.116**	`https://n8n.kuzai.org`	Automation: **harvest/curate**, export **feeds**	Publishes **feeds** → **kuzai.org** / **mob.kuzai.org**
UPTIME-KUMA (MONITORING)	VPS INFOMANIAK — **83.228.192.116**	`https://uptime-kuma.kuzlab.org/dashboard`	HTTP/HTTPS **monitoring**, alerts, history	Probes all **public FQDNs**
BOOKSTACK (WIKI)	VPS INFOMANIAK — **83.228.192.116**	`https://wiki.kuzlab.org/login`	Central **documentation**	Linked with **Kanboard**; DB/uploads backups
KANBOARD	VPS INFOMANIAK — **83.228.192.116** (via Apache2)	`https://kan.kuzai.org:9443`	**Project management**	Internal users; referenced by the **Wiki**
GITHUB (kusanagi8200 / KuzaiN8N)	External	`https://github.com/kusanagi8200`, `https://github.com/KuzaiN8N`	**Versioning** code & **n8n workflows**	Deployment source for **web front** / **Docker stacks**
AI SERVER (LLM LAB)	Local (not exposed)	—	**LLM tests** (bench, RAG/agent POCs)	Push code/data to **GitHub** (as needed)

DETAILS BY COMPONENT

APACHE2 — WEB FRONT (VPS LWS — 91.234.194.49)

- **Purpose:** serve `kuzai.org`, `mob.kuzai.org`, `first.kuzlab.org` over **HTTP/HTTPS**.
- **Connections:**
  - **Inbound:** user traffic (Internet), content/data (**n8n** feeds over HTTP).
  - **Outbound:** web responses; logs to admins.
  - **Deploys:** artifacts/content **from GitHub** (per your deployment process).

APACHE2 — KANBOARD VHOST (VPS INFOMANIAK — 83.228.192.116)

- **Purpose:** publish `kan.kuzai.org:9443` over **HTTPS** (dedicated vhost).
- **Connections:**
  - **Inbound:** internal users.
  - **Outbound:** Kanboard UI/app, optional webhooks (if enabled).

DOCKER ENGINE (VPS INFOMANIAK — 83.228.192.116)

- **Purpose:** runtime for **Portainer**, **n8n**, **Uptime-Kuma**, **BookStack**.
- **Connections:**
  - **Managed by Portainer** (admin UI).
  - Exposes each service through its FQDN (HTTPS).

PORTAINER — `https://docker.kuzlab.org`

- **Purpose:** Docker **administration** UI (stacks, images, logs).
- **Connections:**
  - **To Docker Engine** (control plane).
  - **Access:** admins (MFA recommended).

n8n — `https://n8n.kuzai.org`

- **Purpose: workflows** (AI news harvesting, search, normalization), exporting **feeds**.
- **Connections:**
  - **Inbound:** public sources (HTTP).
  - **Outbound: kuzai.org** / **mob.kuzai.org** consume feeds over HTTP.
  - **Backups:** export workflows + persistent volume.

UPTIME-KUMA — `https://uptime-kuma.kuzlab.org/dashboard`

- **Purpose: monitoring** HTTP/HTTPS endpoints, alerts.
- **Connections:**
  - **Probes** all public FQDNs.
  - **Outbound:** notifications (email/IM per config).

BOOKSTACK (WIKI) — `https://wiki.kuzlab.org/login`

- **Purpose: documentation** and source of truth (procedures, access, architecture).
- **Connections:**
  - Cross-links to **Kanboard** (projects/tasks) and internal resources.
  - **Backups:** DB + uploads + `.env`.

KANBOARD — `https://kan.kuzai.org:9443`

- **Purpose: project management** (kanban, backlog, roadmaps).
- **Connections:**
  - Internal users; linked with the **Wiki**.
  - Optional webhooks to **n8n** (if you automate).

GITHUB — `https://github.com/kusanagi8200` / `https://github.com/KuzaiN8N`

- **Purpose: versioning** of site code/scripts and **n8n workflows**.
- **Connections:**
  - Deployment source for **web front** (Apache2) and **Docker stacks** (Portainer/compose).
  - History/PR/CI as needed.

AI SERVER — (LOCAL)

- **Purpose: LLM lab** (tests, benchmarks, RAG/agent POCs) without impacting production.

- **Connections:**
  - Can **push code/data** to **GitHub**; no public exposure.

MAIN FLOWS (AT A GLANCE)

- **Users →** `kuzai.org` / `mob.kuzai.org` (**Apache2** on **LWS**).
- **n8n →** publishes **HTTP feeds** → **kuzai.org/mob.kuzai.org** consume those feeds.
- **Uptime-Kuma →** probes all **FQDNs** and sends **alerts**.
- **Portainer →** admin for the **Docker Engine** (deploy/upgrade).
- **Wiki ↔ Kanboard →** documentation & project delivery (cross-linked).
- **GitHub →** single source of **code/workflows** (front & containers).
- **AI SERVER →** LLM experimentation (push to **GitHub** if needed).

ADDRESSING RECAP

- **LWS (91.234.194.49)**: `kuzai.org`, `mob.kuzai.org`, `first.kuzlab.org`
- **INFOMANIAK (83.228.192.116)**: `n8n.kuzai.org`, `docker.kuzlab.org`, `uptime-kuma.kuzlab.org`, `wiki.kuzlab.org`, `kan.kuzai.org:9443`

Revision #8
Created 18 October 2025 15:50:22 by Kusanagi8200
Updated 8 February 2026 17:32:26 by Kusanagi8200