

AI/ENGG/MOE/01



MAINTENANCE ORGANISATION EXPOSITION

APPROVED BY

DIRECTORATE GENERAL OF CIVIL AVIATION (DGCA)

GOVERNMENT OF INDIA

**ISSUE 03 DATED 24 JUN, 2024
REVISION 15 DATED 15 DEC, 2025**

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 00	24 JUN 2024

P.0 FOREWORD

This document is a Maintenance Organization Exposition of the Air India organization and its Quality system. It is compiled, based upon current facts and setup information of the organization depicted at the date of issue or its revision. The information and data provided within will be reviewed at regular intervals and amended as necessary to reflect any changes that may have occurred within the organization.

This Exposition and subsequent revisions will be approved by DGCA. Whenever there is a revision to the MOE, the revision shall be approved by DGCA through the approval of revised LEP.

The commitment to comply with the requirements of CAR-145 has been stated in Part 1.1 of this exposition and the Accountable Manager has duly signed it.

The design concepts of MOE and all department manuals are based on human factor principles such as grouping into parts and sections, with identification of each paragraph for easy reference, highlighting the paragraph which need special attention etc.

Any member of staff may suggest changes and improvements to the exposition and supporting technical procedures, where these are seen to be desirable or necessary and are encouraged to do so to ensure the Safety and Quality Policy.

Any query / suggestion with respect to information contained in this exposition may be addressed to Quality Manager.

Air India Limited

Block - 2, Vatika One on One, Industrial
Area, NH 48, Gurugram Haryana
122007.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 00	24 JUN 2024

P.1 STRUCTURE OF EXPOSITION

The MOE contains the following parts. Each Part will be preceded by a Table of Content for that part. The exposition will be indexed in way that each Part will be divided into numbered sections. The section may be divided into sub-sections and sub-sections into paragraphs. Further, paragraphs may be divided into sub-paragraphs.

CS	Compliance Statement
SOE	Structure of Exposition
LEP	List of Effective pages
ROR	Record of Revision
DL	Distribution List
FI	Filing Instruction
CR-145	Cross Reference with CAR-145, MOE & Level 2 Manuals
DT	Definitions & Terms
ABBR	Abbreviations
TOC	Table of Contents
0	General Organizations
1	Management
2	Maintenance Procedures
L2	Additional Line Maintenance procedures
3	Quality System Procedures
4	Contracted Operators
5	Appendices
6	Operators Maintenance Procedures

Whenever there is a revision to the MOE, the revision shall be approved by DGCA through the approval of revised LEP. The Quality Manager is responsible for monitoring any amendment in the MOE. The amendments to the manual will be incorporated only after approval by DGCA.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 15	15 DEC 2025

P.2 TABLE OF CONTENTS

PRELIMINARIES			
Part No.	Sub Part No.	Part Title	Page No.
P	P.0	Foreword	1
P	P.1	Structure of Exposition	2
P	P.2	Table of Contents	3-6
P	P.3	List of Effective Page	7-9
P	P.4	Record of Revision	10-11
P	P.5	Revision Highlights	12-18
P	P.6	Distribution List	19
P	P.7	Filing Instructions	20
P	P.8	Cross reference between CAR 145, MOE and Level 2 Manuals	21
P	P.9	Definitions & Terms	22-25
P	P.10	Abbreviations	26-27
PART 0 - GENERAL ORGANISATION			
0	0.0	Table of Contents	1
0	0.1	Company Profile	2
0	0.2	CAMO Interface	2
PART 1 – MANAGEMENT			
1	1.0	Table of Contents	1
1	1.1	Corporate commitment by Accountable Manager	2
1	1.2	Safety and Quality Policy	3
1	1.3	Management Personnel	4-5
1	1.4	Duties and Responsibilities of the Management Personnel	6-12
1	1.5	Management Organization Chart	13
1	1.6	List of Certifying Staff and support staff	14
1	1.7	Manpower Resources	15
1	1.8	General Description of Facilities at various Stations	16-21
1	1.9	Organization's Scope of Work	22-23

Signature valid
 Signed by: Jayanta Ghosh
 Deputy Director General
 Date: 03-Feb-2026
 16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 15	15 DEC 2025

Part No.	Sub Part No.	Part Title	Page No.
1	1.10	Notification Procedure to DGCA regarding changes to the organization's activities/approval/location	58
1	1.11	Exposition Amendment Procedures	59-60
PART 2 – MAINTENANCE PROCEDURES			
2	2.0	Table of Contents	1
2	2.1	Supplier evaluation and subcontract control procedure	2-4
2	2.2	Acceptance/Inspection of aircraft components and material from outside contractors	5-7
2	2.3	Storage, tagging and release of aircraft components & material to aircraft maintenance	8-9
2	2.4	Acceptance of tools and equipment	10-11
2	2.5	Calibration of tools and equipment	12
2	2.6	Use of tooling and equipment by staff (Including alternate tools)	13-14
2	2.7	Cleanliness standards of maintenance facilities	15-16
2	2.8	Maintenance instructions and relationship to aircraft / Aircraft component manufacturers' instruction including updating and availability to staff	17-18
2	2.9	Repair Procedure	19-20
2	2.10	Aircraft maintenance program compliance	21-22
2	2.11	Airworthiness Directives Procedure	23
2	2.12	Optional Modification Procedure	24
2	2.13	Maintenance documentation in use and completion of same	25-26
2	2.14	Technical Record Control	27-28
2	2.15	Rectification of defects arising during base maintenance	29
2	2.16	Release to Service Procedure	30-32
2	2.17	Records for the Operators	33
2	2.18	Reporting of defects to DGCA/ Operator / Manufacturer	34
2	2.19	Return of defective components to store	35
2	2.20	Defective components to outside contractors	36
2	2.21	Control of computer maintenance record system	37-38
2	2.22	Control of man-hour planning verse scheduled maintenance work	39-40
2			41-42

Signature valid
Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 13	17 NOV 2025

2	2.23	Control of critical maintenance task and error capturing methods	43-45
2	2.24	Reference to Specific Maintenance Procedures	46-47
2	2.25	Procedures to detect & rectify maintenance errors	48
2	2.26	Shift/task handover procedures	49
2	2.27	Procedures for the notification of maintenance data inaccuracies & ambiguities to the type certificate holder	50
2	2.28	Production Planning Procedures	51
PART L2 – ADDITIONAL LINE MAINTENANCE PROCEDURES			
L2	L2.0	Table of Contents	1
L2	L2.1	Line Maintenance Control of Components, Tools, Equipment etc.	2
L2	L2.2	Line Maintenance Procedures related to servicing/fueling/de-icing	3
L2	L2.3	Line Maintenance Control of Defects and Repetitive defects	4
L2	L2.4	Line procedure for completion of Tech Log	5
L2	L2.5	Line Procedure for Pooled Part / Loan Part	6
L2	L2.6	Line Maintenance Procedure for return of defective parts removed from aircraft	7
L2	L2.7	Line Procedure for Control Critical Maintenance Tasks & error capturing	8
L2	L2.8	Procedure for Line Station Approval	9
PART 3 – QUALITY SYSTEM PROCEDURES			
3	3.0	Table of Contents	1
3	3.1	Quality audit of organization procedures	2-4
3	3.2	Quality audit of aircraft	5
3	3.3	Quality audit remedial action procedure	6-7
3	3.4	C/s and S/s qualification and training procedures	8-22
3	3.5	Certifying staff and support staff records	23-24
3	3.6	Quality audit personnel	25
3	3.7	Qualifying Inspectors	26
3	3.8	Qualifying Mechanics	27
3	3.9	Maintenance tasks exemption process control	28
3	3.10	Concession control of deviation from organization procedures	29

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 13	17 NOV 2025

3	3.11	Qualification procedure for specialized activity such as NDT, Welding etc.	30
3	3.12	Control of Manufacturer & other maintenance team	31
3	3.13	Human factors training procedure	32-34
3	3.14	Competence Assessment of Personnel	35
3	3.15	On the job training procedure as per section 6 of Appendix-III to CAR-66.	36-45
3	3.16	Procedure for the issue of the recommendation to DGCA for the issue of the CAR-66 license in accordance with 66. B.105	46
PART 4 – CONTRACTED OPERATORS			
4	4.0	Table of Contents	1
4	4.1	Contracted Operators	2
4	4.2	Operator's procedures and paperwork	3
4	4.3	Operator's record completion.	4
PART 5 – APPENDICES			
5	5.0	Table of Contents	1
5	5.1	Sample of documents	2
5	5.2	List of Sub-contractors as per 145. A.75 (b)	3
5	5.3	List of Line Maintenance locations as per 145. A.75 (d)	4-5
5	5.4	List of contracted organizations as per 145. A.70 (a) (16)	6
5	5.5	List of Structured OJT Mentors & Assessors	7-12
PART 6 – OPERATORS MAINTENANCE PROCEDURES			
6	6.0	Table of Contents	1
6	6.1	Fuel Tank Safety Training	2
6	6.2	Extended Diversion Time Operations (EDTO)	3
6	6.3	Safety Management Systems (SMS)	4
6	6.4	Reporting, Investigation of Occurrences and Remedial Action	5-6
6	6.5	Component Hold Policy	7
6	6.6	Independent (Double) Inspection	8-9
6	6.7	Carriage of Dangerous Goods	10
6	6.8	Use of Parts from Preserved /Accident/Incident Aircraft	11
6	6.9	Disposal of Aircraft Parts and Material	
6	6.10	Drug and Alcohol Abuse Prevention Procedures	

Signature valid

Signed by: Jyoti Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 15	15 DEC 2025


P.3 List of Effective Pages:

COVER PAGE		
PRELIMINARIES		
PAGE NO.	DATE	REV
FOREWORD		
1	24-JUN-2024	00
Structure of Exposition		
2	24-JUN-2024	00
Table of Contents		
3	15-DEC-2025	15
4	15-DEC-2025	15
5	17-NOV-2025	13
6	17-NOV-2025	13
List of Effective Page		
7	15-DEC-2025	15
8	15-DEC-2025	15
9	15-DEC-2025	15
Record of Revision & RH		
10	24-DEC-2024	07
11	15-DEC-2025	15
12	24-JUN-2024	00
13	24-JUN-2024	00
14	14-DEC-2024	03
15	24-DEC-2024	07
16	17-NOV-2025	13
17	15-DEC-2025	15
18	17-NOV-2025	13
Distribution List		
19	28-MAR-2025	09
Filling Instruction		
20	28-MAR-2025	09

Cross reference between CAR145, MOE and Level 2 Manuals		
21	24-JUN-2024	00
Definitions & Terms		
22	14-AUG-2025	11
23	14-OCT-2024	03
24	24-JUN-2024	00
25	24-JUN-2024	00
Abbreviations		
26	24-DEC-2024	07
27	28-MAR-2025	09
PART 0		
GENERAL ORGANISATION		
1	24-JUN-2024	00
2	28-MAR-2025	09
PART 1		
MANAGEMENT		
1	24-JUN-2024	00
2	15-DEC-2025	15
3	24-JUN-2024	00
4	24-JUN-2024	00
5	13-NOV-2025	13
6	24-JUN-2024	00
7	24-DEC-2024	07
8	24-DEC-2024	07
9	24-JUN-2024	00
10	24-JUN-2024	00
11	24-DEC-2024	07
12	24-JUN-2024	00
13	24-DEC-2024	07
14	24-JUN-2024	00
15	28-MAR-2025	09
16	14-DEC-2025	14
17	24-JUN-2024	00
18	15-DEC-2025	15

19	24-JUN-2024	00
20	15-DEC-2025	15
21	15-DEC-2025	15
22	24-JUN-2024	00
23	14-OCT-2024	03
24	14-OCT-2024	03
25	24-JUN-2024	00
26	24-JUN-2024	00
27	24-JUN-2024	00
28	18-OCT-2024	04
29	14-OCT-2024	03
30	24-JUN-2024	00
31	24-JUN-2024	00
32	24-JUN-2024	00
33	24-JUN-2024	00
34	09-AUG-2024	01
35	03-OCT-2024	02
36	09-AUG-2024	01
37	03-OCT-2024	02
38	28-MAR-2025	09
39	03-OCT-2024	02
40	09-AUG-2024	01
41	19-DEC-2024	05
42	19-DEC-2024	05
43	19-DEC-2024	05
44	24-JUN-2024	00
45	24-JUN-2024	00
46	14-OCT-2024	03
47	14-OCT-2024	03
48	14-OCT-2024	03
49	17-NOV-2025	13
50	14-OCT-2024	03
51	03-FEB-2025	08
52	03-FEB-2025	08
53	03-FEB-2025	08
54	15-DEC-2025	15
55	23-DEC-2024	06
56	03-FEB-2025	08
57	24-JUN-2024	00

Signature valid

Prepared By:	Checked By:	Approved by DGC:
Vijay Mangla Asst. Manager- Engg. Quality  Signature: Date: 15-Dec-2025	R K Bablani Quality Manager   Signature: Date: 15-Dec-2025	 Deputy Director General Date: 03-Feb-2026 16:08:05 Signature: Date:


	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 15	15 DEC 2025

58	24-JUN-2024	00
59	24-JUN-2024	00
60	24-JUN-2024	00
PART 2		
MAINTENANCE PROCEDURE		
1	24-JUN-2024	00
2	24-JUN-2024	00
3	24-JUN-2024	00
4	24-JUN-2024	00
5	24-JUN-2024	00
6	24-JUN-2024	00
7	24-DEC-2024	07
8	24-JUN-2024	00
9	24-JUN-2024	00
10	24-JUN-2024	00
11	24-JUN-2024	00
12	24-JUN-2024	00
13	24-JUN-2024	00
14	24-JUN-2024	00
15	24-JUN-2024	00
16	24-JUN-2024	00
17	24-JUN-2024	00
18	14-AUG-2025	11
19	24-JUN-2024	00
20	24-JUN-2024	00
21	24-JUN-2024	00
22	24-JUN-2024	00
23	24-JUN-2024	00
24	24-JUN-2024	00
25	24-JUN-2024	00
26	24-JUN-2024	00
27	14-AUG-2025	11
28	14-AUG-2025	11
29	24-JUN-2024	00
30	24-JUN-2024	00
31	14-DEC-2025	14
32	14-DEC-2025	14
33	24-JUN-2024	00
34	24-JUN-2024	00

35	24-JUN-2024	00
36	24-JUN-2024	00
37	24-JUN-2024	00
38	24-JUN-2024	00
39	24-JUN-2024	00
40	24-JUN-2024	00
41	24-DEC-2024	07
42	03-FEB-2025	08
43	24-JUN-2024	00
44	24-JUN-2024	00
45	24-JUN-2024	00
46	14-DEC-2025	14
47	24-JUN-2024	00
48	24-JUN-2024	00
49	24-JUN-2024	00
50	24-JUN-2024	00
51	24-JUN-2024	00
PART L2		
ADDITIONAL LINE MAINTENANCE PROCEDURES		
1	09-AUG-2024	01
2	24-JUN-2024	00
3	24-JUN-2024	00
4	24-JUN-2024	00
5	24-JUN-2024	00
6	24-JUN-2024	00
7	24-JUN-2024	00
8	24-JUN-2024	00
9	09-AUG-2024	01
PART 3		
QUALITY SYSTEM PROCEDURES		
1	24-JUN-2024	00
2	24-DEC-2024	07
3	24-JUN-2024	00
4	24-JUN-2024	00
5	24-JUN-2024	00
6	24-DEC-2024	07

7	24-JUN-2024	00
8	24-DEC-2024	07
9	14-OCT-2024	03
10	24-JUN-2024	00
11	07-DEC-2024	07
12	14-DEC-2025	13
13	17-NOV-2025	13
14	24-JUN-2024	00
15	17-NOV-2025	13
16	17-NOV-2025	13
17	14-DEC-2025	14
18	14-DEC-2025	14
19	17-NOV-2025	13
20	17-NOV-2025	13
21	17-NOV-2025	13
22	17-NOV-2025	13
23	24-JUN-2024	00
24	24-JUN-2024	00
25	24-JUN-2024	00
26	24-JUN-2024	00
27	24-JUN-2024	00
28	24-JUN-2024	00
29	24-JUN-2024	00
30	24-JUN-2024	00
31	24-JUN-2024	00
32	24-JUN-2024	00
33	24-JUN-2024	00
34	24-JUN-2024	00
35	24-DEC-2024	07
36	17-NOV-2025	13
37	17-NOV-2025	13
38	17-NOV-2025	13
39	17-NOV-2025	13
40	17-NOV-2025	13
41	17-NOV-2025	13
42	17-NOV-2025	13
43	17-NOV-2025	13
44	17-NOV-2025	13
45	14-DEC-2025	14
46	17-NOV-2025	13


Signature valid

Prepared By: Vijay Mangla Asst. Manager- Engg. Quality  Signature: Date: 15-Dec-2025	Checked By: R K Bablani Quality Manager   Signature: Date: 15-Dec-2025	Approved by DGC:  Deputy Director General Date: 03-Feb-2026 16:08:05 Signature: Date:
---	---	---

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 15	15 DEC 2025

PART 4		
CONTRACTED OPERATORS		
1	24-JUN-2024	00
2	14-OCT-2024	03
3	24-JUN-2024	00
4	24-JUN-2024	00
PART 5		
APPENDICES		
1	17-NOV-2025	13
2	24-JUN-2024	00
3	24-JUN-2024	00
4	24-DEC-2024	07
5	03-FEB-2025	08
6	24-JUN-2024	00
7	14-DEC-2025	14
8	14-DEC-2025	14
9	14-DEC-2025	14
10	14-DEC-2025	14
11	14-DEC-2025	14
12	17-NOV-2025	13
PART 6		
OPERATORS MAINTENANCE PROCEDURES		
1	24-JUN-2024	00
2	24-JUN-2024	00
3	24-JUN-2024	00
4	17-NOV-2025	13
5	17-NOV-2025	13
6	24-JUN-2024	00
7	24-JUN-2024	00
8	24-JUN-2024	00
9	24-JUN-2024	00
10	24-JUN-2024	00
11	24-JUN-2024	00
12	24-JUN-2024	00
13	24-JUN-2024	00

Signature valid

Prepared By: Vijay Mangla Asst. Manager- Engg. Quality  Signature: Date: 15-Dec-2025	Checked By: R K Bablani Quality Manager   Signature: Date: 15-Dec-2025	Approved by DGC:  Deputy Director General Date: 03-Feb-2026 16:08:05 Signature: Date:
---	---	---

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 07	24 DEC 2024

P.4 RECORD OF REVISIONS

ISSUE NO	REV NO	DATE	AMENDMENT DETAILS	AMENDED BY	DATE OF INCORPN
01	00	08-Sep-2023	New issue	Quality Manager	23-Nov-2023
01	01	02-Jan-2024	Revision	Quality Manager	12-Jan-2024
01	02	03-Jan-2024	Revision	Quality Manager	12-Jan-2024
01	03	13-Jan-2024	Revision	Quality Manager	16-Jan-2024
01	04	13-Jan-2024	Revision	Quality Manager	19-Mar-2024
01	05	05-Mar-2024	Revision	Quality Manager	19-Mar-2024
01	06	15-Apr-2024	Revision	Quality Manager	05-Jun-2024
01	07	07-Jun-2024	Revision	Quality Manager	05-Aug-2024
02	00	13-JUN-2024	Issue	Quality Manager	08-Aug-2024
02	01	18-Jun-2024	Revision	Quality Manager	08-Aug-2024
02	02	19-Jun-2024	Revision	Quality Manager	08-Aug-2024
02	03	20-Jun-2024	Revision	Quality Manager	08-Aug-2024
02	04	21-Jun-2024	Revision	Quality Manager	08-Aug-2024
03	00	24-Jun-2024	Issue	Quality Manager	08-Aug-2024
03	01	09-Aug-2024	Revision	Quality Manager	30-Aug-2024
03	02	03-Oct-2024	Revision	Quality Manager	10-Oct-2024
03	03	14-Oct-2024	Revision	Quality Manager	16-Dec-2024
03	04	18-Oct-2024	Revision	Quality Manager	02-Jan-2025
03	05	19-Dec-2024	Revision	Quality Manager	07-Jan-2025
03	06	23-Dec-2024	Revision	Quality Manager	03-Feb-2025
03	07	24-Dec-2024	Revision	Quality Manager	12-Mar-2025

Signature valid
 Signed by: Jayanta Ghosh
 Deputy Director General
 Date: 03-Feb-2025
 16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 15	15 DEC 2025

ISSUE NO	REV NO	DATE	AMENDMENT DETAILS	AMENDED BY	DATE OF INCORPN
03	08	03-Feb-2025	Revision	Quality Manager	26-Mar-2025
03	09	28-Mar-2025	Revision	Quality Manager	15-Jul-2025
03	10	17-Jul-2025	Revision	Quality Manager	21-Jul-2025
03	11	14-Aug-2025	Revision	Quality Manager	12-Sep-2025
03	12	11-Nov-2025	Revision	Quality Manager	28-Nov-2025
03	13	17-Nov-2025	Revision	Quality Manager	12-Dec-2025
03	14	14-Dec-2025	Revision	Quality Manager	16-Jan-2026
03	15	15-Dec-2025	Revision	Quality Manager	DGCA Approval Date

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 00	24 JUN 2024

P.5 REVISION HIGHLIGHTS

ISSUE NO.	REV NO.	SUMMARY OF AMENDMENTS	COMPILED BY	APPROVED BY
01	00	New issue	Quality Manager	DGCA
01	01	1.3 Management Personnel <i>Change in Post Holder-LMM</i>	Quality Manager	DGCA
01	02	1.9 Organization's Scope of Work 5.3 List of Line Maintenance Locations	Quality Manager	DGCA
01	03	5.3 List of Line Maintenance Locations <i>Addition of AYJ & GWL Station</i>	Quality Manager	DGCA
01	04	5.4 List of Line Maintenance Locations <i>Addition of BHJ Station</i> 6.5 Component Hold Policy	Quality Manager	DGCA
01	05	1.7 Manpower Resources <i>Line Maintenance Manpower strength increased.</i> 1.8.3.9 Line Maintenance Facility <i>Hanger-03 at DEL station added</i> 1.8.3.10 Line Maintenance Store <i>C-29 Store at DEL station added</i> 1.8.3.11 Line Maintenance Store <i>B-19, B-17 Store at DEL station added</i> 1.8.4 Engineering Facility at Mumbai Airport 1.8.5 Engineering Facility at Bangaluru Airport 1.9.6.1 Aircraft under Rating A1 at DEL Station; 5.3 List of Line Maintenance Locations <i>Airbus A350 Scope enhanced to 6000FH/1500FC/12 MO check at DEL</i> <i>Boeing 737-8 scope enhanced to 3000FH/2100FC/09 MO Check at DEL</i> <i>Boeing 737-800 scope enhanced to 1000FH/400FC/03 MO Check at DEL</i> <i>Airbus A350 Scope added upto weekly check at BOM</i> <i>Airbus A350 Scope added upto weekly check at BLR</i>	Quality Manager	DGCA
01	06	1.7 Manpower Resources <i>Line Maintenance Manpower strength increased.</i> 1.9.2.1 Scope Enhanced 1.9.6 Aircraft Maintenance at different Stations; 5.3 List of Line Maintenance Locations <i>Boeing 787-8 scope enhanced to 4000FH/1000FC/12MO Check at DEL</i> <i>Boeing 777-200LR/300ER scope enhanced to 3000FH/600FC/200DY Check at DEL</i> 2.24.2.2 Occasional Line Maintenance <i>Revised as per AAC 02 of 2023 Rev 2</i> 3.4.7.2.3 Authorization for (Code AI 4.3) <i>Taxi Permit requirements within Group Airlines are added.</i> 3.4.7.2.4 Authorization for (Code AI4.4) <i>Requirements revised.</i> 3.16 Procedure for the issue of the recommendation to DGCA for the issue, extension or removal of limitation from existing	Quality Manager	DGCA

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 00	24 JUN 2024

ISSUE NO.	REV NO.	SUMMARY OF AMENDMENTS	COMPILED BY	APPROVED BY
		Licence of the car-66 Licence in accordance with 66.b.105 <i>Revised as per Latest CAR 66 Issue III Rev 0.</i>		
01	07	1.8.6 Engineering Facility at New Goa (MOPA) Airport 1.8.7 Engineering Facility at Hyderabad Airport 1.8.8 Engineering Facility at Chennai Airport 1.9.6 Aircraft Maintenance at different Stations; 5.3 List of Line Maintenance Locations <i>Airbus A320 Family Scope added upto Transit check at GOX</i> <i>Airbus A350 Scope added upto Transit check at HYD</i> <i>Airbus A350 Scope added upto Transit check at MAA</i>	Quality Manager	DGCA
02	00	New Issue due Air India and Vistara Scope of approval Merger	Quality Manager	DGCA
02	01	1.8.4 Engineering Facilities at Mumbai Airport 1.8.7 Engineering Facilities at Pune Airport 1.8.8 Engineering Facilities at Ahmedabad Mumbai Airport office 1.8.15 Engineering Facilities at Goa Mumbai Airport office 1.8.21 Engineering Facilities at Mopa, Goa Airport 1.8.24 Engineering Facilities at Indore Airport 1.9.6.2 Aircraft under Rating A1 at Mumbai Station <i>Existing Scope of Vistara added in the MOE.</i> 5.3 List of Line Maintenance Locations <i>BOM, GOA, GOX, PNQ, IDR, AMD stations added as per Vistara scope</i>	Quality Manager	DGCA
02	02	1.8.10 Engineering Facilities at Chennai Airport 1.8.14 Engineering Facilities at Coimbatore Airport 1.9.6.5 Aircraft under Rating A1 at Chennai Station <i>Existing Scope of Vistara added in the MOE.</i> 5.3 List of Line Maintenance Locations <i>MAA, CJB station added as per Vistara scope</i>	Quality Manager	DGCA
02	03	1.8.5 Engineering Facilities at N.S.C.I Airport, Kolkata 1.8.17 Engineering Facilities at Bhubaneshwar Airport office 1.8.20 Engineering Facilities at Guwahati Airport office 1.9.6.3 Aircraft under Rating A1 at Kolkata Station <i>Existing Scope of Vistara added in the MOE.</i> 5.3 List of Line Maintenance Locations <i>CCU, GAU, BBI station added as per Vistara scope</i>	Quality Manager	DGCA
02	04	1.8.9 Engineering Facilities at Rajiv Gandhi Airport, Hyderabad 1.9.6.6 Aircraft under Rating A1 at Hyderabad Station <i>Existing Scope of Vistara added in the MOE.</i> 5.3 List of Line Maintenance Locations <i>HYD station added as per Vistara scope</i>	Quality Manager	DGCA
03	00	New Issue due completion of merger of Vistara Scope into Air India	Signature valid Signed by: Jayanta Ghosh Deputy Director General Date: 03-Feb-2026 16-08-19	DGCA

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 03	14 OCT 2024

ISSUE NO.	REV NO.	SUMMARY OF AMENDMENTS	COMPILED BY	APPROVED BY
03	01	1.8.4.6 Line Maintenance Department (LMD) Hangar, F-10/B, MC Chagla Rd, Navpada, Airport Area, CSMIA Airport, Vile Parle, Mumbai, Maharashtra, India 400047 added. 1.8.6 Bangalore Line Station shifted to new address. 1.8.11.3 Chandigarh Line Station Facility layout changed. 2.24.2.2 e) Form No. changed as per Form and Tag Manual. L2.8 Procedure for line station approval added 5.3 Transit Station Scope extracts to Annexure A & Annexure B. 5.5 List of Structured OJT Supervisors & Designated Assessors <i>IAE V2500 scope deleted.</i>	Quality Manager	DGCA
03	02	1.8.4.7 New Engineering Complex Hangar, F-10/B, MC Chagla Rd, Navpada, Airport Area, CSMIA Airport, Vile Parle, Mumbai, Maharashtra, India 400047 added. 1.8.5.4 Front Line Store - Tata Lounge, Near CISF Gate no. 5, NSCBI Airport, Kolkata-700052 added. 4.1.3.5 M/s AIX Connect Ltd removed due merger with Air India Express.	Quality Manager	DGCA
03	03	0.1.2 Vistara Name removed due merger with Air India. 1.8.2.10 <i>Addition of space in Mega Warehouse at Delhi</i> 1.8.3.13 <i>Stores in A320 Hangar at Delhi is added.</i> 1.8.5.3 <i>Kolkata Line Maintenance Office layout changed.</i> 1.8.9 <i>A320 Store, Main R & D, Dope and Front Line Store, Hyderabad Station added.</i> 1.8.10.4 <i>Layout of Line Maintenance Store & Dark Room-Chennai added.</i> 1.8.22 <i>Trivandrum Line Office Layout changed.</i> 1.9.6.2 <i>A320 Family Aircraft with CFM 56-5 Series scope enhancement upto 1000 FH / 1000 FC / 06 MO check at BOM B787-8 variant added in the existing scope B787-9 at BOM.</i> 3.4.3.3 <i>Para rephrased to amend procedure for oral cum practical exam.</i> <i>In Para 3.4.2.10 'Appendix-I' replaced with 'para 3.4.7'.</i> 3.4.4.2 a. <i>"each type of authorization" replaced with "Specific type of aircraft or similar type of aircraft in the authorization"</i> 3.4.7.1 <i>Authorizations for Codes AI -0, AI -1 and AI -2</i> b. <i>OJT word removed.</i> <i>(Note2: added)</i> Before issuing authorization to CAT A certifying staff who have undergone task training by any other appropriately approved CAR 147 training organization or CAR 145 approved organization it shall be ensured that the task training received covers all the tasks to be authorized. In case any difference is observed, the training for the same shall be provided through e-learning/ virtual classroom/ practical training. 3.4.7.2 <i>Authorizations for code AI-3 and AI-4: word "type of aircraft" replaced with "Specific type or similar type" word in para b.</i> 3.4.7.2.3: <i>TATA SIA Airlines word removed.</i> 4.1 <i>Contracted Operators</i> <i>Name of TATA SIA Airlines Ltd removed from list of operators.</i> 5.3 BOM- A320 Family weekly scope deleted	Quality Manager	DGCA

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 07	24 DEC 2024

ISSUE NO.	REV NO.	SUMMARY OF AMENDMENTS	COMPILED BY	APPROVED BY
03	04	1.8.3.13 C34 IGI Airport Terminal 3 Delhi Store added. 1.9.6.2: A320 Family Aircraft with CFM 56-5 Series scope enhancement upto 12000 FH / 8000 FC / 36 MO check at DEL A350-900 Aircraft scope enhancement upto 15000 FH / 5000 FC / 30MO check at DEL	Quality Manager	DGCA
03	05	1.8.6: Line Maintenance, engineering store added at BLR 1.9.6.4: A320 Family Aircraft with CFM 56-5/Leap 1A Series scope enhancement upto 12000 FH / 8000 FC / 36 MO check at BLR B737-800 Aircraft with CFM 56-7 Series scope enhancement upto 6000 FH / 2400 FC / 540 DY check at BLR B737-8 Aircraft with CFM Leap 1B Series scope enhancement upto 6000 FH / 4200 FC / 480 DY check at BLR 5.3 Following weekly scope added in Para 5.3 as per AAC 03 of 2017: BLR: Boeing B 737-8 & Boeing B 737-800 CCU: Airbus A321-251NX (CFM Leap 1A) & A320 Family (CFM56-5B) MAA: Airbus A320 Family (CFM56-5B), Boeing B 737-8 & Boeing B 737-800 HYD: Airbus A320 Family (CFM56-5B),	Quality Manager	DGCA
03	06	1.8.5.5: New Line Maintenance office added at CCU 1.9.6.3: A320 Family Aircraft with CFM 56-5/Leap 1A Series scope enhancement upto 2000 FH / 2000 FC / 12 MO check at CCU B737-8 Aircraft with CFM Leap 1B Series scope enhancement upto A1 Check- 1000 FH/ 700 FC/ 80 DY check at CCU 5.3 BLR Boeing B 737-8 & B 737-800 weekly scope deleted. 5.5 List of B1 & B2 Supervisors for B777 & B787 revised.	Quality Manager	DGCA
03	07	P.6, P.10, 1.3.7, 1.4.2, 1.4.3.1, 1.4.5.1, 1.5.1, 1.7.2.2, 3.1.2.1, 3.1.3.4, 3.3.4.4 "Delegated Accountable Manager" name changed to "Chief Technical Officer". 1.3.8 B787 & B777 nomenclature added in the para. 1.8.18 Udaipur Station office layout with address updated. 1.8.25 Kannur Line Station office layout added. 1.8.26 Lucknow Line Station office layout added. 1.8.27 Calicut Line Station and store layout added. 2.2.5.4 Storage responsibility of AIX Material added. 2.24.2.1 "any scheduled line maintenance task falling due in AOG" added in the para. 3.4.3.3 Competency Procedure changed for certifying staff. 3.4.7.1 Relevant Experience specified with number of experience requirements for AI-0, AI-1 & AI-2 codes. "Para C" procedures added for training on additional task in revised maintenance schedule. 3.4.8 Layover Check added in AI-1 code. 3.14.3 Annual Competency assessment procedure for personnel changed. 5.3 A320 Family, A321-251NX & B737-8 Weekly scope deleted for CCU station. Daily Inspection for A320 renamed as Layover Inspection and Extended Transit inspection for B737-800 as Weekly Inspection to streamline with respective AMPs. COK Weekly Scope added A320 Family (CFM Leap 1A/56-5B), B737-8, B737-800 NG	Quality Manager	DGCA

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 15	15 DEC 2025

ISSUE NO.	REV NO.	SUMMARY OF AMENDMENTS	COMPILED BY	APPROVED BY
		MOPA GOA Layover scope added A320 Family (CFM Leap 1A/56-5B) CNN Weekly Scope added B737-8, B737-800 NG LKO Weekly Scope added B737-8, B737-800 NG CCJ Weekly Scope added A320 Family (CFM Leap 1A/56-5B), B737-8, B737-800 NG 5.5 Supervisors & assessors list of B1 & B2 for B787 & B777 revised		
03	08	1.8.3.9.4 Line Maintenance Office at C-31 IGI Airport Delhi added. 1.8.10.5 Line Maintenance Office-MAA layout added. 1.8.28 Mangalore Line Station office layout added. 1.9.6.5: A321-251NX Aircraft with Leap 1A Series scope enhancement upto 1500 FH/1500FC/12 MO check at MAA A320 Family Aircraft with CFM 56-5 Series scope enhancement upto 1500 FH/1500FC/12 MO check at MAA B737-800 Aircraft with CFM 56-7 Series scope enhancement upto Phase 1 Check-1000 FH / 400 FC / 90 DY at MAA B737-8 Aircraft with CFM Leap 1B Series scope enhancement upto A1 Check- 1000 FH/ 700 FC/ 80 DY at MAA 2.22.4 Duty Time Limitations of Aircraft Maintenance Personnel revised as per AAC 05 of 2019 5.3 IXE Weekly Scope added B737-8, B737-800 NG	Quality Manager	DGCA
03	09	P.6 Intranet Technical Library URL link changed. P.7 Filing Instructions revised 1.7.2.4 Manpower Strength revised. 1.8.5 CCU Line Station Layout changed as per current facility. 1.8.13 DED Line Station Layout changed as per current facility. 1.8.20 GAU Line Station Layout changed as per current facility 3.4.2.7.3 Authorization process for authorized aircraft Taxi holder revised for group airlines. 5.5 (a) (b) A320 Supervisors added. 5.5 (c) B787 Assessors added.	Quality Manager	DGCA
03	10	1.3.8 B737 nomenclature added in para 1.3.8. 5.5 B737 NG & MAX supervisors list added and B737 NG & MAX Nomenclature added in the table format of supervisor and assessor list to be in line with para 1.3.8.	Quality Manager	DGCA
03	11	AMOS Definition modified for better clarity. 1.9.6.2: Boeing 777-200LR/300ER scope enhancement upto 5000FH/ 600FC/ 240DY Check at BOM 2.8.3.15, 2.14.3.4, 2.14.3.5, 2.14.3.7 & 2.14.3.8 Procedure for archiving, transferring of maintenance records amended as per contract signed between Air India, Writers Informations & Flydocs. 5.5 C): B737 NG & MAX assessors added.	Quality Manager	DGCA
03	12	1.3 Management Personnel Change in Post Holder-LMM	Quality Manager	DGCA
03	13	1.8.3.5 & 1.8.3.6 References to MOE Section para number changed Paragraphs revised as per current facility. 1.8.10.3 MAA Line Station Facility layout changed. 1.8.11.3 IXC Line Station Facility layout changed. 2.16 Maintenance procedure on aircraft by multiple AMOs defined. 3.4.7.2.2 d) Boro equipment training conducted by the certifying staff holding Borescope authorization on type of engine added.	Signature valid Signed by: Jayanta Ghosh Deputy Director General Date: 03-Feb-2026 16:08:05 Manager	DGCA

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 15	15 DEC 2025

ISSUE NO.	REV NO.	SUMMARY OF AMENDMENTS	COMPILED BY	APPROVED BY
		3.4.7.2.5 a) Cat A added. 3.4.7.3.3 5.3 Code added. 3.4.7.3.3 & 3.4.7.3.5 "(applicable only for candidates who have undergone Task training)" added in c) para. 3.4.8: AI 5.3 Code "Miscellaneous" replaced with "Cabin Task Training", AI 5.5 & 5.6 code added with " as per para 3.4.9 " 3.4.9 Flight Crew Oxygen Bottle task removed from Point 17. 3.4.9.2 List of Cabin Task Training added. 3.4.10 Task Training Practical assessment procedure revised. 5.5 AME Licence Number added against each mentor and assessor for ease identification. 5.5 a) & b): B737 NG & MAX mentors added. 6.3.2 Responsibility of SMS Manual preparation with Flight Safety Department. 6.4.2.1 SMS Reporting webpage link changed to https://safety.airindia.com/ 6.4.3.5 Voluntary-Hazard Report rephrased. Following amendments due revision in CAR-66 Issue 3 Rev 2: OJT related Word "Supervisors" replaced with "Mentors" as applicable in 1.3.8 & 5.5. 3.15 & 3.16 OJT Procedure revised as per CAR 66.		
03	14	1.8 Layouts and addresses of Line stations upto weekly scope removed. 1.8.3.6 T1 Main Store facility for storage of engines. 2.16 Maintenance procedure on aircraft by multiple AMOs removed. 2.24.2.1 Para revised. 3.4.9.2 Cabin Task Training revised. 5.3 Weekly scope enhancement at following stations: PNQ (A320 Family, B737-8/B737-800), LKO (A320 Family), AMD (A320 Family, B737-8/B737-800), GOX (A320 Family, B737-8/B737-800). MAA station A320, B737 NG/MAX Weekly scope removed from para 5.3 due higher scope approval mentioned in para 1.9.6. 5.5 a) & b): A320, B737 NG & MAX mentors added.	Quality Manager	DGCA
03	15	<i>DEL Line Maintenance offices mentioned at para 1.8.3.9.2 & 1.8.3.9.4 interchanged due shifting of main line office at Pier C-31.</i> 1.8.3.9.5 Line Maintenance Office at Terminal 1 Delhi added. 1.9.6.1: Boeing 787-8/9 scope enhancement upto & including 14000FH/6000FC/24MO Check at DEL	Quality Manager	DGCA

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 13	17 NOV 2025

RESERVED

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 09	28 MAR 2025

P.6 DISTRIBUTION LIST

This document is available to all personnel at all approved locations, through company intranet <https://airindianew.sharepoint.com/sites/EngineeringTechPublications/SitePages/Techpub.aspx>

S/N	Manual Holder	Format Type
		Soft Copy
1	Quality Department	X
2	Continuing Airworthiness Manager	X
3	Accountable Manager	X
4	Chief Technical Officer	X
5	Line Maintenance Manager	X
6	Director of Airworthiness, DGCA Headquarters	X
7	O/o DDG - Northern Region	X
8	O/o DDG- Eastern Region	X
9	O/o DDG - Western Region	X
10	O/o DDG - Bengaluru Region	X
11	O/o DDG - Southern Region	X
12	O/o DDG - Southern Region (Hyderabad)	X
13	Quality Manager- Air India Express	X
14	Maintenance Control Centre	X
15	All Air India Line Stations	X
16	Technical Publications	X

Note: All soft copies will be distributed to respective stake holders through email.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 09	28 MAR 2025

P.7 FILING INSTRUCTION

- List of Effective Pages shall reflect the revision status of every page of this exposition.
- Technical Publications shall forward the soft copy of the revised page(s) to those controlled copy holders only who are entitled to receive Soft copy of this exposition.
- Every revision to this exposition shall be affected by removing the previously approved manual and replacing it with the latest approved manual.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 00	24 JUN 2024

P.8 CROSS REFERENCE BETWEEN CAR-145, MOE and Level 2 Manuals

CAR - 145	MOE REF	EPM, QDM and LMM
145.A.05	CS	
145.A.10	MOE 1.9	LMM 1.9
145.A.15	MOE 1.9.3.6	LMM 1.9 & QDM 2.13
145.A.20	MOE 1.9	LMM 1.9
145.A.25 (a), (b), (c), (d)	MOE 1.8, 2.3, 2.7	LMM 1.8 & 2.3
145.A.30 (a), (b), (c), (d), (e), (f), (g), (h), (i), (j)	MOE 1.3, 1.4, 1.7, 2.22, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.8, 3.11, 3.13, 3.14	LMM 1.3, 1.4, 1.5, 1.7, 2.11, 2.14 QDM 2.5, 2.14, 3.1, 3.4, 3.6, 3.8, 1.4, 1.5
145.A.35 (a), (b), (c), (d), (e), (f), (g), (h), (i), (j), (k), (l), (m), (n), (o)	MOE 1.6, 3.4, 3.5, 3.14	QDM 1.5, 1.7, 2.5 & 3.8
145.A.36	MOE 3.5.1.1	QDM 1.7 & 3.8
145.A.40 (a), (b), (c), (d), (e)	MOE 2.4, 2.5, 2.6	LMM 2.1 & 2.2
145.A.42 (a), (b), (c)	MOE 2.1, 2.2, 2.3, L2.5, L2.6	LMM 2.10, 2.25, QDM 2.10 & EPM Section 4C
145.A.45 (a), (b), (c), (d), (e), (f), (g)	MOE 2.13, 2.21, 2.27, 2.8	LMM 2.16, 2.4, 2.6, 2.7
145.A.45 (a), (b), (c), (d), (e), (f), (g)	MOE 2.8, 2.27	LMM 2.4, 2.6, 2.7, 2.16
145.A.47 (a), (b), (c)	MOE 2.22, 2.26, 2.28	LMM 2.11 & 2.15
145.A.48 (a), (b), (c), (d)	MOE 2.9, 2.16, 2.23	LMM 2.5, 2.8, 2.12
145.A.50 (a), (b), (c), (d), (e), (f)	MOE 2.16, L2.4	LMM 2.6, 2.7, 2.8
145.A.55 (a), (b), (c)	MOE 2.13, 2.14, 2.17, 4.3	LMM 2.6, 2.7
145.A.60 (a), (b), (c), (d), (e)	MOE 2.18	LMM 2.9
145.A.65 (a), (b), (c), (d)	MOE 1.2, 2.7, 2.9, 2.23, 2.24, 2.25, 3.1, L2.1, L2.2, L2.3, 3.1, 3.2, 3.3, 3.10, 3.12	LMM 1.2, 2.1, 2.2, 2.4, 2.5, 2.9, 2.12, 2.13, 2.17, 2.18, 2.21, 2.22 and QDM Section 2, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6
145.A.70 (a), (b), (c), (d), (e)	MOE all sections of MOE	LMM 1.11
145.A.75 (a), (b), (c), (d), (e)	MOE 1.9, 2.1, 5.3, 2.16	LMM 1.9 & 2.8
145.A.80	MOE 1.9.11	LMM 1.9
145.A.85	MOE 1.10	LMM 1.10
145.A.90 (a), (b)	MOE 1.9	LMM 1.9, 2.3
145.A.95 (a), (b), (c)	MOE 3.1	QDM 2.1

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part P		
	PRELIMINARIES		Issue 3	Rev. 11	14 AUG 2025

P.9 Definitions & Terms

Terms	Definitions / Explanatory Notes
Accountable Manager	A person who has the corporate authority to ensure that all the maintenance work required by the customer can be financed and carried out to the standard required by CAR
Aircraft	A machine that can derive support in the atmosphere from the reactions of the air other than reactions of the air against earth surface.
Aircraft Component	An assembly/ item /component /Part of an aircraft, including Engine / APU.
Airworthiness	A state of aircraft or aircraft component in full compliance with applicable type design standards.
Airworthiness Standards	Airworthiness Standards are regulations issued or approved in accordance with the order for construction of aviation equipment that have been declared applicable by an aviation authority.
AMOS	AMOS is a software tool that provides an integrated software solution that is able to manage the complex maintenance, engineering and logistic requirements of the aviation industry. In Air India, AMOS software is being used for Maintenance Planning, Inventory & Spare Parts Management, Engineering Task, Compliance Tracking and Quality Assurance functions.
Approved Standard	A manufacturing / design / maintenance / quality standard approved by an Authority acceptable to DGCA or in accordance with a procedure approved by DGCA.
Audit	Process of verifying a process/procedure in conformance with documented and approved procedures to confirm compliance with applicable regulation
Authorization	A document issued to certifying staff by CAR-145 approved organization for certification of maintenance action carried out on aircraft / components.
Authorized person	The person who performs the task or supervises the task and assume the full responsibility for the completion of the task in accordance with the applicable maintenance data.
Certificate of Release to Service. (CRS)	A document certified by authorized certifying staff to confirm that the aircraft/component is fully airworthy and ready to release to service
Certifying Staff/ Support staff	"Certifying staff" is Licenced/ approved/ authorized person responsible for the release of an aircraft or a component after maintenance. "Support staff" means those staff holding an aircraft maintenance engineer licence under CAR 66 in category B1, B2, B3, B4, B5, B6, B7, B8, B9, B10, B11, B12, B13, B14, B15, B16, B17, B18, B19, B20, B21, B22, B23, B24, B25, B26, B27, B28, B29, B30, B31, B32, B33, B34, B35, B36, B37, B38, B39, B40, B41, B42, B43, B44, B45, B46, B47, B48, B49, B50, B51, B52, B53, B54, B55, B56, B57, B58, B59, B60, B61, B62, B63, B64, B65, B66, B67, B68, B69, B70, B71, B72, B73, B74, B75, B76, B77, B78, B79, B80, B81, B82, B83, B84, B85, B86, B87, B88, B89, B90, B91, B92, B93, B94, B95, B96, B97, B98, B99, B100, B101, B102, B103, B104, B105, B106, B107, B108, B109, B110, B111, B112, B113, B114, B115, B116, B117, B118, B119, B120, B121, B122, B123, B124, B125, B126, B127, B128, B129, B130, B131, B132, B133, B134, B135, B136, B137, B138, B139, B140, B141, B142, B143, B144, B145, B146, B147, B148, B149, B150, B151, B152, B153, B154, B155, B156, B157, B158, B159, B160, B161, B162, B163, B164, B165, B166, B167, B168, B169, B170, B171, B172, B173, B174, B175, B176, B177, B178, B179, B180, B181, B182, B183, B184, B185, B186, B187, B188, B189, B190, B191, B192, B193, B194, B195, B196, B197, B198, B199, B200, B201, B202, B203, B204, B205, B206, B207, B208, B209, B210, B211, B212, B213, B214, B215, B216, B217, B218, B219, B220, B221, B222, B223, B224, B225, B226, B227, B228, B229, B230, B231, B232, B233, B234, B235, B236, B237, B238, B239, B240, B241, B242, B243, B244, B245, B246, B247, B248, B249, B250, B251, B252, B253, B254, B255, B256, B257, B258, B259, B260, B261, B262, B263, B264, B265, B266, B267, B268, B269, B270, B271, B272, B273, B274, B275, B276, B277, B278, B279, B280, B281, B282, B283, B284, B285, B286, B287, B288, B289, B290, B291, B292, B293, B294, B295, B296, B297, B298, B299, B300, B301, B302, B303, B304, B305, B306, B307, B308, B309, B310, B311, B312, B313, B314, B315, B316, B317, B318, B319, B320, B321, B322, B323, B324, B325, B326, B327, B328, B329, B330, B331, B332, B333, B334, B335, B336, B337, B338, B339, B340, B341, B342, B343, B344, B345, B346, B347, B348, B349, B350, B351, B352, B353, B354, B355, B356, B357, B358, B359, B360, B361, B362, B363, B364, B365, B366, B367, B368, B369, B370, B371, B372, B373, B374, B375, B376, B377, B378, B379, B380, B381, B382, B383, B384, B385, B386, B387, B388, B389, B390, B391, B392, B393, B394, B395, B396, B397, B398, B399, B400, B401, B402, B403, B404, B405, B406, B407, B408, B409, B410, B411, B412, B413, B414, B415, B416, B417, B418, B419, B420, B421, B422, B423, B424, B425, B426, B427, B428, B429, B430, B431, B432, B433, B434, B435, B436, B437, B438, B439, B440, B441, B442, B443, B444, B445, B446, B447, B448, B449, B450, B451, B452, B453, B454, B455, B456, B457, B458, B459, B460, B461, B462, B463, B464, B465, B466, B467, B468, B469, B470, B471, B472, B473, B474, B475, B476, B477, B478, B479, B480, B481, B482, B483, B484, B485, B486, B487, B488, B489, B490, B491, B492, B493, B494, B495, B496, B497, B498, B499, B500, B501, B502, B503, B504, B505, B506, B507, B508, B509, B510, B511, B512, B513, B514, B515, B516, B517, B518, B519, B520, B521, B522, B523, B524, B525, B526, B527, B528, B529, B530, B531, B532, B533, B534, B535, B536, B537, B538, B539, B540, B541, B542, B543, B544, B545, B546, B547, B548, B549, B550, B551, B552, B553, B554, B555, B556, B557, B558, B559, B560, B561, B562, B563, B564, B565, B566, B567, B568, B569, B570, B571, B572, B573, B574, B575, B576, B577, B578, B579, B580, B581, B582, B583, B584, B585, B586, B587, B588, B589, B590, B591, B592, B593, B594, B595, B596, B597, B598, B599, B600, B601, B602, B603, B604, B605, B606, B607, B608, B609, B610, B611, B612, B613, B614, B615, B616, B617, B618, B619, B620, B621, B622, B623, B624, B625, B626, B627, B628, B629, B630, B631, B632, B633, B634, B635, B636, B637, B638, B639, B640, B641, B642, B643, B644, B645, B646, B647, B648, B649, B650, B651, B652, B653, B654, B655, B656, B657, B658, B659, B660, B661, B662, B663, B664, B665, B666, B667, B668, B669, B670, B671, B672, B673, B674, B675, B676, B677, B678, B679, B680, B681, B682, B683, B684, B685, B686, B687, B688, B689, B690, B691, B692, B693, B694, B695, B696, B697, B698, B699, B700, B701, B702, B703, B704, B705, B706, B707, B708, B709, B710, B711, B712, B713, B714, B715, B716, B717, B718, B719, B720, B721, B722, B723, B724, B725, B726, B727, B728, B729, B730, B731, B732, B733, B734, B735, B736, B737, B738, B739, B740, B741, B742, B743, B744, B745, B746, B747, B748, B749, B750, B751, B752, B753, B754, B755, B756, B757, B758, B759, B760, B761, B762, B763, B764, B765, B766, B767, B768, B769, B770, B771, B772, B773, B774, B775, B776, B777, B778, B779, B780, B781, B782, B783, B784, B785, B786, B787, B788, B789, B790, B791, B792, B793, B794, B795, B796, B797, B798, B799, B800, B801, B802, B803, B804, B805, B806, B807, B808, B809, B810, B811, B812, B813, B814, B815, B816, B817, B818, B819, B820, B821, B822, B823, B824, B825, B826, B827, B828, B829, B830, B831, B832, B833, B834, B835, B836, B837, B838, B839, B840, B841, B842, B843, B844, B845, B846, B847, B848, B849, B850, B851, B852, B853, B854, B855, B856, B857, B858, B859, B860, B861, B862, B863, B864, B865, B866, B867, B868, B869, B870, B871, B872, B873, B874, B875, B876, B877, B878, B879, B880, B881, B882, B883, B884, B885, B886, B887, B888, B889, B890, B891, B892, B893, B894, B895, B896, B897, B898, B899, B900, B901, B902, B903, B904, B905, B906, B907, B908, B909, B910, B911, B912, B913, B914, B915, B916, B917, B918, B919, B920, B921, B922, B923, B924, B925, B926, B927, B928, B929, B930, B931, B932, B933, B934, B935, B936, B937, B938, B939, B940, B941, B942, B943, B944, B945, B946, B947, B948, B949, B950, B951, B952, B953, B954, B955, B956, B957, B958, B959, B960, B961, B962, B963, B964, B965, B966, B967, B968, B969, B970, B971, B972, B973, B974, B975, B976, B977, B978, B979, B980, B981, B982, B983, B984, B985, B986, B987, B988, B989, B990, B991, B992, B993, B994, B995, B996, B997, B998, B999, B1000, B1001, B1002, B1003, B1004, B1005, B1006, B1007, B1008, B1009, B1010, B1011, B1012, B1013, B1014, B1015, B1016, B1017, B1018, B1019, B1020, B1021, B1022, B1023, B1024, B1025, B1026, B1027, B1028, B1029, B1030, B1031, B1032, B1033, B1034, B1035, B1036, B1037, B1038, B1039, B1040, B1041, B1042, B1043, B1044, B1045, B1046, B1047, B1048, B1049, B1050, B1051, B1052, B1053, B1054, B1055, B1056, B1057, B1058, B1059, B1060, B1061, B1062, B1063, B1064, B1065, B1066, B1067, B1068, B1069, B1070, B1071, B1072, B1073, B1074, B1075, B1076, B1077, B1078, B1079, B1080, B1081, B1082, B1083, B1084, B1085, B1086, B1087, B1088, B1089, B1090, B1091, B1092, B1093, B1094, B1095, B1096, B1097, B1098, B1099, B1100, B1101, B1102, B1103, B1104, B1105, B1106, B1107, B1108, B1109, B1110, B1111, B1112, B1113, B1114, B1115, B1116, B1117, B1118, B1119, B1120, B1121, B1122, B1123, B1124, B1125, B1126, B1127, B1128, B1129, B1130, B1131, B1132, B1133, B1134, B1135, B1136, B1137, B1138, B1139, B1140, B1141, B1142, B1143, B1144, B1145, B1146, B1147, B1148, B1149, B1150, B1151, B1152, B1153, B1154, B1155, B1156, B1157, B1158, B1159, B1160, B1161, B1162, B1163, B1164, B1165, B1166, B1167, B1168, B1169, B1170, B1171, B1172, B1173, B1174, B1175, B1176, B1177, B1178, B1179, B1180, B1181, B1182, B1183, B1184, B1185, B1186, B1187, B1188, B1189, B1190, B1191, B1192, B1193, B1194, B1195, B1196, B1197, B1198, B1199, B1200, B1201, B1202, B1203, B1204, B1205, B1206, B1207, B1208, B1209, B1210, B1211, B1212, B1213, B1214, B1215, B1216, B1217, B1218, B1219, B1220, B1221, B1222, B1223, B1224, B1225, B1226, B1227, B1228, B1229, B1230, B1231, B1232, B1233, B1234, B1235, B1236, B1237, B1238, B1239, B1240, B1241, B1242, B1243, B1244, B1245, B1246, B1247, B1248, B1249, B1250, B1251, B1252, B1253, B1254, B1255, B1256, B1257, B1258, B1259, B1260, B1261, B1262, B1263, B1264, B1265, B1266, B1267, B1268, B1269, B1270, B1271, B1272, B1273, B1274, B1275, B1276, B1277, B1278, B1279, B1280, B1281, B1282, B1283, B1284, B1285, B1286, B1287, B1288, B1289, B1290, B1291, B1292, B1293, B1294, B1295, B1296, B1297, B1298, B1299, B1300, B1301, B1302, B1303, B1304, B1305, B1306, B1307, B1308, B1309, B1310, B1311, B1312, B1313, B1314, B1315, B1316, B1317, B1318, B1319, B1320, B1321, B1322, B1323, B1324, B1325, B1326, B1327, B1328, B1329, B1330, B1331, B1332, B1333, B1334, B1335, B1336, B1337, B1338, B1339, B1340, B1341, B1342, B1343, B1344, B1345, B1346, B1347, B1348, B1349, B1350, B1351, B1352, B1353, B1354, B1355, B1356, B1357, B1358, B1359, B1360, B1361, B1362, B1363, B1364, B1365, B1366, B1367, B1368, B1369, B1370, B1371, B1372, B1373, B1374, B1375, B1376, B1377, B1378, B1379, B1380, B1381, B1382, B1383, B1384, B1385, B1386, B1387, B1388, B1389, B1390, B1391, B1392, B1393, B1394, B1395, B1396, B1397, B1398, B1399, B1400, B1401, B1402, B1403, B1404, B1405, B1406, B1407, B1408, B1409, B1410, B1411, B1412, B1413, B1414, B1415, B1416, B1417, B1418, B1419, B1420, B1421, B1422, B1423, B1424, B1425, B1426, B1427, B1428, B1429, B1430, B1431, B1432, B1433, B1434, B1435, B1436, B1437, B1438, B1439, B1440, B1441, B1442, B1443, B1444, B1445, B1446, B1447, B1448, B1449, B1450, B1451, B1452, B1453, B1454, B1455, B1456, B1457, B1458, B1459, B1460, B1461, B1462, B1463, B1464, B1465, B1466, B1467, B1468, B1469, B1470, B1471, B1472, B1473, B1474, B1475, B1476, B1477, B1478, B1479, B1480, B1481, B1482, B1483, B1484, B1485, B1486, B1487, B1488, B1489, B1490, B1491, B1492, B1493, B1494, B1495, B1496, B1497, B1498, B1499, B1500, B1501, B1502, B1503, B1504, B1505, B1506, B1507, B1508, B1509, B1510, B1511, B1512, B1513, B1514, B1515, B1516, B1517, B1518, B1519, B1520, B1521, B1522, B1523, B1524, B1525, B1526, B1527, B1528, B1529, B1530, B1531, B1532, B1533, B1534, B1535, B1536, B1537, B1538, B1539, B1540, B1541, B1542, B1543, B1544, B1545, B1546, B1547, B1548, B1549, B1550, B1551, B1552, B1553, B1554, B1555, B1556, B1557, B1558, B1559, B1560, B1561, B1562, B1563, B1564, B1565, B1566, B1567, B1568, B1569, B1570, B1571, B1572, B1573, B1574, B1575, B1576, B1577, B1578, B1579, B1580, B1581, B1582, B1583, B1584, B1585, B1586, B1587, B1588, B1589, B1590, B1591, B1592, B1593, B1594, B1595, B1596, B1597, B1598, B1599, B1600, B1601, B1602, B1603, B1604, B1605, B1606, B1607, B1608, B1609, B1610, B1611, B1612, B1613, B1614, B1615, B1616, B1617, B1618, B1619, B1620, B1621, B1622, B1623, B1624, B1625, B1626, B1627, B1628, B1629, B1630, B1631, B1632, B1633, B1634, B1635, B1636, B1637, B1638, B1639, B1640, B1641, B1642, B1643, B1644, B1645, B1646, B1647, B1648, B1649, B1650, B1651, B1652, B1653, B1654, B1655, B1656, B1657, B1658, B1659, B1660, B1661, B1662, B1663, B1664, B1665, B1666, B1667, B1668, B1669, B1670, B1671, B1672, B1673, B1674, B1675, B1676, B1677, B1678, B1679, B1680, B1681, B1682, B1683, B1684, B1685, B1686, B1687, B1688, B1689, B1690, B1691, B1692, B1693, B1694, B1695, B1696, B1697, B1698, B1699, B1700, B1701, B1702, B1703, B1704, B1705, B1706, B1707, B1708, B1709, B1710, B1711, B1712, B1713, B1714, B1715, B1716, B1717, B1718, B1719, B1720, B1721, B1722, B1723, B1724, B1725, B1726, B1727, B1728, B1729, B1730, B1731, B1732, B1733, B1734, B1735, B1736, B1737, B1738, B1739, B1740, B1741, B1742, B1743, B1744, B1745, B1746, B1747, B1748, B1749, B1750, B1751, B1752, B1753, B1754, B1755, B1756, B1757, B1758, B1759, B1760, B1761, B1762, B1763, B1764, B1765, B1766, B1767, B1768, B1769, B1770, B1771, B1772, B1773, B1774, B1775, B1776, B1777, B1778, B1779, B1780, B1781, B1782, B1783, B1784, B1785, B1786, B1787, B1788, B1789, B1790, B1791, B1792, B1793, B1794, B1795, B1796, B1797, B1798, B1799, B1800, B1801, B1802, B1803, B1804, B1805, B1806, B1807, B1808, B1809, B1810, B1811, B1812, B1813, B1814, B1815, B1816, B1817, B1818, B1819, B1820, B1821, B1822, B1823, B1824, B1825, B1826, B1827, B1828, B1829, B1830, B1831, B1832, B1833, B1834, B1835, B1836, B1837, B1838, B1839, B1840, B1841, B1842, B1843, B1844, B1845, B1846, B1847, B1848, B1849, B1850, B1851, B1852, B1853, B1854, B1855, B1856, B1857, B1858, B1859, B1860, B1861, B1862, B1863, B1864, B1865, B1866, B1867, B1868, B1869, B1870, B1871, B1872, B1873, B1874, B1875, B1876, B1877, B1878, B1879, B1880, B1881, B1882, B1883, B1884, B1885, B1886, B1887, B1888, B1889, B1890, B1891, B1892, B1893, B1894, B1895, B1896, B1897, B1898, B1899, B1900, B1901, B1902, B1903, B1904, B1905, B1906, B1907, B1908, B1909, B1910, B1911, B1912, B1913, B1914, B1915, B1916, B1917, B1918, B1919, B1920, B1921, B1922, B1923, B1924, B1925, B1926, B1927, B1928, B1929, B1930, B1931, B1932, B1933, B1934, B1935, B1936, B1937, B1938, B1939, B1940, B1941, B1942, B1943, B1944, B1945, B1946, B1947, B1948, B1949, B1950, B1951, B1952, B1953, B1954, B1955, B1956, B1957, B1958, B1959, B1960, B1961, B1962, B1963, B1964, B1965, B1966, B1967, B1968, B1969, B1970, B1971, B1972, B1973, B1974, B1975, B1976, B1977, B1978, B1979, B1980, B1981, B1982, B1983, B1984, B1985, B1986, B1987, B1988, B1989, B1990, B1991, B1992, B1993, B1994, B1995, B1996, B1997, B1998, B1999, B2000, B2001, B2002, B2003, B2004, B2005, B2006, B2007, B2008, B2009, B2010, B2011, B2012, B2013, B2014, B2015, B2016, B2017, B2018, B2019, B2020, B2021, B2022, B2023, B2024, B2025, B2026, B2027, B2028, B2029, B2030, B2031, B2032, B2033, B2034, B2035, B2036, B2037, B2038, B2039, B2040, B2041, B2042, B2043, B2044, B2045, B2046, B2047, B2048, B2049, B2050, B2051, B2052, B2053, B2054, B2055, B2056, B2057, B2058, B2059, B2060, B2061, B2062, B2063, B2064, B2065, B2066, B2067, B2068, B2069, B2070, B2071, B2072, B2073, B2074, B2075, B2076, B2077, B2078, B2079, B2080, B2081, B2082, B2083, B2084, B2085, B2086, B2087,

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 03	14 OCT 2024

Terms	Definitions / Explanatory Notes
Complex motor-powered aircraft	An airplane: (i) Above 5700 Kg MTOM, or (ii). Certificated for more than 19 seated passengers, or (iii). Certificated for operation with at least 2 pilots, or (iv). Equipped with turbojet engine(s) or more than 1 turboprop engine.
Continuation Training	Continuation training in accordance with CAR 145 to ensure that certifying staff have up to date knowledge of relevant technologies, company policies, procedures and human factors.
Consumables	Non- maintainable aircraft components with their own part No. which are disposed off after use e.g., seals, 'O' rings, Filters, and Semi-finished products such as metal or plastic sheets or profiles, etc., fluids such as cleaning agents, pickling agents, primers, paints, etc.
Design organizations	An organization approved by aviation authority to design or modify products within the scope of its approval.
Group Airlines	TATA Group owned Airlines comprises Air India & Air India Express Ltd.
Human Factors	Principles which apply to aeronautical design, certification, training, operations, maintenance and which seek safe interface between human and other system components by proper consideration of human performance.
Human performance	Human capabilities and limitations, which have an impact on the safety and efficiency of aeronautical operations.
Inspection	Means examination of an aircraft/aircraft component to establish conformity with an approved standard.
Incident	An occurrence other than accident, associated with the operation of an aircraft, which affects or could affect the safety of operation.
Independent Inspection	Independent inspection is the defined work/ work steps after first inspection, by another appropriately authorized person
Large aircraft	An aircraft, classified as an airplane with a maximum take- off mass of more than 5700 kg, or a multi-engine helicopter:
License	ICAO Type II license issued by DGCA India or its equivalent
Location	A place from which an organization carries on activities or wishes to carry on activities for which CAR 145 approval is required

Signature valid
Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 00	24 JUN 2024

Terms	Definitions / Explanatory Notes
Long Absence	Absence from duty for more than 15 days.
Maintenance	Maintenance' means any one or combination of overhaul, repair, inspection, replacement, modification or defect rectification of an aircraft or component, with the exception of pre-flight inspection.
Maintenance data	Means any information necessary to ensure that the aircraft or aircraft component can be maintained in a condition such that airworthiness of aircraft or serviceability of operational and emergency equipment's is assured.
Maintenance Organization	An aviation authority approved organization that maintains a product within the scope of its approval and in accordance with the specifications of the operator, design organization and aviation authorities.
Maintenance Organization Exposition	Means the document that contains the information required by CAR 145.A.70 to show how the organization complies with CAR 145 requirements.
Maintenance Specifications	These are technical documents for aircraft or aircraft component maintenance or for implementation of specialized services that are issued by design organizations such as AMM, SRM, CMM, etc. They also include operators' maintenance program and engineering orders.
Modification	Alteration of an aircraft or component in conformity with approved standard.
Operator	Contracted Airlines
Overhaul	Means the restoration of an aircraft/aircraft component by inspection and replacement in conformity to approved standard to extend the operation life.
Preflight inspection	Means an inspection carried out before flight to ensure that the aircraft is fit for the intended flight. It does not include defect rectification.
Qualification	Skills and knowledge required to obtain an authorization.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 00	24 JUN 2024

Terms	Definitions / Explanatory Notes
Quality	Fulfillment of predefined requirements (agreement with customers, aviation authority requirements, company objectives)
Quality Audit	An independent and systematic investigation to establish whether the quality system and its regulations are both effective and able to achieve the quality objectives described therein and whether the quality related processes, activities, and their results conform to the stipulated specifications.
Quality Policy	Means the overall intentions and directions of an organization's as regards quality, as approved by the Accountable Manager.
Record	Documents stating results achieved or providing evidence of activities performed, e.g., records can be used to document traceability and to provide evidence of verification, preventive and corrective actions.
Reliability Program	Used to monitor technical reliability of the aircraft, systems and devices.
Repair	Restoring the aircraft or aircraft component to a serviceable condition in conformity with an approved standard.
Rotable	Components, which can be repaired/overhauled and returned to service.
Supplier	A dealer, manufacturer, contractor/ sub-contractor.
Supplier evaluation	This is the evaluation of quality of products / services supplied. It consists of an assessment of the quality system and aspects such as delivery on time, pricing and service.
Sub-Contractor	A sub-contractor is one who works under the CAR 145 organization quality system since he does not have the required aviation authority approval.
Unsalvageable	Components which have reached their certified life limit or contain a non-repairable defect.
Unapproved part	Unapproved part is defined as "a part, component, or material that has not been manufactured or repaired in accordance with the approved procedures that may not conform to an approved type design"; or may not conform to established industry or various specifications".

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 07	24 DEC 2024

P.10 ABBREVIATIONS

A/C	Aircraft
AD	Airworthiness Directive
AME	Aircraft Maintenance Engineer
AMC	Acceptable Means of Compliance
AMM	Aircraft Maintenance Manual
AMO	Approved Maintenance Organization
AOG	Aircraft on Ground
APU	Auxiliary Power Unit
ASNT	American Society of Non-Destructive Testing
ATP	Authority to Proceed
CAA	Civil Aviation Authority
CAMO	Continuing Airworthiness Management Organization
CAR	Civil Aviation Requirements
CDCCL	Critical Design Configuration Control Limitation
CDL	Configuration Deviation List
CEO	Chief Executive Officer
CMM	Component Maintenance Manual
CMR	Certification Maintenance Requirement
CPCP	Corrosion Prevention and Control Program
CRS	Certificate of Release to Service
CTO	Chief Technical Officer
DGCA	Directorate General of Civil Aviation
DOA	Design Organization Approval
DR Server	Disaster Recovery
EASA	European Union Aviation Safety Agency
EDTO	Extended Diversion Time Operation
EO	Engineering Order
ESDS	Electrostatic Discharge Sensitive
FAA	Federal Aviation Administration
FC	Flight Cycle
FH	Flight Hour
IT	Information technology
IPC	Illustrated Parts catalogue
IOCC	Integrated Operations Control Centre
LEP	List of Effective Pages
LMM	Line Maintenance Manager
MAF	Modification action form
MEDA	Maintenance Error Decision Aid
MEL	Minimum Equipment List
MOD	Modification
MO	Months
MOE	Maintenance Organization Exposition
MPD	Maintenance Planning Document
MCC	Maintenance Control Centre
MIS	Management Information System (AMOS)

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part P		
	PRELIMINARIES	Issue 3	Rev. 09	28 MAR 2025

NAA	National Aviation Authority
NABL	National Accreditation Board of Laboratories
NAS	National Aerospace Standards
NCR	Non-Conformance Report
NDT	Non-Destructive Testing
O/H	Overhaul
PBN	Performance Based Navigation
PPU	Production Planning Unit
QM	Quality Manager
QDM	Quality Department & Enforcement Manual
SAP	System Applications and Processing
SRM	Structural Repair Manual
SB	Service Bulletin
SL	Service Letter
SSI	Structural Significant Item
STC	Supplemental Type Certificate
SOJT	Structured On Job Training
TC	Type Certificate
U/S	Unserviceable
W.O.	Work Order
FHS	Flight Hour Services
PDSC	Pre-departure Service Check

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 0		
	GENERAL ORGANISATION	Issue 3	Rev.00	24 JUN 2024

0.0 TABLE OF CONTENTS

PART	PART NAME
0.1	Company Profile
0.2	CAMO Interface

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 0		
	GENERAL ORGANISATION		Issue 3	Rev.09	28 MAR 2025

0.1 COMPANY PROFILE (CAR 145.A.70 (a))

- 0.1.1 Air India Limited is a scheduled Airline operating on wide network within India & overseas.
- 0.1.2 Engineering & Maintenance (E & M) division is an integral part of Air India Limited and is established to provide maintenance support to aircraft operated by Air India & Air India Express. Currently, it provides the maintenance support to the fleet of aircraft operated by Air India & Air India Express.
- 0.1.3 Air India Engineering & Maintenance is based in Delhi and corporate Headquarters in Gurugram. The E & M division is approved by DGCA India under CAR 145 as per its scope of approval at various locations.
- 0.1.4 The E & M division is managed by responsible managers for discharging various assigned functions.

0.2 CAMO INTERFACE

0.2.1 General:

- 0.2.1.1 As a scheduled airline, Air India holds CAR M Continuing Airworthiness Management Organization (CAMO) and CAR 145 Approved Maintenance Organization (AMO) approvals issued by DGCA.
- 0.2.1.2 For efficient management of Air India CAMO and AMO activities, certain functions will be performed by common department.
- 0.2.1.3 Engineering Quality, Technical Services, Planning, Maintenance Control Centre (MCC), Technical Services, Technical Records and Technical Publications, wherever mentioned in this exposition, refer to common divisions supporting CAMO and AMO functions.
- 0.2.2 Customer Support:
 - 0.2.2.1 The term 'customer' referenced in this MOE will cover Air India Limited CAMO and any other organization having business with Air India Limited CAR 145 AMO.
 - 0.2.2.2 AMO functions will be executed as per written contract between Air India, external customers & Group Airlines However, AMO functions executed to support Air India CAMO need not have written contract and shall be executed as per the requirements of Air India approved Continuing Airworthiness Management Exposition (CAME).

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.0 TABLE OF CONTENTS

PART	PART NAME
1.1	Corporate commitment by the Accountable Manager
1.2	Safety and Quality Policy
1.3	Management Personnel
1.4	Duties and Responsibilities of the Management Personnel
1.5	Management Organization Chart
1.6	List of Certifying Staff, support staff and Airworthiness Review Staff
1.7	Manpower Resources
1.8	General Description of Facilities at various Stations
1.9	Organization's Scope of Work
1.10	Notification Procedure to DGCA regarding changes to the Organization's activities / approval / location / personnel
1.11	Exposition Amendment Procedures

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.15	15 DEC 2025

1.1 Corporate Commitment by the Accountable Manager

CAR 145.A.05; 145.A.70 (a) (1)

This exposition and any associated referenced manuals define the organization and procedures of Air India Limited Engineering and Maintenance Department upon which DGCA CAR 145 approval is based as required by 145. A.70.

These procedures are approved by the undersigned and shall be complied with as applicable, when workorders are being progressed under the terms of the CAR-145 approval.

It is accepted that these procedures do not override the necessity of complying with any new or amended regulation published by DGCA from time to time where these new or amended regulations conflict with these procedures.

The accountable manager has delegated his financial authority/duties/functions to the CTO. However, Accountable Manager still hold the overall authority and such delegation does not relieve the Accountable Manager of his accountability and responsibility.

It is understood that DGCA will approve this organization whilst DGCA is satisfied that the procedures are being followed and work standards maintained. It is further understood that DGCA reserves the right to suspend, limit or revoke the CAR145 approval of the organization if DGCA has evidence that procedures are not followed, or standards not upheld.



(Campbell Wilson)

Chief Executive Officer & Managing Director

Air India Ltd.

Date: 15th Dec 2025

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.2 SAFETY AND QUALITY POLICY

CAR 145.A.65, 145.A.70 (a)

- 1.2.1** The management of Air India is committed to the establishment and implementation of Safety and the Quality Policy.
- 1.2.2** Safety and the Quality policy is achieved through establishment of Safety Management System within the organisation. The SMS has been developed and implemented in accordance with CAR Section 1 Series C Part 1 by Corporate Safety and Quality department.
- 1.2.3** The SMS policies and procedures are defined in Corporate Safety Management System Manual accepted / approved by DGCA that shall achieve following objectives as a minimum:
- Identifies safety hazards.
 - Assesses the impact of these safety hazards and mitigate risks.
 - Ensures that remedial action necessary to maintain an acceptable level of safety is implemented.
 - Provides for continuous monitoring and regular assessment of the safety level achieved.
 - Aims to make continuous improvement to the overall level of safety.
- 1.2.4** Management and all employees shall be responsible and accountable for the delivery of the highest level of safety and quality performance.
- 1.2.5** To achieve the defined standard of Quality and Safety, Air India is committed to:
- Recognize safety as prime consideration at all times, for all the staff and promotes the concept of continuous improvement on Quality and Safety.
 - The Application of Human factors principles as they relate to the operations.
 - Recognize that compliance with documented procedures, quality standards, safety standards and regulations is the duty of all personnel.
 - Encourage personnel to report maintenance related errors/incidents and safety concerns without fear of any inappropriate punitive action.
 - Air India encourage open door policy to maintain effective communication between employees and management on quality and safety matters.
 - Ensure good use of resources and pay particular attention to carry out correct maintenance at the first attempt.
 - Implementation of independent Quality Audit System and associated feedback reporting system.
 - Recognize the need for all personnel to cooperate with the quality / safety auditors.
 - Ensure that safety standards are not reduced by commercial imperatives.
 - Ensure that all processes and procedures are designed and implemented taking into account human factors and human performance to ensure good maintenance practices and compliance with the CAR 145 requirements.
 - Train all E & M staff to be aware of human factors and set a continuous training program in this field.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.3 MANAGEMENT PERSONNEL

CAR 145.A.30 (a), (b), (c) 145.A.70 (a) (3)

1.3.1 The company has a management structure (as given in part 1.5 of this MOE) designed to oversee and undertake specific roles and responsibilities in all aspects of aircraft maintenance in accordance with policies and procedures of the company and the requirements of DGCA.

1.3.2 The Accountable Manager of Air India has the corporate authority to ensure finance and availability of necessary resources to support organization's approval under CAR 145.

1.3.3 Process for appointment to Post Holder - Line Maintenance:

- The Accountable Manager shall adjudge and then nominate appropriately qualified senior person as Line Maintenance Manager (through CA Form 4) for ensuring maintenance activities.
- Signed CA Form 4 shall be submitted to Regional office of DGCA for acceptance.
- Once accepted, Post Holder - Line Maintenance shall discharge its duties.
- Nominated post holders shall be ultimately responsible to Accountable Manager.

1.3.4 Process for appointment to Post Holder - Quality Manager:

- Accountable Manager shall adjudge and nominate appropriately qualified senior person as Quality Manager (through CA Form 4) for establishing quality and safety standards,
- Signed CA Form 4 shall be submitted to Regional office of DGCA for acceptance.
- Once accepted, Post Holder - Quality Manager shall discharge its duties.
- The Quality Manager shall have direct reporting to the Accountable Manager.

1.3.5 The post holders of individual department are responsible and accountable for accomplishment of the tasks assigned to them within the framework of this MOE, notwithstanding the overall responsibility of the Accountable Manager.

1.3.6 Nominated Post Holders may delegate his function / responsibilities to his qualified departmental managers. However, such delegation does not relieve the Post Holder of overall accountability and ultimate responsibilities. In the absence of Post Holder, the second senior most manager in the department, who is normally an experienced senior person, conversant with the day to day functioning of the Department, shall deputize for the post holder. DGCA shall be notified in case of long absence (more than 15 days) of post holder.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.13	17 NOV 2025

1.3.7 Details of the management personnel are given below:

S: No.	Position	Name	CA Form 4
1	Accountable Manager*	Mr. Campbell Wilson Chief Executive Officer & MD	NO*
2	Chief Technical Officer	Mr. Sisirakanta Dash	NO*
3	Quality Manager	Mr. R.K. Bablani	Yes
4	Line Maintenance Manager	Mr. Deepak Kumar	Yes

Note*: *Accountable Manager is accepted by DGCA, India through statement "Corporate commitment by Accountable Manager" as reflected in MOE section 1.1 and Chief Technical Officer is accepted through MOE Para 1.3.7.*

1.3.8 For the purpose of OJT in accordance with MOE 3.15, the accepted OJT Mentor and Assessor for Airbus A320 family, Boeing B737, Boeing B787 & B777 aircraft details are listed in MOE Part 5 Appendices, Section 5.5.

Relevant References

LMM Section 1.3, 1.4 & 1.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.4 DUTIES AND RESPONSIBILITIES OF MANAGEMENT PERSONNEL

CAR 145.A.30 (a), 145.A.70 (a) (4)

1.4.1 Accountable Manager

1.4.1.1 Position: Chief Executive Officer and Managing Director

1.4.1.2 Reports to: Chairman

1.4.1.3 Duties and Responsibilities

- (a) Ensure the maintenance carried out by the organization meets the standards required by DGCA.
- (b) Ensure independent Quality & Safety Management System and promote the safety and quality policies within the company.
- (c) Nominate Quality Manager for establishing quality and safety standards, to ensure compliance with regulatory, airworthiness and safety requirements, with associated feedback system.
- (d) Nominate post holders for ensuring maintenance activities undertaken are in compliance with the documented policies and procedures, airworthiness and safety standards.
- (e) Provide necessary resources such as finance, Infrastructure & facilities, manpower, required to perform the maintenance to which the company is committed to contracted operators and any additional work which it may undertake.
- (f) Periodic review of Quality audit feedback system with management personnel.
- (g) Establish system for assessment of personnel competency including that of management.
- (h) Ensure any charges, such as fees and other regulatory charges, to be paid to DGCA as prescribed by regulations.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.07	24 DEC 2024

1.4.2 Chief Technical Officer – Engineering & Maintenance

1.4.2.1 Reports to: Accountable Manager

1.4.2.2 Duties and Responsibilities

- (a) Develop, implement and monitor maintenance management structure, administrative policies, budgeting and provisioning of human resources.
- (b) Define departmental structure within the Maintenance Departments, with adequate competent personnel and delegate responsibility for the management.
- (c) Ensure all the necessary resources to function as per terms of approval granted by DGCA are available to the Maintenance Departments.
- (d) Ensure implementation of Safety Management System in Maintenance Departments.
- (e) The aircraft is maintained in an airworthy condition.
- (f) Operational and emergency equipment fitted are correctly installed and serviceable or clearly identified as unserviceable.
- (g) The airworthiness certificate remains valid.
- (h) The maintenance of the aircraft is performed in accordance with the approved maintenance program.
- (i) Periodic review of Quality audit feedback system with management personnel.
- (j) Ensure any charges, such as fees and other regulatory charges, to be paid to DGCA as prescribed by regulations.
- (k) Any other task assigned by Accountable Manager.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.07	24 DEC 2024

1.4.3 Quality Manager

1.4.3.1 Position: Head of Quality – Reports to Accountable Manager and Chief Technical Officer on Quality, Airworthiness, Safety and Administrative issues.

1.4.3.2 Duties and Responsibilities

- (a) Establish effective Quality and Safety Management System for E&M department to monitor compliance with CAR 145 requirements.
- (b) Define adequate policies & standards for compliance by all personnel associated with aircraft maintenance in the company.
- (c) Review of the changes in the regulations periodically and incorporate the changes affecting the company functioning to company policies / procedures including the MOE.
- (d) Submission of the MOE and any associated amendments, to the DGCA for approval.
- (e) Establish and administer certifying staff authorization system, including stores inspector, within E & M department for maintenance and certification of aircraft / component.
- (f) Evaluate the company's capability to undertake maintenance of aircraft and liaison with DGCA to obtain necessary approval.
- (g) Review and approve maintenance and associated procedures developed by various Departments and documented in the respective second level Manual of Air India E & M.
- (h) Evaluation, approval and monitoring of suppliers of new and used components and materials for satisfactory product quality in relation to the needs of the organization.
- (i) Evaluation, approval and monitoring of contracted / subcontracted organization, including specialized services providers.
- (j) Reporting of the occurrences to the DGCA in the form and manners required by DGCA.
- (k) Technical investigation of incidents / occurrence associated with aircraft maintenance and liaises with DGCA, as required.
- (l) Monitor significant defect, and defects with adverse trend reported during aircraft maintenance are identified and addressed effectively and promptly.
- (m) Establish a quality audit program in which compliance with all maintenance procedures is reviewed at regular intervals in relation to each type of aircraft (or component) maintained (including the management and completion of audits and production of audit reports) and ensure that any observed non-compliances or poor standards are brought to the attention of the person concerned via his/her manager.
- (n) Follow up and close of any non-conformances identified.
- (o) Approval of annual audit plan for Maintenance Organization and ensure its implementation.
- (p) Review effectiveness of quality system through audit feedback and periodically apprise the Accountable Manager about compliance status with policies and standards.
- (q) Notify the DGCA regarding any major changes in the organization, as soon as practicable.

Signature Valid

Signed by: 
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

- (r) Establish adequate feedback system for any maintenance incident / occurrence / audit findings etc. to continuation training program.
- (s) Facilitate for internal as well as external audit and ensure appropriate Corrective/preventive actions to address finding if any.
- (t) Other functions as per applicable CAR requirements.

1.4.3.3 **Qualification / Experience Requirements**

- a) He shall have a relevant engineering degree (aeronautical, mechanical, electrical, electronic, avionics) or aircraft maintenance Engineering qualification with additional education acceptable to DGCA.
- b) Ten years of work experience of which at least three years should be from the aeronautical industry.
- c) Knowledge of the type of aircraft and systems (at least a General Familiarization imparted by a CAR-147/ approved organisation).
- d) He shall also be conversant with the concept of independent audits and quality management system in addition to knowledge of maintenance methods.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.4.4 Dy. Quality Manager

1.4.4.1 Position: Dy. Quality Manager – Reports to Quality Manager (Post Holder – Quality).

1.4.4.2 Duties and Responsibilities

- a) Ensuring that Air India Limited aircraft, engines and components, are maintained, overhauled, repaired, modified and/or inspected in accordance with all statutory and company requirements and standards.
- b) Maintaining regular communications between AMO and the DGCA through the QM, as well as other regulatory authorities, and between the AMO and services support organizations on airworthiness matters.
- c) Ensuring sub-contractors have the necessary tools and equipment, reference documents, trained personnel, facilities, and appropriate approvals before undertaking any work affecting airworthiness.
- d) Jointly reviewing the adequacy and completeness of the Aircraft Maintenance Programme, and related amendments, before submission to and obtaining approval from the DGCA and other relevant regulatory authorities are performed and ensuring Air India Limited aircraft are maintained in accordance with approved Aircraft Maintenance Program.
- e) Liaising with Flight Operations in compilation of applicable Minimum Equipment List.
- f) Investigating into Aircraft Flight Incident Reports which affect airworthiness of aircraft and coordinating recommendations and corrective actions for problems found.
- g) Performing surveillance on line stations to which Air India Limited operates to, on Air India Limited facilities and as well as handling agents' facilities.
- h) Preparing of Quality Audit Plan with respect to all the areas and activities of Air India Limited including contracts and/or Subcontracts. Post Holder will approve this audit plan for Quality.
- i) Responsible for releasing the Quality Audit Plan latest by 2nd week of January each year.
- j) The training required for all the staff in Quality Assurance department.
- k) Monitoring new revisions/amendments to applicable regulations including CAR 145 and will also be responsible for amending the checklist in order to monitor the compliance of issued revisions by regulations by Air India Limited.
- l) Monitoring and ensuring that the replies from internal Auditee are received within target dates.
- m) Auditing of all sections of AMO, the support services group functions so as to ensure that Air India Limited's and regulatory authority's standards are maintained.
- n) Ensuring appropriate oversight on airworthiness requirements and associated stores inspection procedures on supply, storage and issue of aircraft parts and materials are complied with, including inspection of bonded and quarantine stores.
- o) Carry out Airworthiness Review of M/s Air India Limited fleet of aircraft and renew the ARC, post acceptance by DGCA and further authorization by Quality Manager.
- p) Ensuring continuing performance of line station ground handling contractors to maintain safe operation of Air India Limited aircraft and that necessary training has been performed.
- q) Compiling and maintaining such other records and statistics as may be required.
- r) Assist QM in managing the efficient operation of Quality Department and ensuring that Quality staffs are appropriately trained to carry out their duties.
- s) Promulgating as well as enforcing the policies relating to office administration for the department.
- t) Will represent as Quality Assurance Representative during inquiries conducted by Air India Limited with respect to delay, defect investigation, incidents, ground occurrence.
- u) Ensuring proper administration, supervision, and discipline of the Technical Records/ Administration Section.
- v) Performing such other duties as assigned to him.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.07	24 DEC 2024

1.4.5 Head of Maintenance (Line Maintenance Manager)

1.4.5.1 *Position: Line Maintenance Manager: Reports to Accountable Manager and Chief Technical Officer on Maintenance performance, safety and administrative issues.*

1.4.5.2 Duties and Responsibilities:

- (a) Directs maintenance and servicing of Air India aircraft.
- (b) To ensure maintenance of aircraft is performed in accordance with approved maintenance program.
- (c) Policies and procedures as defined in MOE and associated procedure manuals.
- (d) Co-ordinates with IOCC/MCC for Aircraft Scheduling and routing to meet maintenance requirements.
- (e) Exercises effective management of the division's manpower in terms of selection, training, motivation, evaluation, and disciplining of subordinates in appropriate liaison with the Human Resource Department.
- (f) Ensure that adequate facilities appropriate to the planned work are provided and have an acceptable working environment in relation to the work performed.
- (g) Reviews the man-power requirement on quarterly basis and report to Chief Technical Officer and Quality Manager in the event of man-power reduction below the level of 25% of requirement.
- (h) Facilitate for internal as well as external audit and ensure appropriate corrective / preventive actions to address the finding, if any. Ensure Safety Management system is implemented within.
- (i) Review of the contracted operator maintenance requirements throughout the network

1.4.5.3 Qualification / Experience Requirements

- a) He shall have a relevant engineering degree (aeronautical, mechanical, electrical, electronic, avionics) or Aircraft Maintenance Engineering qualification with additional education acceptable to DGCA.
- b) 10 years of work experience of which at least three years should be from the aeronautical industry.
- c) Knowledge of the type of aircraft and systems (at least a General Familiarization imparted by a CAR-147 /approved organisation)

Relevant References

LMM Section 1.3, 1.4 & 1.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.4.6 Dy. Line Maintenance Manager

1.4.6.1 Position: Dy. Line Maintenance Manager: Reports to Line Maintenance Manager (Post Holder – Line Maintenance)

1.4.6.2 Duties and Responsibilities:

- (a) Effectively manage the line maintenance activities in the respective station, without deviating from documented policies and procedures and provide airworthy aircraft to meet operational requirements.
- (b) Assessment of facilities, tools, equipment, spares, material, maintenance data and qualified manpower, commensurate with the extent of maintenance being carried out at each station, for adequacy.
- (c) Monitor the aircraft maintenance, ensure that all maintenance, including line defect rectifications, is carried out as per the approved standard defined in MOE, and line maintenance Department manuals.
- (d) Daily review of aircraft maintenance operations activities within the respective stations and resolve difficulties/ constraints experienced by maintenance personnel to ensure the aircraft offered for flight are fully airworthy and safe for intended operation.
- (e) Promote safety culture, encourage safety reporting among the personnel and ensure mitigation of safety hazards.
- (f) Review and identify training requirements for personnel to achieve and maintain required skill level among the maintenance personnel.
- (g) Facilitate for internal as well as external audit and complete appropriate corrective / preventive actions.
- (h) Ensure cleanliness standards of maintenance facilities are maintained.
- (i) Shall make a feasibility study and develop maintenance facilities as per network planning requirements.
- (j) Commensurate with scale of activities proposed at any given location.
- (k) To monitor and control Engineering Stores activities in their respective station in accordance with Engineering Stores Manual.
- (l) Review of contracted operators' maintenance requirements across the network and ensure that adequate resources are made available to carry out required maintenance on the aircraft.
- (m) Management and administration of the department to achieve efficient operation and control of the activities under his control and Management of Safety risk in maintenance operations.
- (n) Management and administration of the department to achieve efficient operation and control of the activities under his control and Management of Safety risk in maintenance operations.
- (o) Periodic review of man-power requirement (3 months), and report to LMM in the event of man-power reduction below the level of 25% of requirement.

Signature valid


Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.07	24 DEC 2024

1.5 MANAGEMENT ORGANIZATION CHART

CAR 145.A.30 (a), 145.A.70 (a) (5)

1.5.1 E & M Management Structure:



Note: -----:Administrative Reporting and _____ :Direct Reporting

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.6 LIST OF CERTIFYING STAFF, SUPPORT STAFF AND AIRWORTHINESS REVIEW STAFF

CAR 145.A.35 (h), 145.A.70 (a) (6)

1.6.1 Policy:

1.6.1.1 Certification authorization issued to maintenance personnel shall be based on AME License / Approval issued by DGCA and internal assessment carried out by Air India as per Quality Department Manual.

1.6.1.2 Administration and control of the certification authorization shall be done by Quality Manager. Criteria for issue of certification authorization shall be compliance to qualification matrix defined in Section 3.4 of this MOE.

1.6.2 List of Certifying Staff:

1.6.2.1 The list of all certifying staff, support staff and Airworthiness Review Staff shall be maintained in electronic format in MIS. The access to change / edit MIS data shall be restricted to designated persons in the quality department. However, read only access shall be given to certifying personnel and selected manager in maintenance.

1.6.2.2 The list shall contain following minimum information pertaining to each certifying staff / support staff:

- Name
- Date of Birth
- Basic Training
- Type Training
- Continuation Training
- Experience
- Qualifications relevant to the authorization
- Scope of the authorisation
- Date of first issue of the authorisation
- Expiry date of the authorisation
- Copy of the authorization
- Unique identification number of the Authorization
- Any other documents such as passport copy, Aadhar Card etc.

Relevant References:

QDM Section 2.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		Part 1		
	MANAGEMENT	Issue 3	Rev.09	28 MAR 2025

1.7 MANPOWER RESOURCES

CAR 145.A.47 (a), 145.A.70 (a) (7)

1.7.1 Policy:

- 1.7.1.1 The manpower resources shall be based on Scope of approval, contracted scheduled maintenance, Extent of maintenance, Human factors consideration etc.

1.7.2. Procedure:

- 1.7.2.1 The requirement of manpower is established and reviewed periodically by the Head of each department. While establishing the manpower, factors such as absence due to leave, training, sickness, duty off, non-routine assignments, efficiency and human factors shall be taken into account.
- 1.7.2.2 The manpower resources for maintenance departments shall be reviewed quarterly and annually for support services. Deviation of more than 25% in the planned manpower shall be reported to Accountable Manager/CTO along with Quality Manager by the respective post holder, for review.
- 1.7.2.3 The skill matrix for the manpower resources and procedure of manpower assessment for each department shall be established and documented.
- 1.7.2.4 Details of manpower available as on date for various departments are as follows. This data is dynamic and would be updated during routine revision of this MOE.

Departments	Manpower Strength
Line Maintenance	2552
Engineering Quality	40
Engineering Fleet Management Records	05
Maintenance Control Centre	26
Engineering Material Management	11
Engineering IT (MIS)	Managed by Corporate IT
Total	2634

Relevant References

LMM Section 1.7

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.14	14 DEC 2025

1.8 GENERAL DESCRIPTION OF FACILITIES AT VARIOUS STATIONS

CAR 145.A.25 (a), (b), 145.A.70 (a) (8)

1.8.1 Policy:

- 1.8.1.1 Air India Limited has adequate infrastructure such as office accommodation, component / material stores, etc. for managing, administering and controlling maintenance of aircraft / component as per the scope of approval.

1.8.2 Hangar requirement:

- 1.8.2.1 Air India Limited has entered into an agreement with AI Engineering Services Ltd to provide hangar accommodation for Air India Aircraft, as and when required in accordance with task requirements.

1.8.3 Engineering Facilities at Delhi Airport:

- 1.8.3.1 M/s Air India having its registered Line Maintenance office at New Delhi, thereby considers New Delhi as the Main Base for the Airlines operation.
- 1.8.3.2 Adequate office accommodation with controlled atmosphere equipped with computers & printers, communication devices, internet & intranet connectivity to access maintenance data etc. for maintenance management, quality-monitoring staffs are made available where they may study maintenance data / related instructions and complete the maintenance records in proper manner. Provisions are available for storage of spares / materials, preservation of records etc.
- 1.8.3.3 Required tools/equipment, ground support equipment, spares, literature etc., as recommended by the manufacture, to meet the maintenance up to the scope of approval granted to the organization is available.
- 1.8.3.4 Secured storage facilities with a conditioned atmosphere for storage of components, equipment's, spares, tools and materials with provisions for segregation of serviceable / unserviceable component are available.
- 1.8.3.5 FHS (Flight Hour Services) Stores facility at Bay No. D-46 layout as detailed in MOE Section 1.8.3.13 is used under the control of Air India Line Maintenance. The facility is equipped with Fire detection and sprinkler system.
- 1.8.3.6 Engine Warehouse Facility layout as detailed in MOE section 1.8.3.10 is used for storing the Engines & APU. Air India is able to store CFM LEAP1A & CFM 56 Series engines etc. within this facility. Additionally, APU can be stored within this facility. Further, T1 Main Stores located near Fire Station No. 3, IGI Airport T3, Delhi mentioned in MOE section 1.8.3.13 is used for storing engines CFM LEAP1A, CFM 56 Series, GENx-1B, GE 90 Series, RR Trent XWB Engine & APUs.
- 1.8.3.7 The facility has dedicated office space with security cameras installed, has proper security and access control, climate control, clean and dust free environment, Lighting Arrangement, rodent protection, Flood and Water logging protection. The facility has proper fire safety and control norms.


Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.15	15 DEC 2025

1.8.3.9 Air India Limited - Line Maintenance Delhi

- 1.8.3.9.1 Adequate office accommodation with controlled atmosphere equipped with computers & printers, communication devices, internet & intranet connectivity to access maintenance data etc. for maintenance staff is available where they may study maintenance data / related instructions and complete the maintenance records in proper manner. Provisions are available for storage of spares / materials, preservation of records etc.
- 1.8.3.9.2 Required Tools/Equipment, Ground Support Equipment, spares, literature etc., as recommended by the manufacture, to meet the maintenance up to the scope of approval granted to Delhi base is available.




Facility Address: Air India Limited, Line Maintenance Office, C-31, Terminal 3, Indira Gandhi International Airport, New Delhi, INDIA 110037

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			Part 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.8.3.9.3 Additional Line Maintenance Office (IPA – A17) at Delhi




Location- Air India Limited, Line Maintenance Office, Pier "A", Office Number IPA – A17, Bay 12, Terminal 3, Indira Gandhi International Airport, New Delhi, INDIA 110037

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.15	15 DEC 2025

1.8.3.9.4 Line Maintenance Office (DPA-D05) at Delhi



Location- Air India Limited, Pier "D", Office Number DPA-D05, Terminal 3, Indira Gandhi International Airport, New Delhi, INDIA 110037


Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.8.3.10 Mega warehouse Facility-

(Non-Bonded Store)




Location: M/s Air India Ltd, ACLC-III, Between Automated Mail Processing Centre & New Custom House, IGI Airport, New Delhi-110037

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.03	14 OCT 2024

(Consolidated Ground Floor Layout)




Location: M/s Air India Ltd, ACLC-III, Between Automated Mail Processing Centre & New Custom House, IGI Airport, New Delhi-110037

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.03	14 OCT 2024

Additional Space at Mega warehouse Facility (Non-Bonded Area)



Location: M/s Air India Ltd, Grid A10 to G13, Ground Floor, ACLC-III, Between Automated Mail Processing Centre & New Custom House, IGI Airport, New Delhi-110037


Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.8.3.11 Line Maintenance Facility at DEL

Hangar 03



Signature valid


Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

Location: M/s Air India Ltd, Hangar-03, Terminal-3, IGI Airport, New Delhi-

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.8.3.12 Line Maintenance Store at DEL:

C-29




Location: M/s Air India Ltd, C-29, Terminal-3, IGI Airport, New Delhi-110037

Signature valid


Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.8.3.13 Line Maintenance Store at DEL:




Location: M/s Air India Ltd, B-19, Terminal-3, IGI Airport, New Delhi-110037



Location: M/s Air India Ltd, B-17, Terminal-3, IGI Airport, New Delhi-110037

C-34





Location: M/s Air India Ltd, C-34, Terminal-3, IGI Airport, New Delhi-110037

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.03	14 OCT 2024

Engineering Stores, A320 Hangar




Location: Engineering Stores, A320 Hangar No. 03, Near JEOC, IGI Airport, T. Nagar, Delhi-110037


Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

Engineering stores at DP-10, IGI Airport New Delhi




Engineering stores at DP-12, IGI Airport



	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

Engineering FHS stores at Office No. DPA - D14, Near Bay D 46, Terminal 3, IGI Airport



Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05


	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.8.4 Engineering Facilities at Mumbai Airport

1.8.4.1 Adequate office accommodation with controlled atmosphere equipped with computers & printers, communication devices, internet & intranet connectivity to access maintenance data etc. for maintenance staff is available where they may study maintenance data / related instructions and complete the maintenance records in proper manner. Provisions are available for storage of spares / materials, preservation of records etc.


1.8.4.2 Required Tools/Equipment, Ground Support Equipment, spares, literature etc., as recommended by the manufacture, to meet the maintenance up to the scope of approval granted to Mumbai base is available.

1.8.4.3 Air India Limited- Line Maintenance Mumbai office



	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.8.4.4 Air India Limited- Line Maintenance Mumbai office




Location – Air India Limited
W3 – 1015 ALM, V18
Terminal 2, South west Pier, CSMIA,
Mumbai, Maharashtra, INDIA 400099

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

1.8.4.5 Engineering Stores Facility at Office No. E4-1009, V27, Terminal 2, CSMIA Airport, Mumbai, Maharashtra, India 400099




Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.01	09 AUG 2024

1.8.4.6 Line Maintenance Department (LMD) Hangar, F-10/B, MC Chagla Rd, Navpada, Airport Area, CSMIA Airport, Vile Parle, Mumbai, Maharashtra, India 400047




Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.02	03 OCT 2024

1.8.4.7 New Engineering Complex Hangar, F-10/B, MC Chagla Rd, Navpada, Airport Area, CSMIA Airport, Vile Parle, Mumbai, Maharashtra, India 400047



Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05


	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.09	28 MAR 2025

1.8.5 Engineering Facilities at N.S.C.B.I Airport, Kolkata

1.8.5.1 Adequate office accommodation with controlled atmosphere equipped with computers & printers, communication devices, internet & intranet connectivity to access maintenance data etc. for maintenance staff is available where they may study maintenance data / related instructions and complete the maintenance records in proper manner. Provisions are available for storage of spares / materials, preservation of records etc.

1.8.5.2 Required Tools/Equipment, Ground Support Equipment, spares, literature etc., as recommended by the manufacture, to meet the maintenance up to the scope of approval granted to Kolkata base is available.

1.8.5.3 Air India Limited Line Maintenance N.S.C.B.I Airport, Kolkata




**Location: Air India Limited
Line Maintenance Building No-2
NSCBI Airport, Kolkata-700052, India**

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.02	03 OCT 2024

1.8.5.4 Front Line Store - Tata Lounge, Near CISF Gate no. 5, NSCBI Airport, Kolkata



Air India Limited
Front Line Store - Tata Lounge
Near CISF Gate no. 5
NSCBI Airport, Kolkata - 700052

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05


	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.01	09 AUG 2024

1.8.6 Engineering Facilities at Bangalore Airport

1.8.6.1 Adequate office accommodation with controlled atmosphere equipped with computers & printers, communication devices, internet & intranet connectivity to access maintenance data etc. for maintenance staff is available where they may study maintenance data / related instructions and complete the maintenance records in proper manner. Provisions are available for storage of spares / materials, preservation of records etc.

1.8.6.2 Required Tools/Equipment, Ground Support Equipment, spares, literature etc., as recommended by the manufacture, to meet the maintenance up to the scope of approval granted to Bangalore base is available.

1.8.6.3 Air India Limited- Line Maintenance and Store Bangalore office




Air India Limited (Line Maintenance and Store office)
Terminal Building Room No.:0T75-02A, T02
Kempegowda International Airport,
Bengaluru -560 300

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.05	19 DEC 2024

1.8.6.4 Air India Limited- Line Maintenance office- Bangalore




Air India Limited (Line Maintenance office)
A25-1-025, First Floor, Airside Building,
Kempegowda International Airport Ltd,
Bengaluru-560 300

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.05	19 DEC 2024

1.8.6.5 Air India Limited- Engineering Store- Bangalore




Air India Limited (Engineering Stores)
A25-1-034, First Floor, Airside Building,
Kempegowda International Airport Ltd,
Bengaluru -560 300

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.05	19 DEC 2024

1.8.6.6 Air India Limited- Engineering Stores- Kempegowda International Airport Ltd, Bangalore



EASTERN PYRE WAREHOUSE

Air India Limited (Engineering Warehouse)
T1-0-0822, Terminal Building, Opp. Bay 2,
Kempegowda International Airport Ltd,
Bengaluru Devanahalli BENGALURU 560 300

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05


	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.8.7 Air India Limited- Line Maintenance Rajiv Gandhi International Airport, Shamshabad, Hyderabad office


1.8.7.1 Adequate office accommodation with controlled atmosphere equipped with computers & printers, communication devices, internet & intranet connectivity to access maintenance data etc. for maintenance staff is available where they may study maintenance data / related instructions and complete the maintenance records in proper manner. Provisions are available for storage of spares / materials, preservation of records etc.

1.8.7.2 Required Tools/Equipment, Ground Support Equipment, spares, literature etc., as recommended by the manufacture, to meet the maintenance up to the scope of approval granted to Hyderabad base is available.

1.8.7.3 Air India Limited- Line Maintenance Hyderabad Airport Office Layout




	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024



Location – Air India Limited
Ground Floor, Engineering Building, Near Gate No. 2,
Rajiv Gandhi International Airport, Shamshabad,
Hyderabad-501218, INDIA

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.03	14 OCT 2024

1.8.7.4 A320 Stores and Main R & D Section - Air India Ltd Hyderabad




Address: Air India Ltd,
Ground Floor, Administrative Block, AIESL MRO Complex
Near Gate No:3, RGIA, Shamshabad
Hyderabad-500108, INDIA

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.03	14 OCT 2024

1.8.7.5 Dope Store - Air India Ltd Hyderabad




Address: Air India Ltd,
Ground Floor, Adjacent EF & PM Dept.,
AIESL MRO Complex
Near Gate No:3, RGIA, Shamshabad
Hyderabad-500108, INDIA

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.03	14 OCT 2024

1.8.7.6 Front Line Store - Air India Ltd Hyderabad



Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

Address: Air India Ltd. Near Gate No. 2, Air Side,
Aircraft Engineering & Maintenance Building (AEMB) Complex,
RGI Airport, Hyderabad-500108


	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.13	17 NOV 2025

1.8.8 Air India Limited- Line Maintenance Chennai Airport office

1.8.8.1 Adequate office accommodation with controlled atmosphere equipped with computers & printers, communication devices, internet & intranet connectivity to access maintenance data etc. for maintenance staff is available where they may study maintenance data / related instructions and complete the maintenance records in proper manner. Provisions are available for storage of spares / materials, preservation of records etc.

1.8.8.2 Required Tools/Equipment, Ground Support Equipment, spares, literature etc., as recommended by the manufacture, to meet the maintenance up to the scope of approval granted to Chennai base is available.

1.8.8.3 Air India Limited- Line Maintenance Chennai Airport Office Layout




Location – Air India Limited
Engineering Department
New Line Maintenance Building Gate No 9
Chennai International Airport, Chennai 600027 – INDIA

Signature valid


Signed by: Javanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.03	14 OCT 2024

1.8.8.4 Air India Limited- Line Maintenance Store and R & D Section- Chennai



DARK ROOM




Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.08	03 FEB 2025

1.8.8.5 Air India Limited- Line Maintenance Office- Chennai



Location – Air India Limited
Ground Floor, Engineering Department
New Line Maintenance Building Gate No 9
Chennai International Airport, Chennai 600027 – INDIA

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.08	03 FEB 2025

1.9 ORGANISATION'S SCOPE OF WORK

CAR 145.A.10, 145.A.15, 145.A. 20, 145.A.70 (a) (9), 145.A.75 (a), (c), (d), 145.A.80, 145.A.90, 145.A.95

1.9.1 Purpose:

1.9.1.1 To define the company policy on approval of organization to undertake maintenance of Aircraft/ Engine/ Components and document approved scope.

1.9.2 Policy:

1.9.2.1 Approval of capability to undertake maintenance of aircraft & engine is mentioned in this MOE Para 1.9.6 & 5.3.

1.9.2.2 The approval granted by DGCA shall be valid, subjected to compliance specified in the approval certificate issued by DGCA and in compliance with CAR 145 requirements.

1.9.3 Procedure:

1.9.3.1 LMM shall be the process owner in setting up of the facility to undertake maintenance of aircraft / engine/ components at any given location.

1.9.3.2 Based on requirement, LMM shall make a feasibility study and develop maintenance facilities commensurate with scale of activities proposed.

1.9.3.3 He shall make detailed report about the proposal and confirm the availability and adequacy of infrastructure such as facilities, tools and equipment have, spares, manpower etc. commensurate with the scope of work, to the Quality Manager.

1.9.3.4 Quality department shall carry out an audit to assess the adequacy of the facilities to undertake the proposed maintenance in aspects of spares, tools & Equipment's, personnel availability, maintenance data, applicable GSE etc.

1.9.3.5 If found acceptable, Quality Manager shall carry out amendment to MOE and submit to DGCA (NR), 10 days before the commencement of maintenance activity at proposed station along with audit report, non-conformance detail, maintenance personnel details and necessary contracts (if any). The above procedure needs to be followed if the maintenance to be undertaken is minor scheduled in nature i.e. up to and including Weekly Check in accordance with AMP.

1.9.3.6 If the proposed maintenance to be undertaken is beyond weekly Check, the application shall be submitted to DGCA in CA form 2 along with requisite fee. The application shall be accompanied with para wise CAR 145 Compliance & Internal Audit report and as per the requirements laid down in AAC 6 of 2018 (latest revision).

1.9.3.7 Air India shall have privilege of maintenance and certification of aircraft / engine / component, in accordance with the approval granted by DGCA, at locations stated in CAR 145 Approval and MOE section 1.9 & 5.3.

1.9.3.8 Additionally, Air India is entitled to have following privileges in accordance with CAR 145.A.75:

- Arrangement for maintenance of aircraft or component may be carried out by another organization except a base maintenance check or a complete workshop maintenance check or overhaul of an Engine or engine module, under the quality system of Air India .

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.08	03 FEB 2025

- b) Maintain any aircraft or any component for which it is approved, at any location, subject to the need for such maintenance arising either from the unserviceability of the aircraft or from the necessity of supporting occasional line maintenance. Such type of maintenance must be performed, subject to the availability of:
 - i. Necessary facilities, tools, equipment's, materials and maintenance data
 - ii. Qualified and authorized certifying staff
- c) Quality Department in coordination with Line maintenance department shall carry out desktop evaluation of the tasks which is required to be released as per points b, once satisfied, the auditor shall submit the compliance report to Quality Manager for his necessary approval. DGCA shall be intimated for the approvals, as granted. The detailed process is defined in MOE Section 2.24
- d) Maintain any aircraft and/or component for which it is approved at a location identified as a line maintenance location capable of supporting minor maintenance. Such line maintenance locations are listed in MOE Section 5.3 and section 1.9.
- e) Issue a certificate of release to service on completion of the maintenance in accordance with CAR 145.A.50.

1.9.4 Scope of Maintenance

1.9.4.1 Line Maintenance

Air India shall accomplish line maintenance as per DGCA Approval Schedule at approved locations. However, for temporary or occasional cases (AD's, SB's), the Quality Manager may accept base maintenance tasks to be performed by a line maintenance facility provided all requirements are fulfilled and acceptable to DGCA.

Line Maintenance is any maintenance that is carried out before flight to ensure that the aircraft is fit for the intended flight.

Line Maintenance may include:

- Trouble shooting and Defect rectification.
- Component replacement with use of external test equipment, if required. Component replacement may include components such as engines.
- Scheduled maintenance and/or checks including visual inspections that will detect obvious unsatisfactory conditions/discrepancies but do not require extensive in-depth inspection. It may also include internal structure, systems and power plant items, which are visible through quick opening access panels/doors.
- Minor repairs and modifications, which do not require extensive disassembly and can be accomplished by simple means.

Maintenance tasks falling outside these criteria are considered Base Maintenance.

1.9.5 Scope of Component maintenance under "A" Rating

- 1.9.5.1 Maintenance of a component, whilst installed on the aircraft, may be carried out under applicable aircraft "A" Rating capability by CAR 145 approved AMO under following circumstances:

- In accordance with applicable Aircraft Maintenance data (AMM) or approved data from OEM.
- Nevertheless, such components may be removed for maintenance, in order to improve access to the component, except when such removal generates the need for additional maintenance not eligible under the provisions of this paragraph.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.15	15 DEC 2025

1.9.6 Aircraft Maintenance at different Station:

1.9.6.1 Aircraft under Rating A1 at Delhi Station

CLASS	RATING	LIMITATION	LINE
AIRCRAFT	A1 Aero planes above 5700 kgs	Airbus A320 – 251N Aircraft installed with CFM LEAP 1A series Line Maintenance: Up to & including 22500 FH / 15000 FC / 60 MO check Airbus A319/A320/A321 Aircraft installed with CFM 56-5B series Line Maintenance: Up to & including 12000 FH / 8000 FC / 36 MO check Airbus A321 - 251NX Aircraft Fitted with CFM LEAP 1A Series Line Maintenance: Up to & including 22500 FH / 15000 FC / 60 MO check	X
		Airbus A350 - 900 Aircraft Fitted with RR Trent-XWB Series Line Maintenance: Up to & including 15000 FH / 5000 FC / 30MO check	X
		Boeing B737-800 Aircraft installed with CFM 56-7 series Line Maintenance: Up to & including 6000 FH / 2000 FC / 24MO check	X
		Boeing B787-8/9 Aircraft installed with GenX-1B series Line Maintenance: Up to & including 14000FH/ 6000FC/ 24MO check	X
		Boeing B737-8 Aircraft installed with CFM LEAP 1B series Line Maintenance: Up to & including 3000 FH / 2100 FC / 9MO check	X
		Boeing B777-200LR/300ER Aircraft installed with GE90 series Line Maintenance: Up to & including 3000FH/ 600FC/ 200DY check	X

1.9.6.2 Aircraft under Rating A1 at Mumbai Station

CLASS	RATING	LIMITATION	LINE
AIRCRAFT	A1 Aero planes above 5700 kgs	Airbus A320 – 251N Aircraft installed with CFM LEAP 1A series Line Maintenance: Up to & including 12000 FH / 6000 FC / 36 MO check Airbus A321 - 251NX Aircraft Fitted with CFM LEAP 1A Series Line Maintenance: Up to & including 12000 FH / 6000 FC / 36 MO check Airbus A320 Family Aircraft Fitted with CFM 56-5 Series Line Maintenance: Up to & including 1000 FH / 1000 FC / 06 MO check	X
		Boeing B737-800 Aircraft installed with CFM 56-7 series Line Maintenance: A Check Up to & including 1500FH/ 800FC/120 Days	X
		Boeing B787-8/9 Aircraft installed with GenX-1B series Line Maintenance: Up to & including 8000 FH / 4000 FC / 24MO check	X
		Boeing B777-200LR/300ER Aircraft installed with GE90 series Line Maintenance: Up to & including 5000FH/ 600FC/ 240DY check	X

Signature valid
Signed by: Javanta Ghosh
Deputy Director General
Date: 03-Feb-2026
18.08.05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.06	23 DEC 2024

1.9.6.3 Aircraft under Rating A1 at Kolkata Station

CLASS	RATING	LIMITATION	LINE
AIRCRAFT	A1 Aero planes above 5700 kgs	Airbus A320 - 251N Aircraft installed with CFM LEAP1A series Line Maintenance: Up to & including 2000FH / 2000FC / 12 MO Check	X
		Airbus A321-251NX Aircraft installed with CFM LEAP1A series Line Maintenance: Up to & including 2000FH / 2000FC / 12 MO Check	
		Airbus A319/A320/A321 Aircraft Fitted with CFM 56-5 Series Line Maintenance: Up to & including 2000 FH / 2000 FC / 12 MO check	
		Boeing B737-8 Aircraft installed with CFM LEAP 1B series Line Maintenance: Up to & including A1 Check - 1000 FH/ 700 FC/ 80 DY check	X

1.9.6.4 Aircraft under Rating A1 at Bengaluru Station

CLASS	RATING	LIMITATION	LINE
AIRCRAFT	A1 Aero planes above 5700 kgs	Airbus A320 - 251N Aircraft installed with CFM LEAP1A series Line Maintenance: Up to & including 12000FH / 8000FC / 36 MO Check	X
		Airbus A321-251NX Aircraft installed with CFM LEAP1A series Line Maintenance: Up to & including 12000FH / 8000FC / 36 MO Check	
		Airbus A319/A320/A321 Aircraft Fitted with CFM 56-5 Series Line Maintenance: Up to & including 12000 FH / 8000 FC / 36 MO check	
		Airbus A350-900 Aircraft installed with RR TRENT XWB Series Line Maintenance: Up to & including 6000 FH / 1500 FC / 12 MO check	X
		Boeing B737-800 Aircraft installed with CFM 56-7 series Line Maintenance: Up to & including 6000FH/ 2400FC/ 540 DY check	X
		Boeing B737-8 Aircraft installed with CFM LEAP 1B series Line Maintenance: Up to & including 6000 FH/ 4200 FC/ 480 DY check	X

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.08	03 FEB 2025

1.9.6.5 Aircraft under Rating A1 at Chennai Station

CLASS	RATING	LIMITATION	LINE
AIRCRAFT	A1 Aero planes above 5700 kgs	Airbus A320- 251N Aircraft installed with CFM LEAP 1A series Line Maintenance: Up to & including 1500 FH / 1500 FC / 12 MO Check	X
		Airbus A321- 251NX Aircraft installed with CFM LEAP 1A series Line Maintenance: Up to & including 1500 FH / 1500 FC / 12 MO Check	
		Airbus A319/A320/A321 Aircraft Fitted with CFM 56-5 Series Line Maintenance: Up to & including 1500 FH / 1500 FC / 12 MO Check	
		Boeing B737-800 Aircraft installed with CFM 56-7 series Line Maintenance: Up to & including Phase 1 Check- 1000FH/ 400FC/ 90 DY	X
		Boeing B737-8 Aircraft installed with CFM LEAP 1B series Line Maintenance: Up to & including A1 Check- 1000 FH/ 700 FC/ 80 DY	X

1.9.6.6 Aircraft under Rating A1 at Hyderabad Station

CLASS	RATING	LIMITATION	LINE
AIRCRAFT	A1 Aero planes above 5700 kgs	Airbus A320- 251N Aircraft installed with CFM LEAP 1A Engines. Line Maintenance: Upto & Including 1500 FH / 1500 FC / 12 MO Check	X
		Boeing B737-7/8/9 (MAX) Aircraft installed with CFM LEAP 1B series Line Maintenance: Up to & including 1000 FH / 700 FC / 80 Days check	X

Note: Scope of approval upto & Including weekly Check are mentioned in MOE Section 5.3

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.9.7 Limitations

- 1.9.7.1 Air India shall only undertake maintenance of aircraft/ engine / component when necessary facilities, equipment, tooling, material maintenance data and manpower are available.

1.9.8 Continued Validity

- 1.9.8.1 The Approval shall be issued and renewed for a maximum period of 05 Years. It shall remain valid subject to:
- a. The organization remaining in compliance with CAR-145, in accordance with the provisions related to the handling of findings as specified under point 145.B.50; and
 - b. The DGCA being granted access to the organization to determine continued compliance with this CAR; and.
 - c. The certificate not being surrendered or revoked.
- 1.9.8.2 Upon surrender or revocation, the approval shall be returned to DGCA.

1.9.9 Responsibilities:

- 1.9.9.1 Ensure adequacy of facilities / infrastructure – Head of respective departments/LMM.
- 1.9.9.2 Approval of maintenance capability – Quality Manager

Relevant References

LMM Section 1.9
QDM Section 2.13

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.10 NOTIFICATION PROCEDURE TO THE DGCA REGARDING CHANGES TO THE ORGANIZATION'S ACTIVITIES / APPROVAL / LOCATION / PERSONNEL

CAR 145.A.70 (a) (10), 145.A. 85

1.10.1 Policy:

1.10.1.1 Air India Engineering & Maintenance as an Approved Maintenance Organization (AMO) is required to notify DGCA on any significant changes to the organization to enable the authorities to determine continued compliance with airworthiness requirement.

1.10.1.2 Significant changes include the following:

- (a) Name of the Organization.
- (b) Location of the organization (Includes additional locations).
- (c) The Accountable Manager.
- (d) Any of the persons nominated under CAR 145.A.30(b).
- (e) Facilities, equipment, tools, material, procedures, work scope and certifying staff that could affect the approval.

1.10.1.3 The notification shall be made as soon as possible via E-Mail and followed by a letter.

1.10.1.4 The Quality Manager shall be responsible for notifying the changes to DGCA. He shall provide draft revision to the MOE as applicable. No changes to be incorporated in the MOE unless and until written approval from DGCA is received.

1.10.1.5 In event of renewal / change in scope of maintenance organization (CAR 145) approval, Air India needs to implement and ensure compliance in accordance with the procedures laid down in DGCA AAC 6 of 2018 (latest revision).

Relevant References

LMM Section 1.10

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 1		
	MANAGEMENT	Issue 3	Rev.00	24 JUN 2024

1.11 EXPOSITION AND DEPARTMENTAL MANUAL AMENDMENT PROCEDURE

CAR 145.A.70 (a) (11), (c), (d), (e) 145.A.85,

1.11.1 Purpose:

- 1.11.1.1 To control the changes in the content of this MOE and related Departmental Manuals like Line Maintenance Manual, Quality Department & Enforcement Manual and Engineering Stores Manual.

1.11.2 Policy:

- 1.11.2.1 The MOE and related departmental manuals are a dynamic document and are kept periodically updated by the Quality Department. The Quality Manager is responsible for monitoring the amendments. Proposed amendment to the manual shall be reviewed jointly by Quality Manager and other concerned management personnel prior to submission to DGCA for their approval. Amendment to this Exposition shall be approved by DGCA through approval of List of Effective Pages (LEP). Quality Manager shall approve amendment of departmental manual through approval of List of Effective Pages (LEP).
- 1.11.2.2 The MOE and departmental manuals shall be amended to reflect changes in the regulations affecting the company functions, airworthiness/ maintenance requirements, company policies, organizational structure, to rectify the inadequacies through internal /external audits etc.

1.11.3 Procedure:

- 1.11.3.1 The MOE and departmental manuals shall be reviewed at least once in a year and amended, if required. Significant changes in the organization, affecting organization capability, change in post holders etc. shall be incorporated into this MOE at the earliest, without waiting for annual revision. Non-significant changes shall be incorporated during routine annual revision.
- 1.11.3.2 The amendment shall be indicated by a vertical bar in left margin adjacent to text, which is added / deleted / changed in the specific page for that particular amendment. The older amendment bar is deleted when a new amendment is raised for the specific page.
- 1.11.3.3 A common revision number and date specific to the revision shall identify all the amended pages. Each page shall be reflected with the revision number and revision date at the bottom right corner of the page.
- 1.11.3.4 Quality Manager shall submit the revisions to DGCA for approval through eGCA. Once the revisions are approved, the Approved Copy shall be updated and retained by Quality Manager.
- 1.11.3.5 Soft copy of revised manual shall be forwarded to Technical Publications by Quality Department for uploading to Intranet and distribution as per Distribution list defined in this MOE.
- 1.11.3.6 Whenever a revision is uploaded to Intranet, a notification shall be made to all concerned by Technical Publication through e-mail.
- 1.11.3.7 User department shall disseminate information to its departmental personnel on the revisions. Due to the amendment to MOE, the departmental manual may be amended if necessary.
- 1.11.3.8 In case of differences between the requirements of MOE and that of the departmental manuals, the requirements of MOE shall prevail.
- 1.11.3.9 Revision in the departmental manuals shall be notified to DGCA within one month with summary of the record of revision.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 1		
	MANAGEMENT		Issue 3	Rev.00	24 JUN 2024

1.11.3.10 **AMO, change management process.**

A formal management of change process should identify changes within or from outside the organization which may affect established processes and services from a safety point of view. Prior to implementing such changes, the new arrangements should be assessed. The internal and external factors of change that affect our operations can broadly be classified into following categories:

- a. Changes to existing facilities or equipment.
- b. Changes to existing operations or processes.
- c. Introduction of new facilities or equipment's
- d. Introduction of new operations or processes.

Relevant References

LMM Section 1.11

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.0 TABLE OF CONTENTS

PART	PART NAME
2.1	Supplier evaluation and subcontract control procedure
2.2	Acceptance/Inspection of aircraft components and material from outside contractors
2.3	Storage, tagging and release of aircraft components & material to aircraft maintenance
2.4	Acceptance of tools and equipment
2.5	Calibration of tools and equipment
2.6	Use of tooling and equipment by staff (Including alternate tools)
2.7	Cleanliness standards of maintenance facilities
2.8	Maintenance instructions and relationship to aircraft / aircraft component manufacturers' instruction including updating and availability to staff
2.9	Repair procedure
2.10	Aircraft Maintenance Program compliance
2.11	Airworthiness Directives Procedure
2.12	Optional Modification Procedure
2.13	Maintenance documentation in use and completion of same
2.14	Technical Record Control
2.15	Rectification of defects arising during base maintenance
2.16	Release to Service Procedure
2.17	Records for the Operators
2.18	Reporting of defects to DGCA/ Operator/ Manufacturer
2.19	Return of defective aircraft components to store
2.20	Defective components to outside contractors
2.21	Control of computer maintenance record system
2.22	Control of man-hour planning verses scheduled maintenance work
2.23	Control of critical maintenance tasks and error capturing methods
2.24	Reference to Specific Maintenance Procedures
2.25	Procedures to detect & rectify maintenance errors
2.26	Shift/task handover procedures
2.27	Procedures for the notification of maintenance data inaccuracies & ambiguities to the type certificate holder
2.28	Production Planning Procedures

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 2		
	MAINTENANCE PROCEDURES	ISSUE 3	REV.00	24 JUN 2024

2.1 SUPPLIER EVALUATION AND SUBCONTRACT CONTROL PROCEDURE

CAR 145.A.65 b, 145.A.75 (b)

2.1.1 Purpose:

- 2.1.1.1 To ensure parts & material procured / subcontracted services provided by external sources are in compliance with required airworthiness standards.

2.1.2 Policy:

- 2.1.2.1 Spares / materials / tools / equipment's intended to be used for aircraft maintenance shall be procured from OEM / OEM recommended source / approved agencies. The aircraft spares/materials shall have valid airworthiness certificate such as CA Form 1/ EASA Form 1/ FAA 8130-3 / Transport Canada Form One, UK CAA Form 1, a release document issued under the terms of a DGCA bilateral agreement, Certificate of Conformance, as applicable.

- 2.1.2.2 Parts manufactured under PMA shall not be procured and used for maintenance of critical systems, except those parts manufactured under license from OEM. However, non-critical parts such as internal fairing/ panels etc. shall be considered for use on aircraft / engine, subjected to approval of Quality Manager.

- 2.1.2.3 Services such as Painting, Plating, Machining, Technical Manpower Support etc. may be either contracted to appropriate CAR 145 organization or subcontracted to non-CAR 145 organization /service providers who function under the quality system of Air India.

- 2.1.2.4 All suppliers, maintenance Organization, component repair agencies and service providers shall be evaluated and approved by Quality Manager.

2.1.3 Procedure for procurement of Spares / Materials / Tools / Equipment:

- 2.1.3.1 In general, parts and materials shall be procured from OEM or OEM recommended sources. However, it may also be procured from other supplier's / repair agencies, subjected to approval of Quality department.

- 2.1.3.2 Engineering Procurement shall submit the vendor evaluation form along with the supporting documents such as registration certificate, approval copy (if any) to Quality Department.

- 2.1.3.3 Quality Department shall evaluate the credentials and compliance with airworthiness requirements either for proposed spare / materials to be procured from the agencies through a desktop audit or on-site audit or both at the discretion of Quality Manager.

- 2.1.3.4 OEMs and Vendors listed in the OEM document shall be approved for supply of the part/ material on the strength of their status of the manufacturer of the equipment / part.

- 2.1.3.5 Based on satisfactory evaluation, the approval shall be granted to vendor / supplier / component repair agency for a maximum period of two years. However, OEM may be approved on permanent basis.

- 2.1.3.6 The approval shall be made in vendor evaluation form itself under intimation to the original. No specific approval certificate shall be issued in respect of vendor approval.

Signature valid
Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.1.3.7 A database of all approved agencies / vendors for supply of spares / materials shall be maintained in MIS, which shall be used as reference for procurement of spare/ availing services.

2.1.3.8 In the event of a necessity to procure spare on AOG situation from outside the approved vendor, one-time approval shall be accorded, provided the supplier is DGCA / FAA / EASA approved airlines or is IATA member.

2.1.4 Procedure for approval of sub-contractors:

2.1.4.1 User department shall propose the requirements of sub-contracting an activity and obtain credential of the agency to whom the sub-contract is proposed to Quality Manager.

2.1.4.2 Technical Services shall review and develop required procedure sheet to carry out the task with clear identification of required work process, inspection stages, and values to be recorded etc., either from the OEM document or using internal resources.

2.1.4.3 Quality Department shall review the process and carry out an evaluation of proposed sub-contractor's credentials through audit of facilities.

2.1.4.4 On satisfactory evaluation, the firm shall be approved to provide services under Air India quality system and shall be issued with an approval letter, stating the scope, limitations, validity and conditions of approval.

2.1.4.5 In case of regular work, a formal written maintenance contract shall be executed between Air India and the sub-contractor for the specified work. Otherwise, it shall be through individual repair order.

2.1.4.6 Quality Department shall audit the subcontracted agency.

2.1.4.7 The contract / repair order shall clearly define the role and responsibilities of both Air India Limited and subcontracted agency.

2.1.4.8 DGCA officers / Maintenance / Quality personnel shall have free access to sub-contractor's facilities for inspection and audits.

2.1.4.9 Air India shall be responsible for satisfactory compliance of the requirements pertaining to the subcontracted activities.

2.1.4.10 The work performed by the sub-contractor shall meet the following requirements:

(a) All parts and materials used shall be procured from approved sources with traceability and meeting Air India Quality standard.

(b) All tools used for measurements shall be calibrated and traceable to national / international standards.

(c) Only qualified personnel in the subcontractor's company shall be authorized to perform the work.

(d) If full conformance to requirements (of any work) cannot be verified on receipt of item, then presence of Air India representative as delegated by the Quality Managers shall be necessary.

(e) When aircraft maintenance certification is subcontracted, the accepted certifying staff shall be provided Air India company documentation & procedure training.

(f) Final certification of the work / product shall be made by personnel authorized / accepted by Air India Quality.

Signature valid

 Signed by: Santana Ghosh
 Deputy Director General
 Date: 03-Feb-2026
 16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

- (g) The subcontracted organization shall maintain the record of activities undertaken. All certification documents shall be transferred to Air India.
- (h) The sub-contracted agency shall be subjected to periodic audit by Quality Department as mentioned in Annual Audit plan.

2.1.5 The continued validity of approval:

- 2.1.5.1 Respective User Department shall monitor the validity of the approval and the same shall be renewed by Quality Department based on request from User Department, subjected to following:
- (a) Need for continuing the services with the agency reported by user department.
 - (b) Satisfactory performance of the agency, including quality of the product supplied, reported by user department.

- 2.1.5.2 The approval shall be withdrawn in the event of any deterioration in the services provided or non-compliance any of the conditions stated above or at the discretion of Air India without assigning any reason.

2.1.6 Records:

- 2.1.6.1 The records of approval and quality monitoring/ audit of Vendors, Suppliers, Sub-contracted agencies shall be retained for a period of three years from its last evaluation.

2.1.7 Responsibilities:

- 2.1.7.1 Sourcing: Manager of User department /Engineering Procurement
- 2.1.7.2 Process Development & validation: Technical Services
- 2.1.7.3 Audit and approval: Quality Manager

References:
QDM Section 2.10

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.2 ACCEPTANCE / INSPECTION OF AIRCRAFT COMPONENTS AND MATERIAL FROM OUTSIDE CONTRACTORS

CAR 145.A.42 (a), (b), (c) & AAC 3 of 2006 Rev 1

2.2.1 Purpose:

- 2.2.1.1 To ensure parts / material taken into inventory meet airworthiness specification and standards, as per company policy and DGCA / Regulatory standards.

2.2.2 Policy:

- 2.2.2.1 Components / materials accepted into Air India's inventory shall be verified for its conformance with airworthiness standards.

- 2.2.2.2 Every spare / material procured from approved source for maintenance of aircraft shall be inspected and accepted by authorized person.

2.2.3 Aircraft component / material acceptance procedure:

- 2.2.3.1 Store Inspector is the authorized person to accept the spares / materials / consumable from approved source and book into the inventory.

- 2.2.3.2 On receipt of the spares / materials, the same shall be placed in receipt section, till the airworthiness status of the received material is ascertained.

- 2.2.3.3 Component / equipment, including Engine and APU received and intended to be used for aircraft maintenance shall be verified for valid airworthiness certificate such as CA Form 1/ EASA Form 1 / FAA 8130-3 / Transport Canada Form One, UK CAA Form 1, a release document issued under the terms of a DGCA bilateral agreement or equivalent release certificate.

- 2.2.3.4 Standard part / Raw material / Consumable shall be accepted with Certificate of Conformance, clearly identifying the standard it conforms to and traceability to manufacturer.

- 2.2.3.5 Verification of the release documents received with the component or batch of material is carried out to confirm any shelf-life limitations and compliance to repair/purchase order requirements.

- 2.2.3.6 Spares / materials / consumable shall be inspected for good physical condition, details of parts and quantity, in correlation with the purchase order and the accompanying document such as airway bill, airworthiness certificate. Also, the parts compatibility status with fleet configuration shall be verified.

- 2.2.3.7 While booking the inventory, Stores Inspector shall verify modification standard and AD compliance status through compatibility status predefined in MIS.

- 2.2.3.8 On satisfactory completion of inspection, the component / material details such as part number, serial number, TSN, CSN, TSO, CSO, shelf life, validity etc., as applicable shall be entered in MIS and booked into inventory.

- 2.2.3.9 For every component / material taken into inventory, MIS Serviceable Label shall be generated indicating all details of the part such as Part number, Batch No/ Serial No, life expiry details, validity etc.

Signature valid
Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 2		
	MAINTENANCE PROCEDURES	ISSUE 3	REV.00	24 JUN 2024

- 2.2.3.10 The incoming CRS shall be scanned and attached in MIS, whereas the original shall be preserved as part of the record.
- 2.2.3.11 In case of discrepancy, the store inspector shall quarantine the item and a discrepancy report is raised and forwarded to Logistics Manager. Such quarantine items shall be moved to dedicated quarantine area.
- 2.2.3.12 All airworthiness certificates related to components shall be preserved properly for future reference/ verification.
- 2.2.3.13 The shelf life and storage condition of all spares in the inventory shall be documented electronically and controlled through MIS.
- 2.2.3.14 The shelf life expiry and storage condition (if applicable) shall be reflected on the store's acceptance tag, which shall be further monitored by the stores.
- 2.2.3.15 Components in stock which do not fulfill the eligibility criteria for installation such as AD / SB requirement, shall be identified and segregated in the system to prevent use of such component on the aircraft.
- 2.2.3.16 All such part / components identified as per above para, shall be modified as per company procedure prior to re-induction to the inventory.
- 2.2.3.17 Component transferred between internal sources shall be verified for damage and MIS Serviceable Label while accepting clearly identifying the component status.
- 2.2.3.18 In case of any discrepancy or incompatibility with fleet, the same shall be quarantine and routed back to procurement team.
- 2.2.3.19 Any storage life/ condition specified in MIS serviceable label shall be adhered to and shall be monitored by Stores Personnel.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.07	24 DEC 2024

2.2.4 Suspected unapproved parts:

2.2.4.1 Suspected unapproved parts shall be identified based on the following:

- Components / part / material received without proper airworthiness certificate such as CRS / C of C.
- Airworthiness documents are found altered / tampered.
- Components / part / material made or altered so as to imitate or resemble an approved part, without authority or rights, and with the intent to mislead or defraud by passing the imitation as original or genuine.
- Components / part / material shipped directly by a manufacturer who does not hold an approval for such production from Type Certificate Authority or Supplier/ distributor not approved under DGCA, FAA, EASA.
- Component / material / part procured from unapproved source.
- Components / parts that have been maintained or repaired and returned to service by persons or facilities not authorized under CAR 145 or equivalent standards.

2.2.4.2 Procedure for handling suspected unapproved parts:

- Suspected unapproved part shall be quarantined by Store Inspector, without taking into inventory.
- The finding shall be reported to Quality Manager, with details of the findings and documents supplied with the part/component.
- Quality Manager shall intimate concerned regulatory authority about the finding. The reporting should be carried out in accordance with the checklist as provided in Appendix 1 of AAC 3 of 2006 (latest revision) and checklist similar to one provided in Appendix 2 of AAC 3 of 2006 (latest revision) shall be used.

2.2.5 Responsibilities:

2.2.5.1 Inspection of incoming material/components: Stores Inspector

2.2.5.2 Identification, Segregation and Reporting of unairworthy materials: Store Inspector

2.2.5.3 Reporting of suspected unapproved part to DGCA: Quality Manager

2.2.5.4 Air India is responsible for acceptance/ inspection/ storage/ issuance of aircraft components, consumables, expendables etc. for its group airline i.e. Air India Express fleet on the approved locations as per contract. There are two separate platforms in AMOS for AI and AIXL inventory. Cross utilization will be done on loan basis.

Relevant References

EPM Section 4C
Engineering Stores Manual Section 3.1

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.3 STORAGE, TAGGING AND RELEASE OF AIRCRAFT COMPONENTS AND MATERIAL TO AIRCRAFT MAINTENANCE

CAR 145.A.25 (d), 145.A.42 (a), (d)

2.3.1 Purpose:

2.3.1.1 To preserve airworthy part / components / materials without degradation of airworthiness status and management of such items.

2.3.2 Policy:

2.3.2.1 Aircraft components / materials / tool and equipment shall be stored in clean and controlled environment in accordance with the manufacturer's recommendations, with proper identification and segregation of serviceable, un-serviceable and non-aircraft part / component / material.

2.3.2.2 Storage facilities shall be secured, and access shall be restricted to authorized personnel only.

2.3.3 Procedures:

2.3.3.1 All components shall be stored on sufficiently strong rack / container, preferably with original packing, preventing any deformation / damage and meeting the specific environmental condition.

2.3.3.2 The store shall be demarcated as bonded store and quarantine stores. The bonded stores shall be further classified as standard parts / components, flammable material, compressed gas cylinders, dangerous goods etc.

2.3.3.3 Rejected parts / materials identified during incoming inspection, awaiting disposition, shall be stored in quarantine stores.

2.3.3.4 Temperature and humidity is controlled and monitored to ensure continued compliance with required environment.

2.3.3.5 Rotables and component shall be properly packed / blanked to protect against dust, humidity and physical damage as required.

2.3.3.6 Tires and Rubber parts shall be protected against dirt, solvents, and fumes and shall not be exposed to direct sunlight.

2.3.3.7 ESDS items shall be stored in appropriate packing and ESDS racks. ESDS items can be kept along with non-ESDS items as per OEM Standards. The detailed procedure is referred in Engineering Stores Manual.

2.3.3.8 Engines, APU and Landing gears shall be stored on an appropriate stand with adequate protection to prevent any possible damage during storage.

2.3.3.9 Oxygen cylinders' storage area shall be clearly demarcated, and Cylinders shall be stored as per manufacturer's guidelines.

2.3.3.10 Oxygen system component (Oxygen generator, Oxygen bottles), O-ring shall be properly packaged, identified and stored to protect from damage and contamination.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.3.3.11 Flammable, toxic, volatile materials and other dangerous goods shall be properly identified and stored separately with enough isolation to prevent any ingress for chemical reaction and explosion.

2.3.3.12 Component / material with specified shelf life shall be monitored through MIS for its serviceability and shall be controlled.

2.3.4 Labeling:

2.3.4.1 Serviceable components/ parts in the store shall be with MIS serviceable label issued by stores inspector for identification and traceability for batch number/ manufacturer's lot, life expiry details as applicable.

2.3.4.2 All other component / material in the store shall be adequately labeled indicating the status of the component / material such as unserviceable, due for calibration, scrap, investigation items etc. and shall be stored in appropriate location.

2.3.5 Release of Components and Material to Aircraft Maintenance:

2.3.5.1 Aircraft component or material shall be released from stores to maintenance team based on pick slip / requisition and after verification of serviceability status by store personnel.

2.3.5.2 When component / material is released to maintenance, related MIS label shall be issued along with the component and inventory status shall be updated.

2.3.5.3 Whenever component / material is transferred internally from one location to another, it shall be packed in a container as recommended by OEM along with the copy of serviceable Tag / Transfer Tag.

2.3.6 Unsalvageable Components:

2.3.6.1 Unsalvageable Components shall be scrapped / mutilated beyond repair to prevent re-entry into the component supply system and disposed off as per scrap procedure has been documented in the Engineering Stores Manual.

The following types of components should typically be classified as unsalvageable:

- components with non-repairable defects, whether visible or not to the naked eye;
- components that do not meet design specifications and cannot be brought into conformity with such specifications.
- components subjected to unacceptable modification or rework that is irreversible.
- certified life-limited parts that have reached or exceeded their certified life limits, or have missing or incomplete records;
- components whose airworthy condition cannot be restored due to exposure to extreme forces, heat or adverse environmental conditions;
- components for which conformity with an applicable airworthiness directive cannot be accomplished;
- components for which maintenance records and/or traceability to the manufacturer cannot be retrieved.

2.3.7 Responsibility:

2.3.7.1 Storage, Distribution and Control of spares: Stores Manager / Stores Inspector

Relevant References

Engineering Stores Manual Section 4.1

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.4 ACCEPTANCE OF TOOLS AND EQUIPMENT

CAR 145.A.40 (a)

2.4.1 Purpose:

- 2.4.1.1 To ensure Tools and Equipment used for maintenance of aircraft meet required specification and standards.

2.4.2 Policy:

- 2.4.2.1 Tools and equipment's (new / serviced / modified / calibrated) shall be procured from approved source as specified in this MOE section 2.1 and shall be inspected and accepted by stores Inspector / authorized person.

2.4.3 Tools and Equipment's acceptance procedure:

- 2.4.3.1 Store inspector is authorized person to accept the tools and equipment's from approved source and book into the inventory.
- 2.4.3.2 Special Tools and equipment's shall be inspected for its source of supply, accompanying document such as purchase order, invoice, operating manual, calibration certificate, certificate of conformance, etc. whereas all general tools shall be inspected for general condition and accepted by Stores personnel.
- 2.4.3.3 After confirming correctness, validity, authenticity and calibration due dates of the received tools / equipment's shall be taken into inventory through MIS and a serviceable label shall be generated for the same.
- 2.4.3.4 Calibration / other controls, if any, shall be entered into MIS while accepting the tool / equipment to facilitate monitoring and control.
- 2.4.3.5 Tools / equipment's that fail inspection requirements shall be quarantined and necessary clarification shall be sought from originator.
- 2.4.3.6 All tools / equipment's that are taken into inventory shall have adequate identification.

2.4.4 Acceptance of Alternate Tools / Equipment:

- 2.4.4.1 The tools and equipment shall be fabricated as per Drawings / specifications / recommendations of the manufacturer / Vendor / Technical Services.
- 2.4.4.2 In the case of internal design, shall confirm equivalence between original tool and alternate tool in terms of specification, features and application.
- 2.4.4.3 After satisfying that the tools / equipment to be fabricated meet the relevant specifications / drawings, the Technical Service Engineer shall forward the same, for approval of Quality Manager.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.4.4.4 Upon fabrication of such tools and equipment user department shall ensure the tools and equipment fulfill its intended function.

2.4.4.5 Technical Services shall recommend the requirements to maintain the item serviceable like calibration, etc., and user department shall follow the same. Such tools and equipment shall be maintained by User Department/Stores Department.

2.4.4.6 Air India Internal Part Number shall be assigned for such items.

2.4.4.7 Stores Inspector shall accept such tools after verifying the source, validation, and acceptance and approval data before issuing serviceable label.

2.4.4.8 Any specific requirements for using the tool shall be attached with the tool or a procedure sheet/ technical instruction as required shall be issued to educate all concerned.

2.4.4.9 In case such drawings / specifications are not available, Engineering Department may develop drawings with material specification using sample tools / equipment from OEM.

2.4.4.10 However, in the absence of OEM, drawing or sample tools, may develop required drawing, fabricate, validate and approve.

2.4.5 Responsibilities:

2.4.5.1 Validation: Technical Services Engineering/ Line Maintenance Manager.

2.4.5.2 Approval: Quality Manager.

Relevant References:

LMM Section 2.1 and 2.2

Engineering Stores Manual Section 3.1

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.5 CALIBRATION OF TOOLS AND EQUIPMENT

CAR 145.A.40 (b)

2.5.1 Purpose:

2.5.1.1 To ensure measurement of values/data during maintenance is accurate.

2.5.2 Policy:

2.5.2.1 Tools and equipment used for measurement shall be periodically calibrated to national / international standards, at a predefined interval derived based on accuracy required, frequency of use, usage environment and with reference to manufacturer recommendations.

2.5.2.2 Calibration shall be carried out by agencies accredited to NABL or approved by DGCA or OEMs with traceability to national / international standards.

2.5.3 Procedures:

2.5.3.1 The calibration interval for measuring devices shall be derived from OEM / Quality Manager, based on above stated policy, and shall be documented.

2.5.3.2 Stores Inspector shall define the calibration interval for each tool / equipment in MIS, while taking the tool/equipment into inventory.

2.5.3.3 List of tools/ equipment's that require calibration, including precision tooling shall be maintained in MIS.

2.5.3.4 Stores inspectors shall monitor the calibration requirements and initiate callouts for calibration of tools / equipment.

2.5.3.5 Stores in charge of the respective locations shall ensure that the tools and equipment under their custody are removed from service as and when due for calibration / servicing and sent to Stores Manager for servicing / repair.

2.5.3.6 Detailed procedure for processing and controlling the servicing/ calibration has been documented in Engineering Stores Manual.

2.5.3.7 On receipt of the calibrated tools / equipment, the stores inspector shall inspect them for compliance as per the requirements, book the same into the inventory, and update the MIS.

2.5.3.8 Tools and equipment which are periodically calibrated / serviced shall be labeled appropriately (near or on the equipment) indicating the status of calibration / servicing.

2.5.3.9 Tools / equipment's maintenance records including calibration record shall be maintained for a period of two years from the expiry of the validity.

2.5.3.10 Calibration interval of tools and equipment used for maintenance of aircraft/components has been documented in Engineering Stores Manual .

2.5.4 Responsibilities:

2.5.4.1 Administration of calibration: Stores Manager

2.5.4.2 Monitoring: Stores Inspector.

Relevant References

LMM Section 2.1& 2.2

Engineering Stores Manual Section 4.1 and 4.2

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.6 USE OF TOOLING AND EQUIPMENT BY STAFF (INCLUDING ALTERNATE TOOLS)

CAR 145.A.40 (a)

2.6.1 Purpose:

- 2.6.1.1 To establish a documented standard procedure for use tools & equipment by maintenance personnel across the network.

2.6.2 Policy:

- 2.6.2.1 Maintenance personnel shall use the correct, serviceable tools and equipment while performing maintenance tasks as recommended in the approved maintenance data.

2.6.3 Use of tools and equipment by staff:

- 2.6.3.1 Where the manufacturer specifies a particular tool or equipment, the same shall be used for maintenance of aircraft, except in the case of alternate tool, which is validated and approved.
- 2.6.3.2 Details of tools / equipment positioned at each location shall be identified through MIS.
- 2.6.3.3 Distribution of tools / equipment to maintenance personnel shall be controlled through a documented process as described in the Engineering Stores Manual. Stores personnel shall verify the serviceability of the tool prior to issue.
- 2.6.3.4 The user shall ensure that tools and equipment are serviceable, appropriately calibrated and have valid certificate, applicable operating instructions before use.
- 2.6.3.5 All tools shall have adequate means of identification of tool owner/ source. The identification format shall be Company code / Station Code / toolkit category / Number tracing to individual or stores.
- 2.6.3.6 Tools and equipment's used for maintenance shall be accounted after completion of maintenance. Detailed procedure for tool accounting shall be documented in the Engineering Stores Manual .
- 2.6.3.7 The user shall ensure that the tool/ test equipment is clean and serviceable after use and are returned promptly to store.
- 2.6.3.8 Whenever a tool / equipment is returned by maintenance personnel after use, the store personnel shall verify its serviceability status while accepting.
- 2.6.3.9 Loaned tools / equipment's shall be verified for its serviceability and its calibration validity by Stores inspector while taking into inventory.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.6.4 Personal Toolbox:

- 2.6.4.1 Personal toolbox (B1/B2) maintained by individuals shall contain a list of tools held in the box reflecting type and quantity.
- 2.6.4.2 It shall be the responsibility of the toolbox holder to ensure the tools are in serviceable condition and all tools tally with the list at the end of shift, whenever any tool is used.
- 2.6.4.3 Toolbox holder shall report to the supervisor in case of missing or broken tools.
- 2.6.4.4 Tools requiring calibration shall not form part of individual toolbox.
- 2.6.4.5 Maintenance supervisor shall carry out periodic verification of the toolbox to ensure quantity and quality of the tool as per the list.

2.6.5 Responsibilities:

- 2.6.5.1 Accounting & safe custody of Tool: Company Tool -Stores Personnel.
- 2.6.5.2 Personal Tool: The Owner.
- 2.6.5.3 Timely Return of Tool: All users.
- 2.6.5.4 Auditing of Personnel tool: Shift In-Charge

Relevant References

LMM Section 2.2
Engineering Stores Manual Section 4.1 and 4.2

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.7 CLEANLINESS STANDARDS OF MAINTENANCE FACILITIES

CAR 145.A.25 (a), (c)

2.7.1 Purpose:

- 2.7.1.1 To provide safe and clean work environment so that the adverse environment effects such as heat, cold, dust etc. do not result in poor maintenance standard.

2.7.2 Policy:

- 2.7.2.1 The work environment of maintenance and support divisions shall be maintained clean and controlled to ensure effective and efficient accomplishment of the assigned tasks and prevent contamination.

2.7.3 Procedures:

- 2.7.3.1 Dust / other airborne contamination in the maintenance facilities shall be kept within the acceptable limit and all susceptible systems are protected.

- 2.7.3.2 When a working condition or environment deteriorates or causes impediment to accomplish acceptable working standards then work shall be suspended until all support and conditions feasible to accomplish work is restored.

- 2.7.3.3 Aircraft, aircraft components, engines and accessories shall be protected by using appropriate blanks, cover etc.

- 2.7.3.4 The work environment of maintenance and support divisions shall be maintained clean to ensure effective and efficient accomplishment of the assigned tasks by the personnel.

- 2.7.3.5 All personnel involved in maintenance must inculcate a sense of cleanliness in and around their work area and as far as possible remove all debris, used rag pieces, packing materials, used cleaning materials / solvents etc., then and there and maintain work area clean.

- 2.7.3.6 Work area shall be cleaned once before start of work and also upon completion of work before breaking off.

- 2.7.3.7 Concerned head of the work area shall evolve a system like frequent checks by the Shift in charge / foreman Aircraft for cleanliness of the working environment.

- 2.7.3.8 Area where debris sensitive equipment's like electronic boxes are handled must be kept clean paying special attention to prevent any debris ingress in to the equipment which can cause malfunction / failure of the equipment.

- 2.7.3.9 Provisions shall be made to handle debris disposal like adequate dustbins, saw dust, cleaning materials etc. which helps in enhancing the cleanliness of the work area.

- 2.7.3.10 Liquid and solid wastes shall be collected separately and disposed off using appropriate methods.

- 2.7.3.11 All areas of work shall be appropriately segregated according to the function undertaken such as painting, parts cleaning etc. and shall be sufficiently isolated to prevent debris or physical contamination.

- 2.7.3.12 Cleanliness while handling oil, fluids and lubricant to prevent contamination shall be ensured.

Signature valid

Signed by: Jyoti Chosh
Deputy Section Engineer
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.7.3.13 Wherever special conditions are specified in the maintenance data, then such conditions shall be strictly adhered for accomplishment of such maintenance task.

2.7.3.14 Detailed procedures for cleanliness and safety in the work environment are documented in the Line Maintenance Manual.

2.7.4 Responsibility:

2.7.4.1 Respective Section Manager / In charges.

Relevant References

LMM Section 2.3

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.8 MAINTENANCE INSTRUCTIONS AND RELATIONSHIP TO AIRCRAFT / AIRCRAFT COMPONENT MANUFACTURERS INSTRUCTION INCLUDING UPDATING AND AVAILABILITY TO STAFF.

CAR 145.A.45(a), (b), (d), (f), (g)

2.8.1 Purpose:

- 2.8.1.1 To ensure current and valid maintenance instructions are available to maintenance personnel for reference/ guidance while undertaking aircraft/components maintenance.

2.8.2 Policy:

- 2.8.2.1 Air India shall hold current applicable maintenance data, relevant to scope of activity, at each maintenance locations and shall have adequate means of reading / printing the data for reference during maintenance.

- 2.8.2.2 Technical Publication shall be in the mailing list of respective manufacturers / TC holder, regulatory agencies for receiving and updating the maintenance data.

- 2.8.2.3 Technical Publication acting as an integral part of Air India is responsible for validation, distribution and control of maintenance data as part of CAMO function. The maintenance data published by Technical Publication shall be the primary source of the data. Air India will not modify the maintenance data (AMM, TSM, SRM etc.) in any manner and will adopt the same as provided by OEM while undertaking aircraft / components maintenance.

2.8.3 Procedures:

- 2.8.3.1 Maintenance data such as AMM, TSM, WDM, SRM, IPC, CMM, AD, SB, OEM Instruction etc. published by TC holder / OEM and Company Procedures such as MOE, Engineering Procedure Manuals, Inspection Notice, Maintenance Memo etc. shall be circulated to all certifying / non-certifying staff by Technical Publication for reference during maintenance.

- 2.8.3.2 In addition, directive / instruction issued by DGCA, Inspection Notice issued by Quality Manager and fleet wise Maintenance Memo issued by Technical Services Department shall be used as approved maintenance data.

- 2.8.3.3 The maintenance personnel shall refer to electronically published maintenance data in any format as provided for accomplishing maintenance action.

- 2.8.3.4 Line stations where aircraft night halts, shall have adequate back up of applicable maintenance data in any format as provided for accomplishing maintenance action. Further, current copy of maintenance data will be made available to line station by Technical Library.

- 2.8.3.5 Transit Inspection shall be carried out with reference to appropriate Transit Check Schedule and the certifying staff shall be in possession of the schedule while inspecting, for reference in case of doubt/verification.

- 2.8.3.6 Technical Publications shall generate revision status of all maintenance data in the form of monthly status report and communicate to all concerned through e-mail.

- 2.8.3.7 Revision status report published by Technical Publication shall be used as reference to verify the currency of maintenance data being used for maintenance.

- 2.8.3.8 Maintenance on aircraft / components shall be carried out in accordance with instruction given in related Work Order / procedure sheet / task cards / inspection schedule etc.

Signature valid

Signed by: Javanta Ghosh
 Designation: Engineering Manager
 Date: 03-Feb-2026
 16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.11	14 AUG 2025

- 2.8.3.9 Task card/ maintenance schedules/ procedure sheet to be referred by maintenance personnel, shall be developed by Technical Services purely on the basis of approved data.
- 2.8.3.10 Maintenance instructions shall be factored for human limitations/factors, criticality of the task such as CDCCL, FTS, EDTO (ETOPs) etc. and the best practices while developing such task.
- 2.8.3.11 CAM shall approve the task card / maintenance schedules / procedure sheet when such reference data is not deviated from approved data. In all other cases, Quality Manager shall approve it. Any amendment also shall be approved by the original approving agency only.
- 2.8.3.12 Maintenance, Technical Services and Quality Department shall validate any task developed outside the scope of approved data, the same jointly, prior to implementing it on regular basis.
- 2.8.3.13 A unique control number and revision number shall identify maintenance instruction / task card/procedure sheet/schedule.
- 2.8.3.14 Maintenance instructions shall be reviewed periodically and revised, if required, based on revision to source document, industry experience, audit finding etc. within the receipt of revision to source document.
- 2.8.3.15 The maintenance schedule / task cards/procedure sheet applicable for any line maintenance activities shall be packaged and released to respective station as a part of the check package. All completed maintenance schedule / task card / procedure sheet etc. shall be verified for its adequacy and correctness by concerned Shift In-Charge/ Station In-charge of Maintenance Department before handover to CAMO department. Air India Maintenance department shall have access to all the completed /archived workorders (DFPs).
- 2.8.3.16 Whenever a manual / instruction is revised, the obsolete / outdated documents shall be withdrawn and destroyed to prevent use of such document for maintenance.
- 2.8.3.17 Whenever a task card / maintenance procedure is printed for reference while carrying out maintenance, the same shall be destroyed after completion of the maintenance and shall not be kept future reference.

2.8.4 Inspection Notice:

- 2.8.4.1 E & M policy changes, Organizational changes, procedural changes, important/critical technical highlights are communicated through Inspection Notice.

2.8.5 Maintenance Memo:

- 2.8.5.1 Maintenance Memo are issued by Technical Services/ Maintenance Department to highlight the requirements arising out of Service Letters, Maintenance tips, in-service activities and other technical data.

2.8.6 Procedure for Distribution:

- 2.8.6.1 Inspection Notice and Maintenance Memo shall be communicated to all concerned through Technical Publication for compliance by all staff.

2.8.7 Responsibility:

- 2.8.7.1 Line Maintenance Manager

Relevant References

LMM Section 2.4

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.9 REPAIR PROCEDURE

CAR 145.A.42 (a), 145.45 (a), 145.A.48 (d), 145.A.65 (b) (4)

2.9.1 Purpose:

2.9.1.1 To ensure restoration airworthiness status of aircraft, which is damaged / defective, to Type Certification standard and related documentation.

2.9.2 Policy:

2.9.2.1 Any repair to aircraft / component / part thereof shall be accomplished only in accordance with the approved maintenance data.

2.9.3 Procedure:

2.9.3.1 Every structural damage shall be assessed, and modifications & repairs shall be carried out using approved maintenance data (as per AMM / SRM etc.) by appropriately rated certifying staff.

2.9.3.2 When the damage is within the AMM / SRM limits, the repair shall be carried out in accordance with AMM / SRM and aircraft shall be released.

2.9.3.3 When damage is outside the SRM limits, maintenance department shall communicate with Technical Services Department of CAMO for repair scheme.

2.9.3.4 Air India shall ensure that DGCA AAC 1 of 2017 (latest revision) which stipulates the procedures to be adopted for carrying out modification and/ or repair done on aircraft, aircraft component and item of equipment of that aircraft are followed.

2.9.3.5 A repair which has been classified as MINOR and has negligible effect on the airworthiness, will be accomplished as per approved CAR 21 / EASA Part 21 / FAR Part 21 approved design organization/ manufacturer repair scheme. It will be intimated to DGCA through monthly Engineering Statistical report.

2.9.3.6 When damage is outside the SRM limit and classified as MAJOR, maintenance department shall communicate with the Technical Services Department of Customer CAMO for repair scheme. Accomplishment of MAJOR repair requires DGCA approval. The application for modifications and repair along with the necessary data shall be submitted to DGCA for approval by Technical Services through eGCA. In case, the repair has to be accomplished on off-office hours or on weekend, Quality Manager will coordinate with O/o DDG (NR) for approval by coordinating on phone and providing complete data on email. Duly completed application form CA 2 (MR) along with the supporting documents as detailed in AAC 1 of 2017 (latest revision) shall be submitted to the Regional office through eGCA. After obtaining approval from RAO, Air India Limited shall accomplish the repair in accordance with the approved repair data.

2.9.3.7 Subsequent to receipt of the repair scheme, Air India shall accomplish the repair in accordance with the approved repair data.

2.9.3.8 While carrying out such work all safety precautions/ warnings shall be followed.

2.9.3.9 Whenever structural repair is carried out, the Dent & Buckle Chart shall be updated after the latest repair.

2.9.3.10 Any fabrication of parts, if needed, is performed in accordance with SRM or approved data. Necessary references of approved data shall be recorded in the relevant work order.

2.9.3.11 Minor repair in the cabin parts shall be accomplished based on standard practices.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.9.4 Responsibilities:

2.9.4.1 Repair & Release of Aircraft: AME / Authorised Persons.

2.9.4.2 Repair Scheme: CAMO (Technical Services)

Relevant References

LMM Section 2.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.10 AIRCRAFT MAINTENANCE PROGRAM COMPLIANCE

CAR 145.A.45 (f)

2.10.1 Purpose:

2.10.1.1 To maintain aircraft in accordance with approved maintenance program.

2.10.2 Policy:

2.10.2.1 Aircraft maintenance shall be accomplished as per Approved Aircraft Maintenance Program (AMP) provided by the respective operator (CAMO).

2.10.3 Procedure:

2.10.3.1 Scheduled maintenance requirements, as per approved AMP, shall be carried out by line maintenance based on work order generated by Planning department of customer airlines.

2.10.3.2 Scheduled maintenance requirements shall be carried out as per check packages, using approved schedule/ procedure sheet, task card, AMM/ CMM etc.

2.10.3.3 Defect rectification, repairs/modification/inspection etc. shall be carried out as per TSM, SRM, WDM, AD, SB, EO, EMO etc. provided by Technical Services/ the customer airlines, in accordance with the customer contract. Such addressed defects shall be communicated to the Technical Services/ customer for reliability purposes.

2.10.3.4 Every maintenance activity such as scheduled check packages, additional callout, defect rectification, modification, AD / SB compliance etc. shall be carried out against a work order generated in MIS / NRC with unique tracking number, or as per customer procedure and shall be certified in the same.

2.10.3.5 For each check package, the adequacy of manpower, tooling, equipment and spares shall be reviewed based on input from daily planning meeting.

2.10.3.6 For schedule maintenance, the check packages shall be split into various group based on zone/ task sequence etc. and distributed progressively as the check progresses.

2.10.3.7 Special maintenance requirements such as EDTO, RVSM, Auto Land, PBN etc. shall be carried out as per operators' specific procedures.

2.10.3.8 Management of changes in AMP shall be the responsibility of the CAMO / customer.

2.10.3.9 Whenever there is an inspection finding resulted from CPCP or SSI, the same shall be reported to Maintenance Head/CAM with a copy to Quality Manager.

2.10.3.10 Maintenance tasks shall be scheduled considering complexity and criticality of the task, time, environment, based on human factors principle.

2.10.3.11 Maintenance task shall be scheduled considering complexity and criticality of the task, time, environment, based human factors principle.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.10.3.12 Certifying staff shall verify the scope of work assigned and ensure availability of appropriate spares, material, manpower, tools and equipment etc., in serviceable condition to undertake the tasks.

2.10.3.13 Maintenance data such as AMM, TSM / FIM WDM, SRM, Task Cards, etc. shall be accessed from intranet available at each maintenance station.

2.10.3.14 Maintenance Department shall facilitate collection of various failure reports.

2.10.3.15 Completed schedules / task cards shall be collected and consolidated on a daily basis.

2.10.3.16 On completion of check package, accomplishment of all task and related documentation shall be verified by technical records section.

2.10.4 Responsibility:

2.10.4.1 Managers of respective area.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.11 AIRWORTHINESS DIRECTIVES PROCEDURE

CAR 145.A.45 (a), (b)

2.11.1 Purpose:

2.11.1.1 To ensure continued compliance with Type certification standard compliance with all applicable Airworthiness Directive without deviation.

2.11.2 Policy:

2.11.2.1 All Airworthiness Directives (AD) issued by the Airworthiness Authority of the country of primary type certification and applicable Mandatory Modifications (MM)/ AD issued by DGCA shall be complied without any deviation from the requirement.

2.11.3 Procedure:

2.11.3.1 ADs shall be accomplished as per work order prepared by Technical Services and issued by Planning department.

2.11.3.2 On receipt of specific Work Order / EO for accomplishing an AD, the requirement of AD and any related maintenance instruction shall be studied for efficiently carrying out the task.

2.11.3.3 The AD / MM accomplishment schedule shall be drawn taking most convenient phase of maintenance into account.

2.11.3.4 Availability of required material and tools shall be confirmed prior to commencement of the maintenance action. Any short coming shall be assessed and reported to Planning Department/ CAMO.

2.11.3.5 The modification / inspection related AD shall be carried out strictly as per approved maintenance data.

2.11.3.6 The AD / MM compliance shall be documented in the MIS work order / NRC / customer document with a reference to the mandatory status of the work and certified by appropriately authorized person.

2.11.3.7 Result of inspection finding during accomplishment of AD shall be notified to CAMO for necessary action.

2.11.3.8 AD / MM related maintenance shall be certified by AME who has sufficient experience and competency to undertake such task.

2.11.3.9 Applicability of AD on any part / component in the inventory shall be identified, isolated to be processed for AD / MM compliance.

2.11.4 Responsibility:

2.11.4.1 Maintenance Manager / In-charge

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.12 OPTIONAL MODIFICATION PROCEDURE

CAR 145.A.45 (b)

2.12.1 Purpose:

2.12.1.1 To comply modification for improvement of reliability, product standards and performance.

2.12.2 Policy:

2.12.2.1 Modification leading to product improvement, excluding AD, shall be classified as Non-mandatory modification / optional modification and shall be accomplished as per maintenance instruction from Operator.

2.12.3 Procedure:

2.12.3.1 Optional modification shall be carried out as per customer's procedure / Air India CAME and in accordance with approved data.

2.12.3.2 On receipt of modification instruction, necessary resources for accomplishing the modification such as availability of spares, tools, manpower, ground time etc. shall be reviewed for adequacy.

2.12.3.3 In the event of identifying any discrepancy or constraints to accomplish as per the maintenance data, the case shall have referred back to Technical Services for necessary review and advice.

2.12.3.4 Availability of required material and tools shall be confirmed prior to commencement of the maintenance action.

2.12.3.5 The modification compliance shall be documented in the MIS work order / NRC / customer document and certified by authorized person.

2.12.3.6 Components in the inventory which are required to be modified shall be identified and processed for accomplishing the modification.

2.12.3.7 A consolidated list of all optional modification carried out shall be provided to after the completion of scheduled maintenance check, as part of completed work package.

2.12.3.8 Standards parts for internal use during maintenance shall be fabricated in accordance with approved data.

2.12.4 Responsibility:

2.12.4.1 Maintenance Manager / In-charge.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.13 MAINTENANCE DOCUMENTATION IN USE AND COMPLETION OF SAME

CAR 145.A.45 (e), 145.A 50, 145.A.55 (a)

2.13.1 Purpose:

2.13.1.1 To confirm maintenance action and certify the maintenance carried out on aircraft / component.

2.13.2 Policy:

2.13.2.1 All maintenance carried out on aircraft / component shall be documented in the approved format. Documentation of maintenance is part of maintenance action itself and maintenance shall not be considered complete until completion of the documentation.

2.13.2.2 Maintenance documentation shall be made in ENGLISH using indelible ink and shall be readable. Corrections, if any, shall be made by crossing with single line and shall be authenticated.

2.13.3 Procedures:

2.13.3.1 MIS Work Order / NRC / customer document shall be the primary reference for documenting any maintenance carried out on aircraft / component. Every maintenance shall be documented in hard copy of work order and certified. The work order may also be certified digitally (e-signature) in MIS by certifying staff.

2.13.3.2 Work Order shall be supplemented by maintenance schedule, task cards, procedure sheet etc. for recording the maintenance in detail.

2.13.3.3 Approved procedure sheets / task cards / AMM / CMM shall be used for performing specific (complex) maintenance tasks like replacement of engine, APU, Landing Gear, installation/assembly of wheel & brakes etc.

2.13.3.4 When Work Order is used, it shall be serially numbered and shall bear Logo of Air India Limited.

2.13.3.5 Procedure sheet/inspection schedule/ task cards shall have company Logo, nomenclature, approval number, revision status, tools and equipment required to complete the work, identified space for signature by support staff and certifying staff.

2.13.3.6 Maintenance record such as work orders, periodic checks accomplished, component replacement, Hours and cycles of aircraft / engines, modification complied, compliance of airworthiness directives, repair carried out etc. shall be documented in electronic format in MIS or as per customer requirements.

2.13.3.7 In case of any inspection finding or a non-routine task is to be performed, the authorized person shall generate a work order. This work order number shall be cross-referenced on the primary schedule as applicable.

2.13.3.8 Wherever values are measured as part of any testing/inspection, the measured values shall be recorded in the procedure sheet / task card / work order.

2.13.3.9 Task cards / Maintenance Schedule shall be signed by technician in the TECH column by performing the task and then certified by the certifying staff in the AME column using authorized stamp or appending his /her signature for satisfactory accomplishment of the task.

Signature valid

Signed by Jayantini Ghosh
Deputy Director General
Date: 03-Feb-2024
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.11	14 AUG 2025

- 2.13.3.10 Certifying staff shall sign off for each task individually performed by him. Further, certifying staff shall ensure that each task within the group is completed and values (as applicable) recorded as per maintenance data (AMM etc.) before signing the group of tasks.
- 2.13.3.11 Initials against each task shall be acceptable, provided full signature and initials are appended in the schedule.
- 2.13.3.12 When a maintenance task is performed by certifying staff himself / herself, then the certifying staff shall write "N/A" in the TECH column of Maintenance Schedule or Task Card.
- 2.13.3.13 On completion of the Schedule / Task Card / Work Order, final certification for satisfactory completion of complete the work / tasks shall be made by certifying staff using signature with authorization stamp or signature quoting authorization number. The work order may also be certified digitally (e-signature) in MIS by certifying staff.
- 2.13.3.14 Every maintenance carried out on the aircraft/ component shall be certified and issued with appropriate CRS.
- 2.13.3.15 Maintenance certification shall be made affixing personal authorization stamp and / or signature together with the authorization number written.
- 2.13.3.16 Documentation of customer aircraft maintenance shall be made in accordance with the requirements of customer.

2.13.4 Maintenance documentation for Transit Inspection:

- 2.13.4.1 The transit inspection shall be carried out as per the approved transit card or as per customer requirements and the same shall be documented in the operator's Technical Log, including fuelling, replenishing oil.
- 2.13.4.2 All reported / observed defect from previous flight shall be rectified and CRS issued or appropriately addressed under MEL / CDL.
- 2.13.4.3 Transit inspection is certified in the Technical log book and signature of PIC shall be obtained for having accepted the aircraft.
- 2.13.4.4 Transit inspection shall be certified in the Technical Log.

2.13.5 Maintenance documentation for Base Maintenance Inspection:

- 2.13.5.1 Base maintenance checks shall be carried out using approved work package. The work package shall contain all tasks to be carried out as per approved maintenance program, including AD, modifications, component replacements, CMR, structural repairs etc.

2.13.6 Responsibility:

- 2.13.6.1 Certifying Staff and Maintenance Managers / Shift in-charges.

Relevant References

LMM Section 2.6

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.11	14 AUG 2025

2.14 TECHNICAL RECORD CONTROL

CAR 145.A.55 (b), (c)

2.14.1 Purpose:

- 2.14.1.1 To ensure that maintenance records of aircraft / components are preserved in the acceptable form and condition for the duration required by CAR 145 and the operator's requirements.

2.14.2 Policy:

- 2.14.2.1 Records of maintenance carried out on aircraft / components shall be handed over to customer as per contract/ technical records and original / copy of records shall be preserved with protection from tampering, fire, flood, or other negative effects due to environmental influences.

2.14.3 Maintenance Records Control Procedure:

- 2.14.3.1 Completed maintenance records shall be verified for adequacy and correctness by respective maintenance in-charges prior to issue of CRS.

- 2.14.3.2 The required actions are performed in MIS by the planning department for all components replaced as part of the work package or unscheduled maintenance. Operational Form ensures that the particular P/N, S/N, TSN, CSN, TSO, CSO of a component as applicable gets added to the aircraft configuration on which the part is installed. This will enable the MIS to calculate the remaining life of the component. This action is essential for transfer of technical history of a "life" limited part and to update the remaining life of the part when installed on the aircraft. Completed maintenance records, including related Tech Log pages, together with copy of associated CRS, shall be forwarded to the Technical Records Section for archiving. Digitally signed work order(s) will be archived in MIS automatically once certified and closed. It is the responsibility of Technical Records to review the completed work cards and verify that the correct data is updated in MIS.

- 2.14.3.3 In the event of a new/leased Engine or APU, landing gear assembly and other major assemblies/components the initial details including Maintenance/ inspection history, Modification / AD / SB / SL compliance records, Life Limited parts details etc. will be updated in MIS before putting these components in use.

- 2.14.3.4 The maintenance in-charge of each maintenance station / location shall be responsible for review and transfer of all technical records to the Technical Records Section at Gurugram. He shall ensure for transfer of all completed DFPs to Technical Records with acknowledgement of receipt. Further, Technical Records Section shall ensure the corrected data is updated in AMOS.

- 2.14.3.5 Technical Records Section will ensure that all technical records be scanned and archived by contracted agency i.e. M/s Flydocs Digital Records Management and Maintenance Department shall have access of M/s Flydocs Digital Records Management software pertaining to all the completed workorders and supporting documents. In addition, Hard Copies of all maintenance records are preserved by contracted agency M/s Writers Information.

- 2.14.3.6 Wherever, the original maintenance document is transferred to the operators, except Air India, a copy of the same shall be preserved.

- 2.14.3.7 Maintenance records shall be preserved by M/s Writers Information in secured way and ensured by Technical Records Section.

Signature valid

Signed by: Javanta Ghosh
Deputy Director General
Date: 03-Feb-2025

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.11	14 AUG 2025

- 2.14.3.8 Access to the technical records managed by M/s Writers Information and same shall be controlled by the Manager- Technical Records.
- 2.14.3.9 DGCA officials shall have access to all technical records under the control of Technical Records section.
- 2.14.3.10 All maintenance records shall be retained for a minimum period of three years from the date of issue of CRS.
- 2.14.3.11 In the event of damage / mutilation / loss of hard copy of the record, scanned copy of the same shall be taken in place of original records.
- 2.14.3.12 All maintenance records shall be made available to the owner / lessor in case of temporary transfer of aircraft, while the same shall be transferred to the owner / Lessor in case of permanent transfer.
- 2.14.3.13 Maintenance records for customer shall be preserved for a period of three years. However, if operator requires, the same shall be transferred to operator and copies in electronic form of the same preserved for three years.
- 2.14.4** Responsibilities:
- 2.14.4.1 Verification of maintenance Records and its timely transfer to Technical Record section. - Respective maintenance in-charge of the location.
- 2.14.4.2 Preservation of Records: Technical Record Section.

Relevant References

LMM Section 2.7

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.15 RECTIFICATION OF DEFECTS ARISING DURING BASE MAINTENANCE

CAR 145.A.50

2.15.1 Purpose:

2.15.1.1 To capture and address the defects reported during base maintenance.

2.15.2 Policy:

2.15.2.1 All defects detected during base maintenance shall be appropriately rectified and certified or addressed appropriately in accordance with documented procedures, subjected to CAMO approval.

2.15.3 Procedure:

2.15.3.1 Work Order shall be used as a basic document for recording all aircraft maintenance actions.

2.15.3.2 The Work Order shall be completed in all respects by appropriately authorized certifying staff, recording details of defect, rectification action, materials used, and man-hours etc., as called for in the Work Order.

2.15.3.3 In the event of detecting any defect / damage during scheduled inspection, additional Work Order shall be raised to record rectification of detected defect which shall be referred against the basic task, and the task card shall be signed off.

2.15.3.4 Any significant findings shall be communicated to the Reporting Manager, Quality Manager for further reporting to TC/STC holder, regulatory authorities etc.

2.15.3.6 Any finding during the routine inspection shall be rectified / repaired as per approved maintenance data.

2.15.3.7 No defects shall be deferred when the aircraft is docked for base maintenance. However, in unavoidable circumstances rectification can be deferred, provided it is covered under MEL and a necessary record is made in accordance with CAME Para 1.1.

2.15.3.8 Repairs shall be accomplished as per the approved data.

2.15.3.9 The completed work package shall be verified for adequacy and completion by respective supervisors and sent to Technical Records Section for archiving.

2.15.4 Responsibility:

2.15.4.1 Maintenance Manager.

Relevant References

LMM Section 2.14

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 2		
	MAINTENANCE PROCEDURES	ISSUE 3	REV.00	24 JUN 2024

2.16 RELEASE TO SERVICE PROCEDURE

CAR 145.A.48 (a), 145.A.50 (a) (b)(c) (d) (e) (f), 145.A.75 (e)

2.16.1 Purpose:

- 2.16.1.1 To specify policy and procedure on issue of release to service for aircraft / engine / components on completion of inspection, testing, overhaul, repair, modification, defect rectification etc.

2.16.2 Policy:

- 2.16.2.1 No aircraft shall be released for flight until all maintenance due is carried out; defects rectified or appropriately addressed, and document certified by authorized certifying staff.

- 2.16.2.2 The Certificate of Release to Service (CRS) shall be issued after satisfactory completion of the assigned maintenance and shall be performed and completed by authorized certifying staff.

- 2.16.2.3 A CRS shall be issued before flight at the completion of any maintenance.

2.16.3 Procedure:

- 2.16.3.1 After completion of maintenance, certifying staff shall carry out general verification to ensure that the aircraft or component is clear of all tools, equipment & any extraneous part or material, and all access panels removed have been refitted back.

- 2.16.3.2 Authorized personnel on behalf of Air India, when satisfied that all maintenance carried on the aircraft or component is in accordance with the laid down procedures shall issue a CRS.

- 2.16.3.3 The CRS shall contain information such as, name / Logo of Air India Limited, identification of part / equipment, type of maintenance carried out, limitations / restrictions on the release, signature / personal stamp and particulars of certifying staff, date & time of issue of release etc.

- 2.16.3.4 The CRS shall contain the following statement:

The certificate of release to service should contain the following statement:

'Certifies that the work specified except as otherwise specified was carried out in accordance with CAR-145 and in respect to that work the aircraft / aircraft component is considered ready for release to service'.

- 2.16.3.5 CRS format shall be customized depending on type and extent of maintenance, as follows:

- Work Order / NRC shall be used as primary release certificate for any individual task / maintenance.
- The CRS after Layover (DAILY) / Weekly check and defect rectification shall be integrated to the Tech Log.
- For schedule maintenance of Engine / APU / Landing Gear change etc. customized format of CRS shall form part of the schedule.
- For releases after base maintenance, the CRS shall be in the format specified by the MRO which shall be issued by personnel with specific authorization only.

Signature valid

Signed by: Javanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 2		
	MAINTENANCE PROCEDURES	ISSUE 3	REV.14	14 DEC 2025

- 2.16.3.6 When a component is removed in serviceable condition from Air India aircraft, the CRS shall be issued in the Serviceable Label if the removed component is required to be installed on the aircraft operated by Air India Limited. However, CRS shall be issued on CA Form 1 if the removed component is required to be installed on the aircraft operated by another operator. Following will be ensured in this process:
- It is ensured that the ARC (release certificate) for last installation or delivery documentation of the aircraft from which the part is cannibalized, is available.
 - Certifying staff has to satisfactorily perform the external inspection of the cannibalized part to check for any physical (external damage).
 - Certifying staff has to perform satisfactory functional check post installation of the component.
- 2.16.3.7 Any deferment of maintenance on aircraft shall be notified to the customer / CAMO and permission for deferment shall be obtained from applicable authority prior to issuing the CRS.
- 2.16.3.8 Certifying staff shall ensure that there are NO open work orders, which are overdue at the time of issuance of CRS from Line / Base maintenance.
- 2.16.3.9 Limitation on CRS shall be either documented or referred in the CRS document.
- 2.16.3.10 The operator shall be informed in case full compliance cannot be achieved within the operator's limitations (e.g., EDTO, RVSM, defects which can be deferred without affecting the airworthiness, etc.). If the CAMO / customer agrees for deferment of full compliance, then a CRS shall be issued subject to details of deferment.
- 2.16.3.11 In case due to unforeseen reasons, if an aircraft is grounded at a location not having appropriately approved CAR 145 personnel then the Quality Manager shall issue a one-off authorization to a person having a valid ICAO license rated for the aircraft type and having sufficient maintenance experience in accordance with the policy defined in Air India Limited CAME. The same shall be communicated to RAO, Delhi within 7 days.
- 2.16.3.12 In case the aircraft is grounded at a location other than the main base due to non-availability of aircraft component with appropriate release certificate, it is permissible to temporarily install such a component for a maximum of 30 flight hours or until the aircraft returns to the main base whichever is earlier. This is subject to component having suitable serviceable tag but otherwise in compliance with other operational and CAR 145 requirements.
- 2.16.3.13 All CRS shall be preserved for a period of 36 months.

2.16.4 Responsibility:

- 2.16.4.1 Issue of CRS for aircraft / components: Certifying Staff.

Relevant References
LMM Section 2.8

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.14	14 DEC 2025

RESERVED.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.17 RECORDS FOR THE OPERATOR

CAR 145.A.55 (b)

2.17.1 Purpose:

2.17.1.1 Records are maintained to provide the Owner, Operator and Maintenance Personnel with information essential in controlling scheduled and unscheduled maintenance in order to ensure continued airworthiness.

2.17.2 Policy:

2.17.2.1 Records of maintenance and the respective CRS issued for customer airlines shall be transferred to customer/ technical records and shall be preserved for the period of three Years from the date of issue of CRS as per CAME Section 1.3.

2.17.3 Procedures:

2.17.3.1 All maintenance instructions of a customer airlines shall be recorded on the Air India Limited work order and certified. The work order may be certified in hard copy or digitally (e-signature) in MIS by certifying staff.

2.17.3.2 CRS/ Form 1 in original shall be provided to customer, where as a copy of CRS/Form 1 together with support records shall be preserved for a period of three years, under the custody of Technical Record Section.

2.17.3.3 Records of maintenance in Line maintenance environment shall be made in respective customer Airlines documents. The original maintenance records shall be transferred to customer, and copy shall be preserved by Technical Record section for a period of three years. This process may vary depending on customer requirement and contractual agreement.

2.17.3.4 All records that pertains to the airworthiness maintenance of the fleet shall be kept within the Technical Records. Head of Planning is responsible for the maintenance and upkeep of the records and the storage system.

2.17.4 Responsibilities:

2.17.4.1 Retention of Records: Technical Record Section

Relevant References

LMM Section 2.7

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.18 REPORTING OF DEFECTS TO DGCA / OPERATOR / MANUFACTURER

CAR 145.A.60 (a), (b), (c), (d), (e)

2.18.1 Purpose:

2.18.1.1 To communicate significant defects to the Operator / TC holder / OEM and regulatory authority with necessary details.

2.18.2 Policy:

2.18.2.1 Significant defects encountered during maintenance of aircraft shall be reported to the Operator, TC holder, OEM and DGCA authority with full details of defects.

2.18.3 Procedures:

2.18.3.1 Significant defects, as defined in Section 2 Series C Part I and CAR 145, which have unfavourable effect on airworthiness / safety of aircraft, detected during maintenance of aircraft shall be reported to Quality Manager and Line Maintenance Manager by respective Maintenance Manager / in-charge.

2.18.3.2 The major defect shall be reported to Regional Airworthiness Office, Delhi, within 72 hours of the identifying the defect by the Quality Manager with as much information as possible in accordance with the format laid down in Appendix II of CAR Section 2, Series C Part I (latest revision).

2.18.3.3 Significant defect shall be reported to the Operator, TC / STC holder, OEM by Technical Services Manager.

2.18.3.4 The list of reportable defects / occurrences is listed in the Quality department manual.

2.18.3.5 The cause of such defects shall be investigated either internally or by OEM. The investigation finding, and corrective action taken shall be reported to Regional Airworthiness Office, Delhi.

2.18.3.6 The detailed procedure in relevance to reporting of defects can be referred in Quality Department Manual.

2.18.4 Responsibilities:

2.18.4.1 Reporting to DGCA & Operator: Quality Manager.

2.18.4.2 Reporting to OEM / TC holder: Head of Technical services

Relevant References

LMM Section 2.9, 2.22

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.19 RETURN OF DEFECTIVE COMPONENTS TO STORE

CAR 145.A.25 (d)

2.19.1 Purpose:

2.19.1.1 To ensure that component / part removed from aircraft are provided with adequate identification means necessary for further processing.

2.19.2 Policy:

2.19.2.1 Whenever a component is returned to stores, the serviceable / unserviceable tag, containing particulars and status of the part / component being returned, signed by certifying staff, shall accompany it.

2.19.3 Procedure:

2.19.3.1 Unserviceable component shall be issued with an unserviceable label.

2.19.3.2 Label shall be marked as "Unserviceable" and copy to be attached to the component. The defect has to be clearly reflected and all columns shall be duly filled.

2.19.3.3 The Part Number, Serial Number, description with reason for removal shall be clearly written on the label.

2.19.3.4 Before shifting, the item shall be cleared of any excess/ residual fluids.

2.19.3.5 Ensure necessary blanking / taping of the open ports.

2.19.3.6 Secure properly all loose wires / harness.

2.19.3.7 Avoid secondary damage/ contamination.

2.19.3.8 Use special packing cases or cartons as applicable. Electrostatic discharge sensitive (ESDs) material to be protected with ESDS plugs or sealed in ESDs bags with identification number clearly indicated on the packing labels.

2.19.1.1 Consideration must be given for use of protective materials like lanolin, greases, etc. as per OEM guidelines to prevent corrosion. While returning DG Items to stores, adequate precaution shall be adhered by maintenance staff and unit will be returned back in its dedicated original container.

2.19.1.2 Any item removed as suspected defective for snag elimination process, may be kept on hold as per the hold policy.

2.19.1.3 Defective components involved in Incident shall be marked as "Incident Item" and information to this effect shall be given to Quality Department. "Investigation required" label to be attached.

2.19.1.4 Store Department shall process all the relevant paper work to send the component for necessary repair either to internal workshops or external agencies depending upon the instructions from the Engineering Procurement Department.

2.19.1.5 The unserviceable components returned into the store shall be stored at a clearly identified location till it is processed.

Signature valid

Signed by: Jayanta Ghosh
 Approved by: General
 Date: 03-Feb-2026
 16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.19.2 Responsibilities:

2.19.2.1 Carrying out the removal and routing of components: AMEs / Approved Persons.

2.19.2.2 Physical inspection / packaging: Storekeeper

Relevant References

LMM Section 2.10

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.20 DEFECTIVE COMPONENTS TO OUTSIDE CONTRACTORS

CAR 145.A.42

2.20.1 Purpose:

- 2.20.1.1 To ensure components sent to external agencies for repair or overhaul are properly packed and accompanied by associated documentation.

2.20.2 Policy:

- 2.20.2.1 Defective components / parts, for repair / overhaul, shall be sent only to agencies approved by Quality department.

- 2.20.2.2 The defective component / part shall be accompanied by specific repair order covering details of maintenance to be carried out and the component shall be adequately protected to prevent further damage.

2.20.3 Procedure:

- 2.20.3.1 Stores shall forward all un-serviceable items that need processing along with the listing of the items.

- 2.20.3.2 The stores shall determine if the item is to be repaired or scrapped.

- 2.20.3.3 Stores/Engineering Procurement shall identify the repair source if repair is required.

- 2.20.3.4 The affected U/S item shall be dispatched to the concerned agency after ensuring.

- (a) Proper documentation on the label attached with the reason for defect clearly written.
- (b) All residual fluids are drained.
- (c) All open ports/ plumbing blanked.
- (d) All loose wires/ harnesses properly secured.
- (e) Properly supported by using correct packing material (special containers to be used to ship delicate and sensitive items).

- 2.20.3.5 In case the item is involved in Incident, the same shall be attached with the investigation label with description of "Investigation required".

- 2.20.3.6 All components sent for out of house repair shall at least be accompanied by

- (a) Repair Order.
- (b) Shipping List.
- (c) Warranty Claim Form, where applicable

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.20.3.7 If the component requires certain modification to be embodied, then the same shall be reflected on the repair order.

2.20.3.8 It shall be ensured that the item is properly packed and associated documentation is raised prior to dispatch.

2.20.3.9 Stores shall dispatch the item to the agency after necessary paperwork such as Air Way Bill shipping invoice etc., are raised.

2.20.4 Responsibility:

2.20.4.1 Head of Engineering Procurement

Related References

Engineering Stores Manual Section 4.1 and 4.2

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.21 CONTROL OF COMPUTER MAINTENANCE RECORD SYSTEM

CAR145. A.45 (e), 145.A.55 (a)

2.21.1 Purpose:

- 2.21.1.1 To facilitate documentation of maintenance action electronically and its preservations with protection from damage / lost / tampered.

2.21.2 Policy:

- 2.21.2.1 All maintenance records made electronically shall be preserved with adequate back up and shall be protected from tampering / damage / lost.

2.21.3 Procedure:

- 2.21.3.1 Procedure of using MIS software for maintenance documentation is explained in the help menu of the MIS itself. Various features of MIS are summarized below.

2.21.4 General:

- 2.21.4.1 For efficiently executing various Continuing Airworthiness Management functions and documenting the maintenance carried out on the aircraft, Air India shall use software-based system.

- 2.21.4.2 Software based system is an integrated software package with features for managing, monitoring, controlling various activities in Engineering and Maintenance departments including maintenance records.

2.21.5 Overview of Software based System:

- 2.21.5.1 MIS functions are grouped to modules and sub modules catering for needs of various E & M functions.

- 2.21.5.2 The modules are menu driven which is further supplemented by operating procedure for each sub-module through Help Menu.

- 2.21.5.3 Important modules of software based system are depicted below:



	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 2		
	MAINTENANCE PROCEDURES	ISSUE 3	REV.00	24 JUN 2024

2.21.6 Software based system Configuration:

2.21.6.1 Software based system application is a client-server application accessed by end users. The end user has a client version of application installed on its workstation. This client version connects to the primary centre server.

2.21.6.2 Software based system application setup has a standby setup with the same technical configuration as of the primary server above.

2.21.6.3 The data from the primary server database is replicated on a near real time basis with the database on the standby server.

2.21.7 Software based system Security:

2.21.7.1 Access:

- (a) The access to Software based system module is granted to users purely on functional need basis and is controlled by AMOS administrator. Access to Software based system is restricted through a controlled password protection system.
- (b) The system is designed and setup to prevent tampering of records and unauthorized access.

2.21.8 Backup Policy:

- (a) The MIS system has various levels of data backup.
- (b) Near Real time Replication of the stand by server with data on the primary MIS server. Through the database utility named Replication Server, the data in the primary database is replicated near real time on the stand by database on the cloud server. In case of the production system failure or a site failure, the users can be redirected to access the DR Server with minimum downtime.
- (c) Software based system back-up are being taken on daily basis.

2.21.9 Responsibility:

2.21.9.1 Maintenance staff

Certifying staff shall remain responsible for completeness of the task card / work order / EO / Tech log etc. post carrying out the assigned maintenance.

2.21.9.2 Technical Records Staff (Planning)

To review the updated aircraft records/data in AMOS.

Relevant References

LMM Section 2.7

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.07	24 DEC 2024

2.22 CONTROL OF MAN-HOUR PLANNING VERSES SCHEDULED MAINTENANCE WORK

CAR 145.A.30 (d), 145.A.47 (a), (b), DGCA AAC 05 of 2019

2.22.1 Purpose:

- 2.22.1.1 To ensure that adequate staff are available to plan, perform, supervise, inspect and quality monitor the intended maintenance activity. The purpose is also to ensure that Duty Time Limitations (DTL) of the Aircraft Maintenance Personnel (AMP) are strictly adhered to as per the provisions of the DGCA AAC 05 of 2019 (latest revision).

2.22.2 Policy:

- 2.22.2.1 Man-hour required to undertake scheduled maintenance versus man-hour available shall be reviewed every 3 months and the man-hour requirement at any given time shall be maintained.

2.22.3 Procedures:

- 2.22.3.1 Manpower required for scheduled maintenance shall be derived from man hour requirement specified in manufacturer's guidelines and in-service experience.
- 2.22.3.2 Air India Limited shall employ 50% of its manpower requirement on regular employment basis and 50% may be either on regular or on contract basis.
- 2.22.3.3 The man-hour management shall take into account human factors, criticality of work, service conditions, shift pattern, unscheduled task, efficiency factors, privilege leave, training etc.
- 2.22.3.4 When the manpower is sourced through contract, such staff shall be provided with training on company procedure, human factors, SMS, if such training was not provided earlier.
- 2.22.3.5 Man-hour review for scheduled maintenance activities shall be carried out at every 3 months. Man-hour shortage up to 20 % shall be adjusted through overtime. While Man –Hour planning, guidelines mentioned in AAC 05 of 2019 (latest revision) shall be taken into consideration.
- 2.22.3.6 When the man-hour shortage is beyond 20%, additional manpower shall be hired on contract basis or the aircraft maintenance turnaround duration shall be extended, or the work shall be outsourced / sub contracted to appropriately qualified agencies.
- 2.22.3.7 When the manpower available falls below 25% of the required count for continuously more than six months, the same shall be reported to Quality Manager and Chief Technical Officer.
- 2.22.3.8 Detailed procedure for manpower review and management has been documented in Line Maintenance Manual.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.08	03 FEB 2025

2.22.4 Duty Time Limitations of Aircraft Maintenance Personnel:

To avoid mistake/error in maintenance and for safety of aircraft and the individual, it is necessary to consider the following factors while finalizing the shift pattern for maintenance personnel:

- Physical and mental performance of individual
- Daily Limits:** Generally, shift duration shall be limited to 8 to 10 hours, provided total scheduled work hours does not exceed 48 hours a week or 60 hours including overtime.
- Limits on Night Shifts:** Finish time of the night shift shall not be later than 0800 Hours. Scheduled night shifts should not exceed two followed by two successive days of rest.
Night shift may be scheduled post two-night shifts after a rest period of at least 36 hours provided that total schedule work hours shall not exceed 48 hours a week or 60 hours including overtime.
- Rest Period:** A minimum rest period of 11 hours' rest between two shifts shall be given.
- Duty Hours Extension:** In case of exigencies, the normal shift pattern may extend upto 12 hours with prior approval from Line Maintenance Manager or his designate personnel provided adequate rest period is considered and same shall be recorded.

Note: While finalising the shift pattern, all state Labour Laws as applicable shall be complied with.

2.22.5 Detailed procedure is documented in the Line Maintenance Manual

2.22.6 Responsibilities:

2.22.6.1 Line Maintenance Manager / All Section – Head

Relevant References

LMM Section 2.11

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.23 CONTROL OF CRITICAL MAINTENANCE TASKS AND ERROR CAPTURING METHODS (CAR 145.A.48 (b), (c), 145.A.65 (b))

2.23.1 Purpose:

2.23.1.1 To minimize the risk of maintenance errors on aircraft where consequence of failure resulting from an incorrectly performed maintenance task may jeopardize the airworthiness and safety of aircraft.

2.23.2 Policy:

- 2.23.2.1 Adequate defenses shall be established at various stages of maintenance control and execution to preclude:
- Risk of Multiple error during maintenance.
 - Risk of errors being repeated in identical maintenance task are minimized.
 - During process of any maintenance, any damage has to be assessed and modifications repairs are carried out as per the approved procedures in CAME & MOE.
 - Aircraft or component is clear of all tools, equipment and any extraneous part or material, and that all access panels as removed are refitted.

2.23.3 Procedure for critical tasks:

- 2.23.3.1 Maintenance tasks, if performed incorrectly may jeopardize airworthiness and safety of aircraft shall be identified, notified for alertness of all personnel.
- 2.23.3.2 The maintenance critical tasks shall be identified on the basis of factor contributing to such errors, including human factors. The list of such task shall be reviewed periodically on the basis of experience, occurrence reporting system, inputs from maintenance / operation etc. and updated.
- 2.23.3.3 M/s Air India Limited use following source to identify critical maintenance task:
- a) Information from the TC holder.
 - b) Accident reports
 - c) Investigation and follow up of the incidents.
 - d) Occurrence reporting
 - e) Flight data analysis.
 - f) Result of audits
 - g) Normal operations monitoring schemes.
 - h) Feedback from training.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 2		
	MAINTENANCE PROCEDURES	ISSUE 3	REV.00	24 JUN 2024

2.23.3.4 Following tasks are classified as critical maintenance tasks, which require application of stricter control to prevent errors and ensure desired safety standard:

- (a) EDTO significant tasks
- (b) Tasks involving disturbance of flight and Engine controls
- (c) Installation of Engine / APU / LG
- (d) Compliance of Airworthiness Directive
- (e) High power engine run, Taxiing of aircraft
- (f) Boroscope plug /MCD/Ignition Plug
- (g) CDCCL task
- (h) Removal of multiple engine oil filters or chip detectors
- (i) Fan blade installation/ lubrication

2.23.3.5 As part of mitigation action to avoid creeping of error during maintenance, the following measures shall be applied:

- (a) The identified critical task shall be indicated in the schedule by "**ER**"/"**CR**" / "**CDCCL**" against respective task or stamped "**CRITICAL**" in the schedule or otherwise specified by the customer.
- (b) Authorization for Boroscope inspection, High power engine run, taxiing of aircraft etc are issued only to restricted people after customized training / exposure.
- (c) Scheduling of critical task shall be done with due consideration of factors such as availability of spare, tools, ground time, manpower, hangar, weather conditions, human alertness level etc.
- (d) Allocation of critical task to personnel working in the extended shift shall be avoided as far as possible. In unavoidable situation, additional supervisor from fresh shift may deployed.
- (e) A single person shall not perform any identical maintenance work on the similar critical systems during single maintenance visit on the same aircraft.
- (f) For the purpose of this section Identical maintenance is defined as the same task (Repair, replacement, disassembly, reassembly, post installation inspection) being performed on more than one or similar systems during same maintenance visit.
- (g) If identical maintenance actions cannot be avoided, then one of the following shall be considered to avoid human errors:
 - 1. Do identical maintenance at different maintenance visit.
 - 2. Different AME's and technicians carry out maintenance on the similar system.
- (h) Alternatively, when only one person is available to carry out multiple identical tasks on the same aircraft, then the job card shall include a stage for re-inspection (preferably to be performed at different timings) of the work by this individual, after completion of all the identical tasks, e.g., in case of removal and fitment of oil filler caps; a re-inspection of all oil filler caps shall be carried out, after the last oil filler cap has been refitted.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.23.4 Procedure for Independent inspection:

- 2.23.4.1 Appropriately, qualified and authorized personnel shall carry out the first inspection.
- 2.23.4.2 Other appropriately authorized personnel shall carry out the second inspection (i.e. independent inspection).
- 2.23.4.3 In case of single man station, the independent inspection is required, it could be carried out and certified by the same authorized personnel; provided that the independent inspection is carried out at a different time and the timing of both inspections are recorded.
- 2.23.4.4 Whenever the first inspection and the independent inspection of the control system are carried out, a specific entry in the appropriate work order / NRC shall be made and certified by the appropriately authorized personnel.
- 2.23.4.5 The first and the second checks shall be the final operations to establish the integrity and correct functioning of the control system when all work has been completed.
- 2.23.4.6 In some aircraft and systems, it may not be possible after complete assembly to inspect all the parts because sections may have been progressively sealed off. In such cases, the authorized personnel mentioned above, before a section is sealed off, shall establish security and correct functioning of the covered-up portion of the system.
- 2.23.4.7 If after the second check the control systems are disturbed in any way and any time before the first flight, that part of the system which has been disturbed shall be checked in duplicate by persons mentioned above before the aircraft is released.
- 2.23.4.8 The independent inspection shall include verification that full, free and correct movement of the controls is obtained throughout the system relative to the movement of the controls from within the aircraft and that the control systems are correctly secured.
- 2.23.4.9 Independent inspection shall be performed for all maintenance tasks requiring independent inspections as per approved maintenance data like AMM, SB, etc. In addition, independent inspection will be performed for the following tasks as per Company policy:
- (a) Engine Removal / Installation
 - (b) APU Removal / Installation
 - (c) Landing Gear Removal / Installation
 - (d) Seat Assembly Removal / Installation
 - (e) Engine Boro Access plugs Removal / Installation
 - (f) Flight controls Removal / Installation
 - (g) VSV Actuator Removal / Installation
 - (h) Windshield Removal / Installation

2.23.5 Responsibility:

- 2.23.5.1 Supervisor / Shift in charges/Section In-charges

Relevant References

LMM Section 2.12

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 2		
	MAINTENANCE PROCEDURES	ISSUE 3	REV.14	14 DEC 2025

2.24 REFERENCE TO SPECIFIC MAINTENANCE PROCEDURES

CAR 145.A.65 (b), CAR 145.A.75(c), AAC 3 of 2023

2.24.1 Purpose:

2.24.1.1 To ensure that the maintenance personnel responsible to carry out work detailed below are conversant with the relevant procedures and are adequately trained.

2.24.2 Maintenance outside the approved location:

Air India can carry out maintenance of any aircraft for which it is approved at the locations identified in the Approval Schedule and in the MOE Section 1.9, 5.3 & Annexure-A. Further, Air India may carry out maintenance of any aircraft outside the approved location (domestic and international stations) under the following circumstances:

2.24.2.1 Aircraft under AOG:

To support an unserviceable aircraft (AOG requiring defect rectification/ minor scheduled line maintenance task upto weekly inspection falling due in AOG situation), other than the location approved by the DGCA, provided the Air India's approval already covers the scope of work for the particular type of aircraft, under AOG, and subject to provisioning of requisite manpower, tools and equipment in that location:

- the scope of work is limited to aircraft type and associated maintenance level upto weekly inspection as listed in the MOE 1.9 & 5.3 and;
 - any other specific limitation relevant to the approved class rating.
- a) Respective Zone Dy. Line Maintenance Manager (in his absence, Senior Maintenance Manager) in coordination with the Maintenance Control Centre (MCC) of the operator, shall ensure the availability of necessary facilities, certifying staff, tools and equipment, material, maintenance data at the aircraft AOG station. Maintenance Manager of AOG station shall submit the Form No. AI/FTM/139 (Working Away from Main Base) to Line Maintenance Manager/ Dy. Line Maintenance Manager. After satisfactory evaluation, Line Maintenance Manager/ Dy. Line Maintenance Manager shall forward the form to Quality Department for review.
 - b) Quality Manager or his representative shall carry out the desktop review for verification of necessary facilities, certifying staff, tools and equipment, material, maintenance data and on the basis of satisfactory review, Quality Manager shall issue One Off AOG Approval for retrieval of aircraft. AI/FTM/139 Form determines the various stages to be followed during the working away from main base activity and same needs to be filled during complete process execution. The completed form along with the support documents must be maintained in records and archived as per CAR 145 Standards.
 - c) Concerned AOG Maintenance Team will share copy of the maintenance work order to Line Maintenance Manager and Quality Manager after completion of Tasks.
 - d) Quality Manager will notify the Director of Airworthiness (DAW), Northern Region of such approval granted within 7 days along with submission of form with support documents. In addition, that a list of all the CRS issued under this procedure will be made available to DGCA upon request.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.24.2.2 Occasional Line Maintenance:

A Line station that has no permanent approval and there is no established engineering setup or manpower. To perform the work, the manpower and logistics have been transported from the nearest approved station or arranged / loaned from contracted agencies. For such locations, the Scope of work shall be limited to:

- aircraft type listed in the MOE 1.9 scope of work and all the contracted CAMO / operator;
- routine tasks up to and including weekly check or 100 Hrs or 6 months schedule (or MOE 1.9 maintenance level whichever is less);
- trouble shooting & Defect rectification.
- any other specific limitation relevant to the approved class rating.

- a) Quality Manager will approve these stations after ensuring that all necessary facilities and quality system are established under the following criteria:
- For work less than or equal to 10 days of duration – Quality Manager will issue approval based on satisfactory on-site audit or the desktop review.
 - For work between 10 to 40 days – Quality Manager will issue approval based on satisfactory on-site audit.

Note: When the duration expected for the maintenance is more than 40 days, the approval of a new line station shall be requested to DGCA, to be listed in the MOE 5.3

- b) All teams or staff working away from base or an approved outstation fall under the direct supervision of the Line Maintenance Manager or his designate.
- c) Line Maintenance Manager / MCC is responsible for all logistical aspects of the work including team selection, communication, materials, tools, facilities, maintenance data, and scope of work.
- d) Quality Manager shall provide list of all the CRS issued under this procedure and shall be made available to DGCA, upon request.
- e) The form AI/FTM/139 determines the various stages to be followed during the working away from main base activity and same needs to be filled during complete process execution. The completed form along with the support documents must be maintained in records and archived as per CAR 145 Standards.
- f) Quality Manager shall ensure that, when the privilege is used for more than 10 days, the Director of Airworthiness (DAW), NR is notified of such approval within 7 days from the date of the beginning of the operation along with submission of form with support documents.
- g) In case of scheduled maintenance, the repetitive use of the privilege at the same location or for the same aircraft at different locations is not permitted.
- h) In the absence of Quality Manager, Deputy Quality Manager holding post holder approval may issue approval for use of non-approved location in accordance with this AAC.

2.24.3 Specialized maintenance tasks shall be carried out strictly in accordance with applicable procedures, adhering to all applicable safety measures, to ensure desired safety standard. Following tasks are classified as specific maintenance task.

- Engine run up and compressor wash
- Aircraft pressurization check.
- Aircraft towing and taxiing.
- Jacking of aircraft.
- Weather radar test

2.24.3.1 Customized procedures on each task have been documented in the Engineering Procedures Manual

Relevant References

LMM Section 2.13

Signature valid

Signed by: Jyanta Ghosh
Deputy General Manager
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.25 PROCEDURES TO DETECT AND RECTIFY MAINTENANCE ERRORS

CAR 145.A.65 (b)

2.25.1 Purpose:

2.25.1.1 To control error during maintenance action and mitigate safety hazards arising out of maintenance error.

2.25.2 Policy:

2.25.2.1 Maintenance errors occurring during aircraft maintenance shall be captured through occurrence reporting system, investigated and mitigated to prevent recurrence of such event.

2.25.3 Procedure:

2.25.3.1 Maintenance procedures shall be made with application of human factors to eliminate the possibility of human errors.

2.25.3.2 Human factors are considerations shall be applied while scheduling and executing the critical tasks.

2.25.3.3 All maintenance personnel are encouraged to report hazards, including hazards resulting from maintenance errors, as part of SMS.

2.25.3.4 Maintenance errors, if any, shall be captured through voluntary reporting system.

2.25.3.5 Reporting shall be facilitated at various convenient locations to maintenance personnel.

2.25.3.6 Nil or minimal punitive action shall be taken against those erred personnel, if the hazard is arrested due timely reporting.

2.25.3.7 Reported hazard shall be investigated by Quality Department in association with representatives of concerned Dept.

2.25.3.8 Based on investigation finding necessary corrective and preventive measures shall be implemented.

2.25.3.9 Feedback to reported staff shall be provided wherever applicable.

2.25.3.10 Data base for the reported event shall be made and store in electronic format with accessibility to concerned personnel.

2.25.4 Responsibility:

All personnel, Quality / Safety Manager and Maintenance Manager of the respective section

Relevant References

LMM Section 2.14

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.26 SHIFT / TASK HANDOVER PROCEDURES

CAR 145.A.47 (c)

2.26.1 Purpose:

- 2.26.1.1 To maintain continuity of the processes/ maintenance activities through effective communications between personnel working in different shift.

2.26.2 Policy:

- 2.26.2.1 When the maintenance activities are accomplished in shifts, effective communication means between personnel in adjacent shift shall be established to achieve continuity of maintenance being carried out.

2.26.3 Procedure:

- 2.26.3.1 Shift Hand over / take over shall be made through recording and signing by both parties in the applicable APN of AMOS designated for. In case of down time of AMOS, the hard copy format of shift handover register may be used, available at each station.
- 2.26.3.2 The hand over/take over shall address, work under progress, tasks pending, critical / outstanding issues, status of equipment, any other significant information and shall be signed by both incoming and outgoing shift-in- charges.
- 2.26.3.3 The incoming shift in-charge shall be present at least half an hour earlier than his shift starting time to allow for adequate and complete handover from the outgoing shift in-charge.
- 2.26.3.4 The outgoing shift in-charge shall brief the incoming shift in-charge verbally all his handover and ensure that what has been written in the handover book is understood clearly before leaving the place of work.
- 2.26.3.5 The outgoing shift in-charge shall also handover all the assets to the incoming shift in- charge such as vehicle, RT set, and any other equipment available.
- 2.26.3.6 The incoming shift in-charge shall ensure that the handover received is clear and will start allocating manpower according to the planned allocation or as per requirement.
- 2.26.3.7 In case if one shift has started a critical work and nearing completion at the time of handover then all effort shall be made for the same shift personnel complete the tasks and release the aircraft.

2.26.4 Responsibility:

- 2.26.4.1 Shift In-Charges of both incoming and outgoing shifts.

Relevant References

LMM Section 2.15

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.27 PROCEDURES FOR THE NOTIFICATION OF MAINTENANCE DATA INACCURACIES AND AMBIGUITIES TO THE TYPE CERTIFICATE HOLDER

CAR 145.A.45 (c)

2.27.1 Purpose:

2.27.1.1 To capture and rectify inaccuracies in the maintenance data, so that the maintenance task is carried out appropriately.

2.27.2 Policy:

2.27.2.1 Inaccuracies or ambiguities, if any, in the maintenance data shall be reported to the author and necessary corrections shall be applied to rectify the deficiency. Examples of maintenance data ambiguities / inaccuracies, but are not limited to, are given below:

- (a) Instruction is absent or incomplete
- (b) Conflicts with information given elsewhere,
- (c) Instructions is impractical or impossible to accomplish,
- (d) Requires tooling or materials that are obsolete/ unobtainable,
- (e) Fails to take into account the effects of modification or SB incorporation
- (f) Effectively/ applicability of the task is wrongly quoted etc.

2.27.3 Procedures:

2.27.3.1 Any person in E&M dept. who observed error/ ambiguities in OEM published maintenance data such as AMM, IPC, FIM/TSM, WDM etc. OR Company generated maintenance instructions such as Work order, Procedure sheet, Task card, Technical Instruction, Quality Circular etc., OR In-house documents such MOE, Engineering Procedures. Manual /, MEL, Tech Log, etc. shall report to Manager and Quality Manager, providing details of discrepancy with references.

2.27.3.2 Line Maintenance Manager / Quality Manager, as applicable, shall review and evaluate all such reported discrepancies, its impact on airworthiness and otherwise, and issue / generate correction to applicable maintenance instruction, if the instruction is in house generated.

2.27.3.3 If author of the data is external, such as TC / STC holder, Vendor / OEM etc., Technical Services Manager shall take up the discrepancy with originator for necessary corrections.

2.27.3.4 On receiving clarification from the manufacturer regarding the error in publications, the Line Maintenance Manager shall issue a revised instruction in form of a Maintenance Memo, pending revision of applicable data. The revised instruction will be in effect till the respective publications are amended by the manufacturer.

2.27.3.5 If the discrepancy has significant impact on airworthiness / safety of aircraft / component, which are earlier maintained as per the in accurate data, the same shall be called back and the maintenance shall be carried out as per corrected data. If deemed necessary, the MOE Section 2.18 shall be followed for notification.

2.27.4 Responsibility:

2.27.4.1 Reporting Errors: E&M Personnel.

2.27.4.2 Checking / Correcting: Line Maintenance Manager / Quality Manager.

Relevant References

LMM Section 2.16

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 2		
	MAINTENANCE PROCEDURES		ISSUE 3	REV.00	24 JUN 2024

2.28 PRODUCTION PLANNING PROCEDURES

CAR 145.A.47

2.28.1 Purpose:

2.28.1.1 To accomplish maintenance activities systematically and conveniently.

2.28.2 Policy:

2.28.2.1 All maintenance activities called out by Planning department or customer airlines shall be scheduled, monitored and executed systematically with due consideration of factors affecting quality of maintenance.

2.28.3 Procedures (Line Maintenance):

2.28.3.1 Maintenance task required to be carried out on Air India Limited fleet shall be monitored and controlled by Planning Section, through MIS.

2.28.3.2 Depending on operational pattern and ground time availability of each aircraft, Planning Section shall allocate the required maintenance to various stations, after confirming the availability of required resources, facilities and approval.

2.28.3.3 Work package planned shall be discussed on daily basis in the Production Planning Meeting (PPM) between Planning and Line Maintenance.

2.28.3.4 Line Maintenance Manager / Station In charge concerned shall ensure the availability of adequate spare, manpower, tools and equipment to undertake the maintenance activity.

2.28.3.5 While assigning maintenance tasks factors such as weather condition, criticality of task, human factors etc. shall be taken into account.

2.28.3.6 The tasks completed on daily basis are monitored for completion and closure. All mandatory maintenance shall be ensured completed and certified prior to offering of aircraft for operation.

2.28.3.7 For deferment of tasks, if any, shall only be done with approval of the customer / CAMO. Due unforeseen circumstances, if the task cannot be completed and is required to be deferred, the shift in charge shall inform the MCC / Planning. Planning shall confirm if the task can be deferred depending on the time remaining to perform the task. The information of deferred tasks shall be given to Continuing Airworthiness Manager, Line Maintenance Manager and Quality Manager.

2.28.4 Responsibility:

2.28.4.1 Line Maintenance: Engineering Shift in charge at each station.

Related References:

LMM Section 2.11

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2		Section L2
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 01	01 AUG 2024

L 2.0 - TABLE OF CONTENTS

PART- L2	ADDITIONAL LINE MAINTENANCE PROCEDURES
L2.1	Line Maintenance Control of Components, Tools, Equipment etc.
L2.2	Line Maintenance Procedure related to servicing / fueling / de-icing.
L2.3	Line Maintenance Control of defect and repetitive defects.
L2.4	Line Procedure for completion of Technical Log
L2.5	Line Procedure for Pooled Part / Loan Part
L2.6	Line Maintenance Procedure for return of defective parts removed from aircraft
L2.7	Line Procedure for Control of Critical Maintenance tasks & error capturing methods
L2.8	Procedure for line station approval

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2		Section L2
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

L2.1 LINE MAINTENANCE CONTROL OF AIRCRAFT COMPONENTS, TOOLS, EQUIPMENTS, ETC

CAR 145.A.65 (b)

L2.1.1 Purpose:

To ensure components, tools, equipment used for aircraft maintenance at line stations are meeting required airworthiness standard.

L2.1.2 Policy:

Components, tools, equipment etc. positioned at Line stations shall be effectively accounted, stored, monitored and controlled without deviating from quality, airworthiness and safety standards.

L2.1.3 Procedures:

L2.1.3.1 All line maintenance stations shall be equipped with adequate facilities, manpower, maintenance data, spares, material, tools and equipment commensurate with the scope of maintenance activities at each station.

L2.1.3.2 Aircraft components/spares/material held at any station shall be accompanied with Serviceable Label, generated while booking the item into inventory, and shall be stored complying with required storage conditions.

L2.1.3.3 Special storage conditions to be complied for any component /material, including shelf life limitation, shall be monitored through MIS and ensured compliance to such conditions by respective Station Engineering in-charge.

L2.1.3.4 An inventory of tools and test equipment for each station shall be maintained by the respective station in-charges, where the MIS access is not available.

L2.1.3.5 Tools and equipment shall be in serviceable condition and applicable measuring devices shall be calibrated. Calibrated tools shall have copy of calibration certificate along with correction chart together with Serviceable label.

L2.1.3.6 Component / spares / tool / equipment when unserviceable / life expired / calibration validity expired shall be withdrawn from service and quarantined with unserviceable label. Such item shall be rooted to main stores restoring the serviceability status.

L2.1.3.7 Component / spares / material shall be issued to maintenance by stores personnel against pick slip generated in MIS.

L2.1.3.8 When a component is removed in serviceable condition from an aircraft operated by Air India, the CRS shall be issued in the Serviceable Label if the removed component is required to be installed on the aircraft operated by Air India. However, CRS shall be issued on CA Form 1 if the removed component is required to be installed on the aircraft operated by other operator.

L2.1.3.9 Precision tools and test equipment, if any, shall be stored in proper storage conditions and calibration records shall be maintained.

L2.1.3.10 Wheel assemblies may be kept in quick access trolleys with adequate protection from direct sunlight, rain etc., where the wheels are consumed within three month.

L2.1.4 Responsibility:

L2.1.4.1 Safe custody and control of spare, tools & equipment: Stores In-Charge/ Station In-Charge as applicable

Relevant References

LMM Section 2.1, 2.2 & 2.4

Signature valid

Signed by: Javanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2	Section L2	
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

L 2.2 LINE MAINTENANCE PROCEDURE RELATED TO SERVICING / FUELING / DE-ICING

CAR 145.A.65 (b)

L2.2.1 Purpose:

To execute aircraft, turn around / readiness procedures safely and efficiently.

L2.2.2 Policy:

L2.2.2.1 Aircraft servicing, fueling /de-fuelling, de-icing and other ground handling procedures shall be accomplished in accordance with AMM/ approved procedures and standard guidelines, adhering to all quality and safety standards.

L2.2.2.2 Servicing, fuelling and de-icing carried out prior to each departure shall be documented in the aircraft Tech Log.

L2.2.3 Procedure:

L2.2.3.1 Aircraft maintenance for all Block/OOPS task shall be undertaken in the Apron / Tarmac, unless the environmental conditions adversely affect such activities. All effort shall be made to undertake task such as engine change in the hangar.

L2.2.3.2 When the working environment deteriorates due temperature, rain, snow, wind, dust etc. a level which adversely affect the maintenance / servicing, the work shall be suspended until satisfactory conditions have been re- established.

L2.2.3.3 Fuel supplying/deicing agencies shall be evaluated and monitored for satisfactory procedures and quality system of the fuel being supplied.

L2.2.3.4 Aircraft fueling/de-fueling shall be carried out under the supervision of certifying staff in accordance with AMM procedures, adhering to all safety / fire hazard procedures.

L2.2.3.5 Fuel quality check for absence of water or other contaminant shall be carried out by certifying staff prior to refueling/ or as required by the operator.

L2.2.3.6 While refueling an aircraft with passengers on board, certifying staff shall adhere to required safety precautions detailed in Line Maintenance manual & Engineering Procedure Manual-

L2.2.4 Responsibility:

L2.2.4.1 Implementing the documented procedures: Line Maintenance Manager.

Relevant References

LMM Section 2.17, 2.18

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2		Section L2
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

L 2.3 LINE MAINTENANCE CONTROL OF DEFECTS AND REPETITIVE DEFECTS

CAR 145.A.65 (b)

L2.3.1 Purpose:

To Capture and rectify defects on aircraft or system and ensure aircraft is airworthy prior to release for operation.

L2.3.2 Policy:

All defects reported/observed on aircraft/ systems shall be recorded and appropriately addressed, prior to release for flight, in accordance with the manufacturer's guidelines and operator's procedures.

L2.3.3 Procedure:

L2.3.3.1 Whenever any defect is reported or observed on aircraft/ system during routine flight operation, all effort shall be made to rectify the defect prior to releasing for further flight.

L2.3.3.2 The rectification action shall be recorded and certified in the Work Order.

L2.3.3.3 When the defect is covered under MEL and unable to rectify within the time and resources available, the rectification action shall be deferred under the provisions of MEL. In such case, the operating crew shall be briefed and necessary maintenance shall be carried out prior to release the aircraft for flight as per the procedure of the MEL or customer docs.

L2.3.3.4 All deferred defect shall be rectified within the time limit specified. For any extension beyond the MEL permitted period, approval shall be obtained from DGCA through Quality Manager.

L2.3.3.5 As the deferred defect rectification are being recorded in the Tech Log, certifying staff shall review all sections of Tech Log to identify the status of aircraft and repetition of defect in the immediate past.

L2.3.3.6 MCC is responsible for monitoring and rectification/ management of Deferred defects as per MEL provision.

L2.3.3.7 As the MCC being nodal agency for monitoring repetitive / significant defects and MEL releases, the advice/input from MCC shall be obtained for rectification of repeated defects.

L2.3.3.8 Such guidance shall not deviate from AMM procedure and the certifying staff shall be fully responsible for adhering required maintenance procedures.

L2.3.4 Responsibility: Certifying Staff

Relevant References

LMM Section 2.9, 2.21 & 2.22

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2		Section L2
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

L 2.4 LINE PROCEDURE FOR COMPLETION OF TECHNICAL LOG

CAR 145.A.50 (b), AAC 04 of 2023

L2.4.1 Purpose:

To record operational data & certify operational readiness status of aircraft.

L2.4.2 Policy:

Aircraft operational readiness data such as aircraft detail, crew detail, sector detail, fuel and oil refill status, defect rectification and related CRS, special operation readiness, etc. shall be recorded in the Tech Log. The Tech Log/ shall be supplemented by cabin Defect Report Book, to record defect / difficulty encountered in the cabin during flight operation.

L2.4.3 Procedure:

- L2.4.3.1 All certification in the Technical Log shall be made in indelible ink. Error / correction in the technical log should remain readable and identifiable.
- L2.4.3.2 The aircraft readiness status, related to servicing / maintenance such as fuel/ oil replenishment, Fuel quality check, rectification of pilot reported defect, special operation readiness status etc. shall be recorded and certified in the Technical Log by certifying staff.
- L2.4.3.3 CRS following rectification of defect and servicing shall be made through certification in the appropriate block of Tech Log itself.
- L2.4.3.4 On completion of Tech Log recording and certification, signature of Pilot in command in the specific block of Tech Log shall be obtained for having accepted the aircraft for operation.
- L2.4.3.5 Defect observed in the cabin/cabin equipment and related rectification shall be recorded in the Cabin Defect Log for rectification at convenient time/location. However, any defect in the cabin, affecting airworthiness and safety of aircraft, shall be transferred to Aircraft Technical Log under signature of the commander.

L2.4.4 Responsibility: Certifying Staff

Relevant References

LMM Section 2.6, 2.7 & 2.8

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2		Section L2
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

L 2.5 LINE PROCEDURE FOR POOLED PARTS OR LOAN PARTS (CAR 145.A.42)

L2.5.1 Purpose:

To ensure components / spares / material loaned from other operator's meets airworthiness and quality standard specified by Air India Limited.

L2.5.2 Policy:

To meet operational requirements components / spares / material meeting required airworthiness standard shall be sourced through loan / pool part.

L2.5.3 Procedure:

L2.5.3.1 To tide over AOG situations, components /material shall be sourced through loan arrangement from agencies holding approval under CAR-145 from DGCA/EASA/FAA or Airline with IOSA approval.

L2.5.3.2 The loaned part /material shall have CRS / C of C issued by organization under CAR-21 or CAR-145 approval from DGCA / EASA / FAA / TCCA.

L2.5.3.3 The specification and standards such as MOD standard, compatibility, life remaining etc. for loaned components shall be ensured while loan is processed.

L2.5.3.4 The loaned part shall be routed through stores inspector to enable him to book the item in the system for taking in to the inventory.

L2.5.3.5 On receipt of the component, the stores inspector shall verify adequacy of document and compliance to airworthiness standards.

L2.5.3.6 The certifying staff should confirm the serviceability, compatibility and suitability of the component by verifying with IPC, prior to installation on the aircraft, taking into account that the particular component is eligible to be fitted when different modification and/or airworthiness directive standards may be applicable.

L2.5.3.7 When a component/material loan returned, the airworthiness status shall be confirmed by stores inspector.

L2.5.3.8 On removal of loaned item from the aircraft for the purpose of loan return, the AME shall declare the serviceability status of the item.

L2.5.3.9 In case of consumables, the same procedure shall be applied, and the item shall be subsequently considered as a purchase.

L2.5.3.10 When the loaned part is returned, details of service live of the components and CA Form ONE issued by certifying staff shall be provided.

L2.5.4 Pooled Parts: Loaned/Pooled components with any of the following CRS shall be accepted from outside agencies. CA Form 1, A release document issued under the terms of DGCA bilateral agreement, EASA Form 1, FAA 8130-3, TCAA Form 1, UK CAA Form 1.

L2.5.5 Responsibility: Ensuring compliance with airworthiness standard - Certifying Staff / Stores Inspector.

Relevant References
LMM Section 2.25

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2		Section L 2
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

L 2.6. LINE MAINTENANCE PROCEDURE FOR RETURN OF DEFECTIVE PARTS REMOVED FROM AIRCRAFT CAR 145.A.25 (d), 42(d)

L2.6.1 Purpose:

L2.6.1.1 To ensure that the parts removed from the aircraft are correctly labeled and packed while returning to stores.

L2.6.2 Policy:

L2.6.2.1 All unserviceable components removed from aircraft or otherwise, shall be Label to identify the status, packed appropriately and returned to stores.

L2.6.3 Procedure:

L2.6.3.1 Unserviceable component/ part shall be blanked appropriately marked as "Unserviceable".

L2.6.3.2 The Part Number, Serial Number, description with reason for removal shall be clearly specified on the label.

L2.6.3.3 Items involved in an incident shall be marked clearly and have to go for investigation in shop.

L2.6.3.4 ESDS items shall be handled and packaged as per ESDS requirements.

L2.6.3.5 Unserviceable, but repairable components shall be routed to approved repair agency with necessary repair orders clearly specifying the requirement, including investigations, if any, by Air India Engineering Procurement.

L2.6.3.6 In case if the handling is contracted to the third party then following should be ensured

- (a) The handling agent shall route the Un-serviceable parts to Air India Engineering Procurement for processing as per contractual agreements. The handling agent shall ensure that the above procedures are followed prior to shipping.
- (b) Shipment of unserviceable parts to be notified engineering supplies section as per mutually agreed procedure.
- (c) Should pack it in proper container.

L2.6.4 Responsibilities: Certifying Staff

Relevant References
LMM Section 2.10

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2		Section L 2
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

L 2.7 LINE PROCEDURE FOR CONTROL OF CRITICAL TASKS 145.A.65 (b)

L2.7.1 Purpose:

To minimize the risk of maintenance errors through executing maintenance of critical nature in a controlled and monitored process.

L2.7.2 Policy:

All identified critical maintenance tasks shall be accomplished with utmost care to achieve required safety and airworthiness standards.

Following tasks are classified as critical maintenance tasks, which require application of stricter control to prevent errors and ensure desired safety standard.

- a. EDTO significant tasks
- b. Tasks involving disturbance of flight and Engine controls
- c. Installation of Engine/Propellers/APU/LG
- d. Compliance of Airworthiness Directive
- e. High power engine run, Taxiing of aircraft
- f. Boroscope plug /MCD /Ignition Plug
- g. CDCCL task
- h. Removal of multiple engine oil filters or chip detectors
- i. Fan blade installation/ lubrication

L2.7.3 Procedure:

- L2.7.3.1 As part of mitigation action to avoid creeping of error during maintenance, the following measures shall be applied.
- L2.7.3.2 Scheduling of critical task shall be done with due consideration of factors such as availability of spare, tools, ground time, man power, hanger, weather conditions, human alertness level etc.
- L2.7.3.3 Allocation of critical task to personnel working in the extended shift shall be avoided as far as possible. In unavoidable situation, additional supervisor from fresh shift may be deployed, in consultation with shift in charge.
- L2.7.3.4 A single person shall not perform any identical maintenance work on the similar critical systems during single maintenance visit on the same aircraft.
- L2.7.3.5 For the purpose of this section Identical maintenance is defined as the same task (Repair replacement, disassembly, reassembly, post installation inspection) being performed on more than one or similar systems during same maintenance visit.
- L2.7.3.6 If identical maintenance actions cannot be avoided then one of the following shall be considered to avoid human errors:
 - a) Do identical maintenance at different maintenance visit.
 - b) Different AME's and technicians carry out maintenance on the similar system.
 - c) Alternatively, when only one person is available, such as away from main base, to carry out more than one of the identical tasks on the same aircraft, then the job card shall include a stage for re-inspection (preferably to be performed at different timings) of the work by this individual, after completion of all the identical tasks, e.g., in case of removal and fitment of oil filler caps; a re-inspection of all oil filler caps shall be carried out, after the last oil filler cap has been refitted.

L2.7.4 Responsibility: Line Station Manager/ Shift in charges.

Relevant References
LMM Section 2.12

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			Part L2	Section L 2	
	ADDITIONAL LINE MAINTENANCE PROCEDURES		ISSUE 3	Rev. 01	09 AUG 2024

L2.8 PROCEDURE FOR LINE STATION APPROVAL

Line maintenance Manager and Quality Manager shall ensure compliance of all requirements for setting up of an additional line station with respect to facility requirements including office accommodation, tools, equipment, consumables to support the relevant maintenance activities, personnel requirements, required maintenance data, ground support equipment including contractual arrangement.

L2.8.1 Transit Stations

The list of transit stations are mentioned in Form No. AI/FTM/063 (Annexure A).

Air India Quality Manager after being satisfied with the requirements for Transit stations, shall approve any amendment to list of transit stations mentioned above, the appendices (as applicable) shall be submitted to the RAO (NR) within 10 days before commencement of operations at the station.

L2.8.2 Up to Weekly Inspection

Line station requiring approval shall be audited including sub -contracted arrangement if any, to ensure capability to undertake such maintenance. During audit it shall be ensured that all requirements with respect to facility requirements including office accommodation, tools, equipment and consumables to support the relevant maintenance activities, personnel requirements, required maintenance data, ground support equipment are available.

The Quality Manager shall submit the relevant amendment in MOE, along with the audit report, closure of the audit finding if any and a list of maintenance personnel to the RAO (NR) at least 10 days before commencement maintenance activity.

L2.8.3 For Inspection Above Weekly

The Quality manager shall propose the line station setup to the Regional Airworthiness office along with the revised MOE, audit report and other relevant documents.

L2.8.4 Audit of Line station

The maximum period between audits of a particular line station shall not exceed 24 months, a report shall be raised each time an audit is carried out describing what was checked and the resulting finding against applicable requirements, procedure and products. If any finding of serious nature (Level 1) is detected during the routine audit, the same shall be intimated to DDG (NR) and copy to the RAO/ Sub RAO under whose jurisdiction the line station is located immediately. The Quality Manager shall take appropriate action to mitigate the finding. The root cause analysis along with the measure taken to prevent such finding in future should be intimated in writing by Quality Manager to DDG (NR).

L2.8.6 Record

Air India shall maintain records of all approval details pertaining to line station. The records shall include as a minimum

- i) Updated list of approved Line station
- ii) Audits report for inclusion of line station

Relevant References

MOE 5.3

AAC 3 of 2017

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.0 TABLE OF CONTENTS

PART	PART NAME
3.1	Quality audit of organization procedures
3.2	Quality audit of aircraft
3.3	Quality audit remedial action procedure
3.4	Certifying staff and support staff qualification and training procedures
3.5	Certifying staff and support staff records
3.6	Quality audit personnel
3.7	Qualifying Inspectors
3.8	Qualifying Mechanics
3.9	Maintenance tasks exemption process control
3.10	Concession control from deviation from organizations procedures
3.11	Qualification procedure for specialized activities such as NDT welding etc.
3.12	Control of manufacturer's and other maintenance working teams
3.13	Human factors training procedure
3.14	Competence Assessment of Personnel
3.15	Training procedure for on the job training as per section 6 of Appendix-III to CAR-66.
3.16	Procedure for the issue of the recommendation to DGCA for the issue of the CAR-66 licence in accordance with 66. B.105

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 07	24 DEC 2024

3.1 QUALITY AUDIT OF ORGANIZATION PROCEDURES

CAR 145.A.30 (c), 145.A.65 (c), 145.A.95 (a), (b), (c)

3.1.1 Purpose:

3.1.1.1 To verify compliance with documented policies and procedures in aircraft maintenance / related activities by all concerned which ultimately confirm compliance to applicable regulatory requirements.

3.1.2 General:

3.1.2.1 The Quality Management System in Air India (Engineering and Maintenance) is integrated to discharge functions under CAR-M and CAR-145 approval for compliance with DGCA Regulations. The system is headed by Quality Manager (post holder) having direct access to Accountable Manager/ Chief Technical Officer and independent from activities of aircraft maintenance and airworthiness management functions. The primary responsibilities of the system are:

- Establishing quality standards and procedures to make the Air India compliant with requirements of CAR-M, and CAR-145, policy and procedures detailed in CAME and MOE.
- Monitoring compliance to the defined policies and procedures through auditing, surveillance etc. and associated feedback system.
- Administration and control of certifying staff authorization.
- Investigation of occurrences / incidents associated with aircraft maintenance / operation.

3.1.3 Audit Policy:

3.1.3.1 Quality audits of all maintenance as well as support services activities, including outsourced maintenance activities, training activities covering surveillance of distance learning program applicable to CAR 145 shall be carried out once in every 12 months in accordance with annual audit plan by dedicated auditors, to verify compliance with all applicable standards, documented policies & procedures. The audits shall monitor compliance with required aircraft / aircraft component standards and adequacy of the procedures to ensure that such procedures invoke good maintenance practices and airworthy aircraft / aircraft components.

3.1.3.2 The audit shall be either planned or surveillance at random during maintenance, including night shift and during training / Examination. In case of distance learning program, the activity may be monitored by logging in the session through the link provided by training department for each training.

3.1.3.3 Reports shall be raised after each audit or surveillance. Non-conformances arising out of the audits shall be reported to the respective departmental heads in form of NCR's. The departmental heads shall take corrective action on reported discrepancies within specified time and provide feedback. The departmental head shall also initiate preventive measures.

3.1.3.4 Audit result shall be reviewed through Quality Review Meeting chaired by Accountable Manager or Chief Technical Officer and attended by Senior Management Personnel representing each Department, once in six months.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 00	24 JUN 2024

3.1.4. Audit Procedures:

- 3.1.4.1 Audit plan for one full calendar year, covering the entire CAR 145 activities, including outsourced activities and training activities, shall be prepared by responsible Manager approved by Quality Manager.
- 3.1.4.2 The frequency of audit shall be based on the scope / frequency / volume of work accomplished and result of previous audit.
- 3.1.4.3 All applicable work areas and associated support departments within the Engineering Department shall be periodically audited at least once a year.
- 3.1.4.4 The audit shall cover common process applicable to various area / functions and specific product. Random sampling of aircraft / components during maintenance and training activities shall also be carried out.
- 3.1.4.5 The specific product audit shall be on sample product, covering entire process from entry to exit of the product sampled, including aircraft / component.
- 3.1.4.6 Auditors shall be independent and shall not involve in production related functions. However, in the event of shortage of independent auditors, personnel from other department, who are adequately experienced in the process but not responsible for the function being audited, shall be deputed to carry out the audit.
- 3.1.4.7 The audit shall be carried out using customized check list and shall verify for compliance with documented procedures in MOE/ Departmental Manual/ Maintenance Data / Circulars / Instruction / maintenance contract etc. All planned audit shall be notified to auditee in advance about the date and scope of audit.
- 3.1.4.8 The audit findings shall be discussed with auditee for his acceptance on completion of the audit.
- 3.1.4.9 A compliance time frame for corrective and preventive actions shall be mutually agreed between Auditor and Auditee.
- 3.1.4.10 The findings shall be classified as Level 1 and Level 2:
 - a. Level 1: Any significant non-compliance with company policies and procedure as specified in the M.O.E / Departmental Manual / Maintenance Data / Circulars / Instruction etc., which lowers safety standard and hazards seriously the flight safety.
 - b. Level 2: Any non-compliance with company policies and procedure as specified in the M.O.E / Departmental Manual / Maintenance Data / Circulars / Instruction etc., which could lower the safety standard and possibly hazard the flight safety.
- 3.1.4.11 On completion of audit, a report covering details of audit, including finding if any, shall be raised by the auditor and communicated to Head of concerned Department. Any Level 1 finding shall be immediately notified to the Auditee and Quality Manager. Further procedures are elaborated in the Quality Department and Enforcement Manual.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.1.5 Quality Review Meeting

3.1.5.1 Quality review meeting shall be convened by Quality Manager, once in six months. The meeting shall primarily review:

- (a) Audit Plan.
- (b) List & details of Audit carried out.
- (c) Significant Audit findings.
- (d) Follow up actions if any from previous Management review.
- (e) Changes in regulatory policy or CAR.
- (f) Details of an Audit performed by DGCA or any other regulatory authority / external agency.
- (g) Level of finding and the noncompliance trend
- (h) Repeat Finding
- (i) Corrective / preventive actions which require capital resources
- (j) Corrective / preventive actions, which are considered inadequate.

3.1.6 Audit Records

3.1.6.1 Following records in electronic format or in hard copy shall be maintained by responsible Manager for a period of three years after the calendar year the audit was carried out:

- (a) Annual Audit program.
- (b) Notification to auditee.
- (c) Check list used for audit.
- (d) Audit report.
- (e) NCR raised along with corrective actions.
- (f) Minutes of Quality audit review meeting.

3.1.7 Responsibilities:

- 3.1.7.1 Establishment of effective audit system: Quality Manager.
- 3.1.7.2 Timely completion of audit: Responsible Quality manager/ Dy. Quality Manager
- 3.1.7.3 Timely Remedial action: Head of Department

Relevant References

QDM Section 3.1, 3.2, 3.3, 3.4, 3.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.2 QUALITY AUDIT OF AIRCRAFT

CAR 145.A.30 (c), 145.A.65 (c)

3.2.1 Purpose:

3.2.1 To confirm compliance with specified quality and airworthiness standard of the product.

3.2.2 Policy:

3.2.2.1 Sample of aircraft in the fleet shall be audited by the Quality Auditors, who are independent of the production areas.

3.2.3 Audit Procedures:

3.2.3.1 Sample product audit shall include aircraft / components and associated process / procedures including equipment used for compliance to applicable quality / safety and airworthiness standards documented in the company documents.

3.2.3.2 The quality audits of the aircraft and equipment consist of:

- The planned audits which are carried out as per approved annual program, using standard checklist.
- Surveillance inspection during aircraft maintenance carried out at random, without standard check list.
- Audit based on investigation finding.

3.2.3.3 After each audit, the auditor shall make audit / surveillance report. In case any findings, report shall include NCR and communicate the same to the respective Head of the Department for necessary corrective action.

3.2.3.4 The findings shall be classified as Level 1 and Level 2 as explained in the previous section.

3.2.3.5 Discrepancies requiring immediate action shall be communicated to the departmental head immediately followed by written report.

3.2.3.6 Any Level 1 finding shall be immediately notified to the Auditee and Quality Manager by the Auditor.

3.2.3.7 Audit records shall be preserved for at least 3 years after the date of clearance of the finding to which they refer.

3.2.4 Responsibility:

3.2.4.1 Planning and execution of audit: Quality Manager.

Relevant References

QDM Section 3.1, 3.2, 3.3, 3.4, 3.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 07	24 DEC 2024

3.3 QUALITY AUDIT REMEDIAL ACTION PROCEDURE

CAR145.A.30 (c), 145.A.65 (c)

3.3.1 Purpose:

3.3.1.1 To correct deficiencies identified through audit process within a specified time frame.

3.3.2 Policy:

3.3.2.1 Deficiencies or deviations from documented process identified through audit process shall be reviewed and adequate corrective and preventive actions shall be completed within the reasonable time limit by Head of the Department.

3.3.3 Audit Report and Remedial Action Procedures

3.3.3.1 On receipt of the notification of the findings the Head of Department shall define a corrective action plan and demonstrate the corrective action to the satisfaction of Quality Manager within the period agreed.

3.3.3.2 Corrective and preventive action shall be confirmed through reporting in NCR by HOD or his designated representative.

3.3.3.3 Level 1: finding shall be corrected at the earliest, but not later than 7 days.

3.3.3.4 Level 2: finding shall be actioned within 30 days. However, depending on practicality of the case, the time limit for completion of action can be extended for maximum another 30 days, provided justified effort is made.

3.3.3.5 The HOD shall be responsible for the corrective actions and implementation of preventive actions for reported discrepancies.

3.3.3.6 If found, inadequate, necessarily follow up shall be made with concerned HOD / Dept. Manager till the audit finding is closed satisfactorily.

3.3.3.7 Further procedures are elaborated in the Quality Department and Enforcement Manual.

3.3.4 Closing of Audit:

3.3.4.1 The Quality Manager shall review the corrective and preventive actions for adequacy and close the audit report.

3.3.4.2 All Level 1 findings shall be closed with approval of Quality Manager, whereas all Level 2 findings shall be reviewed by Quality Manager and closed by Auditor.

3.3.4.3 In case remedial action could not be completed within the time limit, the case would be reviewed jointly by Manager-Quality, Quality Manager and the respective HOD for possible extension of the compliance date.

3.3.4.4 Quality review meeting chaired by Accountable Manager/Chief Technical Officer shall be convened by the Quality Manager, once in six months. The meeting shall primarily review the following:

- Level of finding, non-compliance trend and significant issues
- Repeat Finding
- Corrective / preventive actions require capital resources

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.3.5. Audit Records

3.3.5.1 Quality Manager/Dy. Quality Manager shall keep following records for a period of at least three years after the clearance of the finding either in electronic format or in hard copy:

- Annual Audit Program
- Check list used for audit
- Audit report
- NCR raised along with corrective actions
- Minutes of Quality audit review meeting.

3.3.6. Responsibilities:

- 3.3.6.1 Timely Remedial action: Head of Department.
3.3.6.2 Closer of audit: Quality manager
3.3.6.3 Record Keeping: Quality Manager/ Dy. Quality Manager

Relevant References

QDM Section 3.1, 3.2, 3.4 & 3.6

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 07	24 DEC 2024

3.4 CERTIFYING STAFF AND SUPPORT STAFF QUALIFICATION, TRAINING AND COMPETENCY ASSESSMENT PROCEDURES

(CAR 145.A.30 (d), (f), (i), c), (d), (e), (m), (o) AAC 4 of 2018, AMC 66.20 (b) and AAC 4 of 2020.

3.4.1 Purpose:

- 3.4.1.1 To train, qualify and authorize personnel for certification of maintenance carried out on aircraft / components.

3.4.2 Policy:

- 3.4.2.1 All aircraft certifying personnel, who issue CRS for aircraft, shall hold a valid certification authorization issued under CAR-145 approval.
- 3.4.2.2 The basic qualification for issue of full scope authorization to certify maintenance of aircraft shall be type rated license issued by DGCA in the relevant category under DGCA licensing system.
- 3.4.2.3 Competency Assessment of all staff associated with maintenance shall be carried out using Form AI/FTM/039.

3.4.3 Procedure:

- 3.4.3.1 Personnel, who have passed applicable basic paper / module examinations, as per DGCA licensing system, shall be imparted task / type training on relevant subject depending on the scope of authorization to be issued, by maintenance training organization approved under CAR 147 / EASA Part 147/ equivalent standards.
- 3.4.3.2 These staff shall also be trained on additional subjects such as Company Policies and Procedures and Regulatory Requirements, Human Factors, SMS, Fuel Tank Safety which includes CDCCL requirements etc., EWIS, as applicable through classroom / distance Learning medium.
Note: Training standard for Fuel Tank Safety shall be level-II.
- A) On successful completion of required basic knowledge examination module of CAR 66 and acquiring requisite experience, the candidate may obtain AME license in Cat A.
- B) On successful completion of aircraft type training (theoretical and practical) and OJT, as applicable, the AME license (in Cat B1 / B2 / C) will be endorsed in accordance with the defined policies and CAR 66 requirements.
- 3.4.3.3 On possession of DGCA endorsed type rated or Category 'A' AME license, the candidate will apply for issue of company authorization using Form AI/FTM/014. This staff will be assessed and recommended by Line Maintenance Manager or his representative to Quality for assessment. Oral cum practical will be conducted by board comprising of Quality Manager or his representative, Line Maintenance Manager or his representative and subject matter expert using the assessment form No. AI/FTM/026 before issuance of company authorization.
- 3.4.3.4 On passing the internal assessment, the individual shall be issued with aircraft certification authorization in the prescribed format (AI/FTM/025) by Quality Manager, indicating unique authorization number, scope & limitation, validity, signature of the holder as well as issuing authority etc. The authorization issued by Quality Manager shall be treated as demonstration of skill for grant or extension of Aircraft Maintenance Engineer's License.
- 3.4.3.5 Each authorization holder shall be issued with personal stamp with a unique EQ number for certification. Individual shall be responsible for safe custody of stamp and prevent its misuse/abuse.
- 3.4.3.6 It shall be the responsibility of the authorization holder to report to Quality Manager when authorization is lost or mutilated, through his / her Head of Department.
- 3.4.3.7 The certification authorization shall be valid for a maximum period of two years and will be restricted to validity of AME License.

Signature valid

Signed by: Javanta Ghosh
Deputy Director General
Quality Management
Date: 03 Feb 2020
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 03	14 OCT 2024

- 3.4.3.8 The authorization has to be produced for verification by the holder, when required by authorized persons, within 24 hours.
- 3.4.3.9 Quality Manager shall be responsible for the control & administration of the authorizations and shall maintain the record of each authorization issued.
- 3.4.3.10 Detailed requirements of qualification, training, experience, age and medical fitness etc. for grant of certification authorization are documented in the para 3.4.7.
- 3.4.3.11 Quality Manager shall restrict / suspend / withdraw / cancel the authorization, in the interest of safety of aircraft/ equipment or men, after necessary investigation and providing the authorization holder a fair chance of being heard.
- 3.4.3.12 Each certifying staff shall surrender his authorization and the certifying stamp whenever he/she leaves the company or ceases to hold the authorization.
- 3.4.3.13 It shall be the responsibility of the HOD to promptly report to Quality Manager when a certifying staff ceases to hold the authorization or ceases to be in the company employment, for withdrawal of the authorization.
- 3.4.3.14 Certifying staff should have completed 21 years of age to be eligible for issue of authorization.
- 3.4.3.15 Certifying staff shall hold valid medical certificate for issue / renewal of authorization.

3.4.4 Continued validity of Authorization:

- 3.4.4.1 For continuation of validity, the authorization holder has to apply to Quality Manager through their respective HOD, using the duly completed Application Form (AI/FTM/014) along with necessary certificate / proof, three weeks prior to expiry of validity.
- 3.4.4.2 The authorization shall be renewed for further period of two years and will be restricted to validity of AME License, subject to fulfillment of the following criterion:
- Acquired maintenance experience for a period not less than six months in the preceding two years, covering specific type of aircraft or similar type of aircraft in the authorization.
 - Completed continuation training relevant to the authorization, Human Factors, FTS, EWIS and SMS during the period once in every two years.
 - Medically fit and submission of a medical certificate from a registered medical practitioner having MBBS Degree.

Note: (1) Maintenance experience means the experience of being involved in maintenance tasks on aircraft of each type rating covered under the authorization.

Note: (2) For renewal of all specialized task-based authorization, the staff shall have exercised the privileges of authorization at least two times during the preceding two years and shall have undergone a continuation training in preceding two years.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.4.5 Continuation Training:

- 3.4.5.1 The continuation training to all personnel shall be through a self-paced e-learning system / distance learning, facilitated through web-based network.
- 3.4.5.2 Additionally, two days interactive session shall be provided once in two years to every certifying staff through distance learning or classroom training
- 3.4.5.3 The web-based e-learning system shall be periodically uploaded by Engineering Training with required subjects and shall have adequate protections for access control, monitoring and administration.
- 3.4.5.4 All concerned shall be provided with personal log in id with password and are required to log in to the system and complete the lessons within time frame as allocated for the module and update themselves on the subjects published.
- 3.4.5.5 The training being a continuous updating process, completion of lessons up-loaded in the web-based training system or training through distance learning shall suffice the requirement of continuation training for renewal of authorization / license as per requirement in 145.A.35 (d)
- 3.4.5.6 Each certifying staff is required to submit proof of completion of continuation training for renewal of authorization.
- 3.4.5.7 In the event of unforeseen failure of the web-based system, the contents of distance learning synchronous session recorded by Instructor will be sent through e-drive or Email to every individual and acknowledgement will be obtained from them.
- 3.4.5.8 The continuation training syllabus will be based on DGCA AAC 4 of 2018 (latest revision) contents and shall include regulatory changes, organizational changes, policy / procedure / system changes, technological updates, updates on special operations (EDTO / CAT II & III / RVSM etc.), significant defects and service experiences, circulars/instructions issued, audit feedback, Human Factors issues, Fuel Tank Safety, EWIS, SMS etc. Additionally, contents of the continuation training, as applicable, of the third parties handled by Air India shall also be included in the e-learning webpage. Air India may impart the Human factors, EWIS, FTS, SMS, Special operations including other mandatory / required trainings and continuation training through classroom or distance learning medium, as applicable

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 07	24 DEC 2024

3.4.6 One Off Authorization:

Where an aircraft is grounded at or diverted to a location other than the main base where no appropriate certifying staff are available, Quality Manager may issue a one-off certification authorization:

- i. to one of its employees holding type authorization on aircraft of similar technology, construction and systems; or
- ii. to any person with not less than five years' maintenance experience and holding a valid ICAO aircraft maintenance license rated for the aircraft type requiring certification provided there is no organization appropriately approved under CAR 145 at that location and the contracted organization obtains and holds on file evidence of the experience and the license of that person.

3.4.6.1 In such case, a copy of license and record of experience shall be sent to Quality Manager for review, acceptance and record.

3.4.6.2 Issue of one-off authorization shall be reported to RAO, Delhi within seven working days.

3.4.6.3 If any such maintenance that could affect flight safety is certified by one off authorization holder, then such item shall be re-inspected and recertified by an appropriately authorized person, on reaching to main base station.

3.4.7 Qualification criteria for issue of certification authorization

Qualification matrix for issue of authorization under different codes is given below:

3.4.7.1 Authorizations for Codes *AI -0, AI -1 and AI -2*

- a. CAR 66 License in Category A1 or B1 or B2 .
- b. Successful completion of minor scheduled line maintenance training (Theory, Practical) as per training syllabus on the type of aircraft for which authorization is sought or ATA Level 3 Training on the aircraft type (Theory & Practical with relevant experience). The Relevant Experience would be Five Transit/ Pre-flight for AI-0, three Layover checks/ Daily Inspection or equivalent for AI-1 and two weekly checks for AI-2 in association with authorized certifying staff.
- c. For the limited scope certifying staff, in case, addition of any task in the revision of transit/pre-flight/ Daily Inspection/Layover/Weekly schedule, the same will be performed twice under the supervision of full scope B1/B2 certifying staff and logbook entries for the same to be made before utilizing the privileges of relevant scope of authorization for certification of the aircraft.

Note1: Category B2 license holders shall complete 6 months of practical experience covering the scope of authorization.

Note2: Before issuing authorization to CAT A certifying staff who have undergone task training by appropriately approved CAR 147 training organization or CAR 145 approved organization other than Air India, it shall be ensured that the task training received covers all the tasks to be authorized. In case any difference is observed, the training for the same shall be provided through e-learning/ virtual classroom and practical training, as required.

3.4.7.2 Authorizations for Codes *AI-3 and AI-4*

- a. CAR 66 Type Rated License in Category B1 or B2
- b. Total two years of maintenance experience on same group of aircraft with minimum 6 months of recent maintenance experience on specific type or similar type of aircraft.

Note: For Initial certification authorization, candidate having passed a type training in an approved CAR 147 organization within a year preceding the issue of authorization supersedes the demonstration of 6/24 months' experience on the specific aircraft type plus any other similar aircraft.

3.4.7.2.1 High Power Engine Run Up authorization (*Code AI-4.1*):

- a. CAR 66 Type Rated License in Category B1
- b. Engine Ground Run training (customized or part of type training).
- c. Completion of 2 High Power Run Up under supervision of authorization holder

Signature valid

Signed By: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 13	17 NOV 2025

3.4.7.2.2 Candidate shall fulfill the following requirements for issuance of boroscope authorization (Code AI 4.2):

- CAR 66 License in Cat 'B1' (Engine).
- Completion of boroscope training on type of Engine.
- Completion of 3 boroscope inspections under supervision of boroscope authorization holder for initial authorization only.
- Boro equipment training conducted by the certifying staff holding Borescope authorization on type of engine

3.4.7.2.3 Candidate shall fulfill the following for issuance of Aircraft Taxi authorization (Code AI 4.3):

- AME License in Cat 'B1', covering the specific aircraft engine combination.
- He/she has been trained on taxiing of the aircraft and has been assessed & certified for ability on taxiing of the aircraft by a pilot of Air India or group Airline Air India Express, qualified on the type of aircraft.
- Should be qualified to use the radiotelephone if radio communications are required. In case, he does not hold RT License, the candidate should be accompanied by a person holding RT license, shall be endorsed on the permit.
- Should be conversant with the aerodrome layout, ATC signals and instructions, signs, runway markings, lighting, etc. appropriate for the safe movement of aircraft.
- Crew Resource Management (CRM) Training during Initial Authorization.
- Minimum 01 aircraft taxi during preceding one year, for renewal of authorization. In case minimum taxi experience is not met; the candidate shall carry out the aircraft taxi under the supervision of a person holding a valid aircraft taxi authorization and shall obtain a certificate to this effect issued by aircraft taxi authorization holder.
- Aircraft Taxi permit will be issued by the Quality Manager and will be valid for one year.
- The privileges of the aircraft taxi permit shall be restricted to the airport specified in the permit.

Note: Deleted.

3.4.7.2.4 Authorizations for Weight schedule Re-computation (Code AI 4.4) :

- i) B1 license holder on a large transport / complex motor-powered aircraft and Weight schedule Re-computation subject Training and associated at least two weight schedule re-computation in the preceding two years.

OR

- ii) Engineering Graduate or AME course with 4 years CAMO/AMO experience and Weight schedule Re-computation subject Training and association in four weight schedule re-computation in the preceding two years.
- Should have undergone Gen. familiarization course on type of aircraft.
- Weight schedule Re-computation subject Training and associated at least two weight schedule re-computation in the preceding two years.
- For continuation / renewal of authorization: the approval holder needs to demonstrate the record of at least performance of 02 weight schedule re-computation activity in previous 24 months' period.

3.4.7.2.5 Authorization for customer airlines certification (Code AI-4.5):

- DGCA CAR 66 License in Category A1, B1 or B2 and / or equivalent qualification acceptable to DGCA.
- Completion of customer's Documentation and Procedures training.

3.4.7.2.6 Authorization for EDTO certification (Code AI-4.6):

- DGCA CAR 66 License in Category A1, B1 or B2
- Completion of EDTO Specific Documentation and Procedures training.

Note: EDTO PDSC Privilege can only be granted to CAT B1 on the aircraft type*

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 13	17 NOV 2025

3.4.7.3 Authorizations for Codes AI 5

3.4.7.3.1 Authorizations for Stores incoming Inspection and Certification (*Code AI-5.1*)

- CAR 66 License or Graduate in any discipline or 3 Years AME training course
- Completion of Stores Inspector's training and Dangerous Goods Training

3.4.7.3.2 Authorization for Non-Destructive Testing (*Code AI-5.2*)

- CAR 66 License or Diploma / Degree in Engineering or 3 Years AME training course
- Level II NDT Training as per NAS 410 / EN4179 (Latest Revision) standards with minimum of six months' experience in aviation industry in relevant NDT Technique; of which three months must be recent experience under the supervision of a person holding appropriate certificate authorization (Level II) covering relevant NDT Technique in an approved organization. For extension of authorization, the person should have at least 3 months' recent experience in respective technique under supervision of person holding the authorization (Level II) in relevant NDT Technique in approved organization. Must have no physical disability and meet the vision requirements of NAS410 / EN4179 (Latest revision) standard

3.4.7.3.3 Authorizations requirements for (*Codes AI 5.3, AI-5.4, AI-5.5, AI-5.6, AI-5.7, AI-5.8 and AI 5.9*)

- CAR 66 License in Category A1, B1 or B2 (as applicable)
- Completion of applicable task training or ATA Level III Type training
- Completion of at least one task pertaining to the authorization sought in association with authorized certifying staff (applicable only for candidates who have undergone Task training).

3.4.7.3.4 Authorizations for Structural Inspection and Repair (*Codes AI-5.10*)

- CAR 66 License in Category B1
- Completion of applicable task training or ATA Level III Type training
- Recent experience should be for 6 months and should complete 2 tasks within the 6 months.
- For A350 Aircraft, the candidate should have completed Quick Composite repair training.

3.4.7.3.5 Authorizations for MOE Section 3.4.9 Relevant Task (*Codes AI-5.11*)

- CAR 66 License in Category A1, B1 or B2 (as applicable)
- Completion of applicable task training (Theory + Practical) or ATA Level III Type training
- Completion of at least one task pertaining to the authorization is sought in association with authorized certifying staff (applicable only for candidates who have undergone Task training).

3.4.7.3.6 Authorizations for LRU Removal / Installation (*Codes AI-5.12*)

- CAR 66 License in Category B1 or B2 on the aircraft type without Limitations.
- Completion of relevant Module Examination for Limitation Removal, followed by Training Need Analysis (ATA Level III training), Practical and OJT.

3.4.7.4 For issue of Certificate of authorization, the board of examiners will be Quality Manager or his suitably nominated and qualified personnel. Line Maintenance Manager or his suitably nominated and qualified personnel and a system expert. Medical fitness is required prior to issue of initial authorization followed by renewal of authorization every two years. Subsequent endorsement will not necessitate medical fitness certificate unless so desired by Quality Manager.

3.4.7.5 For NDT certification authorization, the board of examiners will be Post Holder-Quality Manager or his suitably nominated and Level III NDT qualified personnel OR Level II NDT qualified personnel with five years of experience on specific NDT technique. Post Holder Quality will grant the certification authorization covering relevant NDT technique with appropriate level on successful completion of competency assessment criteria and the relevant authorization will be valid for one year.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.4.7.6 AME License endorsed with several models/ variants does not mean that AME has acquired the required knowledge on model/variant. The type course / experience may have covered one variant, to ensure competence compliance, it is responsibility of maintenance organization / AME to ensure required variant is covered in TR or experience gained before signing authorization. For example, a license endorsed with the rating Airbus A318/A319/A320/A321 (CFM56) after attending type training/on-the-job training covering only the Airbus 320 (CFM56).

3.4.7.7 Two aircraft can be considered as “similar” when they have similar technology, construction and comparable systems, which means equally equipped with the following (as applicable to the license category):

- Propulsion systems (piston, turboprop, turbofan, turboshaft, jet-engine or push propellers); and
- Flight control systems (only mechanical controls, hydromechanically powered controls or electromechanically powered controls); and
- Avionic systems (analogue systems or digital systems); and
- Structure (manufactured of metal, composite or wood).

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 13	17 NOV 2025

3.4.8 Certification Authorization code and related scope

CODE	SCOPE OF AUTHORIZATION	CODE	SCOPE OF AUTHORIZATION
AI-0	Transit/ Preflight	AI-4	Special Authorization
		AI-4.1	High Power Engine Run up
AI -1	Layover Check/ Daily Check / Extended Transit	AI-4.2	Boroscope Inspection of engines / APU
		AI-4.3	Taxi Permit
		AI-4.4	Weight schedule re-computation
		AI-4.5	Certification of Customer Airlines
AI-1.1	Airframe System	AI-4.6	EDTO/ETOPS
AI-1.2	Engine System		
		AI-5	Task based Authorization
AI-1.3	Avionics System	AI-5.1	Stores incoming Inspection and Certification
		AI 5.2	Nondestructive testing
AI-2	Weekly Checks / Service Check	AI 5.3	Cabin Task Training as per para 3.4.9.2
AI-2.1	Airframe System	AI 5.4	Replacement of wheel assemblies and wheel brake unit
AI-2.2	Engine System	AI 5.5	Simple repairs and replacement of items under ATA chapter 25 as per para 3.4.9.
AI-2.3	Avionics System	AI 5.6	Simple repairs and replacement of items under ATA chapter 38 as per para 3.4.9.
		AI 5.7	Servicing as per ATA Chapter 12
AI-3	Line Certifying Staff Authorization (Full Scope)	AI 5.8	Removal & installation of Crew O2 bottle and mask.
		AI 5.9	Replacement, Maintenance, and certification of IFE system components but excluding public address system and minor defect rectification.
		AI 5.10	Structural inspection and repair
		AI 5.11	Refer MOE para 3.4.9
AI-3.1	Airframe System	AI 5.12	LRU removal and installation
AI-3.2	Engine System		
AI-3.3	Avionics System		
Note 1: - Minor defect rectification means those simple rectifications where repair confirmation / status can be achieved through operational check from cockpit / on board BITE check including CB / System reset and power recycling. The rectification does not involve use of external test equipment's and or complex interpretation of test results, wiring check and functional check.			

Note 2: CAR 66 License: Limitations codes

CODE	LIMITATIONS	CODE	LIMITATIONS
1	Excluding Airframe	4	Excluding instrument systems, INS / IRS and Flight Directors systems, autopilot systems on aero planes / helicopters, automatic landing and auto throttle systems on aero planes
2	Excluding Engine	5	Excluding radio communication and radar systems
3	Excluding electrical power generation & distribution systems	7	Excluding avionic line replaceable units

Signature valid

Station Navigation and
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

3.4.9 List of identified Task for Limited Scope Authorization

A Certificate of Release to Service can be issued as part of minor scheduled line maintenance or simple defect rectification for the list of tasks as described below:

S. No	Task for Limited Scope Authorization
1	MEL invoking with maintenance actions limited to CB reset and connector removal.
2	Replacement of wheel assemblies.
3	Replacement of wheel brake units.
4	Replacement of emergency equipment.
5	Replacement of ovens, boilers and beverage makers.
6	Replacement of internal and external lights, filaments and flash tubes.
7	Replacement of windscreen wiper blades.
8	Closing of cowlings and re-fitment of quick access inspection panels.
9	Simple repairs and replacement of internal compartment doors and placards but excluding doors forming part of a pressure structure.
10	Simple repairs and replacement of overhead storage compartment doors and cabin furnishing items.
11	Replacement of static wicks.
12	Replacement of aircraft main and APU aircraft batteries.
13	Replacement of in-flight entertainment system components but excluding public address.
14	Routine lubrication and replenishment of all system fluids and gases.
15	Replacement of passenger and cabin crew seats, seat belts and harnesses
16	Replacement of Toilet System components but excluding Gate valves.
17	Replacement of PCMCIA Card and Avionics Vent Filter.
18	Replacement of CVR and DFDR / FDR
19	Opening and closing of Radome
20	Testing (BITE) or Replacement of onboard computers not requiring Test Equipment
21	Manual Operation of Cargo Loading System
22	Inspection for and removal of deicing/anti-icing fluid residues, including removal/closure of panels, cowls or covers.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 14	14 DEC 2025

- 3.4.9.1 The tasks, simple in nature, which include defect deferment, when the conditions i.e. troubleshooting not required and task is in MEL are met as mentioned below. As per CAR 66.A.20, Simple Test refers to the test that does not involve more than 10 actions as described in approved Maintenance data. Pushing a control, switch or button, and reading the corresponding outcome may be considered as a single step even if the maintenance data shows them separated.

S. No	MEL Tasks
1	Deactivation / Reactivation of Avionics Blower Fan EXTRACT Fan
2	MEL action for Pilot, co-pilot, Observer, Cabin attn and Passenger seat, tray table, galley equipment's Recycling mechanism and deferments
3	Deactivation of the HP Bleed Valve, MPV, OPV
4	Deactivation of the Air Conditioning Pack or FCV deactivation
5	Deactivation of the TAV and TASOV
6	Deactivation of the APU Air Intake Flap
7	Deactivation of the Wing anti ice valve and Engine Anti-Ice Valve in the CLOSED
8	Brake deactivation
9	Deactivation of emergency ram air inlet Actuator
10	Deactivation of pack RAI and RAO actuator
11	Manual operation of the Starter Air Valve

- 3.4.9.2 Task Training related to Cabin are listed below:

S/N	Description of work
1	ATA 11 PLACARDS AND MARKINGS
<i>A</i>	Removal/Installation of the Cabin Placards
2	ATA 25 EQUIPMENT/FURNISHINGS
<i>A</i>	Removal/Installation Gasper air outlets installed in the Passenger Service Units (PSU)
<i>B</i>	Removal/Installation of the cabin Ceiling Panels, Air Grilles
<i>C</i>	Removal/Installation of a wall mounted and track mounted Cabin-Attendant Seat
<i>D</i>	Removal / installation of Cabin attendant seat items like Rub Strip, Filler, Seat Bottom Pan, Seat Covers, Safety Harness etc.
<i>E</i>	Removal/Installation of stowage Bin (outboard or centre)
<i>G</i>	Removal/Installation of Outboard stowage Bin Snubber/ Gas Spring/ Actuators/ Latches / Hinges etc.
<i>H</i>	Removal/Installation of the Curtains/Curtain Tracks & Header
<i>I</i>	Removal/Installation of a floor mounted stowage box
<i>J</i>	Removal/Installation Galley Area floor Mats
<i>K</i>	Removal/Installation Carpet (with/without adhesive Back)
<i>L</i>	Removal/Installation/Reset of the Electromechanical Window Shades (EMWS)
<i>M</i>	Removal/ Installation of Decorative window frame / shade / locks n latches, inner pane and other associated parts of widow shade except external structure pane.
<i>N</i>	Removal / Installation of Side Walls/ Dado panels / Air Return Grill / Window Light Lens.

Signature valid

Signed by: Jayanta Ghosh
 Deputy Director General
 Date: 03 Feb 2026

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 14	14 DEC 2025

<i>O</i>	Removal / installation of Emergency equipment as per Emergency & Safety Equipment Layout except Escape Slide/Life Raft, Fixed and Portable/Float ELT, Programming Dongal.
<i>3</i>	ATA25 EQUIPMENT/FURNISHINGS (Seats)
<i>A</i>	Removal/Installation of First Class seat components like Seat Covers, Cushions, Safety Harness, Headrest, Decorative Fairing, Closet Doors.
<i>B</i>	Removal/Installation of Business Class seat components like Seat Covers, Cushions, Safety Harness, Headrest, Decorative Fairing, Closet Doors.
<i>C</i>	Removal/Installation of Economy seat components like Recline Actuator, Cable Armcap, Bumper, Endbay, Headrest, Seat Cushion, Cover Harness etc.
<i>4</i>	ATA25 EQUIPMENT/FURNISHINGS (Lavatory)
<i>A</i>	Removal / Installation of Lavatory Mirror, Amenity Compartment, Lav Non-Textile Flooring, Lav Faucet, Lav Light Lens, Lav Shroud.
<i>5</i>	ATA25 EQUIPMENT/FURNISHINGS (GALLEY)
<i>A</i>	Removal/Installation of various Galley items (warming oven, steam oven, coffee/espresso)
<i>B</i>	Removal/Installation of Trash Compactor
<i>D</i>	Removal / Installation of Galley Air Chiller unit
<i>E</i>	Removal / Installation of Galley Parts like Door, Ice Drawer, Gas Spring/Actuator, Door Hinges, Seals etc.
<i>6</i>	ATA 33 LIGHTS
<i>A</i>	Replacement various lights (night, sidewall, reading)
<i>B</i>	Replace galley/toilet lights – Fluorescent/Incandescent
<i>7</i>	ATA 24/49 ELECTRICAL POWER/APU
<i>A</i>	Energize aircraft electrical network – External power source GPU

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

3.4.10 Organization of Task-Training, Examination and Assessment

3.4.10.1 Purpose:

To define policy and procedure to be followed to conduct aircraft specific task training for the tasks defined in MOE Section 3.4.9 for personnel holding AME License in Category A or equivalent.

3.4.10.2 Policy:

- 3.4.10.2.1 The training for the tasks defined in MOE Para 3.4.9 as applicable for specific aircraft type shall be in accordance with CAR 145.A.35 (n). Such training is only applicable for the type of aircraft for which the organization has been issued CAR 145 approval by DGCA.
- 3.4.10.2.2 The task training will be as per the guidelines of CAR 145 and CAR 66 in appropriate levels of ATA 104 for category A1 certification.
- 3.4.10.2.3 The task training is composed of theoretical and practical elements grouped as knowledge training with examination and practical training with assessment.
- 3.4.10.2.4 A course flow shall be issued before the start of the training by the Training Manager of Air India CAR 147 Maintenance Training Organization and to be shared with participants including the Quality Department.
- 3.4.10.2.5 The syllabus of such trainings shall be proposed by the Training Manager in acceptance to Maintenance post holder and finally accepted by Quality Manager-145 before implementation.

The syllabus shall cover minimum following points:

- a. Theoretical aspect of the tasks and general familiarization of the system
- b. Safety precautions to be observed during maintenance on the aircraft or system.
- c. Troubleshooting information of the tasks
- d. Dos and Don'ts for the tasks being discussed.
- e. Practical training on the tasks
- f. Number of tasks to be conducted during the practical training.
- g. Troubleshooting inspection or fault-finding inspections on the related task
- h. Variations in inspection results
- i. How to interpret the inspection results for a good "DECISION MAKING".
- j. Duration of each topics / ATAs
- k. Training methodology to be used for the session.

3.4.10.2.6 Task Training Procedure

- a. The knowledge training will cover theoretical knowledge of aircraft basic systems (Level 1), detailed knowledge and interface with other systems with respect to the task (Level 3), applicable components etc. in relevant ATA chapter. Training on usage of technical manual and maintenance procedures will also be included.
- b. Task training will be conducted by Instructor as approved under CAR 147 or a certifying staff having current and valid authorization covering those tasks.
- c. Training will also appraise participants with in-service experience, defects encoding, clearance reporting procedure, ADs/SBs significant to the task, certain unique human factors significant to the task etc.

Signature valid

Signed by: Jyanta Ghosh
Deputy Director, Training
Date: 03 May 2025
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

- d. After the knowledge training, the practical training for all the relevant tasks will be conducted on the type of aircraft either at Line maintenance facilities, Delhi or facilities at other major Line stations listed in the MOE section 1.9.6 & 5.3.
- e. In case, practical training is carried out at any other CAR 145 approved organization, it will be intimated to DGCA, regional office through a separate letter prior to start of such training and acceptance to this effect shall be obtained from O/o DGCA.
- f. Practical training booklet specific to the aircraft will be used as a reference and all tasks in the same must be covered.
- g. The students will have to complete the task and sign practical training booklet and obtain signatures of Instructors.
- h. A record of the tasks completed will be entered into the booklet and will be countersigned by designated assessor post completion of assessment.
- i. Practical Training contents for category 'A' aircraft maintenance courses, will be covered in line with requirements of CAR 66.A.20 to cover minor schedule and certain simple defect rectification and tasks defined in Air India MOE.
- j. The practical training generally includes explanation / demonstration of all the tasks, servicing procedure, routine inspections, functional checks, BITE checks, interpreting the inspection results etc. and shall comply the requirements detailed in CAR 66.
- k. The participants will also be apprised on the need and correct procedure to complete paperwork / maintenance documentation.
- l. Objective of this exercise is to brief participants on safe performance of maintenance, inspections, and routine work according to the maintenance manual and other relevant instructions.
- m. Practical assessment will be carried out by team comprising of Full Scope B1 & B2 Authorized Staff covering these tasks, as appropriate.
- n. Line Maintenance Manager shall ensure that practical assessment will be carried out by team independent from Instructors who has supervised the practical task.
- o. After successful completion of practical assessment, recommendations will be sent to Training Department for issuance of Training Certificate.
- p. After issuance of Training Certificate, candidate will apply for his authorization and same will be issued after successful completion of assessment as per the procedure mentioned in Para 3.4.3 and 3.14.

3.4.10.2.7 Conduct of training

- a. The training department will develop the training material for use by the instructor.
- b. The training will encompass the use of component photographs, animations, simulations, CBT modules, aircraft visits etc. to visualize component locations, functioning and indications during the training as appropriate to the relevant module.
- c. The maximum number of training hours per day for the theoretical element of type training will be limited to approximately 6 hours. The same may be adjusted according to human factors limitations of the instructor and the participants.

Signature valid
Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
18:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

3.4.10.2.8 Issue of Certificate

The participants who successfully complete the knowledge examination and practical assessment will be issued with a course completion certificate by Quality Manager.

3.4.10.2.9 Preparation of classroom, maintenance facility and equipment

- The classroom selected for imparting theoretical elements should be free from noise, environmentally controlled and should have required teaching aids e.g. Projector/Screen, Speaker, Board, Marker etc.
- The participants will be briefed to wear personnel protection equipment like safety shoes, gloves, goggles etc. during practical training.
- The Station / Line Maintenance in charge and MCC will be intimated of the planned practical training.
- The instructors and the participants will take the briefing on the ongoing maintenance activity and selected task to be covered accordingly.
- The participants will not be allowed to carry out any task or operate any controls on the aircraft independently, without the consent of the instructor during practical training.
- The aircraft used for practical training may be in the maintenance process. The placarding will be respected, and no resetting of CBs or movement of controls will be carried out without permission and ensuring adequate safety precautions.
- The movement area around the aircraft will be ensured to be safe during practical training to prevent any slips or injury on account of movement of surfaces.
- The participants will not close any open surfaces / panels without the supervision of approved person.
- Aircraft will not be powered or depowered electrically, hydraulically or pneumatically by the participants without the permission of approved personnel / instructor.
- The participants will carry out functional checks, BITE checks, movement of controls etc. only as per approved procedure and under the strict supervision of approval holders.

3.4.10.2.10 Records of Training Carried Out

- All the records of a course will be filed under a course number.
- The following records will be maintained at the training department. The Training Manager will be responsible for compiling all the records and saving them in DMS within 60 days of completion of the training. Following are the records which needs to be maintained for each course:
 - Course Timetable/Course Flow
 - Course Attendance
 - Field Trip Record
 - Course feedback
 - Individual folders for each participant comprising of the following respective documents.
 - Course Registration
 - Answer sheets (in case of hard copy examination)
 - Result Sheet
 - Practical Assessment Form (Along with Practical Training Booklet)
 - Course Completion Certificate
 - Any other supporting documents
- All the above documents are stored for an unlimited period in scanned format.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

3.4.10.2.11 Organization of Examination / Assessment

- a. Knowledge Examination will be conducted at the end of the knowledge training.
- b. The examinations are closed book examinations and will have technically accurate multiple-choice questions with 3 alternates choices out of which only one will be correct answer, without ambiguity.
- c. The questions are prepared in such a way to capture detailed understanding of applicable task, including operation, maintenance, indications, component locations, system interface, source of power supply etc. required logically.
- d. Each question will have 90 seconds duration.
- e. The total time for each examination will depend on the number of questions allocated.
- f. No penalty marking will be observed while evaluating questions wrongly marked.
- g. The benefit of doubts will be given to the participants in case of proved ambiguous/faulty questions.
- h. The minimum passing mark for each exam will be 75%.
- i. Failed participants will be disqualified from the training.
- j. For practical assessment, out of the task listed in the practical training booklet of an aircraft, two tasks for each participant will be selected for assessment.

k. Practical Assessment Description

The assessment will focus on one or more of the competencies relevant to the aircraft type and its maintenance including, but not limited to:

- Environmental awareness (act safely, apply safety precautions and prevent dangerous situations);
- Systems integration (demonstrate understanding of aircraft systems interaction – identify, describe, explain, plan, execute);
- Knowledge and understanding of areas requiring special emphasis (areas unique to the aircraft type);
- Using reports and indications (the ability to read and interpret information in more meaningful manner. Eg: knowing effect on Marginal deviation in accuracy/ dispatch decision and reporting etc).
- Aircraft documentation finding and handling (identify the appropriate aircraft documentation, navigate, execute and obey the prescribed maintenance procedures);
- Performing maintenance actions (to demonstrate safe handling of aircraft, engines, components and appropriate tools / test equipment);
- Aircraft final/close-up and report (apply close, initiate appropriate actions/follow-up/ record of testing, establish and sign maintenance records).

Relevant References

QDM Section 1.5, 2.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 00	24 JUN 2024

3.5 CERTIFYING STAFF AND SUPPORT STAFF RECORDS

CAR 145.A.35 (f), (g), (h), (i), (j), 145.A.36

3.5.1 Purpose:

- 3.5.1.1 Administration and safe custody of certifying staff, support staff and Airworthiness Review Staff training, qualification, and authorization records.

3.5.2 Policy:

- 3.5.2.1 Detailed records of all certifying staff and support staff shall be preserved in tamper proof condition under safe custody. A list of current certifying personnel shall be maintained in MIS.

3.5.3 Procedures:

- 3.5.3.1 Records of each certifying staff and support staff issued with company authorization shall be maintained by Quality Department.

- 3.5.3.2 The following minimum information, as applicable, should be kept on record in respect of each certifying staff and support staff:

- a) Name
- b) Date of Birth
- c) Basic Training
- d) Type Training
- e) Continuation Training
- f) Experience
- g) Qualifications relevant to the authorization
- h) Scope of the authorization
- i) Date of first issue of the authorization
- j) Expiry date of the authorization
- k) Authorization Copy
- l) Passport Copy
- m) Aadhar Card

- 3.5.3.3 Authorization Format shall contain name, license number, staff number, unique authorization number, scope and limitation of authorization, initial issue date, validity, signature of the holder and issuing authority. Elaboration about each code shall be reflected on the reverse of the authorization.

- 3.5.3.4 A copy of each authorization shall be uploaded to MIS, which can be accessed for read only by various line maintenance locations for management of resources.

- 3.5.3.5 The above records shall be scanned and preserved in electronic format. Hard copy shall be preserved under safe custody.

- 3.5.3.6 Records shall be retained for three years after the certifying person has been ceased to be on the rolls of the organization or approval is withdrawn.

- 3.5.3.7 Training, qualification and approval procedure of Airworthiness Review staff is detailed in Air India CAME Section 4.1.

- 3.5.3.8 The holder of a Cat 'A' Aircraft Maintenance License may only exercise certification privileges on a specific aircraft type following the satisfactory completion of the relevant Cat 'A' aircraft task training carried out by an organization approved as CAR 145 or CAR 147. The training will include both practical and theoretical training as appropriate for each task authorized. Upon successful completion of training will be demonstrated by assessment under a board as constituted by Quality Manager.

Signature valid

Signed by Jayanta Ghosh
Authorized Signatory
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.5.3.9 The holder of Cat 'B2' AME license can exercise the certification privilege described in point 66.A.20 (a) (3) (ii) of CAR 66 following the satisfactory completion of:

- a) The relevant Cat 'A' task training.
- b) 6 month documented practical experience covering the scope of authorization.
- c) The training should include both practical and theoretical training as appropriate for each task authorized.
- d) Satisfactory completion of training will be demonstrated by assessment under a board as constituted by Quality Manager.
- e) When a B2 License holder already holds a certifying staff, authorization containing minor scheduled line maintenance and simple defect rectification for a particular aircraft type, new task relevant to Cat 'A' can be added to that type without requirement of 6-month practical experience. However, task training (Theory + Practical hands on) and assessment for these additional tasks is required.
- f) When Cat 'B2' AME is required to cover several aircraft type, the experience will be combined within a single six-month period, provided aircraft type is considered similar per AMC 66.A.20 (b) (2)
- g) 6 months of experience may be full time or part time. The important aspect is that the person has been involved during a period of 6 months (not necessarily every day) in those tasks, which are going to be part of authorization.

3.5.4 Responsibility:

3.5.4.1 Quality Manager.

Relevant References

QDM Section 2.5, 3.8

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.6 QUALITY AUDIT PERSONNEL

CAR 145.A.30 (d)

3.6.1 Purpose:

3.6.1.1 To establish independent audit process by qualified and competent Auditors.

3.6.2 Policy:

3.6.2.1 Quality auditors shall be adequately qualified and competent to carry out independent audit on various maintenance activities being undertaken by the company.

3.6.3 Procedures:

3.6.3.1 Auditors shall be selected based on their qualifications, training and experience in the aviation Industry and audit process. Further, auditors shall be trained to attain customized competency requirements.

3.6.3.2 The Quality Auditor shall have following Qualifications and training requirements:

- AME license in mechanical/avionics subject on heavy transport aircraft or Degree / Diploma/AME Training course in engineering with aeronautical / mechanical / electrical / electronic / instrumentation subject.
- 5 Years' experience in maintenance / Quality / auditing process in aviation Industry.
- Ability to understand and analyze various aspects of aircraft maintenance and operation, including human factors.
- Good communication and interpersonal skills with analytical and reasoning abilities.

3.6.3.3 The Auditor shall undergo the following trainings:

- Formal Auditor training (Lead Auditor / internal Auditor Training)
- Fuel Tank Safety which includes CDCCL requirements
- Human Factors and SMS
- Company Procedure and applicable Regulatory Requirement
- Continuation training as per DGCA requirements

3.6.3.4 Additionally, audit personnel shall be exposed in the entire audit procedures by involving them in an actual audit exercise, including performing one audit unsupervised. The process shall include documentation review, participation in audit activities, and preparation of audit report. The auditor shall be assessed by Quality manager.

3.6.3.5 The Quality audit personnel shall be dedicated and independent of the other functions and responsibilities related to production or management of maintenance activities. However, if a need arises, appropriately qualified and experienced personnel from other Department may also carry out such audit with approval of Quality Manager, provided they are not involved in the production process being audited.

3.6.3.6 Quality Manager shall ensure that the audits are planned and completed as per audit policy defined in the MOE Section 3.1 and Quality Department & Enforcement Manual.

3.6.3.7 Qualification and training records of all auditors shall be maintained in the Quality department.

3.6.3.8 Auditor's training and qualification record shall be maintained till three years after the individual ceases to function as auditor.

3.6.4 Responsibility:

3.6.4.1 Quality Manager.

Relevant References

QDM Section 1.3, 1.4, 1.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.7 QUALIFYING INSPECTORS

CAR 145.A.30 (d)

RESERVED

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.8 QUALIFYING MECHANICS

CAR 145.A.30 (d)

3.8.1 Purpose:

3.8.1.1 To qualify maintenance personnel who assist certifying staff to carry out maintenance on aircraft /components.

3.8.2 Policy:

3.8.2.1 Personnel who assist certifying staff to carry out aircraft / component maintenance shall be adequately trained and qualified.

3.8.3 Procedure:

3.8.3.1 Personnel who have successfully completed DGCA approved ab-initio training on aircraft maintenance/ personnel who have completed similar training in defense services shall be recruited on permanent basis or on contract on basis, as aircraft technician.

3.8.3.2 These technicians shall be provided company induction training including ramp safety and aircraft marshalling procedure, Human Factors Training, Fuel Tank Safety training which includes CDCCL requirements, EWIS training (as applicable) and SMS training within 6 months of their recruitment.

3.8.3.3 Technicians shall be provided with continuation training as per Quality Department Manual.

3.8.3.4 Subsequently these staff may be provided specific aircraft type familiarization training as career prospect.

3.8.3.5 Records related training; qualification etc. of such staff shall be maintained by respective station in charge.

3.8.4 Responsibility:

3.8.4.1 Line Maintenance Manager / Station In- Charge

Relevant References

QDM Section 3.4, 3.8
LMM Section 1.7,

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 00	24 JUN 2024

3.9 MAINTENANCE TASK EXEMPTION PROCESS CONTROL

CAR 145.A.65 (b)

3.9.1 Purpose:

3.9.1.1 To achieve a controlled process for limited exemption to aircraft / component maintenance task.

3.9.2 Policy:

3.9.2.1 Due unavoidable reasons if certain maintenance task cannot be accomplished, which if not done shall not compromise the airworthiness standard of aircraft, may be deferred to meet operational requirement of Operator, based on exemption granted by the CAMO of the Operator.

3.9.3 Procedures:

3.9.3.1 Due to unavoidable reasons, if any maintenance task could not be accomplished and require exemption, deviating from approved Maintenance program, to meet operational requirement, then same shall be communicated to concerned Operator for necessary review and approval.

3.9.3.2 Maintenance Department shall explore all possible means to accomplish the task prior to seeking exemption.

3.9.3.3 It shall be the responsibility of Operator to obtain necessary approval for such exemption.

3.9.3.4 Based on approval from Operator, the task shall be reassigned to a convenient time, but within the time frame specified by the operator.

3.9.4 Responsibilities:

3.9.4.1 Originator of exemption: Maintenance Department.

3.9.4.2 Approval of exemption: Customer

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.10 CONCESSION CONTROL OF DEVIATION FROM ORGANISATION PROCEDURES

CAR 145.A.65 (b)

3.10.1 Purpose:

3.10.1.1 To regulate procedural deviation from company's documented procedures.

3.10.2 Policy:

3.10.2.1 Any deviation from company's documented procedures, prior approval of Quality Manager shall be obtained.

3.10.3 Procedure:

3.10.3.1 In the event of necessity of deviating from a documented procedure, respective section manager/in-charge shall develop alternate procedures with adequate justification. Any deviation shall be recorded.

3.10.3.2 Such alternate procedures shall clearly identify the impact of the deviation from approved procedures, mitigation action for any possible risk, and duration for which such deviation is effective, normalization action etc.

3.10.3.3 Respective departmental head shall evaluate such proposal and confirm that the deviation does not affect airworthiness and safety standard adversely.

3.10.3.4 On satisfactory evaluation, the HOD shall recommend to Quality Manager for review and approval.

3.10.3.5 Quality Manager shall review the proposal and approve if acceptable. Any such concession shall be only valid for the specific case.

3.10.3.6 Quality Department shall maintain the original record of concession granted.

3.10.4 Responsibilities:

3.10.4.1 Review of deviated procedure for adequacy: Head of Department.

3.10.4.2 Approval of Deviation: Quality Manager

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 00	24 JUN 2024

3.11 QUALIFICATION PROCEDURE FOR SPECIALIZED ACTIVITY SUCH AS NDT, WELDING

CAR 145.A.30 (f)

3.11.1 Purpose:

3.11.1.1 To establish training, qualification and experience requirements for personnel who carry out inspection of aircraft/ components using NDT method.

3.11.2 Policy:

3.11.2.1 Personnel who carry out inspection of aircraft/ components using NDT method shall be trained and qualified as per NAS 410/ EN4179/Equivalent standards.

3.11.3 Procedures:

3.11.3.1 Air India shall utilize the services of Level 3 personnel from in-house / outside agency to provide Level 3 services, training and examination as per NAS410 / EN4179 requirements.

The NDT Level 3 person will be nominated as Responsible Level 3. The NDT Level 2 personnel will be trained in applicable NDT technique. Subsequently, they will be issued with certification authorization by the Quality Manager. Such authorized NDT certifying staff shall carry out and certify NDT jobs as per their scope of authorization. If an outside agency provides Level 3-person, Air India shall verify the credentials and suitability of the NDT level 3 person.

3.11.3.3 Experience, training, examination and qualification criteria for NDT personnel shall meet the requirements of NAS410/EN4179.

3.11.3.4 NDT personnel shall comply with the eligibility requirements as per NAS410/EN4179.

3.11.3.5 The continuation training and examination as required by NAS410/EN4179 shall be provided to the NDT personnel.

3.11.3.6 Audit of NDT facility shall be done by the nominated Responsible Level 3, as per checklist given in Forms Manual.

3.11.3.7 The authorization to certified NDT personnel will be issued by the Quality Manager.

3.11.3.9 NDT Staff records are retained at Quality Department.

3.11.3.10 NDT Staff should have completed company training stated above shall be assessed by a board constituted by Quality Manager or his designated representative for issuance of authorization to certify of NDT tasks.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 00	24 JUN 2024

3.12 CONTROL OF MANUFACTURER & OTHER MAINTENANCE TEAM

CAR 145.A.65 (b)

3.12.1 Purpose:

3.12.1.1 To administer control on maintenance and certification of aircraft/ component by the manufacturers or other maintenance teams working on company or customer aircraft.

3.12.2 Policy:

3.12.2.1 Air India shall obtain necessary approval from DGCA with regards to such non-routine maintenance, wherever applicable. The necessary maintenance data along with the credentials of manufacturer / other MRO shall be submitted to DGCA in this regard.

3.12.3 Procedures:

3.12.3.1 When special maintenance such as modification / repair is carried out by the manufacturer or other external agency, such personnel shall be issued one-time authorization, based on their credential, to carry out and certify the maintenance task.

3.12.3.2 All such maintenance shall be carried out in accordance with approved data, such as drawing, repair instruction etc., which are evaluated and accepted by Air India or customer airlines.

3.12.3.4 All personnel shall be provided briefing about applicable procedures in Air India and issued with company authorization, prior to commencement of such work.

3.12.3.5 All the material and spares required shall be taken into Air India inventory through regular stores acceptance procedures.

3.12.3.6 A formal written maintenance arrangement shall be made between Air India and the contractor.

3.12.3.7 All such work shall be coordinated and monitored by Air India maintenance department, who shall also provide necessary support.

3.12.3.8 The manufacturers working teams / other repair agency shall certify the tasks accomplished, including necessary inspection and testing in the task card / repair instructions.

3.12.3.9 Final CRS to aircraft shall be made by Air India maintenance personnel, after ensuring that all tasks and associated testing have been completed.

3.12.4 Responsibilities:

3.12.4.4 Accomplishment of the task without compromising the airworthiness standard: Head of Maintenance.

3.12.4.5 Evaluation and issue of certification authorization: Quality Manager

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 00	24 JUN 2024

3.13 HUMAN FACTORS TRAINING PROCEDURE

CAR 145.A.30 (e)

3.13.1 Purpose:

3.13.1.1 To educate personnel about Human capabilities, limitations and its impact on aircraft maintenance safety of operation.

3.13.2 Policy:

3.13.2.1 All maintenance personnel in the company shall be provided with initial and continuation training on application of human factors.

3.13.3 Procedures:

3.13.3.1 Personnel associated with maintenance, supervision, management, quality monitoring, auditing, planning etc. shall be provided initial human factors training within 6 months of Joining Air India.

3.13.3.2 Personnel involved in the above activities but engaged on contract shall be provided human factors training at the earliest but not later than 6 months of joining, if not undergone earlier.

3.13.3.3 All personnel stated in the above, shall also undergo continuation training once in every two years.

3.13.3.4 The initial Human Factor training shall be for a duration of two days in the form of classroom training or distance learning, whereas the continuation training may be for one-day classroom training or through web-based training.

3.13.3.5 The human factors training shall have input from audit finding, incident / accident investigation findings, maintenance errors, organization difficulties, industry difficulties etc.

3.13.3.6 Wherever possible, practical illustrations and examples shall be used

3.13.3.7 The syllabus may include the following:

3.13.3.7.1 General introduction to human factors

- i. Need to address human factors
- ii. Statistics
- iii. Incidents and accidents

3.13.3.7.2 Safety Culture/ Organizational Factors

3.13.3.7.3 Human Error

- i. Error model and theories
- ii. Types of errors in maintenance tasks and implications
- iii. Violations
- iv. Avoiding and managing errors
- v. Human reliability

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 00	24 JUN 2024

3.13.3.7.4 Human Performance and Limitations:

- i. Vision
- ii. Hearing
- iii. Information Processing
- iv. Attention and perception
- v. Situational awareness
- vi. Memory
- vii. Claustrophobia and physical access
- viii. Motivation
- ix. Fitness and health
- x. Stress
- xi. Fatigue
- xii. Workload management
- xiii. Complacency/ Repetitive tasks
- xiv. Alcohol, medication, drugs

3.13.3.7.5 Environment:

- i. Peer pressure
- ii. Time pressure and deadlines
- iii. Workload
- iv. Shift work
- v. Noise and fumes
- vi. Illumination
- vii. Climate and temperature
- viii. Motion and vibration
- ix. Hazards in workplace
- x. Complex systems
- xi. Lack of manpower
- xii. Distractions and interruptions

3.13.3.7.6 Procedures, Information, Tools and Practices

- i. Visual inspection
- ii. Work logging and recording
- iii. Procedure – practice /mismatch /norms
- iv. Technical documentation- access and quality

3.13.3.7.7 Communication:

- i. Shift/Task hand over
- ii. Dissemination of information
- iii. Cultural differences

3.13.3.7.8 Team Work

- i. Responsibility
- ii. Management Supervision and leadership
- iii. Decision making

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 00	24 JUN 2024

3.13.3.7.9 Professionalism and Integrity

- i. Keeping up to date (Current)
- ii. Error provoking behavior
- iii. Assertiveness

3.13.3.7.10 Organization Human Factors Program

- i. Reporting errors
- ii. Disciplinary policy
- iii. Error investigation
- iv. Feedback
- v. Action to address problems

3.13.3.8 The training shall be conducted by technical instructors / experienced engineers from the maintenance who has adequate knowledge on human factor issues and have undergone human factors training and specifically authorized by Training Manager.

3.13.3.9 Initial Training records in the form of attendance sheet signed by both the trainee and the trainer shall be retrained by Engineering Training Division and respective HODs.

3.13.3.10 The records in electronic format shall be preserved for a period of 3 years.

3.13.4 Responsibility: Head of Department.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 07	24 DEC 2024

3.14 COMPETENCE ASSESSMENT OF PERSONNEL

CAR 145.A.30 (e)

3.14.1 Purpose:

3.14.1.1 To ensure the personnel are competent to carry out the respective task assigned.

3.14.2 Policy:

3.14.2.1 Personnel who are assigned with aircraft/component maintenance and management, including quality monitoring and auditing shall be assessed for ensuring adequate competency to carry out the task.

3.14.3 Procedures:

3.14.3.1 Certifying staff shall be trained to acquire adequate knowledge and competency for the task expected to be undertaken by the staff.

3.14.3.2 Competency assessment of Air India maintenance personnel i.e. Certifying and non-certifying staff shall be carried out by respective reporting manager or his designate to judge the capability, knowledge and attitude of an individual annually. He shall ensure that every individual shall undergo necessary training.

3.14.3.3 Competency assessment shall be conducted in case of a role change after one month of assuming the new role.

3.14.3.4 Competency assessment form No. AI/FTM/039 should be completed and kept with the respective reporting manager of the stations for records. Such records shall be preserved for a period of three years.

3.14.3.5 In case of personnel not found competent enough during the assessment, same would be intimated to the regional manager/ next level reporting manager for necessary corrective action as deemed fit.

3.14.3.5 Details of training and competency matrix have been documented in the respective Department Manual.

3.14.4 Responsibility:

3.14.4.1 Respective Head of Department

Relevant References

LMM Section 1.7
QDM Section 1.5, 2.5

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 13	17 NOV 2025

3.15 ON JOB TRAINING PROCEDURE AS PER SECTION 6 OF APPENDIX-III CAR-66

CAR 145.A.30 (e) (g), CAR 66.A.45 (c), AAC 4 of 2017

3.15.1 Policy:

- 3.15.1.1 The objective of On-the-Job Training (OJT) is to enable the candidates to gain the required competence and experience in performing safe maintenance.
- 3.15.1.2 This part explains the procedures that will be followed by Air India CAR 145 AMO in imparting OJT as per the guidelines of CAR 66. A.45 (c) and its appendix III.
- 3.15.1.3 The OJT process will be structured to fulfill the regulatory requirements by the candidates as per GM 66.A.45 "Endorsement with aircraft ratings" for DGCA type rating license. The OJT program is approved by DGCA through approval of this Part 3.15 of the MOE.

3.15.2 Procedures:

- 3.15.2.1 The OJT will be conducted in a controlled manner in Air India CAR 145 or contracted CAR 145 Maintenance Organization. The arrangement made with contracted AMO will need to be informed to Regional Airworthiness office by Quality Manager and will have an approval accordingly.
- 3.15.2.2 OJT shall be completed for the following aircraft type endorsement:
- First endorsement for applicable aircraft rating in a given category/sub-category
 - Candidate holding AME type rated license on Turbo prop aircraft and seeking first endorsement on Turbo Jet/ Turbo Fan aircraft and vice versa 20% of the DGCA approved OJT syllabus in applicable ATA chapter shall be completed.
- 3.15.2.3 The OJT booklet for each type of aircraft is prepared in-line with Appendix-II to AMC to CAR-66 by maintenance training organization and will have the OJT booklet document number AI/FTM/007 as referred in this part of MOE. The OJT booklet forms the necessary syllabus and task for OJT on each type of aircraft operated by Air India. OJT booklet is prepared in accordance with the guidelines as given in CAR 66.

The minimum list of tasks shall be selected from the table mentioned in Appendix-II to AMC to CAR 66 according to the following procedures and criteria:

- Filter the ATA chapters (or sub-chapters, when required) applicable to the specific aircraft type (add others if they are missing).
- Identify relevant and significant tasks for each required category of INS, FOT, SGH, R/I, MEL and TS.
- Retain the required percentage for each task category, and throughout ATA chapters, as much as relevant to the particular aircraft type.

The selection of tasks shall give precedence to tasks which are critical and complex in terms of:

- difficulty to execute;
- interpretation of the maintenance procedures / work instructions;
- specific tools and equipment;
- coordination among maintenance staff (teamwork);
- human factors (accessibility, human machine interface (HMI), etc.);
- safety impact on the aircraft and the crew.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 13	17 NOV 2025

Removal and installation tasks include the final confirmation test, if required.

Credit may be given for similar tasks between ATA systems (e.g. pneumatic valves in ATA 21, 30 and 36), but this should be kept to a minimum.

Some tasks may be performed on another aircraft type as long as both the system and the task are similar.

A task may be performed on the analogous system installed on a different aircraft type when the systems are similar in terms of design architecture, technology, and functionality. This can be the case, for example, for tasks performed on engines or landing gear of aircraft of the same manufacturer. Such task should be clearly identified and recorded.

Certain maintenance tasks could be performed on non-airworthy aircraft that still maintain functionality of systems to the extent that the maintenance tasks can be completely performed without any deviation from the maintenance instructions. Tasks circumscribed to system components may be performed at the workshop. This can be the case, for example, for avionics functional tests. Such scenarios should be limited to specific tasks that may not occur often in the maintenance of operational aircraft.

When an existing licence is changed to include an additional category with a type rating, a different OJT from the category held to the new one may be permissible. In those cases, only tasks corresponding to the differences between the two categories should be performed. The organisation that has control over the OJT should provide candidates with a schedule or plan which indicates the list of tasks to be performed under supervision. A record of the completed tasks is to be entered into a logbook whose design and format should be such that each task or group of tasks is countersigned by the corresponding mentor(s).

Tasks which are usually performed with more than one person may be performed by more than one candidate under the supervision of one mentor. During the performance of the tasks, the mentor is limited to overseeing three candidates at the same time, given that the candidates can be properly Seen 'at a glance' from the mentor's position. Those tasks should be marked as 'group task ' when applying for the approval. All other tasks should be a one-to-one mentorship. In such cases, all the candidates involved should be noted on the work order.

Refer AMC to Section 6 of Appendix III to CAR-66 "Aircraft Type Training and Examination Standard. On-the-Job Training", Para 4 Quote "The OJT should cover at least 50 % of the tasks contained in Appendix II to AMC to CAR-66. Some tasks should be selected from each paragraph of the Appendix II list. Tasks should be selected among those applicable to the type of aircraft and license (sub) category applied for. Other tasks than those in the Appendix II may be considered as a replacement when they are relevant. Typically, in addition to the variety and the complexity, the OJT tasks should be selected because of their frequency, safety, novelty, etc. "Unquote.

There will be occasions where due to the frequency or type of the task on the aircraft type, an OJT Candidate couldn't perform the task defined in OJT Booklet, in all such cases, OJT Nodal officer is responsible to identify all such tasks and develop a Training Need Analysis (Form # AI/FTM/136 to provide an alternate task to those pre-defined tasks of OJT booklet. Such TNA will be developed in consultation with Training Manager (CAR-147), Line Maintenance Manager (CAR-145) and Quality Manager (CAR-145) and the respective OJT Mentor should be briefed about such tasks. Such TNA shall be submitted to O/o DDG (NR) by the Nodal officer for each candidate before execution and shall become part of AME Licence application document. Refer CAR 66, Appendix III - Type training and Examination Standard, Para 6, since the OJT shall have been started and completed within the 3 years preceding the application for a type rating endorsement, under no circumstances, such TNA is developed before 2.5 years of period for a candidate and should have a sufficient justification in terms of

Signature valid
Signed by Jayanta Ghosh
The Nodal officer for each
Date: 16-08-2025

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

accomplishment of such task on the aircraft in past 2.5 years. Justification should also include the similar or more complexity of the new task than those pre-defined tasks.

- 3.15.2.5 OJT will be started and completed by the candidate within the 3 years preceding the application for a type rating endorsement.
- 3.15.2.6 The OJT will be conducted under one to one supervision of qualified OJT Mentors and may be conducted at different maintenance locations within the scope of organization's approval. During OJT, the mentors transmit also knowledge and experience to the applicant, providing the necessary advice, support, and guidance.
- 3.15.2.7 Each task shall be signed off by the applicant and refer to an actual job card/work sheet, etc. The mentors shall verify and countersign off the tasks performed during the OJT, because they shall assume the responsibility for the tasks at support staff or certifying staff level, as applicable, depending on the release-to-service procedure.
- 3.15.2.8 Evidence of performing and documenting OJT by respective candidates will be captured using customized OJT booklets (AI/FTM/007) applicable to the scope of maintenance task as allocated to each of the candidates.
- 3.15.2.9 For endorsement with type rating, the candidate is required to complete at least 50% of the approved OJT tasks/ syllabus for the applicable aircraft.
- 3.15.2.10 Up to 50% of the required OJT may be undertaken before the aircraft Theoretical type training starts.
- 3.15.2.11 The candidates will carry the completed copy of OJT booklet as evidence of OJT completion. At the satisfactory completion of the OJT programme, the mentors shall issue a recommendation for the final assessment of the applicant to be conducted by designated assessors.
- 3.15.2.12 In case of first AME license endorsement, type rating within a given category/ sub category, corresponding OJT booklet shall be filled with the basic practical training.
- 3.15.2.13 For subsequent endorsement of aircraft type ratings license in the same Category/ Subcategory, type training/differences training shall depend on the Training Need Analysis as carried out by CAR 147 organization. Training shall be imparted to candidates followed by practical training, which includes basic practical maintenance activities. However, as per AMC to Paragraph 1(c) of Appendix III to CAR-66 "Aircraft Type Training and Examination Standard. On-the-Job Training"

//QUOTE

Differences training

"Approved difference training is not required for different variants within the same aircraft type rating (as specified in Appendix I to AMC to CAR-66) for the purpose of type rating endorsement on the aircraft maintenance license.

However, this does not necessarily mean that no training is required. Signature valid authorization can be issued by the maintenance organization (refer to AMC 66.A.201.13) "

UNQUOTE//

A training need analysis may be conducted between the two variants by the training manager and prepare a training module e.g. for person having trained and experience on Airbus A320 aircraft is proposed to certify A321 aircraft, he may undergo such training before being eligible

Signed by Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 13	17 NOV 2025

for certification authorization on A321 aircraft or person having trained and experience on Boeing B787-8 aircraft is proposed to certify B787-9 aircraft, he may undergo such training before being eligible for certification authorization on B787-9 Aircraft.

The training syllabus shall be submitted to DGCA at least 7 days in advance. Such training may take form of Classroom training, E-Learning module, distance learning training depending upon the extent of coverage of various topics.

Difference training shall have been started and completed within 3 years preceding the application for the new type rating in the same category or in another category.

3.15.2.13 For endorsement of aircraft type rating license in additional category /subcategory completion of complete structured OJT in relevant category will be imparted.

3.15.2.14 If the holder of a B1 and B2 licence, without any type rating, successfully completes a combined type training course (B1 + B2) followed by an OJT tailored only to B1 tasks, they can obtain only the type rating endorsement that is applicable to the B1 subcategory.

Within the next 3 years from the completion of the combined training course, endorsement of the aircraft type for the B2 category is possible after carrying out an OJT programme limited to the tasks relevant to the B2 category only.

When instead, the aircraft type endorsement would be requested after more than 3 years, the applicant would be required to also pass a differences type training course (from B1 to B2) plus the OJT programme limited to the tasks relevant to the B2 category only. All common theoretical and practical elements, and OJT tasks, already demonstrated as B1, shall be considered fulfilled.

3.15.3 **Assessment:**

3.15.3.1 The OJT assessment will be completed only after successful completion of aircraft type course and required number of OJT tasks.

3.15.3.2 The candidates, who have completed OJT tasks to the requirements can submit their OJT booklets for scrutiny to the Engineering Quality Department.

3.15.3.3 Engineering Quality Department shall nominate an OJT Nodal officer, who will be responsible for publishing assessment schedule carrying details of dates, location, candidates for assessments and names of qualified assessors.

Duties and Responsibility of Nodal Officer:

3.15.3.3.1 Planning and execution of the OJT Program

3.15.3.3.2 Designating OJT Mentor and OJT Assessor for OJT Program of the candidate.

3.15.3.3.3 Monitoring the OJT Progress of each candidate

3.15.3.3.4 To ensure record keeping of OJT booklet and all associated documents.

3.15.3.4 The final assessment shall have a minimum duration of one working day. The assessment will be conducted on two of representative tasks chosen from the OJT booklet and candidates are required to pass the same with minimum of 75%. The assessment shall be carried out for the trainees as per the following weightage.

- Adherence to the warning on cautions (Weightage-10%)
- Performance of the two selected core tasks (Weightage- 70%)
- Use of Aircraft Maintenance data, documentation and completion of records which includes the following but not limited to: (Weightage-20%)
 - i. the general technical knowledge required for the particular licence category;

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

- ii. the aircraft-type-specific knowledge and skills for the particular licence category;
- iii. the understanding of the licence privileges relevant to the aircraft and to the licence category;
- iv. the appropriate behaviour and safety attitude of the applicant in relation to the maintenance environment.

3.15.3.5 The standard assessment sheet in duplicate will also form a detachable part of OJT booklet. The OJT assessor will declare the candidate as pass, in case he/she has scored minimum 75% marks. The result will be recorded in the Assessment Sheet at the end of the OJT booklet.

3.15.3.6 For candidates who are not successful in first assessment, 02 more opportunities will be given with feedback on areas requiring improvement. Each re-assessment will follow a gap of three (03) weeks.

3.15.3.7 A failed assessment may be retaken after 3 months or, if additional training has been received and a new recommendation by the mentors has been made, earlier than 3 months if agreed by the assessor(s). After three failed attempts, the complete OJT shall be repeated.

Note :When designated assessor is not approved or authorized by DGCA for the assessment , DGCA may conduct the OJT assessment

3.15.3.8 The Engineering Quality Department will use the assessment sheet of candidates as an evidence of completion of OJT.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

3.15.4 **Qualification of OJT Mentors and Assessors:**

3.15.4.1 **OJT Mentors:**

- Type rated AME holding full scope authorization in applicable category (B1/B2) on applicable aircraft.
- have been holding, for at least 1 year, an AME Licence in the same category, when compared to the one for which the OJT is being mentored, that is endorsed with a type rating appropriate to exercise the privileges on the related aircraft.
- have the necessary release or sign-off privileges in the maintenance organization where the OJT is performed;
- Should have experience in imparting training to the candidates such as being apprenticeship instructors or instructors in accordance with CAR147 or having received train-the trainer courses or having any other comparable qualification, or having a training to do so that is acceptable to DGCA.

3.15.4.2 **OJT Assessor:**

- Type rated AME holding full scope authorization in applicable category (B1/B2) on applicable aircraft.
- have been holding, for at least 3 years, an AML in the same category, when compared to the one for which the OJT is being assessed, endorsed with the same or similar aircraft type rating;
- Should have experience and/or have received training in assessing to the candidates such as being apprenticeship instructors or instructors in accordance with CAR147 or having received train-the trainer courses or having any other comparable qualification, or having a training to do so that is acceptable to DGCA.
- shall not have been involved as a mentor of the applicant in the OJT; when the assessor has taken part in the OJT performance, then an independent observer shall be present during the OJT assessment.

3.15.4.3 The OJT Mentor and designated Assessor will be assessed for his/her competency / skill and Qualification criteria as in Para 3.15.4.1 & 3.15.4.2 to perform function of OJT Mentor and assessor, by internal board comprising of Quality Manager, Line Maintenance Manager and Subject Matter Expert, before nomination to DGCA Regional Office. The Quality Department in consultation with Line Maintenance Department shall designate the individual as OJT Mentor and Assessor. The complete list along with their credentials will be submitted to DGCA Regional Airworthiness office for acceptance. The OJT Mentor details are included in MOE Section 5.5 (a) & (b). The OJT Assessor needs to be nominated by Air India for authorization by DGCA and applicable details will be updated in MOE Section 5.5 (c) after the successful assessment by the DGCA Regional Office. The respective authorization will be granted by DGCA for a period not exceeding five years. Once accepted, individual shall exercise his or her responsibility.

3.15.4.4 For continuation of validity of Mentor privilege, the approved holder shall:

- Continue to meet qualification and experience requirements with current AME license.
- Acquire the maintenance experience with recency of 6 months in preceding 2 years.
- Complete the continuation and applicable trainings.
- Exercise the Mentor privilege at least twice in last 24 months' period. If compliance to above requirement, their SOJT privileges shall be renewed, during their Authorization renewal by the Authorization team. Same shall also be communicated by the Authorization team to the OJT Nodal Officer, who shall further initiate the process to remove the relevant Mentor(s) name from the approved OJT Mentor list.

Signature valid
Signed by: Jayanta Ghosh
Deputy Director General
Date: 05 Feb 2026
10:00 AM

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

- 3.15.4.5 For continuation and renewal of validity of assessor privilege, the approved holder shall:
- Continue to meet qualification and experience requirements with current AME License.
 - Acquire the maintenance experience with recency of 6 months in preceding 2 years.
 - Complete the continuation and applicable trainings.
 - Exercise the designated Assessor privilege at least twice in last 24 months' period.
 - Air India, after ensuring that the nominated person meets the criteria for continuation as a designated assessor, submit an application for renewal of authorization to DGCA Regional Office along with supporting documents as per points a to d above.

3.15.4.6 **For OJT of new type of Aircraft** under Air India AMO Scope, the nominated Mentor needs to be accepted by DGCA regional office based on the endorsement of similar type of aircraft in AME License of the proposed individual.

3.15.5 Responsibility of OJT Mentor and Assessors:

3.15.5.1 OJT Mentor:

- Observance of Safety measures and warning including recommendations as detailed in technical literature
- Oversee the OJT process including task completion using approved manuals
- Conduct debriefing sessions regularly and assess extra training, if required.
- Assess the adequate behavior of individual during task completion.
- Should be readily available for consultation, as and when required.
- Shall countersign the task and if required, provide certificate of release to service as appropriate.
- Shall determine the need for extra training and reorientation of training as applicable.

3.15.5.2 OJT Assessor:

- Responsible for completion and assessment of OJT trainee.
- Assess trainee(s) in an unbiased atmosphere.
- Will bring to the notice of Quality Manager any unfair means if adopted by the trainee.
- During assessment, will ensure qualification criteria stated in logbook is adhered.
- Will assure highest standards of assessment are adhered throughout the process.

3.15.5.3 Assessment Guidelines:

3.15.5.3.1 The final assessment of the applicant shall only be performed once the OJT logbook has been completed and the mentors have signed the related recommendation. The OJT assessment should consist of a theoretical part and a practical part.

3.15.5.3.2 The designated assessor(s) conducting the final assessment/ Nodal Officer shall notify the date of the assessment to DGCA well in advance to allow a possible participation of the DGCA RAO/SRAO.

3.15.5.3.3 The objective of the final assessment is to verify that the applicant has sufficient technical knowledge as well as the appropriate skills and attitude and that he or she is competent to work independently as type-rated certifying staff on a particular aircraft type.

3.15.5.3.4 The satisfactory accomplishment of the OJT shall be attested to the applicant by the assessor's signature on the assessment report and the OJT logbook.

3.15.5.3.5 The OJT documentation shall be provided to DGCA to support the application for issue or change of the licence.

3.15.5.3.6 Records of the OJT documentation shall be kept by the maintenance organisation where the OJT is conducted, in accordance with the procedures agreed with the DGCA.

Signature valid
Signed by: Javanta Ghosh
Deputy Director General
Date: 08 Feb 2025
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 3		
	QUALITY SYSTEM PROCEDURES	ISSUE 3	Rev. 13	17 NOV 2025

3.15.5.3.7 If an independent observer is required for the OJT, they shall be selected by the maintenance organisation among the maintenance personnel that have not taken part in the OJT performance but do have an adequate understanding of the OJT procedures.

3.15.5.3.8 The assessment shall be carried out taking following into consideration:

- (a) The assessment shall sample:
 - i. the general technical knowledge required for the particular licence category;
 - ii. the aircraft-type-specific knowledge and skills for the particular licence category;
 - iii. the understanding of the licence privileges relevant to the aircraft and to the licence category;
 - iv. the appropriate behaviour and safety attitude of the applicant in relation to the maintenance environment.
- (b) The assessment shall be recorded in a report containing the following information:
 - i. identification data of the applicant;
 - ii. identification data of the assessor(s);
 - iii. date and time frame of the assessment;
 - iv. content of the assessment;
 - v. result of the assessment: Passed or Failed.
 - vi. signature of the assessor(s), the candidate and, if applicable, the independent observer(s).
- (c) A failed assessment may be retaken after 3 months or, if additional training has been received and a new recommendation by the mentors has been made, earlier than 3 months if agreed by the assessor(s). After three failed attempts, the complete OJT shall be repeated.

Note :When designated assessor is not approved or authorized by DGCA for the assessment, DGCA may conduct the OJT assessment.

3.15.5.3.9 The assessor should aim at measuring the competence by evaluating three major factors associated to the learning objectives:

- a. Knowledge
- b. Skills
- c. Attitude

3.15.5.3.10 Evaluation of the competence should be based on the learning objective of the training, in particular:

- a. The (Observable) desired performance. This covers what the trainee is expected to be able to do and how the trainee is expected to behave at the end of the training.
- b. The (Measurable) performance standard that must be attained to confirm the trainee's level of competence in the form of tolerance, constraints, limits, performance rates or qualitative statements and
- c. The conditions under which the trainee will demonstrate competence. Conditions consist of training methods, the environmental functions and regulatory factors.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 13	17 NOV 2025

3.15.5.3.11 The assessment should focus on the competencies relevant to the aircraft type and its maintenance, including, but not limited to:

- a. Environmental awareness (Acts safely, apply safety precautions, and prevent dangerous situations)
- b. System integration (demonstrates understanding of aircraft system interaction, identify, describe, explain, plan, execute)
- c. Knowledge and understanding of areas requiring special emphasis.
- d. Using reports and indications (the ability to read and interpret)
- e. Aircraft documentation finding and handling (identify the appropriate aircraft documentation, navigate, execute and obey the prescribed maintenance procedures)
- f. Perform maintenance actions (demonstrates safe handling of aircraft, engines, components and tools)
- g. Aircraft final close up and signing of maintenance records/logbooks.
- h. understanding the importance of professional integrity, behaviour and having an appropriate attitude towards safety;
- i. understanding the conditions for ensuring the continuing airworthiness of aircraft and components;
- j. the ability to identify and rectify existing and potential unsafe conditions;
- k. the ability to prioritise tasks, coordinate with a team, and report discrepancies;
- l. the ability to determine the required qualifications for the performance of maintenance tasks;
- m. the ability to confirm the proper accomplishment of maintenance tasks;
- n. the ability to compile and control completed work cards;
- o. knowledge of safety risks linked to a particular working environment;
- p. understanding of human performance and limitations;
- q. understanding of the AMO's (where the OJT is performed) privileges and limitations
- r. understanding of the AMO's personnel authorization and limitations;
- s. being familiar with AMO's documents/forms (work packages , work order, work card etc);
- t. being familiar with AMO's release – to – service procedures: use of aircraft technical logbook (ATLB), deferral of items and dispatch under MEL/CDL
- u. access, use and control of the required tools and equipment;
- v. access, use and control of the required ICAs (AMM, TSM, SRM, etc.).

3.15.5.3.12 The general characteristic of effective assessment are objective, flexible, acceptable, comprehensive, constructive, organized and thoughtful. At the end of assessment, the trainee should have no doubt about what he/she did well, what he/she did poorly, and how he/she can improve.

3.15.6 Procedure for documentation of OJT:

3.15.6.1 OJT Mentor and OJT Assessor Records:

Engineering Quality department will maintain details of OJT Mentor / assessor's deployment as an evidence of their building experience in the process. The records shall be maintained in the individual(s) file for two years.

3.15.6.2 OJT candidate records:

Prior to issue of OJT booklets to the candidates, Engineering Training Department will maintain a soft copy of the same including the OJT Assessment sheet and same shall be stored for records in the soft copy on Air India Share Point.

3.15.7 Audit:

To ensure proper implementation of the above procedures, Engineering Quality, as a part of the Annual Audit plan, will audit the OJT process. A report will be raised and this shall be carried out describing what was checked and the resulting findings against the requirements, etc.

DGCA RAO may carry out planned and unplanned surveillance to ensure implementation of the OJT procedure including functioning of the OJT Mentor and assessor.

Signature valid

Signature valid
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 14	14 DEC 2025

3.15.8 **Accomplishment of On-the-Job Training Program for Third Party:**

In case of non-availability of adequately qualified OJT Mentor / Assessors, the OJT program may be subcontracted to other CAR 145 Approved Organization with prior approval of DGCA. It is the responsibility of the contracting organization to seek approval for such arrangement from DGCA. Air India shall ensure the contracting organization submits the approval from DGCA and the indemnity bond for the candidate(s) desirous of obtaining OJT from Air India. Nodal officer shall maintain the records of training thus provided.

Relevant References

QDM Section 2.8

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 3		
	QUALITY SYSTEM PROCEDURES		ISSUE 3	Rev. 13	17 NOV 2025

3.16. PROCEDURE FOR THE ISSUE OF THE RECOMMENDATION TO DGCA FOR THE ISSUE, EXTENSION OR REMOVAL OF LIMITATION FROM EXISTING LICENCE OF THE CAR-66 LICENCE IN ACCORDANCE WITH 66.B.105

3.16.1 Policy:

To describe procedure for issue of recommendation to DGCA for the issue of CAR 66 License.

3.16.2 Procedure:

3.16.2.1 Applicable candidate shall submit the required documents in accordance with CAR 66 to Engineering Quality Department for verification.

3.16.2.2 Engineering Quality will review and verify the same and if the documents are found in order, Engineering Quality Department shall communicate to the candidate to initiate the application to DGCA for issue of CAR 66 License through eGCA Platform.

Note: The endorsement of the first aircraft type rating within a given category/sub-category requires satisfactory completion of the corresponding On the Job Training, as described in Appendix III to CAR- 66. Any further additional endorsement in the same category/sub-category does not require any OJT.

3.16.2.3 Engineering Quality shall review and communicate to the candidate for processing the application through e GCA Platform for extension of AME license for additional endorsement subject to the compliance of CAR 66 (Type Training requirement), however, Type ratings which have been endorsed on a license in accordance with Appendix I to AMC to CAR-66 "List of Type Ratings" after a new variant has been added to the rating in Appendix I, without performing difference training. For example, a license endorsed with the rating Boeing 737-600/700/800/900 for a person who already had the rating Boeing 737- 600/700/800, without performing any difference training for the 737-900.

3.16.2.4 Following are the guidelines being followed by Air India Engineering & Quality to forward recommendation for removal of limitations from AME License:

- Candidate has cleared all the basic Modules required to remove the limitation from the AME License
- Candidate has acquired experience (at least 6 months in last 2 year) on relevant ATA Chapters.
- Candidate has undergone type training covering the relevant ATA Chapters at the level required as per CAR 66 Appendix III in preceding three years.
- Candidate has completed the OJT and assessment on relevant ATA Chapters.
E.g. for removal of limitation "3" from AME License candidate must pass Module 4 and 11A (QPREF 0400 and 1121) and gained experience on ATA 24 for at least 3 months in preceding 12 months, have completed type training Level 3 for ATA 24 and has completed the OJT tasks on ATA 24 as per the approved OJT Syllabus, shall be eligible to get Limitation code 3 removed from his AME License.

Note: The Training Need Analysis (TNA) – AI/FTM/136 details the procedure and syllabus criteria for removal of Limitations (3 & 7).

Relevant References

QDM Section 2.9, 3.8

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 4		
	CONTRACTED OPERATORS	ISSUE 3	REV. 00	24 JUN 2024

4.0 TABLE OF CONTENTS

PART- 4	CONTRACTED OPERATORS
4.1	Contracted Operators
4.2	Operator's procedures and paperwork.
4.3	Operator's record completion.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 4		
	CONTRACTED OPERATORS	ISSUE 3	REV. 03	14 OCT 2024

4.1 CONTRACTED OPERATORS

CAR 145. A .70

4.1.1 Purpose:

4.1.1.1 To detail general guidelines to be followed for the operators under contract with Air India Limited.

4.1.2 Policy:

4.1.2.1 Maintenance for the operators under contract shall be carried out within the scope of Air India MOE and CAR 145 approval capability.

4.1.3 Procedure:

4.1.3.1 A formal written contract will be executed between Air India Limited and the contracted operator.

4.1.3.2 Maintenance shall be carried out as per the agreed terms and conditions in the contract.

4.1.3.3 The list of contracted operators shall be maintained.

4.1.3.4 Quality Manager shall be responsible for administration and control of the above document. The list of contracted operators shall be kept current. Any revision to the list will be updated in the next revision of the MOE.

4.1.3.5 The list of contracted operators as on date is given below:

S/N	Name of Organization	Type of Aircraft	Scope of Work
1.	M/s Air India Express Limited	Boeing B737-8 Aircraft with CFM LEAP 1B	As per MOE Section 1.9
		Boeing B737-800 Aircraft with CFM 56-7B	
		Airbus A319/A320/A321 aircraft with CFM 56 – 5 Engines	
		Airbus A320 aircraft with CFM LEAP 1A Engines	

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 4		
	CONTRACTED OPERATORS	ISSUE 3	REV. 00	24 JUN 2024

4.2 OPERATOR PROCEDURES AND PAPERWORK

CAR 145.A. 70 (a)

4.2.1 Purpose:

4.2.1.1 To detail general guidelines with respect to procedures and paperwork for the operators under contract with Air India Limited.

4.2.2 Policy:

4.2.2.1 Paperwork for the operators under contract shall be completed out in accordance with the applicable policies / procedures as detailed in Air India MOE and individual operators' specific procedures as per contract.

4.2.3 Procedure:

4.2.3.1 A formal written contract shall be executed between Air India and the contracted operator which will specify procedures and completion of paperwork.

4.2.3.2 Maintenance documentation and paperwork will be completed out in accordance with the applicable policies / procedures as detailed in Air India MOE and individual operators' specific procedures as per the agreed terms and conditions in the contract.

4.2.3.3 Air India certifying staff will be provided training on customers' procedures and documentation before they are authorized to certify customer aircraft.

4.2.3.4 Care will be taken to ensure cross utilization of other operators' procedures does not occur.

4.2.4 Responsibilities:

4.2.4.1 Operators' procedure and paperwork: Certifying Staff

4.2.4.2 Issue of certification authorization: Quality Manager

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 4		
	CONTRACTED OPERATORS	ISSUE 3	REV. 00	24 JUN 2024

4.3 OPERATOR'S RECORD COMPLETION

CAR 145.A 55

4.3.1 Purpose:

- 4.3.1.1 To detail general guidelines with respect to record completion for the operators under contract with Air India Limited.

4.3.2 Policy:

- 4.3.2.1 Record completion for the operators under contract shall be carried out in accordance with the applicable policies / procedures as detailed in Air India MOE and respective operators' specific requirements as per contract.

4.3.3 Procedure:

- 4.3.3.1 Maintenance certification and records completion shall be in accordance with the policy / procedure as detailed in MOE.
- 4.3.3.2 All repair orders / maintenance instruction of an operator for Base/Shop maintenance shall be transformed into Air India Work Order and certified.
- 4.3.3.3 For every maintenance carried out for a customer aircraft/ component, CRS/CA Form 1 shall be issued.
- 4.3.3.4 Line maintenance certification shall be made in respective operator's documents as per the below procedure:
- All maintenance carried out shall be based on maintenance program and maintenance package provided by the operator.
 - All maintenance shall be recorded in the operator's schedule / work order or equivalent document / Technical Log, as applicable.
 - On completion of maintenance, CRS will be issued in operator's schedule / work order or equivalent document / Technical Log, as applicable.
- 4.3.3.5 After completion of maintenance, all original completed and certified schedules / work order/ Technical log / CRS / CA Form 1, as applicable, shall be handed over to operator.
- 4.3.3.6 A copy of all maintenance records shall be preserved for a period of three years.
- #### 4.3.4 Responsibilities:
- 4.3.4.1 Maintenance recording: Certifying Staff
- 4.3.4.2 Preservation of maintenance records: Technical Record Section

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 5		
	APPENDICES		Issue 3	Rev.13	17 NOV 2025

5.0 TABLE OF CONTENTS

PART- 5	APPENDICES
5.1	Sample of Document
5.2	List of Subcontractors
5.3	List of Line Maintenance locations
5.4	List of Contracted Organization
5.5	List of Structured OJT Mentors & Assessors

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 5		
	APPENDICES		Issue 3	Rev.00	24 JUN 2024

5.1 SAMPLE OF DOCUMENTS

5.1.1 Purpose:

- 5.1.1.1 To standardize and control various forms used in Engineering & Maintenance departments.

5.1.2 Policy:

- 5.1.2.1 All forms shall be assigned with specific form number in order to administer and control the same.
- 5.1.2.2 The control number shall be in the format of Company code/ followed by unique number. Eg: AI/FTM/000

5.1.3 Procedure:

- 5.1.3.1 All the forms shall be documented either in Forms Manual or respective departmental manuals.
- 5.1.3.2 The concerned department shall be responsible for developing the applicable form and maintaining the record of such forms.

5.1.4 Responsibilities:

- 5.1.4.3 Quality Manager shall be responsible for approval and control of forms.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 5		
	APPENDICES	Issue 3	Rev.00	24 JUN 2024

5.2 List of Sub-Contractors

5.2.1 The list of all subcontractors shall be maintained in electronic format in MIS. The access to change / edit MIS data shall be restricted to designated persons in the quality department. However, read only access shall be given to selected staff in supplies and maintenance.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 5		
	APPENDICES	Issue 3	Rev.14	14 DEC 2025

5.3 List of Line Maintenance Locations

5.3.1 Station Approval procedure

Refer MOE L2.8 for Station Approval procedure

5.3.2 The list of line stations and extent of maintenance performed at each line station is mentioned below and for scope of approval above weekly check, refer MOE Section 1.9.6:

S/N	IATA CODE	STATION	AIRCRAFT TYPE WITH ENGINES	SCOPE OF APPROVAL
1.	BLR	Bengaluru	Boeing 787 – 8/9 (GenX 1B)	Up to Weekly (7 Days) Inspection
2.	BOM	Mumbai	Airbus A350 (RR TRENT XWB)	Up to Weekly Inspection
			Boeing B737-7/8/9 (MAX) (CFM LEAP 1B)	Up to Weekly Inspection
3.	PNQ	Pune	Boeing B737-8 (CFM LEAP 1B) Boeing B737-800 (CFM 56-7B) Airbus A320 - 251N (CFM LEAP 1A) Airbus A321 - 251NX (CFM LEAP 1A) Airbus A320 Family (CFM 56-5B)	Up to Weekly Inspection
4.	MAA	Chennai	Boeing 787 – 8/9 (GenX 1B)	Up to Transit/Pre-flight Inspection
5.	AMD	Ahmedabad	Boeing B737-8 (CFM LEAP 1B) Boeing B737-800 (CFM 56-7B) Airbus A320 - 251N (CFM LEAP 1A) Airbus A321 - 251NX (CFM LEAP 1A) Airbus A320 Family (CFM 56-5B)	Up to Weekly Inspection
6.	HYD	Hyderabad	Airbus A321 - 251NX (CFM LEAP 1A)	Up to Weekly Inspection.
			Airbus A320 Family (CFM 56-5B)	Up to Weekly Inspection
			Boeing 737 – 800 (CFM 56-7)	Up to Weekly Inspection
7.	IXC	Chandigarh	Airbus A320 - 251N (CFM LEAP 1A)	Up to Layover Inspection
			Boeing 737 – 800 (CFM 56-7)	Up to Weekly Inspection
8.	JAI	Jaipur	Airbus A320 - 251N (CFM LEAP 1A) Airbus A321 - 251NX (CFM LEAP 1A)	Up to Layover Inspection
9.	TRV	Trivandrum	Airbus A320 - 251N (CFM LEAP 1A) Airbus A321 - 251NX (CFM LEAP 1A)	Up to Layover Inspection
10.	COK	Kochin	Airbus A320 - 251N (CFM LEAP 1A) Airbus A321 - 251NX (CFM LEAP 1A) Airbus A320 Family (CFM 56-5B) Boeing B737-8 (CFM LEAP 1B) Boeing B737-800 (CFM 56-7B)	Up to Weekly Inspection

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 5		
	APPENDICES		Issue 3	Rev.14	14 DEC 2025

11.	GOX	Goa (MOPA)	Airbus A320 - 251N (CFM LEAP 1A) Airbus A321 - 251NX (CFM LEAP 1A) Airbus A320 Family (CFM 56-5B)	Up to Layover Inspection
12.	CNN	Kannur	Boeing B737-8 (CFM LEAP 1B) Boeing B737-800 (CFM 56-7B)	Up to Weekly Inspection
13.	LKO	Lucknow	Boeing B737-8 (CFM LEAP 1B) Boeing B737-800 (CFM 56-7B) Airbus A320 - 251N (CFM LEAP 1A) Airbus A321 - 251NX (CFM LEAP 1A) Airbus A320 Family (CFM 56-5B)	Up to Weekly Inspection
14.	CCJ	Calicut	Airbus A320 - 251N (CFM LEAP 1A) Airbus A321 - 251NX (CFM LEAP 1A) Airbus A320 Family (CFM 56-5B) Boeing B737-8 (CFM LEAP 1B) Boeing B737-800 (CFM 56-7B)	Up to Weekly Inspection
15.	IXE	Mangalore	Boeing B737-8 (CFM LEAP 1B) Boeing B737-800 (CFM 56-7B)	Up to Weekly Inspection

Relevant References

LMM Section 5.1

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION	AI/ENGG/MOE/01		
		PART 5		
	APPENDICES	Issue 3	Rev.00	24 JUN 2024

5.4 List of Contracted Organizations.

- 5.4.1 The list of contracted organizations shall be maintained.
- 5.4.2 Quality Manager shall be responsible for administration and control of the above document. The list of contracted organizations shall be kept current. Any revision to the list will be updated in the next revision of the MOE.
- 5.4.3 Contracted organizations as on date have been listed in Part 4.1 of the MOE

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 5		
	APPENDICES		Issue 3	Rev.14	14 DEC 2025

5.5 List of Structured OJT Mentors & Designated Assessors

a) List of Structured OJT Mentors (B1)

S/N	NAME	AME Licence No.	CAT	FLEET TYPE APPROVAL				
				Airbus A320 / A321 (CFM LEAP 1A)	Boeing B737 - 7/8/9 (CFM LEAP 1B)	Boeing B737-800 (CFM 56- 7B)	Boeing B787 - 8/9 (GE nX 1B)	Boeing B777- 200/300 (GE 90)
1.	ABHISHEK MISHRA	10238	B1		X	X		
2.	AJAY SINGH	9707	B1		X	X		
3.	AMITABH BHUSHAN	7797	B1	X				
4.	ANAND SINGH	11387	B1	X			X	
5.	ANANT BODAS	6488	B1					X
6.	ANURAG GAUR	8032	B1	X				
7.	ANKUR KUKRETI	13874	B1	X			X	
8.	ASHRAF ALI	7239	B1		X	X		
9.	ARUNACHAL PRIYADARSHI	7346	B1	X				
10.	ARUP SINHA	8289	B1	X				
11.	AVISHEK PRASAD	7802	B1		X			
12.	G C THIRUMOORTHY	11677	B1		X	X		
13.	GAURAV GUPTA	15680	B1	X				
14.	GUNJAN KUMAR	10557	B1		X			
15.	HARDEEP SINGH	6678	B1				X	
16.	HARPREET SINGH	5879	B1	X				
17.	JAGANNATH SENAPATI	15734	B1	X				
18.	JASWINDER SINGH BAGGA	10546	B1	X			X	
19.	JITENDRA GIRI	7872	B1	X				
20.	JOTHIMANICKAM PMR	6590	B1					X
21.	JYOTIPRAKASH PATNAIK	13551	B1	X				
22.	K MANJUNATH BHAT	15601	B1	X				
23.	KAPIL GUPTA	6359	B1					X
24.	KARAN KAPOOR	15673	B1	X				
25.	KUMAR SOMESHWAR	9887	B1	X				
26.	KRISHNA JHA	14598	B1	X				
27.	MADHUR MALANI	15804	B1	X				
28.	MANISH SHANKAR PRASAD SINGH	9247	B1	X				
29.	MANISH GAURAV	10171	B1		X	X		
30.	MANISH SHARMA	6607	B1	X				
31.	MANOJ BHALLA	8822	B1	X				
32.	MANOJ SHARMA	13591	B1	X				

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 5		
	APPENDICES		Issue 3	Rev.14	14 DEC 2025

S/N	NAME	AME Licence No.	CAT	FLEET TYPE APPROVAL				
				Airbus A320 / A321 (CFM LEAP 1A)	Boeing B737 - 7/8/9 (CFM LEAP 1B)	Boeing B737-800 (CFM 56- 7B)	Boeing B787 - 8/9 (GE nX 1B)	Boeing B777- 200/300 (GE 90)
33.	MOOLCHAND SAINI	12430	B1		X			
34.	NAVEEN KUMAR BORRA	8659	B1		X	X		
35.	NAVNEETH GOPINATH	15737	B1	X				
36.	NEERAJ SRIVASTAVA	6665	B1					X
37.	NILOTPOL DUTTA	10509	B1	X				
38.	NITIN AHLAWAT	10376	B1	X			X	
39.	NITIN VERMA	9223	B1	X			X	
40.	OMKAR KIRAN VERNEKAR	15400	B1	X				
41.	PRADEEP KUMAR SHARMA	6526	B1					X
42.	PRASAD ULHAS PATHRUKAR	7592	B1	X			X	
43.	PRASHANT RASTOGI	8582	B1	X			X	
44.	PRAVEEN KUMAR REDDY G	8548	B1		X	X		
45.	PRAVEEN TRIPATHI	10994	B1	X				
46.	PREM GEETA	7701	B1		X	X		
47.	PRIYARANJAN DASH	6883	B1					X
48.	RAJEEV GANDHI	7806	B1		X	X		
49.	RAJEEV KUMAR JHA	7245	B1					X
50.	RAJENDER SINGH GODHI	8024	B1	X				
51.	RAJU KUMAR	8600	B1	X				
52.	RAKESH KUMAR CHOUDHARY	7031	B1	X			X	
53.	RAKESH SINGH	6493	B1					X
54.	RAVINDER PARTAP SHARMA	11176	B1		X	X		
55.	ROHIT GUPTA	15387	B1	X			X	
56.	ROMIL AMBASHTA	8035	B1		X	X		
57.	RUPAK PATTANAYAK	8655	B1	X				
58.	SAHIL BHALLA	10374	B1	X			X	
59.	SAIBAL BASAK	3413	B1	X				
60.	SANJIV DAS	8427	B1	X				
61.	SAUMYA DIXIT	12958	B1	X				

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

		MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01				
				PART 5				
		APPENDICES		Issue 3	Rev.14	14 DEC 2025		
S/N	NAME	AME Licence No.	CAT	FLEET TYPE APPROVAL				
				Airbus A320 / A321 (CFM LEAP 1A)	Boeing B737 - 7/8/9 (CFM LEAP 1B)	Boeing B737-800 (CFM 56- 7B)	Boeing B787 - 8/9 (GEnX 1B)	Boeing B777 200/300 (GE 90)
62.	SOMNATH JANA	9547	B1		X	X		
63.	SOUVIK DATTA	8154	B1		X	X		
64.	SOY P AUGUSTIN	7883	B1	X			X	
65.	SUSHIL SINGH	7488	B1		X	X		
66.	SYED ALIF SIRAJ	8041	B1	X	X	X		
67.	TULSHIDAS WAGHMARE	7956	B1	X				
68.	VAIDEHI GUPTA	6865	B1		X	X		
69.	VENKATA SANDEEP RAAVI	10875	B1	X				
70.	VIJAY KUMAR MISHRA	15735	B1	X				
71.	VIKAS RAM SINGH	7809	B1	X				
72.	VIKRAM SINGH	15320	B1	X				
73.	VINAY PRADHAN	5741	B1					X
74.	VIRAJ GHOLAP	15738	B1	X				

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 5		
	APPENDICES		Issue 3	Rev.14	14 DEC 2025

b) List of Structured OJT Mentors (B2)

S/N	NAME	AME Licence No.	CAT	FLEET TYPE APPROVAL				
				Airbus A320 / A321 (CFM LEAP 1A)	Boeing B737 - 7/8/9 (CFM LEAP 1B)	Boeing B737- 800 (CFM 56- 7B)	Boeing B787 - 8/9 (GE nX 1B)	Boeing B777- 200/300 (GE 90)
1.	AMIT KUMAR JHA	15367	B2		X	X		
2.	ANAGHA RANE	16624	B2	X				
3.	ANISH MENEZES	7287	B2	X				
4.	ASHOK BABBURU	8746	B2	X				
5.	ASHUTOSH GUPTA	16843	B2	X				
6.	BHAGWAN PANSARE	14369	B2	X				
7.	BHUVANESH PITCHANDI	15846	B2	X				
8.	BIJAY SHARMA	8587	B2	X				
9.	DEBASHISH MOHAPATRA	14286	B2	X			X	
10.	GAURAV KUMAR TIWARI	14002	B2		X	X		
11.	GAYATRI DEVI AMARA	7940	B2	X				
12.	HARSHA TR	13137	B2	X				
13.	HASEN AFZAL SHEIKH	16228	B2	X				
14.	K R MADANMOHAN RAO	15307	B2		X	X		
15.	KAMAL KANT	13688	B2	X				
16.	MADHU SUDHANA REDDY DONTTHIREDDY	15914	B2	X				
17.	MANJUNATH SRINIVASA	7546	B2		X	X		
18.	MOHAMMAD ZISHAD	16853	B2	X				
19.	MAL VICTOR KINGSLEY	6265	B2	X				
20.	MATHEW EDAKALATHOOR	7193	B2		X	X		
21.	MRITYUNJAY MANOJ	13716	B2		X	X		
22.	NIKHIL SAGWEKAR	13894	B2	X				
23.	NUTAN VERMA	16840	B2	X				
24.	PRASHANSA FLANDER	16067	B2	X				
25.	PRAVEEN RAO KANCHANAPALLI	7412	B2					X
26.	POREDDY NAVODAYA REDDY	10645	B2	X			Signature valid Signed by: Javanta Ghosh Deputy Director General Date: 03-Feb-2026 16:08:05	
27.	PURNENDU MANNA	13245	B2	X				
28.	PUSHP RAJ SINGH	6395	B2					
29.	RACHNA SINGH	8301	B2	X		X		
30.	RAHUL PAL	15876	B2	X				

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 5		
	APPENDICES		Issue 3	Rev.14	14 DEC 2025

S/N	NAME	AME Licence No.	CAT	FLEET TYPE APPROVAL				
				Airbus A320 / A321 (CFM LEAP 1A)	Boeing B737 - 7/8/9 (CFM LEAP 1B)	Boeing B737- 800 (CFM 56- 7B)	Boeing B787 – 8/9 (GE nX 1B)	Boeing B777- 200/300 (GE 90)
31.	RAHUL SINGH	12353	B2		X	X		
32.	RAJAT AGARWAL	9142	B2		X	X		
33.	RAM RANJITH PATEL	8496	B2					X
34.	RUPESH KUMAR	8459	B2	X				
35.	SACHIN KUMAR	13268	B2	X				
36.	SANJAI KUMAR PANDEY	9185	B2	X				
37.	SHASHANK CHINTAPANTI	11845	B2		X	X		
38.	SARV AGARWAL	13544	B2	X			X	
39.	SHANKAR LAL YADAV	8036	B2	X			X	
40.	SHAHAJI JADHAV	15714	B2	X				
41.	SOMARDHA SENGUPTA	14556	B2		X	X		
42.	SUBODH KUMAR SINGH	8769	B2					X
43.	SUMAN SHANKAR KUNDU	7282	B2		X	X		
44.	YOGESH KUMAR SOKHAL	6440	B2	X	X	X		

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANISATION EXPOSITION		AI/ENGG/MOE/01		
			PART 5		
	APPENDICES		Issue 3	Rev.13	17 NOV 2025

c) List of Designated OJT Assessors:

S/N	NAME	AME Licence No.	CAT	FLEET TYPE APPROVAL				
				Airbus A320 / A321 (CFM LEAP 1A)	Boeing B737 – 7/8/9 (CFM LEAP 1B)	Boeing B737- 800 (CFM 56- 7B)	Boeing B787 – 8/9 (GE nX 1B)	Boeing B777- 200/300 (GE 90)
1.	ASHISH RAIZADA	6508	B1					X
2.	DEBASHISH MOHAPATRA	14286	B2				X	
3.	GAURAV KASHYAP	6123	B1		X	X		X
4.	JASWINDER SINGH BAGGA	10546	B1				X	
5.	MERIC LAL	7551	B2					X
6.	NITIN AHLAWAT	10376	B1	X				
7.	PUSHRAJ SINGH	6395	B2		X	X		
8.	PRASHANT RASTOGI	8582	B1				X	
9.	RAJAT SHRIVASTAV	8435	B2	X			X	
10.	RAJESH SHARMA	6393	B2		X	X		X
11.	RAKESH KUMAR CHOUHARY	7031	B1	X				
12.	SAHIL BHALLA	10374	B1	X			X	
13.	SANJAY MALHOTRA	5501	B1					X
14.	SARV AGARWAL	13544	B2				X	
15.	SHARAD KUMAR SAHU	11261	B2	X				
16.	SHOBHIT ARORA	3483	B1					X
17.	SOY P AUGUSTIN	7883	B1	X			X	
18.	VINAY PRADHAN	5741	B1		X	X		

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 6		
	OPERATORS MAINTENANCE PROCEDURES	ISSUE 3	REV. 00	24 JUN 2024

6.0 TABLE OF CONTENTS

PART- 6	OPERATORS MAINTENANCE PROCEDURES
6.1	Fuel Tank Safety Training
6.2	Extended Diversion Time Operations (EDTO)
6.3	Safety Management Systems (SMS)
6.4	Reporting, Investigation of Occurrences and Remedial Action
6.5	Component Hold Policy
6.6	Independent Inspection
6.7	Carriage of Dangerous Goods
6.8	Use of Parts from Preserved and Accident/Incident Aircraft
6.9	Disposal of Aircraft Parts and Materials
6.10	Drug and Alcohol Abuse Prevention Procedures

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 6		
	OPERATORS MAINTENANCE PROCEDURES		ISSUE 3	REV. 00	24 JUN 2024

6.1 FUEL TANK SAFETY TRAINING

6.1.1 Air India shall ensure that E&M personnel are provided training on Fuel Tank Safety (FTS).

6.1.2 The FTS training (Initial and Continuation, if applicable) shall meet and be provided in accordance with the provisions of Appendix VIII of CAR 145.

6.1.3 The FTS training shall be provided to the following personnel:

- (a) Level 1: To staff from Quality and MCC.
- (b) Level 2: To Certifying and Support Staff (Line and Base Maintenance), NDT staff and Technicians.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 6		
	OPERATORS MAINTENANCE PROCEDURES		ISSUE 3	REV. 00	24 JUN 2024

6.2. EXTENDED DIVERSION TIME OPERATIONS (EDTO)

RESERVED

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 6		
	OPERATORS MAINTENANCE PROCEDURES		ISSUE 3	REV. 13	17 NOV 2025

6.3 SAFETY MANAGEMENT SYSTEM (SMS)

- 6.3.1 Air India has implemented the SMS in accordance with CAR Section 1, Series C Part I & SMS Manual.
- 6.3.2 Air India Flight Safety Department is responsible for development and implementation of the SMS in the organization. Accordingly, the Safety Management System Manual has been developed by Flight Safety Department for implementation of SMS.
- 6.3.3 The implementation of the SMS in the E&M has been documented in the CAME & Quality Department Manual.
- 6.3.4 All E&M personnel shall be trained on SMS (Initial and Continuation). SMS continuation training shall be conducted once in two years.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 6		
	OPERATORS MAINTENANCE PROCEDURES	ISSUE 3	REV. 13	17 NOV 2025

6.4 REPORTING, INVESTIGATION OF OCCURENCES AND REMEDIAL ACTION

6.4.1 **Purpose:**

6.4.1.1 As part of implementing Safety Management System in E&M departments, to identify safety hazard existing in the E&M departments functioning and take appropriate corrective action to mitigate the hazards.

6.4.2 **Policy:**

6.4.2.1 All occurrences and near misses in E&M departments affecting safety of aircraft, equipment or personnel shall be reported to the Quality Manager and higher management by head of department through Air India webpage link <https://safety.airindia.com/> or hazard reporting box.

6.4.2.2 Additionally, all E&M personnel are encouraged to report any event occurred or hazard existing in the system through voluntary reporting system.

6.4.2.3 All such reported occurrences / event / safety hazards reported shall be investigated by a committee duly constituted by Quality Manager, to identify the root cause of such occurrence and take appropriate corrective action.

6.4.2.4 The objective of investigation shall be to find out the cause of occurrence (what caused occurrence than who caused it) and implement corrective and preventive action to avoid recurrence of the same.

6.4.2.5 The investigation shall take into consideration various factors contributed to occurrence, while establishing root cause and based on just concept, every personnel involved shall be given a fair chance of being heard.

6.4.2.6 Voluntary reporting of occurrences / hazards existing in E&M departments and system shall be encouraged and no or minimum disciplinary action shall be taken for failures reported through this system.

6.4.3 **Procedure:**

6.4.3.1 All occurrences and near misses shall be reported, with relevant details of the event for the purpose of investigation, to the Quality Manager by head of respective department or in-charge of activities such as shift in-charge, section in-charge etc.

6.4.3.2 In the event of observing any occurrence or hazard prevailing in the E & M departments, the personnel are requested to report the same to Quality Manager, through voluntary reporting system.

6.4.3.3 Current incident reporting forms / voluntary reporting form, as applicable, shall be used for the purpose.

6.4.3.4 Voluntary reporter shall have option of not disclosing the identity of the reporter.

6.4.3.5 Voluntary-Hazard Report Form and collection boxes shall be place at convenient location in the E&M Dept. for easy accessibility to personnel and the report shall be collected for review and action.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 6		
	OPERATORS MAINTENANCE PROCEDURES		ISSUE 3	REV. 00	24 JUN 2024

- 6.4.3.6 The investigation cell shall investigate to establish root cause of occurrence.
- 6.4.3.7 Investigator shall identify the root cause based on evidences collected, interviewing of personnel involved and investigation findings. The investigation report shall contain recommendation for corrective and preventive measures
- 6.4.3.8 When the root cause is identified as a system / machine failure, appropriate corrective and preventive action to mitigate the hazard shall be implemented by the head of concerned department.
- 6.4.3.9 When the root cause of occurrence is identified to have originated due to factors beyond the control of the personnel, the concerned personnel may be counseled.
- 6.4.3.10 When the root cause of occurrence is identified to have originated due to callous attitude, non-compliance of approved standard procedures, repeat violations etc., the personnel shall be liable to disciplinary action.
- 6.4.3.11 Depending on gravity of violation, Quality Manager may take appropriate disciplinary action against personnel concerned, after giving a fair chance of being heard.
- 6.4.3.12 The disciplinary actions shall constitute any one or combination of the following:
- Counseling
 - Caution Letter
 - Warning Letter
 - Suspension of authorization
 - Withdrawal of authorization
 - Recommendation for termination of services, if situation warrant
- 6.4.3.13 Note: if violations are the causes of aircraft incident/authority findings, and prima-facie, the personnel violations is evident, then the certification privileges of the person concerned may be suspended until investigation is completed
- 6.4.3.14 Whenever any disciplinary action is taken the records of such action will be kept the personal records and the same shall be taken into consideration while annual assessment
- 6.4.3.15 For the purpose of corrective measures, including disciplinary action, Permanent Investigation Board (PIB) report shall also be considered as base document.
- 6.4.4 **Responsibility:**
- 6.4.4.1 Quality Manager, Head of Departments and Sr. Management personnel.

Relevant References

LMM Section 2.9, 2.21, 2.22

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 6		
	OPERATORS MAINTENANCE PROCEDURES		ISSUE 3	REV. 00	24 JUN 2024

6.5 COMPONENT HOLD POLICY

6.5.1 Purpose:

6.5.1.1 Purpose of this procedure is to outline steps to be followed for handling components removed from an Aircraft for defect evaluation. The main intention is to reduce the unnecessary shop visit of the component and thus "no fault found" (NFF) rate.

6.5.2 Procedure:

6.5.2.1 A suspected component shall be replaced to ascertain the cause of the defect reported on an aircraft.

6.5.2.2 If the defect on the Aircraft persists, then the removed component is not the cause of the defect and is deemed serviceable. The component shall be recertified and credited back to the stores / reinstall on an aircraft.

6.5.2.3 If the defect does not recur, removed component is the cause for the defect and shall be deemed unserviceable.

6.5.2.4 The responsibility to ensure the item is properly processed, work order raised, and appropriate label/ tag issued rests upon the AME or Approval holder who removed the suspected component.

6.5.2.5 MCC shall be accountable for monitoring of such components.

6.5.2.6 Following procedure shall be followed for "hold component"

6.5.2.6.1 All items removed for defect analysis shall be placed in the hold area in stores.

6.5.2.6.2 These items must not be held for more than 5 days.

6.5.2.6.3 Should the defect be confirmed earlier, appropriate follow through action must be carried out as soon as possible.

6.5.2.7 Before re-certifying the removed component as serviceable, concerned AME/ Approved personnel shall ensure:

6.5.2.7.1 Defect has recurred on the aircraft during the hold period.

6.5.2.7.2 Visual inspection of the component is satisfactory.

6.5.2.7.3 The component is properly cleaned, blanked packed and/or inhibited if necessary.

6.5.2.7.4 The component removal work order / serviceable label will be used as release note.

6.5.3 Responsibility:

6.5.3.1 MCC: Monitoring

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 6		
	OPERATORS MAINTENANCE PROCEDURES	ISSUE 3	REV. 00	24 JUN 2024

6.6 INDEPENDENT INSPECTION

6.6.1 Purpose:

6.6.1.1 The intent of this procedure is to ensure that critical maintenance jobs like engine change, flight control adjustments are re-inspected by another appropriately authorized person before release of the aircraft.

6.6.1.2 Independent inspection of flying controls, engine controls and associated control systems after maintenance, before issuing certificate of release.

6.6.2 Procedures:

6.6.2.1 Definitions

6.6.2.1.1 Flying controls include the primary flight controls, tabs, tab flaps and air brakes etc., and the mechanism used by the pilot to operate them.

6.6.2.1.2 Engine controls include the primary engine controls, system controls and ancillary controls (throttle controls, fuel controls, etc.) and the mechanisms used by the pilot to operate them.

6.6.2.1.3 Associated controls - System which are inter linked with the main flight / engine controls system and can adversely affect the correct operation of the main system, if improperly rigged or connected.

6.6.2.1.4 Independent inspection is an inspection, which is first carried out and certified by one authorized / licensed person and is then repeated, before the aircraft is flown, by another authorized/ licensed person and again certified by him.

6.6.3 Requirements:

6.6.3.1 Independent inspections of all flight / engine control system shall be carried out.

6.6.3.1.1 Before the first flight after replacement/ repair/ adjustment/ modification of Flight controls or Engine controls.

6.6.3.1.2 If the control system is disturbed after the duplicate check, the first and duplicate check should be done again.

6.6.3.1.3 Independent inspection should be done only after the first inspection has been completed in all respects and certified.

6.6.4 Procedure:

6.6.4.1 The procedure to be followed to carry out these inspections is given below:

- The first inspection shall be carried out by licensed engineer/authorized personnel in Category 'B1' on the type of aircraft for flight controls and in Category 'B1' on the type of engine for engine controls.
- The second inspection (i.e. independent inspection) shall be carried out by other appropriately licensed/authorized personnel as above.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 6		
	OPERATORS MAINTENANCE PROCEDURES	ISSUE 3	REV. 00	24 JUN 2024

- (c) In case the aircraft is away from the base, if necessary the independent inspection could be carried out and certified by a pilot holding flying license endorsed for the type of aircraft. On return of aircraft to base, the independent inspection shall be repeated and certified by appropriately qualified persons as mentioned above.
- (d) Whenever the first inspection and the independent inspection of the control system are carried out, a specific entry in the appropriate work sheet and logbook shall be made and certified by the concerned approved personnel.
- (e) The first and the second checks shall be the final operations to establish the integrity and correct functioning of the control system when all work has been completed.
- (f) In some aircraft and systems, it may not be possible after complete assembly to inspect all the parts because sections may have been progressively sealed off. In all such cases condition, security and correct functioning of the covered-up portion of the system shall be established by the authorized persons mentioned above, before a section is sealed off.
- (g) If after the second check the control systems are disturbed in any way and any time before the first flight, that part of the system which has been disturbed shall be checked in duplicate by persons mentioned above before the aircraft is released.
- (h) The independent inspection shall include verification that full, free and correct movement of the controls is obtained throughout the system relative to the movement of the controls from within the aircraft and that the control systems are correctly secured.

6.6.5 **Responsibility:**

6.6.5.1 Independent inspection- AME/Authorization holder.

Relevant References

LMM Section 2.12

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 6		
	OPERATORS MAINTENANCE PROCEDURES		ISSUE 3	REV. 00	24 JUN 2024

6.7 CARRIAGE OF DANGEROUS GOODS

6.7.1 RESERVED

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 6		
	OPERATORS MAINTENANCE PROCEDURES		ISSUE 3	REV. 00	24 JUN 2024

6.8 **USE OF PARTS FROM PRESERVED / ACCIDENT / INCIDENT AIRCRAFT**

AAC 3 of 2006 Rev 1

6.8.1 **Purpose:**

6.8.1.1 To specify procedure for use of parts from aircraft which are preserved for prolonged period or involved in an accident or major incident.

6.8.2 Policy for Parts or Rotables recovered from Preserved Aircraft:

6.8.2.1 In case of AOG situation and particular spares not available then a part can be cannibalized from an aircraft which is under prolonged preservation subject to:

- a) Proper preservation of aircraft being carried out.
- b) Periodic maintenance as applicable by AMM / MPD being carried.

6.8.2.2 Such parts can be directly used without carrying out any further inspection/checks. Operational / Functional checks in accordance with AMM shall be carried out prior to issuance of CRS.

6.8.2.3 If the aircraft is under prolonged parking and no scheduled maintenance is carried out, in such cases the component shall be subjected to detailed inspection/ shop check as applicable and issued with CRS / Serviceable label. Such components can be used in AOG situation.

6.8.3 Policy for Parts or Rotables recovered from aircraft involved in accident/ incident:

6.8.3.1 Air India standard policy is not to use any component recovered from aircraft involved in accident or major incident.

6.8.3.2 However, in exigencies following procedure is to be followed, if any component is to be used from aircraft involved in major incident / accident whose history is known.

- a. Evidence must be available that the component is not the cause of accident or incident.
- b. The component must have been subjected to inspection / testing / overhaul / calibration as applicable, followed by certification by qualified personnel / approved agency.

6.8.3.3 Air India will not use any item/equipment of the aircraft, involved in accident/ incident unless all airworthiness records are reviewed and found in compliance after recovering from respective salvage purchaser or aviation insurer. Further, Air India will forward their request, seeking permission for use of item/equipment of the accidental aircraft through respective DGCA regional office ensuring the above procedure.

6.8.3.4 Air India shall verify and research the records of aircraft and its parts prior to the aircraft being placed into storage to ascertain the previous maintenance history and mandatory continuing airworthiness information (MCAI), modification & repair status of the parts being removed. Any unusual events immediately prior to storage, e.g. Heavy landings or lightning strikes will also have to be considered when deciding on the serviceability of the parts being removed.

6.8.4 **Responsibilities:**

6.8.4.1 Parts recovered from preserved aircraft - Quality Manager.

6.8.4.2 Authorization for use of such components recovered from aircraft involved in accident/incident: Quality Manager in consultation with DGCA.

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION		AI/ENGG/MOE/01		
			PART 6		
	OPERATORS MAINTENANCE PROCEDURES		ISSUE 3	REV. 00	24 JUN 2024

6.9 DISPOSAL OF AIRCRAFT PARTS AND MATERIALS

AAC 3 of 2006 Rev 1

6.9.1 **Purpose:**

- 6.9.1.1 To specify policies and procedures for identification and disposal of aircraft parts and materials which are redundant, life expired, obsolete and beyond economical use.

6.9.2 **Policy:**

- 6.9.2.1 The parts/material can be scrapped for the following reasons:
- Parts / materials are made obsolete by introduction of the latest materials due to modification.
 - Parts / materials have exceeded their shelf life / ultimate life / service life.
 - Parts / materials are Beyond Economical Repair (B.E.R.). (Air India considers the item B.E.R if the repair cost is more than 65% of the listed price)

- 6.9.3 The scrapped parts / materials shall be disposed off accordingly as per applicable standards to prevent re-entry into the system. (Example - parts shall be mutilated and disposed beyond repair condition).

- 6.9.3.1 For scrapping the parts/materials a scrap committee is appointed and consists of:

- CTO
- Representative from Finance

- 6.9.4 It is the responsibility of the Engineering Procurement Department to prepare a list of redundant items based on recommendations from Line Maintenance, shops, Technical Services. The items can become redundant due modification carried out on the fleet, change of vendor etc. Such items if in Airworthy condition and has value can be sold in the international market.

- 6.9.6 In case a rotatable is scrapped, then the same shall be deleted from MIS system after a period two year.

6.9.7 **Responsibility:**

- Chief Technical Officer
- Line maintenance Manager

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05

	MAINTENANCE ORGANIZATION EXPOSITION	AI/ENGG/MOE/01		
		PART 6		
	OPERATORS MAINTENANCE PROCEDURES	ISSUE 3	REV. 00	24 JUN 2024

6.10 DRUG AND ALCOHOL ABUSE PREVENTION PROCEDURES

CAR Section 5, Series F, Part IV, ASC 04 of 2019 (latest revision)

6.10.1 Purpose:

6.10.1.1 To define the policy on prevention of Drug / Alcohol consumption by personnel while on duty.

6.10.2 Policy:

6.10.2.1 No personnel in the Engineering & Maintenance department shall exercise his assigned duties when medically unfit or under the influence of alcohol, drugs, narcotics or any other psychoactive substances.

6.10.3 Procedure:

6.10.3.1 All E & M staff shall duly report to the section head / shift in charge or supervisor etc. when under medication of the drugs which may impair the efficiency and work performance of the individual.

6.10.3.2 The section head / shift in charge or supervisor shall not assign any aircraft maintenance activity / critical task to such personnel stated in the above paragraph.

6.10.3.3 No personnel shall report to duty under the influence of psychoactive substances or narcotics such as alcohol, opioids, cannabinoids, sedatives and hypnotics, cocaine, other psychostimulants, hallucinogens and volatile solvents except coffee and tobacco.

6.10.3.4 No personnel under the influence of alcohol/ drugs / other psychoactive substances shall undertake their functions / duties.

6.10.3.5 Line Maintenance Manager shall be responsible for implementing strict protocol for prevention of drug and alcohol abuse by the department personnel while on duty.

6.10.3.6 Personnel found to be in violation of these regulations shall be liable to disciplinary action.

6.10.4 Procedure of Breath Analyzer (BA) examination of the personnel engaged in the aircraft maintenance for detecting consumption of alcohol. (Ref: CAR Section 5, Series F, Part IV, ASC 04 of 2019, as revised)

6.10.4.1 Air India shall implement procedure of the BA examination of the personnel engaged in the aircraft maintenance for detecting consumption of alcohol as required by the CAR Section 5, Series F Part IV (latest revision), and Air Safety Circular 04 of 2019 (latest revision). Air India shall promulgate an internal communication to the effect highlighting provisions of the applicable CAR and the Air Safety Circular for compliance by all concerned.

6.10.4.2 Detailed procedure for such BA examination shall be documented in the Line Maintenance Manual (LMM).

6.10.1 Responsibilities:

6.10.1.1 Individual personnel.

6.10.1.2 Head of respective department / Shift in charge.

Relevant References
LMM Section 2.28

Signature valid

Signed by: Jayanta Ghosh
Deputy Director General
Date: 03-Feb-2026
16:08:05