

Even Semester Examination 2018-19

B.TECH. (SEMESTER-II)

(New Syllabus)

MATHEMATICS – II

(Common for All Branches)

Time: 03:00 Hours

Max Marks : 100

Note: Students need to attempt all questions as per instructions given below. Each question carries equal marks.

1. This part contains 6 questions each of 5 marks. Student need to attempt any four. [4×5=20]

(a) Solve the equation $3x^4p^2 - xp - y = 0$

(b) Solve $y(1 + xy)dx + x(1 - xy)dy = 0$

(c) Solve the differential equation.

$$\frac{d^2y}{dx^2} + \frac{1}{x^3} \frac{dy}{dx} + \left(\frac{1}{4x^3} - \frac{1}{6x^3} - \frac{6}{x^2} \right) = 0$$

(d) Find the analytic function if.

$$u - v = (x - y)(x^2 + 4xy + y^2)$$

- (e) Find by double integration the area enclosed by the curve $9xy = 4$ and the line $2x + y = 2$

- (f) Use Cauchy integral formula to evaluate.

$$\oint_C \frac{\sin \pi z^2 + \cos \pi z^2}{(z-1)(z-2)} dz$$

Where C is the circle $|z|=3$

2. This part contains 6 questions each of 5 marks. Student need to attempt any four :

[4×5=20]

- (a) Prove that $u = x^2 - y^2 - 2xy - 2x + 3y$ is harmonic function find a function v such that $f(z) = u+iv$ is analytic also express $f(z)$ in term of z .
- (b) Find the bilinear transformation which maps the points $z = 1, i, 2+i$ in the z -plane onto the points $\omega = i, 1, \infty$ in the ω -plane.
- (c) Evaluate $\iint_R y^2 dx dy$ over the area outside $x^2 + y^2 - ax = 0$ and inside $x^2 + y^2 - 2ax = 0$
- (d) Change the order of integration is $I = \int_0^1 \int_{x^2}^{2-x} xy dy dx$ and hence evaluate the same.
- (e) Suppose $\vec{F}(x, y, z) = x^3 \hat{i} + y\hat{j} + z\hat{k}$ is the force field , find the work done by \vec{F} along the line from the $(1, 2, 3)$ to $(3, 5, 7)$
- (f) Show that the function e^z has an isolated essential singularity at $z = \infty$

3. This part contains 3 questions each of 10 marks. Student need to attempt any two:

[2×10=20]

- (a) (i). Show that the function $f(z) = \frac{x^3(1+i) - y^3(1-i)}{x^2 + y^2}$, $z \neq 0$; $f(0) = 0$, satisfies the C-R equation at $z = 0$, but is not analytic there.
- (ii). Find the analytic function whose imaginary part is $e^x(x \cos y - y \sin y)$

- (b) (i). Apply the variation of parameters to solve :

$$x^2 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} - y = x^2 e^x$$

- (ii). Prove that $\int_{-1}^1 [P_n(x)]^2 dx = \frac{2}{2n+1}$

- (c) (i). Determine the poles of the following function and residue at each pole

$$f(z) = \frac{z^2}{(z-1)^2(z+2)} \text{ and hence evaluate } \int_C \frac{z^2}{(z-1)^2(z+2)} dz ; \text{ where } C: |z|=3$$

- (ii) Evaluate the residues of $\frac{z^2}{(z-1)(z-2)(z-3)}$ at $z = 1, 2, 3$ and ∞ and show that their sum is zero

4. This part contains 3 questions each of 10 marks. Student need to attempt any two : [2×10=20]

- (a) Apply calculus of residue to prove that :

$$\int_0^{2\pi} \frac{\cos 2\theta d\theta}{1-2a\cos\theta+a^2} = \frac{2\pi a^2}{1-a^2}, \quad (a^2 < 1)$$

- (b) Find the series solution of equation near $x = 0$

$$2x(1-x) \frac{d^2 y}{dx^2} + (1-x) \frac{dy}{dx} + 3y = 0$$

- (c) Evaluate $\iint (x+y)^2 dy dx$ over the area bounded by the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$

5. This part contains 3 questions each of 10 marks. Student need to attempt any two : [2×10=20]

- (a) $(x \sin x + \cos x) \frac{d^2 y}{dx^2} - x \cos x \frac{dy}{dx} + y \cos x = 0$ given $y = x$ is solution

- (b) Evaluate $\iiint (x^2 y^2 + y^2 z^2 + z^2 x^2) dx dy dz$ over the volume of the sphere $x^2 + y^2 + z^2 = a^2$

- (c) State and prove Laurent's theorem

----- x -----