2025 Global Conference in Emerging Technology (GINOTECH)
Pune, India. May 09 - 11, 2025

Predictive and Personalized Healthcare Scheduling by Integrating No Show Prediction with Artificial Intelligence

Brijesh Sandal
Department of CSE
Chandigarh University
Mohali,India
Brijeshsandal7@gmail.com

Deepti Sharma
Department of CSE
Chandigarh University
Mohali, India
deeptiguria@gmail.com

Amit Kumar Goyal
Department of CSE
Chandigarh University
Mohali, India
athroam@gmail.com

2025 Global Conference in Emerging Technology (GINOTECH) | 979-8-3315-0775-6/25/$31.00 ©2025 IEEE | DOI: 10.1109/GINOTECH63460.2025.11076678

***Abstract*—The no-show in clinics shows the inefficient use of the precious resources. It takes appointments away from needy patients as it deprives them of timely appointments. Here is a model that predicts and mitigates patient no shows in the hospital settings which is a longtime issue that influences resource utilization and patient access to care. Based on a large supply of data sources from patient demographics, appointments details, real time environmental data, social media insights, and patient engagement platform interactions, the model was built. Using the machine learning algorithms like XGBoost and deep learning models along with the clustering algorithms like K-Means and DBSCAN, the model can well predict the no-show risks and cluster patient groups with similar behavioral patterns. This helps to implement targeted interventions that include, for example, personalized reminders of an appointment or the ability to change a schedule and social support. There is continuous feedback loop and performance monitoring mechanisms for model updating and improved performance. Patient centric features including the use of personalised portals and AI powered chatbots help increase the engagement and communications. Overall, this model provides a way to prevent patient no-shows, optimize hospital scheduling and operations, and increase patient satisfaction.**

***Index Terms*—Machine learning, No show, Clinics, Patient, Xgboost, AI, K-means, DBSCAN**

I. Introduction

Hospital management faces a problem that is the patients failing to attend scheduled appointments, more commonly known as ”no shows.” The immediate concatenated effect of these no-shows is wastage of time and resources, costs escalation, hampered access to healthcare, thereby disrupting effective delivery of medical services. An effective strategy to overcome this problem would be to minimize the rate of patient no shows. The objective of this paper is the introduction of a new conceptual model focused specifically in addressing the complexities related to patients no shows, offering a structured framework for understanding and addressing the tremendously complex patient no shows problem. Using a Systems Thinking approach to the proposed model, it focuses on the complex interactions of many of the factors associated with patient no show. This problem being multifaceted becomes apparent if we recognize the relationships among the different elements of this problem and proceed on to doing a deeper understanding of the underlying dynamics. Based on four key components: patient characteristics; appointment details; hospital features and external influences, it describes the model. Among patient’s characteristics, like age, gender, and socioeconomic status, the likelihood of no shows can reach a significantly high proportion. Furthermore, the details and type of the appointment as well as the scheduled time influence whether a patient turns up at the appointment. The features of the hospital, such as size and location, can be an obstacle facilitate following an appointment. Finally, patient attendance is subject to external influences such as weather conditions and traffic. Additionally, the model facilitates continuous improvement in the interventions. The experience of healthcare providers in previous brain injuries allows them to learn from those and adopting those strategies that work in other cases to adapt their strategy and implement it in a better manner suited to the needs of the patients. This cyclical process promotes the generation of a culture of continuous improvement wherein improvements in interventions are pursued to achieve larger increases in patient attendance and enhance the delivery of health care. Collectively, the model presented in this paper provides a solid framework for the development as well as the evaluation of initiatives designed to reduce rates of no shows and improve patient centered care.

II. Related Work

AlMuhaideb et al. [1] proposed that use of JRip and Hoeffding trees to make large scale, real time hospital no show prediction with improved accuracy. Novelty is to identify appointment history, location and medical specialty as key predictors, while minimizing age and gender as well as demonstrating scalability to multiple sites via validation. Results show that these key factors do have a large influence on no show rates and our proposed models are found to be extremely accurate when applied on extensive health databases. [2] AI insights also help in the proactive intervention to reduce no show rates and health care resource management [3].
Ferro et al. [4] proposed the application of machine learning

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on June 27,2026 at 21:26:44 UTC from IEEE Xplore. Restrictions apply.

models such as Random Forest and Neural Networks for improving hospital no show prediction. The novelty of this reserch focus on high no show regions such as Africa and South America, and regional and specific studies. The results yield age, income, travel distance and neighborhood crime as key predictors and Decision Support Systems (DSS), e.g., in Bogotá, Colombia, help combat no-shows. Better understandings are needed concerning model interpretability and patient decision-making studies in future research.

Alshehri et al. [5] proposed that use of machine learning models especially Random Forest to make predictions about hospital no shows. Here, the novelty is that we use contextual data to also improve prediction precision. Results indicate that ML, as used in the Southern Saudi Arabia, can reach an accuracy of 0.765 and improve resource allocation and patient outcomes by increasing the appointment attendance.

Based on clinic no-show data, Lee et al. [6] proposed that improvement of clinic no-show patterns through efficient allocation and utilization of healthcare resources through the use of predictive models. The novelty is the use of feature engineering and text mining to increase model accuracy, followed by the showing of practical application of these on case studies. The results show the successful and unsuccessful parts of the deployment of these models, where we scaled them in different care modalities while keeping high accuracy and avoiding complexity for clinical implementation.

Marbouh et al. [7] Proposed that use of machine learning and deep learning models to predict hospital no-shows using complete patient data instead of using traditional methods. This novelty embraces surmounting employment of very narrow datasets and a single disease foci, and how to better predict with the addition of demographic, accessibility, and morbidity factors. The results show that such mean predictions are improved and attendance rates are reduced in outpatient settings when [8]AI-driven models are used to identify patterns from numerous data sources.

Nelson et al. [9] proposed that Gradient Boosting Machines can enhance prediction of hospital no show compared to traditional linear models. No is that it takes on the composite, non-linear nature of the no show factors with a high dimensional data input to produce better predictive performance. Normalized AUC ROC and Average Precision of Gradient Boosting using 81 variable of 0.852 and 0.511 respectively suggest its ability to alleviate economic losses and in turn improve the hospital scheduling analytics for better attendance rates.

Another approach to an analysis of patient no-shows is proposed by Lacy et al. [10] in this study which goes beyond the traditional predictors such as reminders and studies emotional and socioeconomic determinants of no show. The novelty is that attendance rates are highlighted as involving trust, and emotional and resentment of lack of respect from the healthcare system. Results indicate that young and socioeconomically disadvantaged patients present higher no show rates (about 42 %) and that ineffective interventions such as reminder calls suggest that respect, waiting times and attendance interactions should be studied to develop more effective strategies.

Daggy et al. [11]Proposed that traditional hospital no-show management only looks at the scheduling issues and ideally this study proposes using patient-specific data in predictive models which will lead to better hospital no-show management as compared to the scheduling issues. The novelity is in how patient characteristics are used to extend the leveraging and optimized scheduling features of practitioner to increase accuracy. The results of this, they found that no shows were responsible for 25.4% of the scheduled time, 14% of revenue loss, and logistic regression as well as newer scheduling approaches reduce the inaccuracy but require further refinement for both for positively managing wait times and for keeping accessibility.

Al Shammari et al. [12] proposed that traditional no show management strategies are proposed to be improved using advanced scheduling method which involves patient specific data. The novelty is to tackle the shortcomings in patient behavior modification and ideal scheduling that manage to achieve only 10% reduction in access at the greatest price sacrificed for the poor. No shows account for an incredible 25.4 percent scheduled time, and cost stations 14 percent of revenue, but logistic regression and newer approaches do not improve the accuracy of scheduling as much as they consume inefficient and inaccessible waiting time.

Shah et al. [13] Proposed that targeted interventions to cut down the occurrence of no shows while enhancing healthcare access and financial sustainability. The novelty is the attribution of no show reduction to quality measures (such as cancer screening or chronic disease management) in order to improve patient outcomes. These confirm that these interventions save time and make it possible for patients to always access care, which benefits the healthcare system.

Nuti at al. [14]focusing on no shows of diabetic patients because we would like to understand its impact on hospital utilization and cost. Its novelty is to shine light on the fact that there is a 60% increase in hospitalization risk (total $$11,000) per admission and to recommend targeted interventions like reminders and scheduling improvements. Results confirm that no show patients have higher emergency visit and hospitalization rates, but generalization is limited because study focused on a specific demographic.

Dashtban et al. [15] proposed that using machine learning and deep learning to predict no shows from patient level complex data as opposed to traditional methods. The novelty is to combine quantitative insights with the patient perspectives to enhance the scheduling and rescheduling strategies to enhance resource management. Furthermore, age, sex, transport logistics and clinic factors determine attendance, and advanced models increase prediction accuracy as well as engagement of patients.

Guo et al. [16] proposed a simulation based framework to optimize patient flow and resource utilization of outpatient clinic, especially in the field of pediatric ophthalmology. The contribution is in combining historical data and triage rules

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on June 27,2026 at 21:26:44 UTC from IEEE Xplore. Restrictions apply.

to form a flexible, adaptable scheduling model for different clinical settings. Future possible use of this approach beyond simple surgical and multi-clinic scheduling is shown, and the results demonstrate that this approach reduces waiting times, increases patient satisfaction, and aids in clinic efficiency.

Otten et al. [17] proposed that to optimize the outpatient clinic scheduling, in particular in scarce capacity waiting areas. The value in the work is tackling complex scheduling constraints such as same day multiple appointments, while using simulation optimization methods. The results indicate that this approach decreases delays and crowding, enhances patient flow, patient service delivery and patient satisfaction in outpatient clinics.

Lin et al. [18] Proposed that to optimize clinic resource allocation and appointments scheduling in outpatient clinics through a simulation based heuristic algorithm. It is novel because, rather than multiphase queueing complexity, the patient classes, punctuality, and procedure durations are considered. This validated approach decreases patient's waiting times, alleviates resource bottlenecks, and improves patient satisfaction as well as clinic efficiency.

III. Proposed System

As shown in Fig [1], the proposed model work on patient no show problem in healthcare appointments where it proposes an AI-driven predictive and intervention system. The system integrates real time weather and traffic data, social media data, patient engagement platforms, to improve accuracy of no show predictions. For the further analysis of these data streams, a data collection module specifically dedicated to the collection of these data streams has been designed and used as the foundation. Once the data is collected, it is processed within a processing layer where features are extracted and preprocessed in order to prepare for predictive modeling. XGBoost and deep learning models are used by the risk score and clustering module to classify patients according to their likelihood to miss an appointment; patients are then clustered by K-Means or DBSCAN clustering. Finally, the risk scores are assigned by this layer which are used further by the intervention layer to generate personalized recommendations and alerts in order to prevent non-adherence. The system integrates personalized patient portals, and 'the AI enabled chatbot' to automate and proactively intervene communication with patients. The purpose of the intervention layer is to send out timely notifications and behaviour specific engagement strategies to each patient. In addition, [19] there exists a performance monitoring module that provides feedback to the predictive model and, over time, improves the predictive model as a continuous improvement of its effectiveness. This model works on the approach where the integration of multi source data to have real time factors like weather, traffic conditions, social behaviour patterns to play influence on predictions. This framework sets out a new framework of hybrid machine learning techniques, combined with deep learning and clustering methods to construct a more accurate and functional risk assessment model as compared to using common traditional no show prediction approaches. When this system is expected to deliver the following outcomes, the patient no shows will drop considerably, usage of resource will be optimise, and patient will be satisfied based on their needs and requirements with real time interventions and in their engagements using AI.




Fig. 1. Patient Appointment Lifecycle and No-Show Handling Process

A. State Diagram




Fig. 2. State Transition Diagram for Patient Appointments

In Fig [2] the patient appointment diagram shows how a patient goes from booking an appointment to making it or obliterating it. The process starts by a patient booking an appointment that enters the "scheduled" state. Since the patient has the ability to confirm the appointment at this point, this status will be "confirmed". The process ends gracefully in the attended state only if the patient shows up to the confirmed appointment. On the other end of the scale, however, a patient who fails to attend the scheduled appointment without

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on June 27,2026 at 21:26:44 UTC from IEEE Xplore. Restrictions apply.

informing the doctor first is referred to as a 'no show'.
In addition, the model focuses on the role of proactive hospital intervention on reducing no-shows. That said, healthcare providers can improve attendance rates and decrease appointment wastage by allowing patients to reschedule and prompting patient confirmations. Furthermore, this workflow allows tracking patient behavior in order to leverage those trends in developing predictive models for no shows to enhance appointment scheduling strategies. In order to improve patient engagement, reduce waste in the resource allocation, and to minimize the operational inefficiency cost embedded in missed appointments, one needs to understand these dynamics.

B. Secure Patient Data Management

Fig [3] shows HIPPA Complaince in healthcare system which are much importance to ensure patient data security and privacy. The incorporation of HIPAA/GDPR compliance in regard that how sensitive patient data is being handled is proposed. To this end, data anonymization techniques are used to deal with privacy risks while still permitting effective machine learning uses of the data. Furthermore it limits access to people with valid authorization under the regime known as Role Based Access Control (RBAC) to enable confidential of data. The system adds to the security of the system by secure storage of data, deidentification, etc., and multi level access control thus reducing vulnerability and adherence to regulatory standards. All of these collectively make the health data management systems more trustable and resilient.




Fig. 3. HIPAA Compliance and Patient Data Security Framework

IV. Discussion

This paper presents a model which can be considered as a solution of patient no shows problem faced by hospital settings. The model integrates several data sources such as patient demographics, appointment details, and external factors, and gives the holistic view of the problem. With machine learning algorithms such as XGBoost and deep learning models, no show risk can be predicted precisely; furthermore clustering techniques can assist us to identify the groups of patients characterized by similar behavior [20]. By having the intervention layer (i.e., personalized strategies) it enables targeted interventions to combat no shows. Performance monitoring and feedback loop make sure that the model will perform all times and continuously improving and adapting. There are, however, some of its limitations. It is heavily dependent on the availability and quality of the data, which may not be easily available and reliable. There may be factors beyond the model's reach to address the true causes of no shows, such as socioeconomic disparities or a lack of access to transportation [21]. Essentially, the ethical implications regarding patient data usage as well as intervention need to be treated very carefully.

V. Future Scope

A. Integration of qualitative data

Incorporating qualitative data, such as patient interviews or focus groups, to gain a deeper understanding of the factors contributing to no-shows.

B. Development of explainable AI models

Exploring the use of explainable AI techniques to improve the transparency and interpretability of the model's predictions.

C. Evaluation of intervention effectiveness

Conducting rigorous evaluations of the effectiveness of different intervention strategies to identify the most impactful approaches.

D. Exploration of mobile health technologies

Investigating the potential of mobile health technologies, such as smartphone apps or wearable devices, to enhance patient engagement and reduce no-show rates.

E. Extension to other healthcare settings

Adapting the model to other healthcare settings, such as primary care clinics or community health centers, to address the broader issue of patient no-shows.

VI. Conclusion

This research provides a new model for forecasting and diminishing patient no-shows in the hospital setting. Taking into account the heterogeneity in data sources inside the model including patient demographics, patient engagement platform data, appointment details, real time weather and traffic data, as well as social media insights, the model synthesizes all these sources to contribute towards understanding the reasons of no show. By exploiting machine learning algorithms like XGBoost and deep learning models, as well as clustering techniques (K-Means and DBSCAN) the model is able to predict it accurately and also to separate patient groups with similar behavior. This granular level of analysis enables the development of targeted interventions like personalized reminders, flexible scheduling of appointments, for example, and social support connectivity. A feedback loop and performance monitoring mechanisms are provided so that the model could continue to adapt and improve continuously. Particularly in application where conditions change over time, the system is given the opportunity to continuously evaluate the effectiveness of interventions and retrain the underlying (model) and dynamically adjust to improve the overall accuracy and impact.

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on June 27,2026 at 21:26:44 UTC from IEEE Xplore. Restrictions apply.

REFERENCES

[1] S. AlMuhaideb, O. Alswailem, N. Alsubaie, I. Ferwana, and A. Alnajem, "Prediction of hospital no-show appointments through artificial intelligence algorithms," *Annals of Saudi medicine*, vol. 39, no. 6, pp. 373–381, 2019.

[2] S. Harnal, G. Sharma, S. Malik, G. Kaur, S. Simaiya, S. Khurana, and D. Bagga, "Current and future trends of cloud-based solutions for healthcare," *Image Based Computing for Food and Health Analytics: Requirements, Challenges, Solutions and Practices: IBCFHA*, pp. 115–136, 2023.

[3] K. S. Kumar, A. K. Goyal, and M. Sain, "Lung cancer detection using convolutional neural network in machine learning," in *2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT)*, pp. 1–5, 2024.

[4] D. B. Ferro, S. Brailsford, C. Bravo, and H. Smith, "Improving healthcare access management by predicting patient no-show behaviour," *Decision Support Systems*, vol. 138, p. 113398, 2020.

[5] A. Alshehri, A. Saeed, A. AlShafea, S. Althubiany, M. Alshehri, A. Alzahrani, K. Hakami, L. Ibrahim, A. Alshehri, and R. Alamri, "Machine learning approaches to predict no-shows in saudi arabian primary and general healthcare settings," *Saudi Journal of Health Systems Research*, vol. 5, no. 1, pp. 24–40, 2025.

[6] G. Lee, S. Wang, F. Dipuro, J. Hou, P. Grover, L. L. Low, N. Liu, and C. Y. Loke, "Leveraging on predictive analytics to manage clinic no show and improve accessibility of care," in *2017 IEEE international conference on Data Science and Advanced Analytics (DSAA)*, pp. 429–438, IEEE, 2017.

[7] D. Marbouh, I. Khaleel, K. Al Shanqiti, M. Al Tamimi, M. C. E. Simsekler, S. Ellahham, D. Alibazoglu, and H. Alibazoglu, "Evaluating the impact of patient no-shows on service quality," *Risk management and healthcare policy*, pp. 509–517, 2020.

[8] P. Verma and A. K. Jain, "A comprehensive study on the application of blockchain technology's use in healthcare," in *2023 International Conference on Sustainable Computing and Smart Systems (ICSCSS)*, pp. 1388–1393, IEEE, 2023.

[9] A. Nelson, D. Herron, G. Rees, and P. Nachev, "Predicting scheduled hospital attendance with artificial intelligence," *NPJ digital medicine*, vol. 2, no. 1, p. 26, 2019.

[10] N. L. Lacy, A. Paulman, M. D. Reuter, and B. Lovejoy, "Why we don't come: patient perceptions on no-shows," *The Annals of Family Medicine*, vol. 2, no. 6, pp. 541–545, 2004.

[11] J. Daggy, M. Lawley, D. Willis, D. Thayer, C. Suelzer, P.-C. DeLaurentis, A. Turkcan, S. Chakraborty, and L. Sands, "Using no-show modeling to improve clinic performance," *Health informatics journal*, vol. 16, no. 4, pp. 246–259, 2010.

[12] M. D. Al Shammari, T. Al Harbi, A. Al Saawi, and K. Al-Surimi, "Reengineering the communication process to reduce patient no-show rates in hospital outpatient clinics," *Global Journal on Quality and Safety in Healthcare*, vol. 2, no. 1, pp. 16–20, 2019.

[13] S. J. Shah, P. Cronin, C. S. Hong, A. S. Hwang, J. M. Ashburner, B. I. Bearnot, C. A. Richardson, B. W. Fosburgh, and A. B. Kimball, "Targeted reminder phone calls to patients at high risk of no-show for primary care appointment: a randomized trial," *Journal of general internal medicine*, vol. 31, pp. 1460–1466, 2016.

[14] L. A. Nuti, M. Lawley, A. Turkcan, Z. Tian, L. Zhang, K. Chang, D. R. Willis, and L. P. Sands, "No-shows to primary care appointments: subsequent acute care utilization among diabetic patients," *BMC health services research*, vol. 12, pp. 1–9, 2012.

[15] M. Dashtban and W. Li, "Predicting non-attendance in hospital outpatient appointments using deep learning approach," *Health Systems*, vol. 11, no. 3, pp. 189–210, 2022.

[16] M. Guo, M. Wagner, and C. West, "Outpatient clinic scheduling-a simulation approach," in *Proceedings of the 2004 Winter Simulation Conference, 2004.*, vol. 2, pp. 1981–1987, IEEE, 2004.

[17] M. Otten, S. Dijkstra, G. Leeftink, B. Kamphorst, A. O. Meierink, A. Heinen, R. Bijlsma, and R. J. Boucherie, "Outpatient clinic scheduling with limited waiting area capacity," *Journal of the Operational Research Society*, vol. 74, no. 2, pp. 540–561, 2023.

[18] C. K. Y. Lin, T. W. C. Ling, and W. K. Yeung, "Resource allocation and outpatient appointment scheduling using simulation optimization," *Journal of healthcare engineering*, vol. 2017, no. 1, p. 9034737, 2017.

[19] S. Kaur and M. Singh, "Enhancing lung cancer diagnosis: A comprehensive analysis of machine learning and deep learning approaches," in *Computational Methods in Science and Technology*, pp. 55–58, CRC Press, 2024.

[20] S. Harnal, A. Jain, A. S. Rathore, V. Baggan, G. Kaur, R. Bala, *et al.*, "Comparative approach for early diabetes detection with machine learning," in *2023 International conference on emerging smart computing and informatics (ESCI)*, pp. 1–6, IEEE, 2023.

[21] S. A. Farooq, A. S. Bhuyan, R. Sharma, H. Rao, M. Qamar, and S. Das, "Cardiac disease detection and analysis – a machine learning based approach," in *2023 2nd International Conference for Innovation in Technology (INOCON)*, pp. 1–7, IEEE, 2023.

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on June 27,2026 at 21:26:44 UTC from IEEE Xplore. Restrictions apply.