

Problem Statement - Create a dynamic To-Do List where users can add, mark as complete, and remove tasks using JavaScript & DOM.

Index.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Dynamic To-Do List</title>
7   <style>
8     body {
9       font-family: sans-serif;
10      display: flex;
11      justify-content: center;
12      padding-top: 50px;
13      background-color: #f4f4f9;
14    }
15    .todo-container {
16      background: white;
17      padding: 2rem;
18      border-radius: 8px;
19      box-shadow: 0 4px 6px rgba(0,0,0,0.1);
20      width: 350px;
21    }
22    h2 { margin-top: 0; color: #333; }
23    .input-group { display: flex; gap: 5px; margin-bottom: 20px; }
24    input {
25      flex: 1;
26      padding: 8px;
27      border: 1px solid #ddd;
28      border-radius: 4px;
29    }
30    button#addBtn {
31      padding: 8px 12px;
32      background-color: #28a745;
33      color: white;
34      border: none;
35      border-radius: 4px;
36      cursor: pointer;
37    }
38    ul { list-style: none; padding: 0; }
39    li {
40      display: flex;
41      justify-content: space-between;
42      padding: 10px;
43      border-bottom: 1px solid #eee;
44    }
45    .task-text { cursor: pointer; flex: 1; }
46    .completed .task-text {
47      text-decoration: line-through;
48      color: #888;
49    }
50    .delete-btn {
51      background: #dc3545;
52      color: white;
53      border: none;
54      padding: 5px 8px;
55      border-radius: 4px;
56      cursor: pointer;
57      font-size: 0.8rem;
58    }
59  </style>
60 </head>
61 <body>
62
63   <div class="todo-container">
64     <h2>My Tasks</h2>
65     <div class="input-group">
66       <input type="text" id="taskInput" placeholder="Add a new task...">
67       <button id="addBtn">Add</button>
68     </div>
69     <ul id="taskList"></ul>
70   </div>
71
72   <script>
73     const taskInput = document.getElementById('taskInput');
74     const addBtn = document.getElementById('addBtn');
75     const taskList = document.getElementById('taskList');
76
77     function addTask() {
78       const text = taskInput.value.trim();

```

```

77
78     function addTask() {
79         const text = taskInput.value.trim();
80         if (text === "") return;
81
82
83         const li = document.createElement('li');
84         li.innerHTML = `
85             <span class="task-text">${text}</span>
86             <button class="delete-btn">Delete</button>
87         `;
88
89
90         li.querySelector('.task-text').onclick = () => li.classList.toggle('completed');
91
92     |
93         li.querySelector('.delete-btn').onclick = () => li.remove();
94
95         taskList.appendChild(li);
96         taskInput.value = "";
97     }
98
99     addBtn.onclick = addTask;
100     taskInput.onkeypress = (e) => { if(e.key === 'Enter') addTask(); };
101 </script>
102
103 </body>
104 </html>

```

Ex.js

```

const taskInput = document.getElementById('taskInput');
const addBtn = document.getElementById('addBtn');
const taskList = document.getElementById('taskList');

Tabnine | Edit | Test | Explain | Document
function addTask() {
    const taskText = taskInput.value.trim();

    if (taskText === "") {
        alert("Please enter a task!");
        return;
    }

    const li = document.createElement('li');
    li.innerHTML = `
        <span class="task-text">${taskText}</span>
        <button class="delete-btn">Delete</button>
    `;

    li.querySelector('.task-text').addEventListener('click', function() {
        this.parentElement.classList.toggle('completed');
    });

    li.querySelector('.delete-btn').addEventListener('click', function() {
        li.remove();
    });

    taskList.appendChild(li);
    taskInput.value = "";
}

addBtn.addEventListener('click', addTask);


Tabnine | Edit | Test | Explain | Document
taskInput.addEventListener('keypress', (e) => {
    if (e.key === 'Enter') addTask();
});

```

jod.css

```
jod.css > .delete-btn
1  ✓ .completed .task-text {
2    text-decoration: line-through;
3    color: #888;
4  }
5
6  ✓ li {
7    display: flex;
8    justify-content: space-between;
9    margin-bottom: 8px;
10   padding: 5px;
11   border-bottom: 1px solid #eee;
12 }
13
14 ✓ .task-text {
15   cursor: pointer;
16   flex-grow: 1;
17 }
18
19 ✓ .delete-btn {
20   background-color: #ff4d4d;
21   color: white;
22   border: none;
23   cursor: pointer;
24   border-radius: 3px;
25 }
```

Output:



My Tasks

Add

~~Order pizza for dinner~~

Delete

~~Experiments~~

Delete

~~Assignments~~

Delete

~~Update Github~~

Delete

~~Update linkedin~~

Delete