AWT TASK 19/08/2021

<u>AIM: -</u>

Create SignIn and Signup Page layout using Handlebars.

Instructions

Include Header and Footer in layout.

File-Structure: -

```
HANDLEBAR_NODEJS
node_modules
public
views
layouts
partials
footer.hbs
header.hbs
main.hbs
signin.hbs
signup.hbs
package-lock.json
package.json
server.js
```

Code:-

1. server.js:

```
const express=require("express");
const PORT=3000;
const app=express();
const handlebars=require("express-handlebars");
app.use(express.static("public"));
app.use(express.urlencoded({extended:false}));
app.set('view engine', 'hbs');
```

```
app.engine("hbs",handlebars({
    layoutsDir:`${__dirname}/views/layouts`,
    extname: "hbs",
    defaultLayout:"index",
    partialsDir:`${ dirname}/views/partials`
}))
app.get("/",(req,res)=>{
    res.render("main");
});
app.get("/signin",(req,res)=>{
    res.render("signin");
});
app.post("/signin",(req,res)=>{
    res.end(`
    <div>
    <h1>${req.body.email}</h1>
    <h1>${req.body.password}</h1>
    </div>`)
});
app.get("/signup",(req,res)=>{
    res.render("signup");
});
app.post("/signup",(req,res)=>{
    res.end(`
    <div>
    <h1>${req.body.email}</h1>
    <h1>${req.body.name}</h1>
    <h1>${req.body.password}</h1>
    <h1>${req.body.confirmpassword}</h1>
    </div>`)
});
app.listen(PORT,()=>{
    console.log(`Server is listening on port ${PORT}`);
```

2. views/layouts/index.hbs:

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Profile Form Nodejs</title>
    link
      rel="stylesheet"
      href="https://bootswatch.com/5/sketchy/bootstrap.min.css"
    <script src="https://bootswatch.com/_vendor/bootstrap/dist/js/bootstrap.bu</pre>
ndle.min.js"></script>
    <script src="https://bootswatch.com/_vendor/jquery/dist/jquery.min.js"></s</pre>
cript>
    <link href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-</pre>
datepicker/1.5.0/css/bootstrap-datepicker.css" rel="stylesheet">
    <script src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.js">
</script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-</pre>
datepicker/1.5.0/js/bootstrap-datepicker.js"></script>
    <script src="https://kit.fontawesome.com/fd15636b22.js" crossorigin="anony</pre>
mous"></script>
</head>
<style>
  .mainbox {
       margin: 2rem auto;
       text-align: center;
     body{
        /* background-color: #ffffff;
       background-
image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width
width='0' %3E%3Crect fill='%23F5F5F5' x='-60' y='-
60' width='110' height='240'/%3E%3C/g%3E%3C/svg%3E"); */
       background-color: #ffffff;
background-
image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewB
ox='0 0 1600 900'%3E%3Cdefs%3E%3ClinearGradient id='a' x1='0' x2='0' y1='1' y2
='0'%3E%3Cstop offset='0' stop-color='%230FF'/%3E%3Cstop offset='1' stop-
color='%23CF6'/%3E%3C/linearGradient%3E%3ClinearGradient id='b' x1='0' x2='0'
y1='0' y2='1'%3E%3Cstop offset='0' stop-
color='%23F00'/%3E%3Cstop offset='1' stop-
color='%23FC0'/%3E%3C/linearGradient%3E%3C/defs%3E%3Cg fill='%23FFF' fill-
opacity='0' stroke-miterlimit='10'%3E%3Cg stroke='url(%23a)' stroke-
width='2'%3E%3Cpath transform='translate(0 0)' d='M1409 581 1450.35 511 1490 5
81z'/%3E%3Ccircle stroke-
width='4' transform='rotate(0 800 450)' cx='500' cy='100' r='40'/%3E%3Cpath tr
```

```
ansform='translate(0 0)' d='M400.86 735.5h-83.73c0-23.12 18.74-41.87 41.87-
41.87S400.86 712.38 400.86 735.5z'/%3E%3C/g%3E%3Cg stroke='url(%23b)' stroke-
width='4'%3E%3Cpath transform='translate(0 0)' d='M149.8 345.2 118.4 389.8 149
.8 434.4 181.2 389.8z'/%3E%3Crect stroke-
width='8' transform='rotate(0 1089 759)' x='1039' y='709' width='100' height='
100'/%3E%3Cpath transform='rotate(0 1400 132)' d='M1426.8 132.4 1405.7 168.8 1
363.7 168.8 1342.7 132.4 1363.7 96 1405.7 96z'/%3E%3C/g%3E%3C/g%3E%3C/svg%3E")
background-attachment: fixed;
background-size: cover;
</style>
<body>
    {{> header}}
    {{{body}}}
    {{>footer}}
</body>
</html>
```

3. views/layouts/partials/header.hbs:

```
<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
      <div class="container-fluid">
        <a class="navbar-brand" href="/">UseHandlebars</a>
        <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarColor01" aria-
controls="navbarColor01" aria-expanded="true" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="navbar-collapse collapse show" id="navbarColor01">
          <a class="nav-link active" href="/">Home
             </a>
            <a class="nav-link " href="/signin">SignIn</a>
            <a class="nav-link" href="/signup">SignUp</a>
```

```
</div>
</div>
</div>
</nav>
```

4. views/layouts/partials/footer.hbs:

5. views/main.hbs:

6. views/signin.hbs:

```
<h2>Welcome to Sign In Page!</h2>
  </div>
</div>
<div class="row justify-content-center">
    <legend action="/" method="post">
      <h1>Enter Details and SignIn Now</h1>
    </legend>
    <div class="form-group">
      <label for="exampleInputEmail1">Email address</label>
      <input type="email" name="email" class="form-control" id="email" aria-</pre>
describedby="emailHelp" placeholder="Enter email">
    </div>
    <div class="form-group">
      <label for="exampleInputPassword2">Password</label>
      <input type="password" name="cpw" class="form-</pre>
control" id="exampleInputPassword2" placeholder="Password">
    </div>
    <div>
      <button type="submit" class="btn btn-primary">Submit
    </div>
  </form>
</div>
<nav class="navbar-dark bg-dark navbar" >
    <h3 style="color:white;text-align:center;">Thank you for Visiting </h3>
  </center>
</nav>
```

7. views/signup.hbs:


```
<form>
    <legend action="/" method="post">Enter Registration Information Here</lege</pre>
nd>
    <div class="form-group">
      <label for="first name">First Name</label>
      <input type="text" class="form-</pre>
control" name="first_name" id="first_name" placeholder="Enter first name">
    </div>
    <div class="form-group">
      <label for="last_name">Last Name</label>
      <input type="text" class="form-</pre>
control" name="last_name" id="last_name" placeholder="Enter last name">
    </div>
    <div class="form-group">
      <label for="exampleInputEmail1">Email address</label>
      <input type="email" name="email" class="form-control" id="email" aria-</pre>
describedby="emailHelp" placeholder="Enter email">
    </div>
    <div class="form-group">
      <label for="exampleInputPassword1">New Password</label>
      <input type="password" name="pw" class="form-</pre>
control" id="exampleInputPassword1" placeholder="Password">
    </div>
    <div class="form-group">
      <label for="exampleInputPassword2">Confirm Password</label>
      <input type="password" name="cpw" class="form-</pre>
control" id="exampleInputPassword2" placeholder="Password">
    </div>
    <button type="submit" class="btn btn-primary">Submit</button>
  </form>
</div>
<nav class="navbar-dark bg-dark navbar">
    <h3 style="color:white;text-align:center;">Thank you for Visiting </h3>
  </center>
</nav>
```

Output:


1. Server:

```
[nodemon] restarting due to changes...
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
Server is listening on port 3000
[
```

2. localhost:3000/



3. localhost:3000/signin



© Copyright 2021 19CE083 Kushai Panchai

4. localhost:3000/signup



© Copyright 2021 19CE083 Kushai Panchai