



PRODUCT MANUAL

PREMIUM DECORATION MATERIALS
STRONGER SOLUTIONS
BETTER SPACES



DECORATION

TRUSTED BY PROFESSIONALS, CHOSEN FOR
QUALITY, BORN FOR THE FUTURE.



PROFESSIONAL



RICH



ECO FRIENDLY



HIGH-END



QUALITY



100%
TOP QUALITY
WARRANTY

CHOSEN FOR **QUALITY**
BORN FOR THE FUTURE
TRUSTED BY PROFESSIONALS

PVC MARBLE SHEET

PVC Marble Sheet is an eco-friendly decorative panel primarily made of PVC resin with a high-precision marble pattern formed through UV surface treatment. It features lightweight, waterproof, moisture-resistant, flame-retardant properties, and quick installation, making it widely used for interior wall decoration (such as bathrooms, kitchens, and background walls) as an ideal alternative to natural marble.

PVC MARBLE SHEET

PRODUCT FEATURES



WATER PROOF:

The product is completely moisture-proof and waterproof and can be used on bathroom walls or kitchen walls.



FIREPROOF:

The product is fire-proof and flame-retardant, ensuring and reducing fire safety in daily life.



GOOD FLEXIBILITY:

The product contains PVC and is very flexible. It can be used perfectly even if the wall has a slight curvature.



EASY TO INSTALL:

The product size is 1220*2440*3MM and the weight is 21kg. It can be easily installed by only two people during installation.



HIGH FLATNESS:

The product has high flatness and fits perfectly against the wall after installation.



HIGH QUALITY UV PAINT:

We use high-quality UV paint, The surface of the product is smooth, fine and flawless with high gloss.



INSTALLATION DIAGRAM.



- 1. Clean the wall surface
- 2. Apply a base layer and level the surface
- 3. Apply structural adhesive to the back of the panel
- 4. Install the panel using metal clips



- 1. Compact the wall surface (putty powder/cement mortar/wooden boards) and measure the flatness to ensure it is within $\pm 3\text{mm}$.
- 2. Apply structural adhesive to the back of the wall panel (1. Must use neutral structural adhesive. 2. Ensure even distribution of adhesive dots along the edge of the wall panel, suggesting one dot every 10cm. 3. Approximately 200ml of adhesive per square meter).
- 3. Use metal strips to connect and install the wall panels

Installation Notes for Corners


1. Measure the flatness of the wall, ensuring it is within ± 2 millimeters.
2. Ensure the wall is clean and free of dust.
3. Install the product on the wall using structural adhesive on its back side. Metal accessories can be used as connectors




Apply structural adhesive
to the back side

PVC MARBLE SHEET.

SIZE:1220*2800*3MM



AW23-001



AW23-015



AW23-2460



AW-307C

PVC MARBLE SHEET

WPC WALL PANEL

WPC wall panels are an innovative and environmentally friendly type of wall panels. They use PVC and calcium powder as the main raw materials, carefully mix them in a specific proportion, and extrude them in a high-temperature environment. After the cooling process is completed, they are covered with a PVC film with a real wood texture, thus creating a new type of wall decoration material that is both beautiful and practical.

PRODUCT ADVANTAGES

01. Anti-corrosion and anti-insect pests:

With high strength and good toughness. Not easy to rot or deform, and can effectively resist erosion by pests such as termites.

02. ECO friendly:

Recyclable material with almost zero formaldehyde release, which is more environmentally friendly and healthy.

03. Easy installation:

The lap joint system with notch joints requires no complicated tools or specialized skills.


04. Moisture-proof:

Strong adaptability to moisture and humidity changes, low water absorption, and adaptable to humid environments



WPC WALL PANEL.

SIZE:168*24*2900MM



COLOR SELECTION.





AW-119

AW-009

AW-054

AW-333



INSTALLATION DIAGRAM.



- 1. Clean the wall surface
- 2. Apply base layer and level the surface
- 3. Apply structural adhesive to the back side of the wall panel
- 4. Install the wall panel using metal clips




- 1. Level the wall surface (drywall compound/cement mortar/wood panel) and measure wall flatness to ensure it is within $\pm 3\text{mm}$.
- 2. Apply structural adhesive to the back of the wall panel (1. Must use neutral structural adhesive 2. Glue dots must be evenly distributed along the panel edges, recommended one dot every 10cm 3. Approximately 200ml of adhesive per square meter).
- 3. Secure the wall panels using metal strips

POLYSTYRENE

PS wallboard is a new type of architectural decorative panel made primarily from polystyrene resin through extrusion or molding processes. It is an ideal wall material in modern architecture. It possesses various excellent properties such as lightweight and high strength, thermal insulation, sound insulation and noise reduction, waterproofing and moisture resistance, and its comprehensive performance far exceeds that of traditional panels.

PS wall panels are suitable for various fields such as interior decoration, ceiling decoration, and interior partitions, with strong adaptability.





MDF ACOUSTIC PANEL





ACOUSTIC PANEL SOUND ABSORBING PANELS

Acoustic panels are ideal sound-absorbing decorative materials.


Their sound-absorption principle is achieved through acoustic impedance matching and multiple reflections, refractions, and attenuations of sound waves. They offer advantages including sound absorption, environmental friendliness, fire-retardancy, thermal insulation, heat preservation, moisture resistance, mold prevention, easy cleaning, easy cutting, patterned tiling, simple installation, good stability, impact resistance, independent performance, and cost-effectiveness. With a wide range of color options, they can meet diverse acoustic decoration requirements.





JM1114-MBW-H361





JM1114-MBW-H362



JM1114-MBW-08WV



JM1114-MBW-H363



WPC OUTDOOR PANEL

WPC OUTDOOR PANEL

PRODUCT FEATURES

01. INSECT RESISTANT:



The special structure of wood powder and PVC keeps the termite away.

02. ENVIRONMENT FRIENDLY:



The amount of formaldehyde and benzene released from wood products is far below the national standards which will do no harm to human body.

03. SHIPLAP SYSTEM:



WPC materials are easy to install with a simplistic shiplap system with rabbet joint.

04. WATERPROOF AND



Solve the problems of perishable and swelling deformation of wooden products in humid environment.

05. STRONG WEAR RESISTANCE:



Has strong wear resistance and scratch resistance, is not easily damaged, and has a long service life.

06. EASY TO MAINTAIN:



No need for repair and maintenance, easy to clean, saving on later repair and maintenance costs.

WPC OUTDOOR PANEL

WPC OUTDOOR PANEL.

SIZE:220*26*2000/2900/3600MM





COLOR SELECTION.




AWO-H1 **AWO-H5** (TEAK + BLACK) **AWO-H8** **AWO-H10** **AWO-H11**

The surface of co extruded plastic wood is rich in colors, with a natural and smooth wooden feel that is durable and does not fade. It is simple and hearty, giving people a feeling of variability, undulation, and life movement, which is pleasing to the eye and appropriately expresses the harmony between people and movement, life and rhythm.

ACCESSORIES.



COLOR SELECTION.



AWO-H1 **AWO-H8** **AWO-H10** **AWO-H11**

