Sample Execution Traces

Note: Logfile trace is checked in DOMJudge, so make sure to follow the same format

Scenario 1: Single User Registration & Wallet Top-up

Standard IN-OUT Trace

```
===== UPI App =====
1. Register
2. Login
3. Exit
> 1
Phone number: 1234567890
Name: Aryan
Registered Aryan | Phone: 1234567890 | UPI ID: aryan@ok.iiitb

===== UPI App =====
1. Register
2. Login
3. Exit
> 2
Enter phone number or name: Aryan
Welcome Aryan

===== Logged in as Aryan =====
1. Send Money
2. Add Money
3. Check Balance
4. Logout
> 3
Aryan's balance: Rs.0

===== Logged in as Aryan =====
1. Send Money
2. Add Money
3. Check Balance
4. Logout
> 2
Amount to add: 1000

===== Logged in as Aryan =====
1. Send Money
2. Add Money
3. Check Balance
4. Logout
> 4
Logged out.
```

Logfile Trace

```
[UPISystem]: Registered Aryan | Phone: 1234567890 | UPI ID: aryan@ok.iiitb
[aryan@ok.iiitb]: Login successful.
[aryan@ok.iiitb]: Added Rs.1000.000000 to Aryan's wallet. Balance: Rs.1000.000000
```

Scenario 2: Multi-User Registration & Money Transfer

Standard IN-OUT Trace

```
===== UPI App =====
1. Register
2. Login
3. Exit
> 1
Phone number: 1234567890
Name: User1
Registered User1 | Phone: 1234567890 | UPI ID: user1@ok.iiitb

===== UPI App =====
1. Register
2. Login
3. Exit
> 1
Phone number: 0987654321
Name: User2
Registered User2 | Phone: 0987654321 | UPI ID: user2@ok.iiitb

===== UPI App =====
1. Register
2. Login
3. Exit
> 2
Enter phone number or name: User1
Welcome User1

===== Logged in as User1 =====
1. Send Money
2. Add Money
3. Check Balance
4. Logout
> 2
Amount to add: 1000

===== Logged in as User1 =====
1. Send Money
2. Add Money
3. Check Balance
4. Logout
> 1
Receiver phone number or UPI ID: 0987654321
Amount: 123

===== Logged in as User1 =====
1. Send Money
2. Add Money
3. Check Balance
4. Logout
> 4
Logged out.
```

Logfile Trace

```
[UPISystem]: Registered User1 | Phone: 1234567890 | UPI ID: user1@ok.iiitb
[UPISystem]: Registered User2 | Phone: 0987654321 | UPI ID: user2@ok.iiitb
[user1@ok.iiitb]: Login successful.
[user1@ok.iiitb]: Added Rs.1000.000000 to User1's wallet. Balance: Rs.1000.000000
[user1@ok.iiitb]: Rs.123.000000 debited from user1@ok.iiitb
[user2@ok.iiitb]: Added Rs.123.000000 to User2's wallet. Balance: Rs.123.000000
```

Scenario 3: Error Handling

Standard IN-OUT Trace

```
===== UPI App =====
1. Register
2. Login
3. Exit
> 1
Phone number: 1234567890
Name: User1
Registered User1 | Phone: 1234567890 | UPI ID: user1@ok.iiitb

===== UPI App =====
1. Register
2. Login
3. Exit
> 2
Enter phone number or name: uusseerr

===== UPI App =====
1. Register
2. Login
3. Exit
> 2
Enter phone number or name: User1
Welcome User1

===== Logged in as User1 =====
1. Send Money
2. Add Money
3. Check Balance
4. Logout
> 2
Amount to add: 500000
Add-money limit exceeded (max Rs.20000).
===== Logged in as User1 =====
1. Send Money
2. Add Money
3. Check Balance
4. Logout
> 2
Amount to add: 100

===== Logged in as User1 =====
1. Send Money
2. Add Money
3. Check Balance
```

```
4. Logout
> 4
Logged out.
```

Logfile Trace

```
[UPISystem]: Registered User1 | Phone: 1234567890 | UPI ID: user1@ok.iiitb
[UPISystem]: Login failed: No such user uusseerr . Check phone number or name.
[user1@ok.iiitb]: Login successful.
[user1@ok.iiitb]: Add money failed: Add-money limit exceeded (max Rs.20000).
[user1@ok.iiitb]: Added Rs.100.000000 to User1's wallet. Balance: Rs.100.000000
```