Program 3 (multiple traffic)

```
#Create Simulator
set ns [new Simulator]
#Use colors to differentiate the traffics
$ns color 1 Blue
$ns color 2 Red
#Open trace and NAM trace file set ntrace [open prog5.tr w]
$ns trace-all $ntrace
set namfile [open prog5.nam w]
$ns namtrace-all $namfile
#Use some flat file to create congestion graph windows set winFile0 [open WinFile0 w]
set winFile1 [open WinFile1 w]
#Finish Procedure proc Finish {} {
#Dump all trace data and Close the files global ns ntrace namfile
$ns flush-trace close $ntrace close $namfile
#Execute the NAM animation file exec nam prog5.nam &
#Plot the Congestion Window graph using xgraph exec xgraph WinFile0 WinFile1 &
exit 0
}
#Plot Window Procedure
proc PlotWindow {tcpSource file} { global ns
set time 0.1
set now [$ns now]
set cwnd [$tcpSource set cwnd_] puts $file "$now $cwnd"
$ns at [expr $now+$time] "PlotWindow $tcpSource $file"
}
#Create 6 nodes
for {set i 0} {$i<6} {incr i} { set n($i) [$ns node]
#Create duplex links between the nodes
$ns duplex-link $n(0) $n(2) 2Mb 10ms DropTail
$ns duplex-link $n(1) $n(2) 2Mb 10ms DropTail
$ns duplex-link $n(2) $n(3) 0.6Mb 100ms DropTail
```

```
\#Nodes\ n(3) , n(4) and n(5) are considered in a LAN set lan [$ns\ newLan\ "$n(3)\ $n(4)\ $n(5)"\ 0.5Mb\ 40ms\ LL\ Queue/DropTail\ MAC/802_3\ Channel]
```

#Orientation to the nodes

ns duplex-link-op n(1) n(2) orient right-up

ns duplex-link-op n(2) n(3) orient right

#Setup queue between n(2) and n(3) and monitor the queue

 $n \sin queue-limit \n(2) \n(3) 20$

nspace \$ n(2) n(3) queuePos 0.5

#Set error model on link n(2) to n(3) set loss_module [new ErrorModel]

\$loss_module ranvar [new RandomVariable/Uniform]

\$loss_module drop-target [new Agent/Null]

\$ns lossmodel \$loss_module \$n(2) \$n(3)

#Set up the TCP connection between n(0) and n(4) set tcp0 [new Agent/TCP/Newreno]

\$tcp0 set fid_ 1

\$tcp0 set window_ 8000

\$tcp0 set packetSize 552

\$ns attach-agent \$n(0) \$tcp0

set sink0 [new Agent/TCPSink/DelAck]

\$ns attach-agent \$n(4) \$sink0

\$ns connect \$tcp0 \$sink0

#Apply FTP Application over TCP set ftp0 [new Application/FTP]

\$ftp0 attach-agent \$tcp0

\$ftp0 set type_ FTP

#Set up another TCP connection between n(5) and n(1) set tcp1 [new Agent/TCP/Newreno]

\$tcp1 set fid_ 2

\$tcp1 set window 8000

\$tcp1 set packetSize_ 552

\$ns attach-agent \$n(5) \$tcp1

set sink1 [new Agent/TCPSink/DelAck]

\$ns attach-agent \$n(1) \$sink1

\$ns connect \$tcp1 \$sink1

#Apply FTP application over TCP set ftp1 [new Application/FTP]

\$ftp1 attach-agent \$tcp1

\$ftp1 set type_ FTP

#Schedule Events

\$ns at 0.1 "\$ftp0 start" \$ns at 0.1 "PlotWindow \$tcp0 \$winFile0" \$ns at 0.5 "\$ftp1 start" \$ns at 0.5 "PlotWindow \$tcp1 \$winFile1" \$ns at 25.0 "\$ftp0 stop" \$ns at 25.1 "\$ftp1 stop" \$ns at 25.2 "Finish"

#Run the simulation \$ns run