Kuuube's Tablet Buying Guide

All tablets on their respective lists are listed in order of best to worst raw performance. In cases of considerable tradeoffs in specs, the tablet with a higher Price/Performance Ranking will be placed higher. For tablets with a range of Targeted Prices, the average of that range is used for the Price/Performance Ranking.

Each category's Price/Performance rankings are separate. Tablets with the same Price/Performance in different categories are not equal. Refer to the Performance Ranking and other specs when comparing between categories.

Check the Targeted Price of tablets before buying. Secondhand options and some brand new options may be wildly more or less expensive than the Targeted Price. These differences can cause the price to performance ratings to change dramatically.

Check tablet sizing before you buy. Most players will be best with small size. Price to performance assumes you will use an area larger than smaller tablets. Do not buy a medium or large tablet if you do not need that area size.

If you wrap your pen, apply grip tape covering the pen's button rocker/cover, or make similar modifications, you must remove the button rocker/cover first. Issues that could occur from improper

							<u>n</u>	nodificatio	ons are not noted in this guide.
									ew Low Budget Options
rand mon	Model Identifier \$620	Recommendation	Price/Performance Ranking 10/10	Targeted Price 25-40 USD	Performance Ranking	Size Hardware Smoothi	ng Hover Distance	e Surface Feel Low Friction	Additional Relevant Product Information Input dropping when pressing pen side buttons and firmware version can be upgraded or downgraded.
	5620 G640 Rev A	Not Recommended	6/10	40 USD	8	S Minimal S Minimal	Low	Low Friction	Imput dropping winter pressing pain sale buttons and trimmare version can be upgraded or downigrated or. Angle snopping issues, may be unariable to both (even when ordering a Bert A, you may receive a Rev B), and input dropping when pressing per side buttons.
	S640	Usually Not Recommended	7/10	20-35 USD	c	S More than minimal	Low	Low Friction	region important control of the cont
	VO1060	Usually Not Recommended	7/10	35-50 USD	c	M More than minimal	Medium	Low Friction	Input dropping when pressing pen side buttons and report rate may drop to 40hz when moving slowly.
	S640 V2	Not Recommended	5/10	20-35 USD	c	S More than minimal	Low	Low Friction	Input dropping when pressing pen side buttons, non-detachable cable, and report rate may drop to 40hz when moving slowly.
	H420X	Not Recommended	4/10	25 USD	c	XS Decent	Medium	Low Friction	Input dropping when pressing pen side buttons.
	G430 or G4305	Not Recommended	4/10	30 USD	c	XS Decent	Medium	Low Friction	Angle snapping issues, input dropping when pressing pen side buttons and non-detachable cable.
	Deco Fun XS 9630	Not Recommended Highly Not Recommended	4/10	25-30 USD 30.35 USD	c	XS Decent XS Rad	Medium	Low Friction	Input glitching and dropping when pressing pen side buttons, strong anti-chatter (lessened when dragging), and surface prone to loud squeaking when dragging on it.
	S830 S830	Highly Not Recommended Highly Not Recommended	3/10	30-35 USD 35-40 USD	C	XS Bad S Bad	Low	Low Friction	Input dropping when pressing pen side buttons.
	91,640		2/10	35-40 USD 25-30 USD	C	S Bad S Bad	Low	Low Friction	Input dropping when pressing pen side buttons. Input dropping when pressing pen side buttons.
	G6406		1/10	50 USD	D	S Bad	Low	Low Friction	imput oropping winin pressing pein lake outcome. Angle snapping issuess and injury dropping when pressing pen side buttons.
	G640 Rev B		1/10	40 USD	D	S Bad	Low	Low Friction	region amplies seams an import uniquing wares personal personal socialists. Impact discipling which pressing pers side buttons.
	HS64		1/10	30-40 USD	D	S Bad	Low	Low Friction	Input disposine when pressine pen side buttors.
	420 or H420	Extremely Highly Not Recommended	0/10	20-35 USD	F	XS Bad	Medium	Low Friction	Battery pen, and input dropping when pressing pen side buttons.
	H640P	Extremely Highly Not Recommended		30-40 USD	F	S Very Bad	Low	Low Friction	Input dropping when pressing pan side buttons.
	H430P	Extremely Highly Not Recommended	0/10	30-40 USD	F	S Very Bad	Low	Low Friction	Input dropping when pressing pen side buttons.
	X1-640	Extremely Highly Not Recommended	0/10	25-30 USD	F	S Very Bad	Low	Low Friction	Input dropping when pressing pen side buttons.
									and Low Budget Options
d	Model Identifier CTL-471	Recommendation Highly Recommended	Price/Performance Ranking 9/10	Targeted Price 35-45 USD	Performance Ranking A	Size Hardware Smoothi S None	ng Hover Distance	e Surface Feel Low Friction	Additional Relevant Product Information
	CTL/H-480	Recommended	7/10	35-45 USD	A	S None	High	Mid Friction	May have minor EMR noise issues (this causes your cursor to shake more).
	CTL/H-470	Highly Recommended	10/10	20-30 USD	A	S None	Medium	High Friction	
	CTH-461	Highly Recommended	9.5/10	20-30 USD	A	S None	Medium	Low Friction	Non-detachable cable.
	CTL/H-460	Recommended	9/10	20-30 USD	A	S None	Medium	High Friction	Non-detachable cable.
	CTH-661	Highly Recommended	10/10	20-30 USD	A	M None	Medium	Low Friction	Non-detachable cable.
əm	CTL/H-490	Extremely Highly Not Recommended	2/10	20-30 USD	c	S Bad	Medium	High Friction	Hardware smoothing is disabled when pan pressure is detected, and glitchy hover/drag transition.
							В	rand Ne	ew Mid Budget Options
and	Model Identifier	Recommendation	Price/Performance Ranking	Targeted Price	Performance Ranking	Size Hardware Smoothi	ng Hover Distance	e Surface Feel	Additional Relevant Product Information
	CTL-472	Highly Recommended	10/10	50-60 USD	A	S None	Medium	High Friction	Under rare conditions, may have input dropping or jumping when pressing pen side buttons.
	CTL-672	Highly Recommended	10/10	70-90 USD	A	M None	Medium	High Friction	May have issues reporting correct hover distance measurements and under rare conditions, may have input dropping or jumping when pressing pen side buttons.
	CTC-4110WL CTL-4100		2/10 1/10	90-130 USD 70-80 USD	8	S Minimal S Bad	High	Mid Friction High Friction	Sight input glitchies, report rate dropping when pressing pass side buttons, and horrible glitchy pressure (this is bad for drawing). Hardwave remodifies it disablished without nour pressure is destructed, minor air-flu
ien	C11-4100	Extremely Highly Not Recommended	1/10	70-80 030		5 840	High Se		and Mid Budget Options
and	Model Mentifier	Recommendation	Price/Performance Ranking	Targeted Price	Performance Banking	Size Hardware Smoothi	nz Hover Distance	e Surface Feel	Additional Relevant Product Information
m	PTH/K-450	Recommended	7/10	80-100 USD	S	S None	High	Mid Friction	Boosted report rate compared to consumer line wocom tablets.
m	PTK-440	Highly Recommended	10/10	50-60 USD	S	S None	High	Mid Friction	Boosted report rate compared to consumer line wacom tablets.
	PTH-451	Recommended	7/10	80-100 USD	S	S None	High	Mid Friction	Boosted report rate compared to consumer line wacom tablets, may have minor EMR noise issues (this causes your cursor to shake more).
	PTK-640	Highly Recommended	10/10	70-100 USD	S	M None	High	Mid Friction	Boosted report rate compared to consumer line wacom tablets.
	CTL-671	Highly Recommended	10/10	60-70 USD		M None	High	Low Friction	
	CTL/H-670	Recommended	10/10	50-60 USD	A	M None	Medium	High Friction	
	CTH-680 CTL/H-690	Not Recommended Extremely Highly Not Recommended	5/10	90-120 USD 70-90 USD	A	M None M Bad	High Medium	Mid Friction High Friction	May have miner EMR notice issues (this causes your cusor to shake move). Hardwave smoothing is disabled when purposses is detected, and glitchly lover/drag transition.
icom	Cigiroso	Country righty not recommended	2/20	10-80 030		m usu			ew High Budget Options
	Model Identifier	Becommendation	Price/Performance Ranking	Targeted Price	Performance Ranking	Size Hardware Smoothi	ng Hover Distance		Additional Relevant Product Information
and				250 USD	S+	S None	Extremely High		Boosted report rate compared to consumer line wacom tablets, extremely high pressure scan rate (pen taps send almost instantly), extremely minor arti-chatter on hover, and glitchy position reporting when pen is tilted roughly 15° or lower to the tablet.
	PTH-460	Usually Not Recommended	5/10						
om om	PTH-660		5/10	350 USD	S+	M None	Extremely High	Low Friction	Boosted report rate compared to consumer line wecom tablets, extremely high pressure scan rate (pen taps send almost instantly), extremely minor anti-chatter on hover, and glitchy position reporting when pen is tilted roughly 15° or lower to the tablet
om om	PTH-660 PTH-860		5/10 5/10	350 USD 400-500 USD	S+	L None		Low Friction	Boosted report rate compared to consumer line wacom tablets, extremely high pressure scan rate (pen taps send almost instantly), extremely minor arti-chatter on hover, and gitchy position reporting when pen is tilted roughly 15° or lower to the tablet
om om om	PTH-660 PTH-860 CTC-6110WL	Usually Not Recommended Highly Not Recommended	5/10 5/10 1/10	350 USD 400-500 USD 140-165 USD	S+ S+ B	L None M Minimal	Extremely High High	Low Friction Low Friction Mid Friction	Boosted report rate compared to consumer line vaccom tablets, extremely high pressure scan rate (pen taps send almost instantly), extremely minor anti-chatter on hover, and glitchy position reporting when pen is titled roughly 15° or lower to the tablet. Slight input gitching, report rate dropping when pressing pen side buttors, and horrible glitchy pressure (this is bad for drowing).
om om om om	PTH-660 PTH-860 CTC-6110WL CTL-6100	Usually Not Recommended Highly Not Recommended Extremely Highly Not Recommended	5/10 5/10 1/10 0/10	350 USD 400-500 USD 140-165 USD 200 USD		L None M Minimal M Bad	Extremely High High High	Low Friction Low Friction Mid Friction High Friction	Boosted report rate compared to consumer line vaccom tablets, extremely high pressure scan rate (pinn taps send almost instantly), extremely minor anti-chatter on hower, and glitchy position reporting when pen is titled roughly 55° or lower to the tablet Sight in part placing, report rate designing when pressing pen is delected, minor and borthale (picky pressure (this is bad for drawing). Hindrane remonthing is delicable when pen pressure is detected, minor and schatter remains.
om om om om	PTH-660 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2	Usually Not Recommended Highly Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended	5/10 5/10 1/10 0/10 0/10	350 USD 400-500 USD 140-165 USD 200 USD 140 USD	D	L None M Minimal M Bad M Bad	Extremely High High High High	Low Friction Low Friction Mid Friction High Friction Low Friction	Booted region rate companed to consume of two waters trained as well as the contract of the companed to consume of two waters to be the contract of the contra
om om om om om om	PTH-660 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2	Usually Not Recommended Highly Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended	5/10 5/10 1/10 0/10 0/10 0/10	350 USD 400-500 USD 140-165 USD 200 USD 140 USD 170 USD	D	L None M Minimal M Bad M Bad M+ Bad	Extremely High High High High High	Low Friction Low Friction Mid Friction High Friction Low Friction Low Friction	Booster report as compared to consume of two vaccious fails, sectionally high pressure scar rate in partial partial and institution, including interest, increased interest books, and glibby pusitions reporting when pain is fished roughly. 35° or lower to the stakes of
om om om om om en en	PTH-660 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2 Deco Pro XLW Gen2	Usually Not Recommended Highly Not Recommended Extremely Highly Not Recommended	5/10 5/10 1/10 0/10 0/10 0/10	350 USD 400-500 USD 140-165 USD 200 USD 140 USD 170 USD 200 USD	D	L None M Minimal M Bad M Bad M Bad L+ Bad	Extremely High High High High High	Low Friction Low Friction Mid Friction High Friction Low Friction Low Friction Low Friction	Boolder open date companed to consume of two waters to believe, extensive in the stable of the stabl
com com com com com com com	PTH-660 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2	Usually Not Recommended Highly Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended	5/10 5/10 1/10 0/10 0/10 0/10	350 USD 400-500 USD 140-165 USD 200 USD 140 USD 170 USD	D	L None M Minimal M Bad M Bad M+ Bad	Extremely High High High High High Medium	Low Friction Low Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction	Booted region and companied to consume of the wassest training, extremely makes according to the properties of the prope
om om om om om en en en	PTH-660 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2 Deco Pro XLW Gen2 Pen Tablet Small	Usually Not Recommended Highly Not Recommended Extremely Highly Not Recommended	5/10 5/10 1/10 0/10 0/10 0/10 0/10 0/10	350 USD 400-500 USD 140-165 USD 200 USD 140 USD 170 USD 200 USD 200 USD 100-150 USD	D D D	L None M Minimal M Bad M Bad M+ Bad L+ Bad S Bad	Extremely High High High High High Medium	h Low Friction h Low Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction Low Friction	Isolated regard and compared to consumer for two waven traders, determine high pressure is care from the salent intending, inchessive, innover actic culture on bower, and glibby pressure this salent forwards. The properties of the properties of the salent forwards and the salent forwards and the salent forwards and the salent forwards. The properties of the salent forwards and the sale
om om om om om en en en elabs	PTH-660 PTH-850 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro XW Gen2 Deco Pro XW Gen2 Pen Tablet Small Model Identifier	Usually Not Recommended Highly Not Recommended Extremely Highly Not Recommended	5/10 5/10 1/10 0/10 0/10 0/10 0/10 0/10	350 USD 400-500 USD 240-165 USD 200 USD 140 USD 170 USD 200 USD 100-150 USD	D	L None M Minimal M Bad M Bad H+ Bad L+ Bad S Bad	Extremely High High High High High High Medium Sel	Low Friction Low Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Condha e Surface Feel	Bootster register date commander to commune for the wassers to best under subset of the state of
com com com com com com com com com com	PTH-660 PTH-880 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2 Deco Pro XWW Gen2 Pen Tablet Small Model Identifier PTH-651	Usually Not Recommended Highly Not Recommended Extremely Highly Not Recommended	5/30 1/30 1/30 0/30 0/30 0/30 0/30 0/30 0	350 USD 400-500 USD 140-165 USD 200 USD 140 USD 170 USD 200 USD 100-150 USD Targetted Price 120-175 USD	D D D	L None M Misimal M Bad M Bad M Bad M Bad Sad M Bad Sad Sad Sad Size Mardware Smoothi M None	Extremely High High High High High High Medium Se Hover Distance High	Low Friction Low Friction Mid Friction High Friction Low Friction	Booster report das companed to consumer for less was on ballets, effectively high pressure to act range in the pass of a lateron classes, develower, increase great pass of a lateron classes of the salest September 200 per pass of the
com com com com com com com celabs	PTH-660 PTH-860 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2 Pen Tablet Small Model Identifier PTH-651 PTH/K-650	Usualy Not Recommended righly but Recommended righly but Recommended Laternaly righly Not Recommended Recommended Recommended Recommended	5/10 5/20 1/20 0/20 0/20 0/20 0/20 0/20 0/20 0	350 USD 400-500 USD 140-165 USD 200 USD 240 USD 270 USD 200 USD 100-150 USD Targeted Price 120-175 USD	D D D	L None M Misimal M Bad M Bad M Bad L+ Bad S Bad S Bad S Bad S Bad SIze Mardware Smoothi M None None	Extremely High High High High High High High Medium Sel Mover Distance High High High	Low Friction Mid Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction Mid Friction Mid Friction Mid Friction Mid Friction	Booted region rate companied to consumer for available market for administry, determined the configuration of the
m m m m m m n n n n n n m m m m m m m m	PTH-660 PTH-860 PTH-860 CTL-6100 Deco Pro LW Gen2 Deco Pro LW Gen2 Deco Pro XLW Gen2 Pen Tablet Small Model Identifier PTH-651 PTH/K-650 PTH-851	Lisually Not Recommended sighly Not Recommended Extremely sighly Not Recommended Recommended Recommended Recommended	5/10 5/10 1/10 1/20 0/20 0/20 0/20 0/20 0/20 0	350 USD 400-500 USD 140-165 USD 200 USD 140-165 USD 200 USD 120-150 USD 200 USD 200-150 USD 200-150 USD 200 USD 200-150 USD 200-150 USD 200 USD 200-150 USD 200-150 USD 200-150 USD 200-150 USD 200-150 USD 200-150 USD 200	D D D	L None M Misimal M Bad M Bad M Bad Sad M Bad Sad M Bad M Bad M Bad S Bad S Bad S Bad S Bad L None L None	Extremely High High High High High High High Andedium Ser Hover Distance High High High	Low Friction Mid Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction Mid Friction Mid Friction Mid Friction Mid Friction Mid Friction	Booted region date companed to consumer for several mediant, extremely minor and collection below, and glinby position reporting when pain is littled roughly \$5° or lower to the state of production of the state of
om om om om om om en en en en en om	PTH-660 PTH-860 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2 Pen Tablet Small Model Identifier PTH-651 PTH/K-650	Lisually Not Recommended sighly Not Recommended Extremely sighly Not Recommended Recommended Recommended Recommended	5/10 5/20 1/20 0/20 0/20 0/20 0/20 0/20 0/20 0	350 USD 400-500 USD 140-165 USD 200 USD 240 USD 270 USD 200 USD 100-150 USD Targeted Price 120-175 USD	D D D	L None M Misimal M Bad M Bad M Bad L+ Bad S Bad S Bad S Bad S Bad SIze Mardware Smoothi M None None	Extremely High High High High High High High Medium Sel Mover Distance High High High	Low Friction Mid Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction Mid Friction Mid Friction Mid Friction Mid Friction	Booted region rate companied to consumer for available market for administry, determined the configuration of the
om om om om om en en en celabs	PTH-660 PTH-860 PTH-860 CTL-6100 Deco Pro LW Gen2 Deco Pro LW Gen2 Deco Pro XLW Gen2 Pen Tablet Small Model Identifier PTH-651 PTH/K-650 PTH-851	Lisually Not Recommended sighly Not Recommended Extremely sighly Not Recommended Recommended Recommended Recommended	5/10 5/10 1/10 1/20 0/20 0/20 0/20 0/20 0/20 0	350 USD 400-500 USD 140-165 USD 200 USD 140-165 USD 200 USD 120-150 USD 200 USD 200-150 USD 200-150 USD 200 USD 200-150 USD 200-150 USD 200 USD 200-150 USD 200-150 USD 200-150 USD 200-150 USD 200-150 USD 200-150 USD 200	D D D	L None M Misimal M Bad M Bad M Bad Sad M Bad Sad M Bad M Bad M Bad S Bad S Bad S Bad S Bad L None L None	Extremely High High High High High High High Andedium Ser Hover Distance High High High	Low Friction Mid Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction Mid Friction Mid Friction Mid Friction Mid Friction Mid Friction	Booted regort and companied to commander for the second tables, schedulery high pressures sear rate (parts speed and content training, schemely series and charges and pressure graining schemely and the second training schemely series and charges and commander to the charges and commander to the charges and charges and content to the charges and charges and content to the charges and char
om om om om om om om om en en en en om	PTH-660 PTH-860 PTH-860 CTC-6110WL CTC-6110WL CTC-610W Gen2 Deco Pro LW Gen2 Deco Pro XXW Gen2 Pen Tablet Small Model Identifier PTH-651 PTH/X-650 PTH/X-850	Lisually Not Recommended sightly Not Recommended Extremely sighly Not Recommended Extremely sightly Not Recommended Recommended Recommended Recommended Recommended Recommended	5/10 5/10 1/10 0/10 0/10 0/10 0/10 0/10	350 USD 400-500 USD 140-165 USD 200 USD 140-USD 140-USD 200 USD 200 USD 200 USD 100-150 USD 100-150 USD 110-200 USD 110-200 USD 110-200 USD 110-200 USD 110-200 USD 110-200 USD	D D D	L None M Misimal M Bad M Bad M Bad L+ Bad L+ Bad S Bad Size Hardware Smoothi M None L None L None L None	Extremely High High High High High High Medium Sel Hover Distance High High High High High High	Low Friction Mid Friction Mid Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction Mid Friction	Booted region and exempted to consumer for second relative, described in part by served allower in least of an individual part of the control
com com com com com pen pen pen pen coelabs	9TH-560 9TH-560 TH-560 CTC-6110WL CTC-6110WL CTC-6110WL CTC-6110WL Deco Pro LW Genz Deco Pro LW Genz Deco Pro XLW Genz Deco Pro XLW Genz Pro Tablet Small Model Identifier PTH-561 9TH-X-50 9TH-X-50 9TH-X-80 9TK-840	Sually in Recommended Highly Not Recommended Letterwisy Figish has becommended Letterwisy Figish has becommended Caterwisy Figish Not Recommended Letterwisy Figish Not Recommended Caterwisy Figish Not Recommended Recommend	5/10 5/10 1/10 1/10 1/10 1/10 1/10 1/10	350 USD 400-350 USD 440-155 USD 240 USD 140-155 USD 140 USD 170 USD 200 USD 200 USD 200 USD 100-150 USD 110-175 USD 110-200 USD	Performance Ranking 5 5 5 5 5 mpete with	L None M Missia M Bad L Bad S Bad S Bad M None L None L None L None L None L None	Externally High High High High High High High How Distance High High High High High High High High	Low Friction Low Friction Mid Friction High Friction Low Friction Mid	Booted regregation and compared to commune for the waterin based in blader, and extended in the control based inot based in the control based in the control based in the control
m m m m m m m m m m m m m m m m m m m	9TH-860 PTH-860 CTC-6110WL CTC-6110WL CTC-6110WL Deco Pro MW Gen2 Deco Pro LW Gen2 Pen Tablet Small Model Identifier PTH-651 PTH-VC-500 PTH-850 PTH-VC-500 PTH-VC-500 PTH-VC-500 PTH-VC-500 PTH-VC-500 PTH-VC-500 PTH-VC-500	Sually In Incommended Highly Not Recommended Extremely Highly Not Recommended Recommended Recommended Recommended Recommended Recommended Recommended	5700 5700 1700 0700 0700 0700 0700 0700	350 USD 400-150 USD 140-155 USD 140-155 USD 140-155 USD 140-USD 170-USD 200-USD 200-USD 200-USD 100-150-USD 110-150-USD 110-15	Performance Ranking 5 5 5 5 5 mpete with	L None M Missia M Bad L Bad S Bad S Bad M None L None L None L None L None L None	Extremely High High High High High High High Medium Sel High High High High High High High High	Low Friction Low Friction Mid Friction Mid Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction Low Friction Mid	Isolate report as compared to consume for how cannot be section better, exclude on the control of the control o
om om om om on	PITH-660 PITH-860 CTC-6110M. CTC-6120M. Model Identifier PTH-651 PTH-850 PTH-850 PTK-830 PTK-830 PTK-830 Model Identifier	State of the Recommended Highly Not Recommended Caterowin Fighly Not Recommended Recommend	5/10 5/10 1/10 1/10 0/10 0/10 0/10 0/10	180 USD 140 155 USD 200 USD 140 155 USD 200 USD 140 155 USD 200 USD 140 USD 150 USD 200 USD 210 150 USD 210 150 USD 210 150 USD 210 150 USD 210 USD 21	Performance Ranking 5 5 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	L None M Missia M Bad L Bad S Bad S Bad M None L None L None L None L None L None	Estremaly High High High High High High High High	Low Friction Low Friction Mild Friction High Friction Low Friction Aud Friction Mild Frictio	Isolate report as compared to consume for box used in blank positions reporting when pen is little reporting by 25° or bower to the table of starting of the contract of the starting of the s
om o	PITH-660 PITH-660 CTC-6110WA CTC-6110WA CTC-6110WA CTC-6110WA CTC-6110WA CTC-6110WA Deco Pinc Wilder Deco Pi	Usually in Recommended Highly hos Recommended Extremity Fighly has Recommended	5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	180 USD 190 140 161 USD 140 USD 140 USD 140 USD 160 130 USD 160 USD 16	Performance Ranking 5 5 5 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7	L None M Maintail M Bad M Bad M Bad M Bad M Bad S Bad	Estremaly High High High High High Migh High Modium Sel Neg Hover Distance High High High High High High High High	Low friction Low friction Med friction Med friction Med friction Med friction Med friction Low friction Med Low friction Med Med friction Med Med friction Med Med friction Med	Induced are consistent of an emported to commune for the action of the second of the s
om o	PITH-660 PITH-660 CTC-6-110WA. CTC-6-110WA. CTC-6-110WA. CTC-6-100 Deco Prot Mixed Pith-660 Deco Prot XWAT-600 Deco Prot XWAT-600 Pith TWAT-600 Pith-660 Pith-660 PITH-661 Model Identifiler PITH-671 PITH-672 Model Identifiler PITH-672 Model Identifiler PITH-672 Model Identifiler PITH-672 MODEL PITH-672 MOD	Upually for Recommended Highly host Recommended Extremely Highly has Recommended Extremely Highly has Recommended Extremely Highly has Recommended to the Control of the Co	5/10 5/10 5/10 5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	180 USD 180 USD 180 180 USD US	Performance Ranking 5 5 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	L None M Maintail M Bad	Extremely High High High High High High High High	Low friction Low friction Med Friction Med Friction Med Friction Med Friction Med Friction Low friction Low friction Low friction Low friction Low friction Low friction Med Friction Low friction Low of Med Friction	Based report on compared to consumer for several to the second of the se
om o	PTH-560	State of the Recommended Highly has the Recommended Extremely righly for the Recommended Extremely righly has the Recommended Recommend	5/10 5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	180 USD 200 USD 140 165 USD 200 USD 140 165 USD 200 USD 140 165 USD 200 USD 140 USD 200 USD 160 USD 200 USD 20	Performance Ranking 5 5 5 5 5 The property of the proper	L. Noine M. Maintal M. Bad M. Rome M. Noine M. No	Extremely High High High High High High Medium Se. We Mover Distance High High High High High High High High	Low friction Low friction Med Friction Med Friction Med Friction Med Friction Med Friction Low friction Low friction Low friction Med F	Based report on compared to consumer for several to the second of the se
m m m m m m m m m m m m m m m m m m m	PTH-660	Usually in Recommended Highly Not Recommended Extremely rightly have Recommended for the Audit Selection Recommended for the Recommende	5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	180 USD 440-360 USD 140-365 USD 140-365 USD 140-365 USD 140-365 USD 140-350 USD 140-USD 150-360 USD 140-USD 150-360 USD 150-375 USD 110-370 USD 110-370 USD 110-370 USD 110-370 USD 110-370 USD 110-370 USD 110-375 USD 110-37	Performance Ranking 5 5 5 5 5 Performance Ranking 5 5 5 5 7 Performance Ranking 5 5 5 6 7 Performance Ranking 5 6 7 8 8 8 8	L. None M. Marinal M. Bad M. Sone M. So	Extremely High High High High High High High High	Low Friction Low Friction Med Friction Med Friction Med Friction Med Friction Low Friction Low Friction Low Friction Low Friction Low Friction Low Friction Med Friction Low Friction Med Friction Med Friction Med Friction Med Friction Low Friction Low Friction Low Friction Low Friction Low Friction Low Med Friction	Based report on compared to consumer for several training and the control of the
om o	PTH-660	Supply for Recommended Highly have Recommended Extraonly Highly have Recommended Extraonly Highly have Recommended Control of the Control of	5/10 5/10 5/10 5/10 5/10 5/10 5/10 5/10	180 USD 400 USD 140-165 USD 200 USD 140-165 USD 200 USD 140-165 USD 200 USD 140 USD 140 USD 140 USD 140 USD 150 USD 15	Performance Ranking 5 5 5 5 5 7 Performation Performation Performace Ranking 5 5 5 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	L. None Missiand Miss	Extremely High High High High High High High High	Low riction Low riction Med Priction Med Priction Med Priction Med Priction Low riction Low riction Low riction Low riction And Device riction Low riction And Device riction Med Priction Med Priction Med Priction Med Priction Med Priction Low riction Med Priction Med Priction Low riction Med Priction Low riction Med Priction Low with Med Priction Low	Based report as compared to consumer for sever on based, noting which present in the second policy from any other policy on the control of the second policy of the second policy from any other policy of the second policy from any other policy of the second policy from any other policy for the second policy
om o	PTH-560	State of the Recommended Highly has the Recommended Leatween's plight from Recommended Recomme	5/10 5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	180 UID 400 S00 UID 140 165 UID 170 UI	Performance Ranking 5 5 5 5 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8	L. None Missiand M. Badd M. Badd M. Badd M. Badd Lo Bad Lo Badd M. None M. M. None M. None M. M	Extremely High High High High High High Medium Low	Low friction Low friction Mat Priston Mat Priston Mat Priston Mat Priston Low friction Low friction Low friction Low friction Low friction Low friction Mat Priston Low friction Low f	Stated response of the companyed to consumer for the warrant based on states, externally high reviews can run light the part of the state of colleged in part of the state of
om o	PITH-660 PITH-660 CTC-6110WL CTC-6110WL CTC-6110WL CTC-6110WL CTC-6110WL Dece how for Widen Dece how for Widen Dece how for Widen Pith-671 Model Identifier PITH-671 Model Identifier PITH-671 Model Identifier PITH-672 Model Identifier PITH-672 Model Identifier PITH-673 Model Identifier PITH-673 MODEL IDENTIFIER	Usually in the Recommended Highly hose Recommended Extremely Figlicy has the Extremely Figlicy has been a final figure of the Extremely Figlicy has been a final figure for the Extremely Figlicy has been a final figure for the Extremely Figlicy has been a final figure for the Extremely Figlicy has been a final figure for the Extremely Figlicy has been a figure for the Figlicy	5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	180 USD 400 S00 USD 140-165 USD 140-175 US	D D D F Performance Ranking S S S S S Mmpete with mformation Performance Ranking S S S A A A A A A	L. None Missiand Miss	Extremely High High High High High High High High	Low Friction Low Friction Mel Pictor Mel Pictor Low Friction Mel Pictor Low Friction And Friction Mel Pictor Mel Pictor Mel Pictor Mel Friction Mel Pictor Mel Friction Low Me	Stated report as compared to commune for a secure to be secured to commune for a secure to be secured as the secure of the secur
om o	PTH-660	Specific of the Recommended Highly has Recommended Learning Highly has Recommended	5/10 5/10 5/10 5/10 5/10 5/10 5/10 5/10	140 USD 140 US	D D D Pr Pr Proformance Ranking S S S S Pr Proformance Ranking S S S A A A A A A A A A A A A A A A A	L. None Medical Section Sectin Section Section Section Section Section Section Section Section	Extremely High High High High High High High High	Low Friction Low Friction Mid Priction Mid Priction Low Friction Mid Priction Mid Priction Mid Priction Mid Priction Mid Priction Mid Priction Low Mid Priction M	Stated regard to compared to command to account of the same of the state of the same of
om o	PITH-600 PIT	Usually in Recommended Highly has Recommended Letterwish rightly has Recommended Re	5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	400 USD 140-160 USD 140-160 USD 140-160 USD 140-160 USD 140-160 USD 150-160 USD 150-170 USD 150-160 US	Performance Banking 3 Performance Banking 5 5 5 S Machine Standing Performance Banking 5 5 6 A A A A A A A A A	L None Medical State of the Control	Extremely High High High High High High High High	Low Friction Low Friction Med Priction Low Friction Med Priction Med Priction Med Priction Med Priction Med Priction Med Priction Low Friction Med Priction Low Friction Med Priction Low Friction Low F	Induced response of the group and the companies of the co
SOI	PITH-560 PITH-560 CTC-6-100W. CTC-6-100W. CTC-6-100W. Deco Prox Workshop	Usually in the Recommended Highly hose Recommended Extremely Figlicy has becommended Extremely Figlicy has becommended for Extremely Figlicy has becommended becomes from the Extremely Figlicy has becommended becomes from the Extremely Figlicy has becommended becomes from the Extremely Figlicy has becommended for Extremely Figlicy has becommended from the Extremely Figlicy has been become from the Extremely Figlicy has been been become from the Extremely Figlicy for the Extremely Figlicy for the Moderate for the Extremely Figlicy for the Extremely Figlicy for the Extremely Figlicy for the Bedget for the Extremely Figlicy for the Bedget for the	5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	180 USD 180 180 USD 180 180 USD 180 180 USD 180 180 USD 170 USD 280 US	Preference Rashing 5 5 5 5 5 5 5 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	L. None Missiand Miss	Extremely High High High High High High High High	Low Friction Low Friction Med Priction Med Priction Med Priction Low Friction And Friction Med Priction Low Friction Med Priction Med Priction Low Friction Med Priction Low Friction Low Friction Low Friction Low Med Friction Low	Stated report at an emported to comment for the washing with the part is before the bed about stated to compare the comment for the washing is the part of the bed about stated to compare the comment of the part of the compare the compare the comment of the part of the compare
and com	PITH-600 PIT	Usually in Recommended Highly has Recommended Letterwish rightly has Recommended Re	5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	180 UED 170 UED 170 UED 170 UED 170 UED 170 UED 170 UED 180 180 UED 18	Primarae Bashing 5 5 5 5 5 5 5 7 7 8 8 8 8 8 8 8 8 8 8 8	L None Medical State of the Control	Extremely High High High High High High High High	Low Friction Low Friction Med Priction Med Priction Med Priction Low Friction Low Friction Low Friction Low Friction Low Friction Low Friction Med Priction Med P	Induction for the compared to consumer for the was not baller, self-town (pills) progress (lines, sependary, exceeding rows and control between all glitch prosections (lines for develope). Induced as the controlling change in Science and and cold cold are cold and cold and cold are cold and cold and cold are cold and cold and cold and cold are cold and cold an

Kuuube's Info

Tablet Sheets and Guides

<u>Kuuube's Tablet Buying Guide</u>

<u>Kuuube's Wacom Tablet Mastersheet</u> <u>Kuuube's Wacom Tablet Pen Compatibility Mastersheet</u>

Kuuube's Wacom Pen Nib Guide

Kuuube's Wacom Pen Nib Compatibility Mastersheet

Info

If you need to contact me personally, join my discord. I may not reply elsewhere.

osu! Profile

Discord Server

<u>Github</u>

<u>Youtube</u>

- [1] (PTZ-430, PTZ-431W, PTZ-630, PTZ-631W, PTZ-930, PTZ-1231W)
- [2] (XD-0405-U, XD-0608-U, XD-0912-U, XD-1212-U, XD-1218-U)
- [3] (GD-0405-U, GD-0608-U, GD-0912-U, GD-1212-U, GD-1218-U)
- [4] (CTE-460, CTE-660)
- [5] (CTE-450, CTE-650)
- [6] (CTE-440, CTE-640)
- [7] (CTE-430, CTE-630)
- [8] (FW-300, FB-630)
- [9] (CTF-430, CTF-221, CTF-420)
- [10] (FT-0203-U, FT-0405-U)
- [11] (ET-0405A-U, ET-0507A-U)