

WITH

```
FirstVisit AS (  
  SELECT  
    DISTINCT user_pseudo_id AS User,  
    MIN(PARSE_DATE('%Y%m%d', event_date)) AS RegDate,  
    MIN(event_timestamp) AS FirstVisit  
  FROM  
    `tc-da-1.turing_data_analytics.raw_events`  
  GROUP BY  
    1  
) ,
```

```
Purchases AS (  
  SELECT  
    user_pseudo_id AS User,  
    PARSE_DATE('%Y%m%d', event_date) AS PurchaseDate,  
    purchase_revenue_in_usd AS Revenue  
  FROM  
    `tc-da-1.turing_data_analytics.raw_events`  
  WHERE  
    event_name = 'purchase'  
    AND purchase_revenue_in_usd > 0  
) ,
```

```
CohortData AS (  
  SELECT  
    f.User AS FUser,  
    DATE_TRUNC(RegDate, week) AS RegWeek,  
    p.User AS PUser,  
    DATE_TRUNC(PurchaseDate, week) AS PurchaseWeek,  
    p.Revenue  
  FROM  
    FirstVisit f  
  LEFT JOIN  
    Purchases p  
  ON  
    f.User = p.User  
)
```

SELECT

```
RegWeek,  
COUNT(FUser) AS Registrations,  
SUM(CASE WHEN PurchaseWeek = RegWeek THEN Revenue ELSE 0 END) AS Week0,  
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 1 WEEK) THEN Revenue ELSE 0 END) AS  
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 2 WEEK) THEN Revenue ELSE 0 END) AS  
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 3 WEEK) THEN Revenue ELSE 0 END) AS
```

```

SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 4 WEEK) THEN Revenue ELSE 0 END) AS
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 5 WEEK) THEN Revenue ELSE 0 END) AS
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 6 WEEK) THEN Revenue ELSE 0 END) AS
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 7 WEEK) THEN Revenue ELSE 0 END) AS
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 8 WEEK) THEN Revenue ELSE 0 END) AS
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 9 WEEK) THEN Revenue ELSE 0 END) AS
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 10 WEEK) THEN Revenue ELSE 0 END) /
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 11 WEEK) THEN Revenue ELSE 0 END) /
SUM(CASE WHEN PurchaseWeek = DATE_ADD(RegWeek, INTERVAL 12 WEEK) THEN Revenue ELSE 0 END) /
FROM
  CohortData
  Where RegWeek < '2021-01-31'
GROUP BY
  RegWeek
ORDER BY
  RegWeek;

```

- 5 Week1,
- 5 Week2,
- 5 Week3,

5 Week4,
5 Week5,
5 Week6,
5 Week7,
5 Week8,
5 Week9,
45 Week10,
45 Week11,
45 Week12