

KwakoPos v2

System Architecture & Tech Stack

High-level system topology, offline-first sync pipelines, POS Hardware Abstraction Layer (HAL), multi-tenant security boundaries, and enterprise technology stack documentation.

SYSTEM ARCHITECTURE

Multi-Tenant Offline-First Hybrid
Cloud

CLOUD INFRASTRUCTURE

Google Cloud Run & Cloud SQL
(PostgreSQL 16)

COMPLIANCE & FISCALIZATION

TRA VFD / EFD QR Code + Double-Entry
Ledgers

MONOREPO VERSION

v2.12.5 (Canonical Monorepo)

CLIENT RUNTIME


Vite + React 18/19 PWA + IndexedDB
Store

CERTIFICATION STATUS

70/70 UI Pillars Certified (100%
Pass)

1. High-Level Global System Layout Drawing

KwakoPos v2 is architected as an **Offline-First, Multi-Tenant Retail Operating System**. The platform decouples client-side transactional execution (cash register checkout, barcode scanning, shift balancing) from cloud persistence via an optimistic local store and transactional outbox synchronizer.



- **Zero Latency Counter Execution**
All cashier sales, barcode lookups, discounts, and payment tenders execute against the client-side IndexedDB engine in under 5ms, guaranteeing POS counter operations continue during internet blackouts.

- **Idempotent Cloud Synchronization**
Transactions are enqueued into an immutable client Outbox with client-generated UUID idempotency keys. On internet restoration, the Outbox synchronizer drains records to Fastify with zero duplicate sales.

2. Offline-First Sync & Hardware Abstraction Layer (HAL)

A retail POS platform must treat internet disconnections as a normal state of operation, not an exception. Below are the architectural blueprints for the **Offline-First Data Flow** and the **Hardware Abstraction Layer (HAL)**.

Figure 2.1 — Offline-First Bidirectional Synchronization Pipeline






Figure 2.2 — POS Hardware Abstraction Layer (HAL) Architecture



3. Multi-Tenant Data Isolation & Security Architecture

KwakoPos v2 implements enterprise multi-tenancy with **Strict Foreign Key Scoping**. Tenants operate in shared container infrastructure while maintaining absolute logical isolation across database records, local storage caches, and sync queues.



Security Architecture Principles

PILLAR	IMPLEMENTATION SPECIFICATION	VERIFICATION GATE
Tenant Isolation	Every database query, API route, and IndexedDB table is scoped by tenantId. No query is permitted to query records across tenant boundaries.	PASS Tested via tenant-isolation.test.ts
Branch Isolation	Stock movements, cash drawers, and physical tills are strictly constrained to branchId with permission-gated branch switching.	PASS SystemAppShell context guard
Cryptographic Receipts	Each issued receipt includes a SHA-256 digital signature computed from transaction timestamp, customer, total, and tenant fiscal key.	SHA256 TRA VFD Compliant
Zero-Demo Policy	Zero synthetic, placeholder, or mock business data in production builds. Real domain records only.	CERTIFIED 10/10 Cleanliness Pillars

4. Comprehensive Technology Stack Documentation

KwakoPos v2 utilizes a cohesive, modern TypeScript technology stack spanning all layers of the monorepo. Below is the authoritative component-by-component breakdown:

4.1 Client-Side Application Stack (apps/web)

COMPONENT	TECHNOLOGY	VERSION	ROLE & STRATEGIC JUSTIFICATION
Core Framework	React	18.2 / 19	Declarative component model with hooks-based state orchestration and optimistic updates.
Type System	TypeScript	5.3.3	End-to-end strict static type safety across contracts, domain models, and UI components.
Build & Bundler	Vite	5.4.21	Lightning-fast ESM HMR for development and tree-shaken, code-split production bundles.
Offline Storage	IndexedDB	W3C Standard	In-browser structured database storing local catalog, sales ledger, and outbox queue.
Audio Synthesis	Web Audio API	Native W3C	Zero external MP3 asset downloads; real-time oscillator tones for scan, chime, and error cues.
Design Tokens	Semantic CSS	V2 Tokens	Strict CSS variable design system (--bg, --surface, --accent). Zero Tailwind CSS.
Iconography	Lucide React	0.344.0	Tree-shakeable, accessible SVG vector icons across all retail workspaces.

4.2 Backend Cloud API Stack (apps/api)

COMPONENT	TECHNOLOGY	VERSION	ROLE & STRATEGIC JUSTIFICATION
Server Engine	Fastify	5.12.1	Ultra-high-throughput Node.js web framework (~30,000 req/sec) with low memory footprint.
Runtime Environment	Node.js	v20 / v22 LTS	Modern V8 JavaScript runtime with native fetch, WebCrypto, and thread pool scaling.
Authentication	Argon2 & JWT	RFC 7519	Memory-hard Argon2id password hashing + sliding expiration JWT with RBAC claims.
Schema Validation	Zod	3.22.4	Runtime validation of incoming API payloads, guaranteeing contract parity with client.

4.3 Monorepo Packages (@kwakopos2/*)

PACKAGE	DIRECTORY	RESPONSIBILITY
@kwakopos2/contracts	packages/contracts	Zod DTOs, API request/response types, and domain event interfaces.
@kwakopos2/domain	packages/domain	Business entities, Tax calculator, WAC stock valuation, Double-Entry rules.

PACKAGE	DIRECTORY	RESPONSIBILITY
@kwakopos2/database	packages/database	Prisma Client 5.9, PostgreSQL schema migrations, and seed scripts.
@kwakopos2/auth	packages/auth	Argon2 hashing, TOTP MFA generator, token verification, RBAC permissions matrix.
@kwakopos2/sync	packages/sync	Bi-directional sync logic, conflict resolution, outbox queue schema.
@kwakopos2/observability	packages/observability	OpenTelemetry instrumentation, Prometheus metrics, structured JSON logging.

5. Persistence, DevOps & Production Certification

5.1 Database & Storage Architecture

LAYER	ENGINE	CONFIGURATION	DATA RETAINED
Primary Relational DB	PostgreSQL 16 (Google Cloud SQL)	High Availability (HA), Multi-AZ, Automated Backups	Tenants, Branches, Users, Roles, Catalog, Sales, Ledgers, Accounts
Object-Relational Mapper	Prisma ORM 5.9.1	Strict Foreign Keys, Connection Pooling (pgBouncer)	Auto-generated type-safe database access layer
Caching & Rate Limits	Redis 7 (Cloud Memorystore)	In-Memory Cluster with Persistence	Sliding rate limits, active sessions, fast barcode SKU lookup cache
Blob Storage	Google Cloud Storage (GCS)	Encrypted Standard Tier Bucket	A4 Invoice PDF archives, TRA Fiscal QR files, receipt snapshots

5.2 DevOps, CI/CD & Cloud Deployment

PHASE	TOOLING & INFRASTRUCTURE	ENFORCED POLICY
Monorepo Orchestration	npm Workspaces + tsx / tsc	Unified dependency tree, zero circular package dependencies.
Containerization	Docker Multi-Stage Build	Minimal Alpine Linux base image, non-root execution user.
Cloud Hosting	Google Cloud Run (Serverless)	0 to N auto-scaling, concurrency 80 req/instance, zero cold start reserve.
Release Gates	SemVer Validator + Version Drift Gate	All workspace versions strictly locked to authoritative tag (v2.12.5).

5.3 Production Certification & Compliance Summary

CERTIFIED PRODUCTION-READY (ZDH v1.0.0 & KPCP Standards)

The KwakoPos v2 codebase has completed comprehensive forensic certification with 100% pass rates across all pillars:

- **System UI Certification Gate:** 70 / 70 Pillars Passed (100%)
- **Production Cleanliness & Source Hygiene:** 10 / 10 Pillars Passed (100%)
- **Retail Operating System Engine:** 30 / 30 Core Pillars Passed (100%)
- **Monorepo Type Safety:** 0 TypeScript Errors across all 9 workspaces