



```
Create database SWIM_TEAM_DATABASE;
Use SWIM_TEAM_DATABASE;
CREATE TABLE Swim_Meet
  swim_meet_id INT NOT NULL,
  name
             VARCHAR(25) NOT NULL,
  date
             DATE,
  location
             VARCHAR(25),
  type_of_meet VARCHAR(25),
  CONSTRAINT Swim Meet PK PRIMARY KEY (swim meet id)
);
CREATE TABLE Event
                   INT NOT NULL,
  event unique id
  description
                 VARCHAR(1000),
  swim_meet_id
                    INT,
  CONSTRAINT Event_PK PRIMARY KEY (event_unique_id),
  CONSTRAINT Event_FK1 FOREIGN KEY (swim_meet_id) REFERENCES Swim_Meet(swim_meet_id)
);
CREATE TABLE Team
  team_unique_name
                     VARCHAR(25) NOT NULL,
  address
                 VARCHAR(50),
  phone_number
                    VARCHAR(20),
                INT.
  captain
  CONSTRAINT Team_PK PRIMARY KEY (team_unique_name)
);
CREATE TABLE Swimmer
  swimmer_id
                   INT NOT NULL,
               CHAR(9),
                     VARCHAR(25) NOT NULL,
  team unique name
  name
                 VARCHAR(25) NOT NULL,
  address
                 VARCHAR(50),
  phone_number
                    VARCHAR(20),
                VARCHAR(50),
  email
  date of birth
                  DATE,
                    ENUM('Trainer', 'Normal', 'None') NOT NULL,
  swimmer type
  CONSTRAINT Swimmer_PK PRIMARY KEY (swimmer_id),
  CONSTRAINT Swimmer_FK1 FOREIGN KEY (team_unique_name) REFERENCES
Team(team unique name)
CREATE TABLE License
  trainer_license_id INT NOT NULL,
  issue date
                 DATE.
  expiry_date
                  DATE,
  CONSTRAINT License_PK PRIMARY KEY (trainer_license_id)
);
```

```
CREATE TABLE Trainer_Level
                       INT NOT NULL,
  swimmer_id
  trainer_license_id
                       INT NOT NULL,
  CONSTRAINT Trainer Level PK PRIMARY KEY (swimmer_id),
  CONSTRAINT Trainer_Level_FK1 FOREIGN KEY (swimmer_id) REFERENCES Swimmer(swimmer_id),
  CONSTRAINT Trainer_Level_FK2 FOREIGN KEY (trainer_license_id) REFERENCES
License(trainer_license_id)
);
CREATE TABLE NORMAL LEVEL
  swimmer_id
                   INT NOT NULL,
  quardian_name
                    VARCHAR(25).
  CONSTRAINT Normal Level PK PRIMARY KEY (swimmer id),
  CONSTRAINT Normal Level FK1 FOREIGN KEY (swimmer_id) REFERENCES Swimmer(swimmer_id)
);
CREATE TABLE Performance
  swimmer id
                   INT NOT NULL.
  swim_meet_id
                   INT NOT NULL.
  event unique id
                   INT NOT NULL,
                TIME.
  time
  place
                INT,
                INT,
  point
  CONSTRAINT Performance_PK PRIMARY KEY (swimmer_id, swim_meet_id, event_unique_id),
  CONSTRAINT Performance_FK1 FOREIGN KEY (swimmer_id) REFERENCES Swimmer(swimmer_id),
  CONSTRAINT Performance_FK2 FOREIGN KEY (swim_meet_id) REFERENCES Swim_Meet(swim_meet_id),
  CONSTRAINT Performance FK3 FOREIGN KEY (event unique id) REFERENCES Event(event unique id)
);
CREATE TABLE Qualification_Criteria
  event unique id
                      INT NOT NULL,
  swimmer id
                     INT NOT NULL.
  qualification_status
                     BOOLEAN.
  CONSTRAINT Qualification Criteria PK PRIMARY KEY (event unique id, swimmer id),
  CONSTRAINT Qualification_Criteria_FK1 FOREIGN KEY (event_unique_id) REFERENCES
Event(event unique id),
  CONSTRAINT Qualification_Criteria_FK2 FOREIGN KEY (swimmer_id) REFERENCES
Swimmer(swimmer_id)
);
CREATE TABLE Meet_Occurrence
  team unique name VARCHAR(25) NOT NULL,
  swim meet id
                   INT NOT NULL,
  CONSTRAINT Meet_Occurrence_PK PRIMARY KEY (team_unique_name, swim_meet_id),
  CONSTRAINT Meet_Occurrence_FK1 FOREIGN KEY (team_unique_name) REFERENCES
Team(team unique name),
  CONSTRAINT Meet Occurrence FK2 FOREIGN KEY (swim meet id) REFERENCES
Swim Meet(swim meet id)
);
ALTER TABLE Team
ADD CONSTRAINT Team_FK1 FOREIGN KEY (captain) REFERENCES Swimmer(swimmer_id);
```