
LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-7B + llama-68M

exit 20 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | frontier | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 82d964e0 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 321 eligible steps



PS margin to final head: +0.28 ms | next-request margin: +2.04 ms


Cache wait | Prepare | Target pre-exit | Target post-exit | LM head | Acceptance | Proxy | Response / wait | Glue | DS | Proxy wait | PS | Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps



PS margin to final head: +0.09 ms | next-request margin: +1.69 ms

Cache wait | Prepare | Target pre-exit | Target post-exit | LM head | Acceptance | Proxy | Response / wait | Glue | DS | Proxy wait | PS | Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps

DS 12.13 ms / PS 9.39 ms

P2 hit | actual p50 step / n=225 | UID 288_t0, step 127 | AL=2



PS margin to final head: +0.00 ms | next-request margin: +1.76 ms

Cache wait
Prepare
Target pre-exit
Target post-exit
LM head
Acceptance
Proxy
Response / wait
Glue
DS
Proxy wait
PS
Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps

P2 hit | actual p75 step / n=225 | UID 84_t0, step 55 | AL=2

DS 11.74 ms / PS 9.64 ms



PS margin to final head: -0.28 ms | next-request margin: +1.48 ms


Cache wait · Prepare · Target pre-exit · Target post-exit · LM head · Acceptance · Proxy · Response / wait · Glue · DS · Proxy wait · PS · Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps

DS 9.57 ms / PS 9.06 ms

Miss | actual p50 step / n=80 | UID 128_t0, step 29 | AL=1



PS margin to final head: -0.57 ms | next-request margin: +1.20 ms

Cache wait · Prepare · Target pre-exit · Target post-exit · LM head · Acceptance · Proxy · Response / wait · Glue · DS · Proxy wait · PS · Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip Llama2-13B + AMD-Llama-135M

exit 23 (0-based) | K1/K2 6/3 | G=M DS/PS 12/8 | C=3 | last | target GPUs=2 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 444 eligible steps

Miss | actual p75 step / n=80 | UID 244_t0, step 108 | AL=1

DS 9.66 ms / PS 9.08 ms



PS margin to final head: -0.41 ms | next-request margin: +1.38 ms


Cache wait · Prepare · Target pre-exit · Target post-exit · LM head · Acceptance · Proxy · Response / wait · Glue · DS · Proxy wait · PS · Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps

DS 10.09 ms / PS 6.19 ms

P2 hit | actual p25 step / n=295 | UID 84_t0, step 23 | AL=1



PS margin to final head: +1.52 ms | next-request margin: +3.49 ms


Cache wait · Prepare · Target pre-exit · Target post-exit · LM head · Acceptance · Proxy · Response / wait · Glue · DS · Proxy wait · PS · Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps



PS margin to final head: +1.73 ms | next-request margin: +3.65 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail

Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps

DS 9.30 ms / PS 6.01 ms

Miss | actual p25 step / n=27 | UID 288_t0, step 26 | AL=1



PS margin to final head: +1.75 ms | next-request margin: +3.60 ms

Cache wait | Prepare | Target pre-exit | Target post-exit | LM head | Acceptance | Proxy | Response / wait | Glue | DS | Proxy wait | PS | Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps

DS 9.18 ms / PS 6.01 ms

Miss | actual p50 step / n=27 | UID 244_t0, step 65 | AL=1



PS margin to final head: +1.80 ms | next-request margin: +3.57 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail


Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip Llama3-8B + Axcel Llama3.1 drafter-340M

exit 20 (0-based) | K1/K2 4/1 | G=M DS/PS 8/4 | C=3 | last | target GPUs=1 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 16dd4198 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 387 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps

DS 22.64 ms / PS 11.87 ms

P1 hit | actual p50 step / n=62 | UID humaneval_local_033_t0, step 7 | AL=4



PS margin to final head: +6.24 ms | next-request margin: +7.86 ms


Cache wait
Prepare
Target pre-exit
Target post-exit
LM head
Acceptance
Proxy
Response / wait
Glue
DS
Proxy wait
PS
Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps

DS 22.64 ms / PS 11.90 ms

P2 hit | actual p25 step / n=11 | UID humaneval_local_013_t0, step 3 | AL=6



PS margin to final head: +3.42 ms | next-request margin: +5.87 ms

Cache wait | Prepare | Target pre-exit | Target post-exit | LM head | Acceptance | Proxy | Response / wait | Glue | DS | Proxy wait | PS | Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps

DS 23.19 ms / PS 11.91 ms

P2 hit | actual p50 step / n=11 | UID humaneval_local_023_t0, step 25 | AL=2



PS margin to final head: +3.80 ms | next-request margin: +5.14 ms


Cache wait
Prepare
Target pre-exit
Target post-exit
LM head
Acceptance
Proxy
Response / wait
Glue
DS
Proxy wait
PS
Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 35.56 ms / PS 13.32 ms

P1 hit | actual p25 step / n=63 | UID humaneval_local_023_t0, step 26 | AL=1



PS margin to final head: +0.62 ms | next-request margin: +1.90 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail

Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 38.32 ms / PS 15.81 ms

P1 hit | actual p50 step / n=63 | UID humaneval_local_013_t0, step 30 | AL=2



PS margin to final head: -8.15 ms | next-request margin: -6.82 ms


Cache wait | Prepare | Target pre-exit | Target post-exit | LM head | Acceptance | Proxy | Response / wait | Glue | DS | Proxy wait | PS | Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 35.66 ms / PS 13.61 ms

P2 hit | actual p25 step / n=19 | UID humaneval_local_023_t0, step 12 | AL=4



PS margin to final head: -4.61 ms | next-request margin: -2.31 ms


Cache wait | Prepare | Target pre-exit | Target post-exit | LM head | Acceptance | Proxy | Response / wait | Glue | DS | Proxy wait | PS | Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps




Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 29.65 ms / PS 13.10 ms

Miss | actual p25 step / n=2 | UID humaneval_local_023_t0, step 6 | AL=1



PS margin to final head: -0.25 ms | next-request margin: +1.54 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail

Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 41.95 ms / PS 13.30 ms

Miss | actual p75 step / n=2 | UID humaneval_local_023_t0, step 38 | AL=2



PS margin to final head: -14.02 ms | next-request margin: -12.04 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail

Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.