
LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps

DS 22.64 ms / PS 11.87 ms

P1 hit | actual p50 step / n=62 | UID humaneval_local_033_t0, step 7 | AL=4



PS margin to final head: +6.24 ms | next-request margin: +7.86 ms


Cache wait
Prepare
Target pre-exit
Target post-exit
LM head
Acceptance
Proxy
Response / wait
Glue
DS
Proxy wait
PS
Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps

DS 22.64 ms / PS 11.90 ms

P2 hit | actual p25 step / n=11 | UID humaneval_local_013_t0, step 3 | AL=6



PS margin to final head: +3.42 ms | next-request margin: +5.87 ms

Cache wait
Prepare
Target pre-exit
Target post-exit
LM head
Acceptance
Proxy
Response / wait
Glue
DS
Proxy wait
PS
Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps

DS 23.19 ms / PS 11.91 ms

P2 hit | actual p50 step / n=11 | UID humaneval_local_023_t0, step 25 | AL=2



PS margin to final head: +3.80 ms | next-request margin: +5.14 ms

Cache wait
Prepare
Target pre-exit
Target post-exit
LM head
Acceptance
Proxy
Response / wait
Glue
DS
Proxy wait
PS
Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


LayerSkip CodeLlama-34B + AMD-Llama-135M-code

exit 30 (0-based) | K1/K2 12/6 | G=M DS/PS 12/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 73 eligible steps

DS 22.60 ms / PS 11.81 ms

P2 hit | actual p75 step / n=11 | UID humaneval_local_003_t0, step 8 | AL=7



PS margin to final head: +3.73 ms | next-request margin: +6.44 ms

Cache wait
Prepare
Target pre-exit
Target post-exit
LM head
Acceptance
Proxy
Response / wait
Glue
DS
Proxy wait
PS
Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.