
CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 35.56 ms / PS 13.32 ms

P1 hit | actual p25 step / n=63 | UID humaneval_local_023_t0, step 26 | AL=1



PS margin to final head: +0.62 ms | next-request margin: +1.90 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail

Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 38.32 ms / PS 15.81 ms

P1 hit | actual p50 step / n=63 | UID humaneval_local_013_t0, step 30 | AL=2



PS margin to final head: -8.15 ms | next-request margin: -6.82 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail

Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 35.49 ms / PS 13.80 ms

P1 hit | actual p75 step / n=63 | UID humaneval_local_013_t0, step 13 | AL=17



PS margin to final head: -0.23 ms | next-request margin: +2.92 ms

Cache wait · Prepare · Target pre-exit · Target post-exit · LM head · Acceptance · Proxy · Response / wait · Glue · DS · Proxy wait · PS · Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 35.66 ms / PS 13.61 ms

P2 hit | actual p25 step / n=19 | UID humaneval_local_023_t0, step 12 | AL=4



PS margin to final head: -4.61 ms | next-request margin: -2.31 ms

Cache wait | Prepare | Target pre-exit | Target post-exit | LM head | Acceptance | Proxy | Response / wait | Glue | DS | Proxy wait | PS | Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 35.78 ms / PS 13.87 ms

P2 hit | actual p50 step / n=19 | UID humaneval_local_033_t0, step 11 | AL=7



PS margin to final head: -4.39 ms | next-request margin: -1.70 ms


Cache wait | Prepare | Target pre-exit | Target post-exit | LM head | Acceptance | Proxy | Response / wait | Glue | DS | Proxy wait | PS | Previous PS tail

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.

CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps



Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 29.65 ms / PS 13.10 ms

Miss | actual p25 step / n=2 | UID humaneval_local_023_t0, step 6 | AL=1



PS margin to final head: -0.25 ms | next-request margin: +1.54 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail

Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.


CodeLlama-34B + AMD-135M-code / throughput alternative

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 59f46511 / eslab18 RTX3090 / B1, T0.7 / 4 profiled turns, output cap256 / 84 eligible steps

DS 41.95 ms / PS 13.30 ms

Miss | actual p75 step / n=2 | UID humaneval_local_023_t0, step 38 | AL=2



PS margin to final head: -14.02 ms | next-request margin: -12.04 ms

Cache wait | Target pre-exit | LM head | Proxy | Glue | Proxy wait | Previous PS tail

Prepare | Target post-exit | Acceptance | Response / wait | DS | PS

Dark stripe inside DS/PS = graph replay. Full bar includes preparation / export / merge. Real measured steps, no clock shift. Blank gaps are retained.