


CodeLlama-34B + AMD-135M-code / throughput alternative
Component latency, phase deadlines, and every measured step

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256









CUDA-event elapsed spans include queue/host stalls; not GPU busy time. Nested/overlapping components are NOT additive.


CodeLlama-34B + AMD-135M-code / throughput alternative
P1 hit / P2 hit / miss — component distributions and phase composition


exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256










CUDA-event elapsed spans include queue/host stalls; not GPU busy time. Nested/overlapping components are NOT additive.

CodeLlama-34B + AMD-135M-code / throughput alternative
P1 hit / p25 target-step duration / request 3, UID humaneval_local_023_t0, step 26

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256

valid proposal nodes=16, AL incl. recovery=1; DS margin -3.798 ms (estimated); PS margin +0.620 ms; next outcome P2 hit






Colored bars: raw CUDA-event elapsed spans. Black lines below: CPU dispatch. No clock shift / no minimum bar-width inflation. Nested rows are NOT additive.


CodeLlama-34B + AMD-135M-code / throughput alternative
P1 hit / p50 target-step duration / request 2, UID humaneval_local_013_t0, step 30

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256

valid proposal nodes=16, AL incl. recovery=2; DS margin -10.177 ms (estimated); PS margin -8.147 ms; next outcome P1 hit






Colored bars: raw CUDA-event elapsed spans. Black lines below: CPU dispatch. No clock shift / no minimum bar-width inflation. Nested rows are NOT additive.


CodeLlama-34B + AMD-135M-code / throughput alternative
P1 hit / p75 target-step duration / request 2, UID humaneval_local_013_t0, step 13

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256

valid proposal nodes=16, AL incl. recovery=17; DS margin -3.975 ms (estimated); PS margin -0.225 ms; next outcome P1 hit






Colored bars: raw CUDA-event elapsed spans. Black lines below: CPU dispatch. No clock shift / no minimum bar-width inflation. Nested rows are NOT additive.


CodeLlama-34B + AMD-135M-code / throughput alternative
P2 hit / p25 target-step duration / request 3, UID humaneval_local_023_t0, step 12

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256

valid proposal nodes=8, AL incl. recovery=4; DS margin -6.409 ms (estimated); PS margin -4.607 ms; next outcome P1 hit






Colored bars: raw CUDA-event elapsed spans. Black lines below: CPU dispatch. No clock shift / no minimum bar-width inflation. Nested rows are NOT additive.


CodeLlama-34B + AMD-135M-code / throughput alternative
P2 hit / p50 target-step duration / request 4, UID humaneval_local_033_t0, step 11

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256

valid proposal nodes=8, AL incl. recovery=7; DS margin -6.208 ms (estimated); PS margin -4.390 ms; next outcome P1 hit






Colored bars: raw CUDA-event elapsed spans. Black lines below: CPU dispatch. No clock shift / no minimum bar-width inflation. Nested rows are NOT additive.


CodeLlama-34B + AMD-135M-code / throughput alternative
P2 hit / p75 target-step duration / request 3, UID humaneval_local_023_t0, step 4

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256

valid proposal nodes=8, AL incl. recovery=6; DS margin -6.734 ms (estimated); PS margin -5.324 ms; next outcome P1 hit






Colored bars: raw CUDA-event elapsed spans. Black lines below: CPU dispatch. No clock shift / no minimum bar-width inflation. Nested rows are NOT additive.


CodeLlama-34B + AMD-135M-code / throughput alternative
Miss / p25 target-step duration / request 3, UID humaneval_local_023_t0, step 6

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256

valid proposal nodes=6, AL incl. recovery=1; DS margin -1.462 ms (estimated); PS margin -0.247 ms; next outcome P1 hit






Colored bars: raw CUDA-event elapsed spans. Black lines below: CPU dispatch. No clock shift / no minimum bar-width inflation. Nested rows are NOT additive.


CodeLlama-34B + AMD-135M-code / throughput alternative
Miss / p75 target-step duration / request 3, UID humaneval_local_023_t0, step 38

exit 30 (0-based) | K1/K2 16/6 | G=M DS/PS 16/8 | C=3 | last | target GPUs=4 + draft GPU=1 | B=1, BF16, T=0.7

Measured v1.0 / 59f46511 / eslab18 RTX3090 / 4 profiled turns, 84 eligible steps / output cap 256

valid proposal nodes=6, AL incl. recovery=2; DS margin -15.098 ms (estimated); PS margin -14.018 ms; next outcome P1 hit





Colored bars: raw CUDA-event elapsed spans. Black lines below: CPU dispatch. No clock shift / no minimum bar-width inflation. Nested rows are NOT additive.