






DUET aligned timeline — step_id=39 — Previous PS optimization: Llama2 7B + AMD135M, B1 BF16 T0.7; source=1, UID=421_t0
Same request + step; K1/K2=6/3, exit20, C3, M1/M2=12/8
Raw timestamps; dispatch gap derived from endpoints; dotted forward counts are NOT measured boundaries
target_rank0
draft
DS: 6 rounds
PS: 3 rounds
1
2
3
4
5
6
1
2
3
0
5
10
15
20
time (ms from step start, host monotonic clock)
PS dispatch: slots / validity
PS prepare A: root metadata
PS prepare B: graph inputs
draft_recv_cmd
draft_recv_request
draft_response_pack
draft_send_fused
draft_send_parent_q_p1
draft_send_response
exit_logits
exit_proxy_launch
exit_proxy_side
final_logits
glue
graph_post
graph_pre
hit_cache_respond_hit_k1
merge_cache
p1_graph_replay
p1_prepare
p1_root_build
p1_slot_prepare
p2_cache_merge
p2_graph_replay
p2_output_convert
phase2_build
proxy_send_enqueue
proxy_wait
target_postprocess
target_recv_fused
target_recv_parent_q_p1
target_recv_response_wait
target_response_meta_read
target_response_received
target_send_request
target_spec_wait
tree_accept_walk
tree_hit_pack_served_p1
tree_hit_parent_q_gather_p1
tree_hit_rerank_p1
tree_kv_commit
tree_kv_restore
tree_parent_q_select
tree_prep
tree_proxy_graph_replay
tree_proxy_topology_prepare
tree_replay
tree_verify_attention_buffers
tree_verify_mask_prepare
tree_verify_meta_cpu
tree_wire_parse_validate
verify_accept_prep
verify_sample_accept
verify_setup


DUET aligned timeline — step_id=39 — Deferred host metadata: Llama2 7B + AMD135M, B1 BF16 T0.7; source=1, UID=421_t0
Same request + step; K1/K2=6/3, exit20, C3, M1/M2=12/8
Raw timestamps; dispatch gap derived from endpoints; dotted forward counts are NOT measured boundaries
target_rank0
draft
DS: 6 rounds
PS: 3 rounds
1
2
3
4
5
6
1
2
3
0
5
10
15
20
time (ms from step start, host monotonic clock)
PS dispatch: slots / validity
PS prepare A: root metadata
PS prepare B: graph inputs
draft_recv_cmd
draft_recv_request
draft_response_pack
draft_send_fused
draft_send_parent_q_p1
draft_send_response
exit_logits
exit_proxy_launch
exit_proxy_side
final_logits
glue
graph_post
graph_pre
hit_cache_respond_hit_k1
merge_cache
p1_graph_replay
p1_prepare
p1_root_build
p1_slot_prepare
p2_cache_merge
p2_graph_replay
p2_output_convert
phase2_build
proxy_send_enqueue
proxy_wait
target_postprocess
target_recv_fused
target_recv_parent_q_p1
target_recv_response_wait
target_response_meta_read
target_response_received
target_send_request
target_spec_wait
tree_accept_walk
tree_hit_pack_served_p1
tree_hit_parent_q_gather_p1
tree_hit_rerank_p1
tree_kv_commit
tree_kv_restore
tree_parent_q_select
tree_prep
tree_proxy_graph_replay
tree_proxy_topology_prepare
tree_replay
tree_verify_attention_buffers
tree_verify_mask_prepare
tree_verify_meta_cpu
tree_wire_parse_validate
verify_accept_prep
verify_sample_accept
verify_setup


DUET aligned timeline — step_id=3 — Previous PS optimization: Llama2 7B + AMD135M, B1 BF16 T0.7; source=2, UID=81_t0
Same request + step; K1/K2=6/3, exit20, C3, M1/M2=12/8
Raw timestamps; dispatch gap derived from endpoints; dotted forward counts are NOT measured boundaries
target_rank0
draft
DS: 6 rounds
PS: 3 rounds
1
2
3
4
5
6
1
2
3
0
5
10
15
20
time (ms from step start, host monotonic clock)
PS dispatch: slots / validity
PS prepare A: root metadata
PS prepare B: graph inputs
draft_recv_cmd
draft_recv_request
draft_response_pack
draft_send_fused
draft_send_parent_q_p2
draft_send_response
exit_logits
exit_proxy_launch
exit_proxy_side
final_logits
glue
graph_post
graph_pre
hit_cache_respond_hit_k2
merge_cache
p1_graph_replay
p1_prepare
p1_root_build
p1_slot_prepare
p2_cache_merge
p2_graph_replay
p2_output_convert
phase2_build
proxy_send_enqueue
proxy_wait
target_postprocess
target_recv_fused
target_recv_parent_q_p2
target_recv_response_wait
target_response_meta_read
target_response_received
target_send_request
target_spec_wait
tree_accept_walk
tree_hit_pack_served_p2
tree_hit_parent_q_gather_p2
tree_hit_rerank_p2
tree_kv_commit
tree_kv_restore
tree_parent_q_select
tree_prep
tree_proxy_graph_replay
tree_proxy_topology_prepare
tree_replay
tree_verify_attention_buffers
tree_verify_mask_prepare
tree_verify_meta_cpu
tree_wire_parse_validate
verify_accept_prep
verify_sample_accept
verify_setup


DUET aligned timeline — step_id=3 — Deferred host metadata: Llama2 7B + AMD135M, B1 BF16 T0.7; source=2, UID=81_t0
Same request + step; K1/K2=6/3, exit20, C3, M1/M2=12/8
Raw timestamps; dispatch gap derived from endpoints; dotted forward counts are NOT measured boundaries
target_rank0
draft
DS: 6 rounds
PS: 3 rounds
1
2
3
4
5
6
1
2
3
0
5
10
15
20
time (ms from step start, host monotonic clock)
PS dispatch: slots / validity
PS prepare A: root metadata
PS prepare B: graph inputs
draft_recv_cmd
draft_recv_request
draft_response_pack
draft_send_fused
draft_send_parent_q_p2
draft_send_response
exit_logits
exit_proxy_launch
exit_proxy_side
final_logits
glue
graph_post
graph_pre
hit_cache_respond_hit_k2
merge_cache
p1_graph_replay
p1_prepare
p1_root_build
p1_slot_prepare
p2_cache_merge
p2_graph_replay
p2_output_convert
phase2_build
proxy_send_enqueue
proxy_wait
target_postprocess
target_recv_fused
target_recv_parent_q_p2
target_recv_response_wait
target_response_meta_read
target_response_received
target_send_request
target_spec_wait
tree_accept_walk
tree_hit_pack_served_p2
tree_hit_parent_q_gather_p2
tree_hit_rerank_p2
tree_kv_commit
tree_kv_restore
tree_parent_q_select
tree_prep
tree_proxy_graph_replay
tree_proxy_topology_prepare
tree_replay
tree_verify_attention_buffers
tree_verify_mask_prepare
tree_verify_meta_cpu
tree_wire_parse_validate
verify_accept_prep
verify_sample_accept
verify_setup


DUET aligned timeline — step_id=25 — Previous PS optimization: Llama2 7B + AMD135M, B1 BF16 T0.7; source=0, UID=351_t0
Same request + step; K1/K2=6/3, exit20, C3, M1/M2=12/8
Raw timestamps; dispatch gap derived from endpoints; dotted forward counts are NOT measured boundaries
target_rank0
draft
DS: 6 rounds
PS: 3 rounds
1
2
3
4
5
6
1
2
3
0
5
10
15
20
time (ms from step start, host monotonic clock)
PS dispatch: slots / validity
PS prepare A: root metadata
PS prepare B: graph inputs
chain_accept
chain_proxy_graph_replay
draft_glue_replay
draft_recv_cmd
draft_recv_request
draft_response_pack
draft_send_chain_q
draft_send_fused
draft_send_response
exit_logits
exit_proxy_launch
exit_proxy_side
final_logits
glue
graph_post
graph_pre
hit_cache_respond_miss
merge_cache
p1_graph_replay
p1_prepare
p1_root_build
p1_slot_prepare
p2_cache_merge
p2_graph_replay
p2_output_convert
phase1_build
phase2_build
proxy_send_enqueue
proxy_wait
target_postprocess
target_recv_chain_q
target_recv_fused
target_recv_response_wait
target_response_meta_read
target_response_received
target_send_request
target_spec_wait
tree_kv_restore
verify_accept_prep
verify_sample_accept
verify_setup


DUET aligned timeline — step_id=25 — Deferred host metadata: Llama2 7B + AMD135M, B1 BF16 T0.7; source=0, UID=351_t0
Same request + step; K1/K2=6/3, exit20, C3, M1/M2=12/8
Raw timestamps; dispatch gap derived from endpoints; dotted forward counts are NOT measured boundaries
target_rank0
draft
DS: 6 rounds
PS: 3 rounds
1
2
3
4
5
6
1
2
3
0
5
10
15
20
time (ms from step start, host monotonic clock)
PS dispatch: slots / validity
PS prepare A: root metadata
PS prepare B: graph inputs
chain_accept
chain_proxy_graph_replay
draft_glue_replay
draft_recv_cmd
draft_recv_request
draft_response_pack
draft_send_chain_q
draft_send_fused
draft_send_response
exit_logits
exit_proxy_launch
exit_proxy_side
final_logits
glue
graph_post
graph_pre
hit_cache_respond_miss
merge_cache
p1_graph_replay
p1_prepare
p1_root_build
p1_slot_prepare
p2_cache_merge
p2_graph_replay
p2_output_convert
phase1_build
phase2_build
proxy_send_enqueue
proxy_wait
target_postprocess
target_recv_chain_q
target_recv_fused
target_recv_response_wait
target_response_meta_read
target_response_received
target_send_request
target_spec_wait
tree_kv_restore
verify_accept_prep
verify_sample_accept
verify_setup