
P1 fanout / dtype: 3 paired seeds, fixed P2 C=3
Common questions per seed: 420 / 400 / 408. Black line = equal seed mean. Mixed hosts; not single-server paper TPS.
Question-mean throughput
tokens/s
163.542
164.151
167.103
164.318
Accepted length
tokens/step
3.062
3.085
3.067
3.018
Mean step latency
ms
18.671
18.745
18.301
18.306
Total cache hit rate
%
91.228
91.267
91.403
91.028
BF16 P1 C2
BF16 P1 C3
FP16 P1 C2
FP16 P1 C3
Seed 42 / server 20
Seed 123 / server 19
Seed 2026 / server 20


Paired effects within each seed and server
Throughput change
%
4
3
2
1
0
−1
−2
Seed 42
Seed 123
Seed 2026
BF16
C3 vs C2
FP16
C3 vs C2
C2
FP16 vs BF16
Step latency change
%
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
Seed 42
Seed 123
Seed 2026
BF16
C3 vs C2
FP16
C3 vs C2
C2
FP16 vs BF16


Same seed123 / settings / inputs: server environment comparison
Throughput
Server 19 / PIX
Server 20 / NODE
tokens/s
154.960
159.186
163.055
168.291
BF16
FP16
Step latency
ms
19.036
18.518
18.107
BF16
FP16
CPU, software and GPU clocks also differ. This comparison does not isolate topology causally.