

Nicobars district, Andaman & Nicobar Islands. Soil: Coastal Alluvial Soil; fertility 60.6% (High); moisture 31.0%; pH 7.83; nitrogen 206 kg/ha; phosphorus 8.0 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 3000-3500 mm/yr; temperature 23 to 31 C; Warm humid maritime climate year-round, two monsoons. Suited crops: rice, coconut, areca nut and vegetables; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State-level crop history not available in source for this state/UT.

North And Middle Andaman district, Andaman & Nicobar Islands. Soil: Coastal Alluvial Soil; fertility 65.4% (High); moisture 36.2%; pH 7.74; nitrogen 144 kg/ha; phosphorus 12.0 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 3000-3500 mm/yr; temperature 23 to 31 C; Warm humid maritime climate year-round, two monsoons. Suited crops: rice, coconut, areca nut and vegetables; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State-level crop history not available in source for this state/UT.

South Andaman district, Andaman & Nicobar Islands. Soil: Coastal Alluvial Soil; fertility 50.9% (Medium); moisture 38.8%; pH 7.57; nitrogen 220 kg/ha; phosphorus 11.9 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 3000-3500 mm/yr; temperature 23 to 31 C; Warm humid maritime climate year-round, two monsoons. Suited crops: rice, coconut, areca nut and vegetables; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State-level crop history not available in source for this state/UT.

Adilabad district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 50.2% (Medium); moisture 20.7%; pH 6.28; nitrogen 231 kg/ha; phosphorus 17.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Anantapur district, Andhra Pradesh. Soil: Red & Black Soil; fertility 62.4% (High); moisture 18.3%; pH 7.46; nitrogen 238 kg/ha; phosphorus 19.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Chittoor district, Andhra Pradesh. Soil: Red & Black Soil; fertility 49.5% (Medium); moisture 19.6%; pH 6.26; nitrogen 156 kg/ha; phosphorus 17.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

East Godavari district, Andhra Pradesh. Soil: Red & Black Soil; fertility 62.1% (High); moisture 25.6%; pH 6.62; nitrogen 180 kg/ha; phosphorus 15.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Guntur district, Andhra Pradesh. Soil: Red & Black Soil; fertility 49.4% (Medium); moisture 15.6%; pH 6.82; nitrogen 164 kg/ha; phosphorus 17.7 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds

and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Hyderabad district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 55.1% (High); moisture 24.0%; pH 7.11; nitrogen 174 kg/ha; phosphorus 19.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Karimnagar district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 63.5% (High); moisture 18.6%; pH 6.57; nitrogen 215 kg/ha; phosphorus 10.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Khammam district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 49.6% (Medium); moisture 14.1%; pH 7.22; nitrogen 213 kg/ha; phosphorus 18.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Krishna district, Andhra Pradesh. Soil: Red & Black Soil; fertility 63.0% (High); moisture 19.5%; pH 6.94; nitrogen 155 kg/ha; phosphorus 10.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Kurnool district, Andhra Pradesh. Soil: Red & Black Soil; fertility 60.4% (High); moisture 19.7%; pH 6.93; nitrogen 224 kg/ha; phosphorus 17.3 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Mahbubnagar district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 57.7% (High); moisture 20.7%; pH 6.6; nitrogen 143 kg/ha; phosphorus 14.7 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Medak district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 49.9% (Medium); moisture 18.9%; pH 7.31; nitrogen 165 kg/ha; phosphorus 9.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Nalgonda district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 51.5% (Medium); moisture 17.5%; pH 7.06; nitrogen 201 kg/ha; phosphorus 19.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Nizamabad district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 60.3% (High); moisture 18.9%; pH 7.26; nitrogen 158 kg/ha; phosphorus 9.3 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Prakasam district, Andhra Pradesh. Soil: Red & Black Soil; fertility 47.1% (Medium); moisture 22.7%; pH 6.8; nitrogen 157 kg/ha; phosphorus 15.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Rangareddy district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 48.5% (Medium); moisture 22.4%; pH 6.78; nitrogen 181 kg/ha; phosphorus 12.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit

Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

Sri Potti Sriramulu Nellore district, Andhra Pradesh. Soil: Red & Black Soil; fertility 59.5% (High); moisture 18.3%; pH 6.31; nitrogen 152 kg/ha; phosphorus 21.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Srikakulam district, Andhra Pradesh. Soil: Red & Black Soil; fertility 65.9% (High); moisture 22.4%; pH 6.55; nitrogen 246 kg/ha; phosphorus 19.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Visakhapatnam district, Andhra Pradesh. Soil: Red & Black Soil; fertility 61.5% (High); moisture 19.4%; pH 6.55; nitrogen 150 kg/ha; phosphorus 20.7 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Vizianagaram district, Andhra Pradesh. Soil: Red & Black Soil; fertility 55.5% (High); moisture 16.4%; pH 6.6; nitrogen 203 kg/ha; phosphorus 11.3 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Warangal district, Andhra Pradesh (now Telangana). Soil: Red & Black Soil; fertility 64.7% (High); moisture 23.1%; pH 7.14; nitrogen 187 kg/ha; phosphorus 17.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 980.9/2.85/2795.6; 21-22 1007.4/2.87/2891.2; 22-23 940.4/2.91/2736.6; 23-24 922.4/2.83/2610.4; 24-25 1025.5/2.5/2563.8 | #2 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1223.7/1.27/1554.1; 21-22 1234.5/1.26/1555.5; 22-23 1253.0/1.27/1591.3; 23-24 1309.2/1.22/1597.2; 24-25 1361.7/1.34/1824.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 631.4/2.58/1629.0; 21-22 652.8/2.62/1710.3; 22-23 667.9/2.68/1790.0; 23-24 632.2/2.62/1656.4; 24-25 736.2/2.78/2046.6 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1261.3/2.2/2774.9; 21-22 1324.7/2.23/2954.1; 22-23 1194.8/2.33/2783.9; 23-24 1321.2/1.94/2563.1; 24-25 1426.9/2.03/2896.6.

West Godavari district, Andhra Pradesh. Soil: Red & Black Soil; fertility 58.4% (High); moisture 21.8%; pH 6.31; nitrogen 185 kg/ha; phosphorus 9.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22

1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Y.S.R. district, Andhra Pradesh. Soil: Red & Black Soil; fertility 56.4% (High); moisture 18.0%; pH 6.39; nitrogen 151 kg/ha; phosphorus 16.6 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 900-1100 mm/yr; temperature 14 to 42 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep and Oct-Dec (NE monsoon). Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1622.5/1.75/2839.4; 21-22 1747.9/1.74/3041.3; 22-23 1537.0/1.72/2643.6; 23-24 1526.9/1.89/2885.8; 24-25 1932.0/1.69/3265.1 | #2 Chilli [Kharif+Rabi; water Medium; difficulty Med-Hard; labor High; profit Med-High] 20-21 957.9/2.54/2433.1; 21-22 992.2/2.51/2490.4; 22-23 1058.5/2.48/2625.1; 23-24 991.1/2.39/2368.7; 24-25 922.7/2.94/2712.7 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 912.3/1.12/1021.8; 21-22 919.8/1.14/1048.6; 22-23 944.5/1.14/1076.7; 23-24 875.4/1.15/1006.7; 24-25 983.0/1.29/1268.1 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1739.3/1.58/2748.1; 21-22 1742.4/1.57/2735.6; 22-23 1803.3/1.54/2777.1; 23-24 1946.2/1.62/3152.8; 24-25 1938.6/1.62/3140.5.

Anjaw district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 44.3% (Medium); moisture 36.8%; pH 6.05; nitrogen 161 kg/ha; phosphorus 11.9 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Changlang district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 40.6% (Medium); moisture 37.3%; pH 5.87; nitrogen 213 kg/ha; phosphorus 6.8 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Dibang Valley district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 52.2% (Medium); moisture 29.9%; pH 6.69; nitrogen 188 kg/ha; phosphorus 10.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

East Kameng district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 46.7% (Medium); moisture 27.3%; pH 5.94; nitrogen 172 kg/ha; phosphorus 6.2 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4

Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

East Siang district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 60.7% (High); moisture 36.3%; pH 5.25; nitrogen 186 kg/ha; phosphorus 7.1 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Kurung Kumey district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 56.8% (High); moisture 26.5%; pH 6.19; nitrogen 207 kg/ha; phosphorus 13.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Lohit district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 42.7% (Medium); moisture 36.7%; pH 5.41; nitrogen 124 kg/ha; phosphorus 11.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Lower Dibang Valley district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 49.3% (Medium); moisture 35.3%; pH 6.45; nitrogen 158 kg/ha; phosphorus 15.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Lower Subansiri district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 47.3% (Medium); moisture 30.2%; pH 5.46; nitrogen 232 kg/ha; phosphorus 7.6 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Papum Pare district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 41.1% (Medium); moisture 29.0%; pH 6.79; nitrogen 227 kg/ha; phosphorus 13.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Tawang district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 62.3% (High); moisture 36.3%; pH 5.93; nitrogen 157 kg/ha; phosphorus 13.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Tirap district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 56.5% (High); moisture 28.0%; pH 5.17; nitrogen 209 kg/ha; phosphorus 8.6 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Upper Siang district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 63.4% (High); moisture 25.9%; pH 5.22; nitrogen 219 kg/ha; phosphorus 7.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Upper Subansiri district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 44.5% (Medium); moisture 31.6%; pH 6.57; nitrogen 143 kg/ha; phosphorus 9.1 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

West Kameng district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 59.4% (High); moisture 37.5%; pH 5.9; nitrogen 137 kg/ha; phosphorus 6.1 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize

and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

West Siang district, Arunachal Pradesh. Soil: Mountain & Forest Soil; fertility 45.7% (Medium); moisture 24.1%; pH 6.22; nitrogen 134 kg/ha; phosphorus 11.1 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/Cwb); rainfall 2000-4500 mm/yr; temperature 2 to 32 C; Heavy monsoon rainfall, cool winters in hills. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 943.8/1.57/1481.8; 21-22 939.4/1.56/1465.5; 22-23 1033.7/1.66/1715.9; 23-24 968.9/1.51/1463.0; 24-25 847.7/1.54/1305.5 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 995.2/1.1/1094.7; 21-22 1070.9/1.14/1220.8; 22-23 966.5/1.16/1121.1; 23-24 1167.8/1.08/1261.2; 24-25 961.5/1.13/1086.5 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 795.5/2.92/2322.9; 21-22 804.9/2.94/2366.4; 22-23 835.7/3.01/2515.5; 23-24 828.3/3.22/2667.1; 24-25 663.9/3.04/2018.3 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 918.7/1.29/1185.1; 21-22 919.4/1.33/1222.8; 22-23 975.5/1.29/1258.4; 23-24 1161.1/1.53/1776.5; 24-25 834.0/1.38/1150.9.

Baksa district, Assam. Soil: Alluvial Soil; fertility 72.4% (High); moisture 26.1%; pH 6.76; nitrogen 292 kg/ha; phosphorus 23.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Barpeta district, Assam. Soil: Alluvial Soil; fertility 73.5% (High); moisture 19.8%; pH 6.66; nitrogen 309 kg/ha; phosphorus 18.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Bongaigaon district, Assam. Soil: Alluvial Soil; fertility 62.5% (High); moisture 24.8%; pH 7.36; nitrogen 313 kg/ha; phosphorus 16.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Cachar district, Assam. Soil: Alluvial Soil; fertility 78.1% (High); moisture 18.3%; pH 7.22; nitrogen 268 kg/ha; phosphorus 13.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water

Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Chirang district, Assam. Soil: Alluvial Soil; fertility 58.5% (High); moisture 23.9%; pH 7.76; nitrogen 263 kg/ha; phosphorus 26.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Darrang district, Assam. Soil: Alluvial Soil; fertility 75.1% (High); moisture 24.5%; pH 7.52; nitrogen 182 kg/ha; phosphorus 13.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Dhemaji district, Assam. Soil: Alluvial Soil; fertility 75.7% (High); moisture 29.2%; pH 6.8; nitrogen 254 kg/ha; phosphorus 21.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Dhubri district, Assam. Soil: Alluvial Soil; fertility 76.7% (High); moisture 26.4%; pH 7.04; nitrogen 232 kg/ha; phosphorus 18.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Dibrugarh district, Assam. Soil: Alluvial Soil; fertility 71.3% (High); moisture 30.1%; pH 7.09; nitrogen 214 kg/ha; phosphorus 15.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Dima Hasao district, Assam. Soil: Alluvial Soil; fertility 73.7% (High); moisture 29.4%; pH 6.64; nitrogen 189 kg/ha; phosphorus 21.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor

VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Goalpara district, Assam. Soil: Alluvial Soil; fertility 58.7% (High); moisture 29.5%; pH 6.9; nitrogen 200 kg/ha; phosphorus 26.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Golaghat district, Assam. Soil: Alluvial Soil; fertility 59.1% (High); moisture 22.0%; pH 6.7; nitrogen 196 kg/ha; phosphorus 12.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Hailakandi district, Assam. Soil: Alluvial Soil; fertility 56.4% (High); moisture 20.4%; pH 6.57; nitrogen 262 kg/ha; phosphorus 22.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Jorhat district, Assam. Soil: Alluvial Soil; fertility 64.8% (High); moisture 22.5%; pH 7.16; nitrogen 302 kg/ha; phosphorus 25.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Kamrup district, Assam. Soil: Alluvial Soil; fertility 56.1% (High); moisture 20.5%; pH 6.81; nitrogen 214 kg/ha; phosphorus 21.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Kamrup Metropolitan district, Assam. Soil: Alluvial Soil; fertility 65.4% (High); moisture 18.7%; pH 6.99; nitrogen 253 kg/ha; phosphorus 13.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables.

State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Karbi Anglong district, Assam. Soil: Alluvial Soil; fertility 75.8% (High); moisture 18.7%; pH 7.7; nitrogen 193 kg/ha; phosphorus 25.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Karimganj district, Assam. Soil: Alluvial Soil; fertility 77.6% (High); moisture 31.7%; pH 7.54; nitrogen 289 kg/ha; phosphorus 22.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Kokrajhar district, Assam. Soil: Alluvial Soil; fertility 74.5% (High); moisture 19.9%; pH 7.2; nitrogen 251 kg/ha; phosphorus 25.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Lakhimpur district, Assam. Soil: Alluvial Soil; fertility 66.6% (High); moisture 23.4%; pH 7.33; nitrogen 217 kg/ha; phosphorus 14.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Morigaon district, Assam. Soil: Alluvial Soil; fertility 66.9% (High); moisture 23.8%; pH 6.8; nitrogen 231 kg/ha; phosphorus 17.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Nagaon district, Assam. Soil: Alluvial Soil; fertility 63.2% (High); moisture 23.3%; pH 7.39; nitrogen 221 kg/ha; phosphorus 27.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Nalbari district, Assam. Soil: Alluvial Soil; fertility 77.9% (High); moisture 24.7%; pH 6.93; nitrogen 254 kg/ha; phosphorus 25.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Sivasagar district, Assam. Soil: Alluvial Soil; fertility 71.3% (High); moisture 29.3%; pH 7.19; nitrogen 268 kg/ha; phosphorus 16.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Sonitpur district, Assam. Soil: Alluvial Soil; fertility 73.4% (High); moisture 20.8%; pH 7.4; nitrogen 300 kg/ha; phosphorus 14.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Tinsukia district, Assam. Soil: Alluvial Soil; fertility 70.4% (High); moisture 19.3%; pH 7.44; nitrogen 191 kg/ha; phosphorus 27.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5; 21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Udalguri district, Assam. Soil: Alluvial Soil; fertility 58.4% (High); moisture 31.4%; pH 7.54; nitrogen 263 kg/ha; phosphorus 24.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-3200 mm/yr; temperature 7 to 35 C; Hot humid summers, mild winters, heavy monsoon. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 798.7/1.65/1317.9; 21-22 773.7/1.65/1276.6; 22-23 826.6/1.63/1347.4; 23-24 854.5/1.63/1392.8; 24-25 922.0/1.62/1493.6 | #2 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 605.5/1.7/1029.3; 21-22 609.1/1.68/1023.3; 22-23 659.3/1.65/1087.8; 23-24 615.5/1.74/1071.0; 24-25 583.1/1.64/956.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 658.6/2.21/1455.5;

21-22 674.7/2.22/1497.8; 22-23 615.5/2.21/1360.3; 23-24 749.3/2.35/1760.9; 24-25 706.3/2.14/1511.5 | #4 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1080.1/1.15/1242.1; 21-22 1148.6/1.17/1343.9; 22-23 1201.7/1.15/1382.0; 23-24 1243.7/1.14/1417.8; 24-25 1147.6/1.45/1664.0.

Araria district, Bihar. Soil: Alluvial Soil; fertility 74.9% (High); moisture 31.2%; pH 6.83; nitrogen 262 kg/ha; phosphorus 13.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Arwal district, Bihar. Soil: Alluvial Soil; fertility 70.4% (High); moisture 20.4%; pH 7.23; nitrogen 260 kg/ha; phosphorus 19.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Aurangabad district, Bihar. Soil: Alluvial Soil; fertility 68.1% (High); moisture 28.7%; pH 7.54; nitrogen 248 kg/ha; phosphorus 21.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Banka district, Bihar. Soil: Alluvial Soil; fertility 78.3% (High); moisture 19.7%; pH 6.65; nitrogen 192 kg/ha; phosphorus 22.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Begusarai district, Bihar. Soil: Alluvial Soil; fertility 65.5% (High); moisture 28.8%; pH 7.37; nitrogen 226 kg/ha; phosphorus 26.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Bhagalpur district, Bihar. Soil: Alluvial Soil; fertility 74.1% (High); moisture 21.8%; pH 6.97; nitrogen 224 kg/ha; phosphorus 14.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23

1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Bhojpur district, Bihar. Soil: Alluvial Soil; fertility 58.7% (High); moisture 31.1%; pH 7.07; nitrogen 233 kg/ha; phosphorus 23.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Buxar district, Bihar. Soil: Alluvial Soil; fertility 68.8% (High); moisture 31.1%; pH 7.51; nitrogen 247 kg/ha; phosphorus 18.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Darbhanga district, Bihar. Soil: Alluvial Soil; fertility 79.7% (High); moisture 28.0%; pH 7.74; nitrogen 196 kg/ha; phosphorus 25.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Gaya district, Bihar. Soil: Alluvial Soil; fertility 70.9% (High); moisture 19.7%; pH 7.26; nitrogen 276 kg/ha; phosphorus 12.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Gopalganj district, Bihar. Soil: Alluvial Soil; fertility 66.4% (High); moisture 29.6%; pH 6.88; nitrogen 244 kg/ha; phosphorus 19.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Jamui district, Bihar. Soil: Alluvial Soil; fertility 62.5% (High); moisture 30.9%; pH 7.52; nitrogen 195 kg/ha; phosphorus 28.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild

winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Jehanabad district, Bihar. Soil: Alluvial Soil; fertility 77.0% (High); moisture 22.0%; pH 7.59; nitrogen 194 kg/ha; phosphorus 28.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Katihar district, Bihar. Soil: Alluvial Soil; fertility 61.0% (High); moisture 20.0%; pH 7.51; nitrogen 207 kg/ha; phosphorus 26.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Khagaria district, Bihar. Soil: Alluvial Soil; fertility 71.4% (High); moisture 18.5%; pH 6.51; nitrogen 187 kg/ha; phosphorus 21.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Kishanganj district, Bihar. Soil: Alluvial Soil; fertility 75.0% (High); moisture 21.3%; pH 7.6; nitrogen 188 kg/ha; phosphorus 24.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Lakhisarai district, Bihar. Soil: Alluvial Soil; fertility 78.2% (High); moisture 28.8%; pH 7.41; nitrogen 297 kg/ha; phosphorus 12.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22

1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Madhepura district, Bihar. Soil: Alluvial Soil; fertility 60.0% (High); moisture 19.7%; pH 7.16; nitrogen 284 kg/ha; phosphorus 22.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Madhubani district, Bihar. Soil: Alluvial Soil; fertility 76.3% (High); moisture 20.2%; pH 7.46; nitrogen 207 kg/ha; phosphorus 16.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Munger district, Bihar. Soil: Alluvial Soil; fertility 72.7% (High); moisture 31.7%; pH 7.3; nitrogen 187 kg/ha; phosphorus 21.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Muzaffarpur district, Bihar. Soil: Alluvial Soil; fertility 56.1% (High); moisture 30.4%; pH 7.42; nitrogen 204 kg/ha; phosphorus 13.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Nalanda district, Bihar. Soil: Alluvial Soil; fertility 59.6% (High); moisture 31.7%; pH 7.1; nitrogen 289 kg/ha; phosphorus 22.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Nawada district, Bihar. Soil: Alluvial Soil; fertility 69.3% (High); moisture 20.0%; pH 7.73; nitrogen 222 kg/ha; phosphorus 21.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8;

24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Pashchim Champaran district, Bihar. Soil: Alluvial Soil; fertility 72.5% (High); moisture 27.1%; pH 7.72; nitrogen 200 kg/ha; phosphorus 20.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Patna district, Bihar. Soil: Alluvial Soil; fertility 65.1% (High); moisture 24.6%; pH 6.65; nitrogen 198 kg/ha; phosphorus 16.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Purba Champaran district, Bihar. Soil: Alluvial Soil; fertility 62.6% (High); moisture 24.0%; pH 7.29; nitrogen 268 kg/ha; phosphorus 18.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Purnia district, Bihar. Soil: Alluvial Soil; fertility 65.2% (High); moisture 21.0%; pH 7.26; nitrogen 224 kg/ha; phosphorus 12.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Rohtas district, Bihar. Soil: Alluvial Soil; fertility 65.5% (High); moisture 24.6%; pH 6.79; nitrogen 260 kg/ha; phosphorus 21.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Saharsa district, Bihar. Soil: Alluvial Soil; fertility 72.6% (High); moisture 27.1%; pH 7.35; nitrogen 224 kg/ha; phosphorus 24.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water

VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Samastipur district, Bihar. Soil: Alluvial Soil; fertility 68.7% (High); moisture 24.0%; pH 7.31; nitrogen 230 kg/ha; phosphorus 20.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Saran district, Bihar. Soil: Alluvial Soil; fertility 73.4% (High); moisture 30.4%; pH 7.7; nitrogen 250 kg/ha; phosphorus 20.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Sheikhpura district, Bihar. Soil: Alluvial Soil; fertility 75.0% (High); moisture 22.4%; pH 7.59; nitrogen 249 kg/ha; phosphorus 13.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Sheohar district, Bihar. Soil: Alluvial Soil; fertility 56.8% (High); moisture 29.8%; pH 6.57; nitrogen 219 kg/ha; phosphorus 17.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Sitamarhi district, Bihar. Soil: Alluvial Soil; fertility 59.3% (High); moisture 22.4%; pH 7.47; nitrogen 182 kg/ha; phosphorus 25.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Siwan district, Bihar. Soil: Alluvial Soil; fertility 76.4% (High); moisture 23.2%; pH 6.7; nitrogen 264 kg/ha; phosphorus 13.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Supaul district, Bihar. Soil: Alluvial Soil; fertility 64.1% (High); moisture 31.4%; pH 7.79; nitrogen 288 kg/ha; phosphorus 17.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Vaishali district, Bihar. Soil: Alluvial Soil; fertility 72.2% (High); moisture 27.9%; pH 7.0; nitrogen 269 kg/ha; phosphorus 12.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1000-1600 mm/yr; temperature 7 to 42 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1676.4/1.14/1911.1; 21-22 1758.5/1.15/2022.3; 22-23 1673.6/1.15/1924.6; 23-24 1692.5/1.17/1980.2; 24-25 1735.8/1.16/2013.5 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 524.7/1.1/577.2; 21-22 518.6/1.12/580.8; 22-23 592.0/1.06/627.5; 23-24 546.6/1.09/595.8; 24-25 459.1/1.21/555.5 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1205.0/2.27/2735.3; 21-22 1209.6/2.29/2770.0; 22-23 1173.2/2.21/2592.8; 23-24 1435.4/2.27/3258.4; 24-25 1349.6/2.36/3185.1 | #4 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1037.3/2.83/2935.6; 21-22 1053.3/2.86/3012.4; 22-23 1155.2/2.97/3430.9; 23-24 1138.4/2.82/3210.3; 24-25 951.1/3.17/3015.0.

Chandigarh district, Chandigarh. Soil: Alluvial Soil; fertility 60.2% (High); moisture 25.4%; pH 6.71; nitrogen 203 kg/ha; phosphorus 25.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 700-1100 mm/yr; temperature 5 to 41 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State-level crop history not available in source for this state/UT.

Bastar district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 59.8% (High); moisture 17.6%; pH 6.59; nitrogen 218 kg/ha; phosphorus 7.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Bijapur district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 47.9% (Medium); moisture 15.9%; pH 5.6; nitrogen 193 kg/ha; phosphorus 10.3 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Bilaspur district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 48.3% (Medium); moisture 13.5%; pH 5.74; nitrogen 209 kg/ha; phosphorus 6.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh;

difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Dakshin Bastar Dantewada district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 43.1% (Medium); moisture 14.9%; pH 6.14; nitrogen 174 kg/ha; phosphorus 10.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Dhamtari district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 39.9% (Medium); moisture 14.4%; pH 6.6; nitrogen 180 kg/ha; phosphorus 12.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Durg district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 52.7% (Medium); moisture 19.6%; pH 5.58; nitrogen 150 kg/ha; phosphorus 11.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Janjgir - Champa district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 45.4% (Medium); moisture 20.4%; pH 6.13; nitrogen 194 kg/ha; phosphorus 14.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Jashpur district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 49.1% (Medium); moisture 21.1%; pH 6.26; nitrogen 203 kg/ha; phosphorus 9.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Kabeerdham district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 49.0% (Medium); moisture 17.3%; pH 5.64; nitrogen 153 kg/ha; phosphorus 15.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Korba district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 51.9% (Medium); moisture 13.8%; pH 5.94; nitrogen 131 kg/ha; phosphorus 6.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Koriya district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 58.4% (High); moisture 16.5%; pH 5.9; nitrogen 175 kg/ha; phosphorus 6.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Mahasamund district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 44.1% (Medium); moisture 19.0%; pH 6.32; nitrogen 217 kg/ha; phosphorus 12.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Narayanpur district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 48.5% (Medium); moisture 19.6%; pH 6.67; nitrogen 189 kg/ha; phosphorus 15.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Raigarh district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 55.2% (High); moisture 20.7%; pH 5.65; nitrogen 190 kg/ha; phosphorus 10.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22

579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Raipur district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 50.2% (Medium); moisture 18.5%; pH 6.76; nitrogen 218 kg/ha; phosphorus 8.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Rajnandgaon district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 54.1% (Medium); moisture 19.5%; pH 5.95; nitrogen 123 kg/ha; phosphorus 6.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Surguja district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 55.1% (High); moisture 16.9%; pH 6.78; nitrogen 161 kg/ha; phosphorus 15.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Uttar Bastar Kanker district, Chhattisgarh. Soil: Red & Yellow Soil; fertility 47.1% (Medium); moisture 19.9%; pH 5.61; nitrogen 171 kg/ha; phosphorus 14.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 8 to 44 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 312.3/1.34/418.5; 21-22 296.9/1.39/412.7; 22-23 329.8/1.43/471.6; 23-24 392.7/1.39/545.9; 24-25 271.8/1.3/353.3 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 697.5/2.56/1785.6; 21-22 718.6/2.51/1803.7; 22-23 738.4/2.6/1919.8; 23-24 719.9/2.63/1893.3; 24-25 708.2/2.54/1798.8 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 546.5/1.26/688.6; 21-22 579.1/1.29/747.0; 22-23 546.1/1.36/742.7; 23-24 577.1/1.29/744.5; 24-25 571.5/1.32/754.4 | #4 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 850.7/2.77/2356.4; 21-22 925.9/2.8/2592.5; 22-23 872.7/2.89/2522.1; 23-24 960.3/2.67/2564.0; 24-25 898.6/3.1/2785.7.

Dadra And Nagar Haveli district, Dadra & Nagar Haveli. Soil: Red & Lateritic Soil; fertility 56.3% (High); moisture 29.5%; pH 4.85; nitrogen 137 kg/ha; phosphorus 5.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1900-2400 mm/yr; temperature 14 to 36 C; Hot humid, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State-level crop history not available in source for this state/UT.

Daman district, Daman & Diu. Soil: Coastal Alluvial Soil; fertility 44.6% (Medium); moisture 34.8%; pH 7.66; nitrogen 215 kg/ha; phosphorus 16.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1800-2200 mm/yr; temperature 16 to 34 C; Hot humid coastal climate, monsoon Jun-Sep. Suited crops: rice, coconut, areca nut and vegetables. State-level crop history not available in source for this state/UT.

Diu district, Daman & Diu. Soil: Coastal Alluvial Soil; fertility 59.7% (High); moisture 36.8%; pH 6.86; nitrogen 155 kg/ha; phosphorus 13.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 1800-2200 mm/yr; temperature 16 to 34 C; Hot humid coastal climate, monsoon Jun-Sep. Suited crops: rice, coconut, areca nut and vegetables. State-level crop history not available in source for this state/UT.

Central Delhi district, Delhi. Soil: Alluvial Soil; fertility 76.5% (High); moisture 18.1%; pH 7.17; nitrogen 274 kg/ha; phosphorus 12.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops

by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

East Delhi district, Delhi. Soil: Alluvial Soil; fertility 65.0% (High); moisture 30.5%; pH 7.37; nitrogen 213 kg/ha; phosphorus 25.6 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

New Delhi district, Delhi. Soil: Alluvial Soil; fertility 63.7% (High); moisture 29.9%; pH 6.89; nitrogen 262 kg/ha; phosphorus 18.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

North Delhi district, Delhi. Soil: Alluvial Soil; fertility 61.9% (High); moisture 30.4%; pH 6.74; nitrogen 191 kg/ha; phosphorus 17.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

North East Delhi district, Delhi. Soil: Alluvial Soil; fertility 72.9% (High); moisture 29.3%; pH 7.8; nitrogen 221 kg/ha; phosphorus 18.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

North West Delhi district, Delhi. Soil: Alluvial Soil; fertility 58.4% (High); moisture 26.0%; pH 7.8; nitrogen 278 kg/ha; phosphorus 21.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

South Delhi district, Delhi. Soil: Alluvial Soil; fertility 64.8% (High); moisture 30.8%; pH 7.15; nitrogen 198 kg/ha; phosphorus 17.8 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

South West Delhi district, Delhi. Soil: Alluvial Soil; fertility 56.7% (High); moisture 20.8%; pH 6.52; nitrogen 243 kg/ha; phosphorus 22.2 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

West Delhi district, Delhi. Soil: Alluvial Soil; fertility 63.6% (High); moisture 23.9%; pH 7.75; nitrogen 285 kg/ha; phosphorus 20.7 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 600-800 mm/yr; temperature 3 to 45 C; Hot summers, cool winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 740.6/1.65/1222.0; 21-22 818.2/1.69/1382.8; 22-23 855.1/1.63/1393.8; 23-24 892.1/1.87/1668.2; 24-25 958.6/1.72/1648.8 | #2 Vegetables [Year-round; water Med-High; difficulty Medium; labor High; profit Med-High] 20-21 348.0/1.79/622.9; 21-22 356.0/1.77/630.1; 22-23 358.6/1.81/649.1; 23-24 435.9/1.99/867.4; 24-25 374.7/2.04/764.4 | #3 Bajra [Varies; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 692.0/1.61/1114.1; 21-22 700.0/1.58/1106.0; 22-23 724.9/1.75/1268.6; 23-24 686.7/1.68/1153.7; 24-25 673.0/1.53/1029.7 | #4 Fodder Crops [Year-round; water Medium; difficulty Easy; labor Low-Med; profit Low] 20-21 369.9/1.21/447.6; 21-22 369.4/1.24/458.1; 22-23 377.3/1.27/479.2; 23-24 402.7/1.26/507.4; 24-25 429.8/1.2/515.8.

North Goa district, Goa. Soil: Laterite Soil; fertility 38.5% (Medium); moisture 33.5%; pH 4.81; nitrogen 122 kg/ha; phosphorus 11.3 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3200 mm/yr; temperature 19 to 35 C; Hot humid coastal, heavy monsoon Jun-Sep. Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 892.3/1.58/1409.8; 21-22 911.8/1.57/1431.5; 22-23 858.3/1.53/1313.2; 23-24 906.6/1.45/1314.6; 24-25 821.6/1.44/1183.1 | #2 Cashew [Perennial; water Low-Med; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1231.6/1.44/1773.5; 21-22 1231.1/1.48/1822.0; 22-23 1265.0/1.45/1834.2; 23-24 1514.1/1.46/2210.6; 24-25 1160.8/1.35/1567.1 | #3 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1255.4/2.35/2950.2; 21-22 1300.7/2.4/3121.7; 22-23 1257.2/2.45/3080.1; 23-24 1400.6/2.17/3039.3; 24-25 1309.7/2.52/3300.4 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1712.4/2.68/4589.2; 21-22 1827.9/2.59/4734.3; 22-23 2066.0/2.61/5392.3; 23-24 1975.1/2.97/5866.0; 24-25 2077.5/2.82/5858.5.

South Goa district, Goa. Soil: Laterite Soil; fertility 44.2% (Medium); moisture 31.1%; pH 5.27; nitrogen 155 kg/ha; phosphorus 6.4 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3200 mm/yr; temperature 19 to 35 C; Hot humid coastal, heavy monsoon Jun-Sep. Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 892.3/1.58/1409.8; 21-22 911.8/1.57/1431.5; 22-23 858.3/1.53/1313.2; 23-24 906.6/1.45/1314.6; 24-25 821.6/1.44/1183.1 | #2 Cashew [Perennial; water Low-Med; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1231.6/1.44/1773.5; 21-22 1231.1/1.48/1822.0; 22-23 1265.0/1.45/1834.2; 23-24 1514.1/1.46/2210.6; 24-25 1160.8/1.35/1567.1 | #3 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1255.4/2.35/2950.2; 21-22 1300.7/2.4/3121.7; 22-23 1257.2/2.45/3080.1; 23-24 1400.6/2.17/3039.3; 24-25 1309.7/2.52/3300.4 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1712.4/2.68/4589.2; 21-22 1827.9/2.59/4734.3; 22-23 2066.0/2.61/5392.3; 23-24 1975.1/2.97/5866.0; 24-25 2077.5/2.82/5858.5.

Ahmadabad district, Gujarat. Soil: Black Soil (Regur); fertility 56.0% (High); moisture 24.8%; pH 7.2; nitrogen 263 kg/ha; phosphorus 11.4 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24

1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Amreli district, Gujarat. Soil: Black Soil (Regur); fertility 64.0% (High); moisture 31.9%; pH 8.02; nitrogen 206 kg/ha; phosphorus 13.7 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Anand district, Gujarat. Soil: Black Soil (Regur); fertility 74.9% (High); moisture 30.1%; pH 8.06; nitrogen 267 kg/ha; phosphorus 17.5 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Banas Kantha district, Gujarat. Soil: Black Soil (Regur); fertility 54.6% (Medium); moisture 28.4%; pH 7.13; nitrogen 234 kg/ha; phosphorus 19.5 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Bharuch district, Gujarat. Soil: Black Soil (Regur); fertility 62.8% (High); moisture 26.5%; pH 7.05; nitrogen 274 kg/ha; phosphorus 9.2 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Bhavnagar district, Gujarat. Soil: Black Soil (Regur); fertility 51.0% (Medium); moisture 23.7%; pH 7.09; nitrogen 209 kg/ha; phosphorus 14.2 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8;

21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Dohad district, Gujarat. Soil: Black Soil (Regur); fertility 57.8% (High); moisture 20.8%; pH 7.15; nitrogen 199 kg/ha; phosphorus 8.7 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Gandhinagar district, Gujarat. Soil: Black Soil (Regur); fertility 67.5% (High); moisture 23.1%; pH 7.39; nitrogen 201 kg/ha; phosphorus 13.0 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Jamnagar district, Gujarat. Soil: Black Soil (Regur); fertility 50.0% (Medium); moisture 21.7%; pH 8.12; nitrogen 150 kg/ha; phosphorus 14.1 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Junagadh district, Gujarat. Soil: Black Soil (Regur); fertility 62.2% (High); moisture 25.0%; pH 7.56; nitrogen 251 kg/ha; phosphorus 18.1 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Kachchh district, Gujarat. Soil: Black Soil (Regur); fertility 56.5% (High); moisture 24.8%; pH 7.32; nitrogen 212 kg/ha; phosphorus 16.2 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Kheda district, Gujarat. Soil: Black Soil (Regur); fertility 55.7% (High); moisture 25.0%; pH 8.21; nitrogen 156 kg/ha; phosphorus 13.5 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Mahesana district, Gujarat. Soil: Black Soil (Regur); fertility 67.8% (High); moisture 22.3%; pH 7.06; nitrogen 167 kg/ha; phosphorus 19.0 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Narmada district, Gujarat. Soil: Black Soil (Regur); fertility 50.2% (Medium); moisture 22.8%; pH 7.04; nitrogen 164 kg/ha; phosphorus 15.4 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Navsari district, Gujarat. Soil: Black Soil (Regur); fertility 56.0% (High); moisture 28.5%; pH 7.77; nitrogen 260 kg/ha; phosphorus 8.1 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Panch Mahals district, Gujarat. Soil: Black Soil (Regur); fertility 71.3% (High); moisture 29.3%; pH 7.21; nitrogen 250 kg/ha; phosphorus 18.3 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Patan district, Gujarat. Soil: Black Soil (Regur); fertility 56.4% (High); moisture 33.8%; pH 7.59; nitrogen 228 kg/ha; phosphorus 19.8 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low

rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Porbandar district, Gujarat. Soil: Black Soil (Regur); fertility 59.0% (High); moisture 32.2%; pH 7.41; nitrogen 253 kg/ha; phosphorus 15.2 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Rajkot district, Gujarat. Soil: Black Soil (Regur); fertility 55.4% (High); moisture 26.2%; pH 7.41; nitrogen 160 kg/ha; phosphorus 8.4 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Sabar Kantha district, Gujarat. Soil: Black Soil (Regur); fertility 58.7% (High); moisture 20.3%; pH 7.22; nitrogen 244 kg/ha; phosphorus 16.5 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Surat district, Gujarat. Soil: Black Soil (Regur); fertility 68.5% (High); moisture 24.8%; pH 8.16; nitrogen 227 kg/ha; phosphorus 9.5 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Surendranagar district, Gujarat. Soil: Black Soil (Regur); fertility 53.6% (Medium); moisture 30.4%; pH 7.22; nitrogen 215 kg/ha; phosphorus 19.9 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24

1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Tapi district, Gujarat. Soil: Black Soil (Regur); fertility 50.1% (Medium); moisture 20.2%; pH 8.29; nitrogen 226 kg/ha; phosphorus 9.5 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

The Dangs district, Gujarat. Soil: Black Soil (Regur); fertility 72.4% (High); moisture 33.2%; pH 7.7; nitrogen 230 kg/ha; phosphorus 11.3 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Vadodara district, Gujarat. Soil: Black Soil (Regur); fertility 51.3% (Medium); moisture 28.9%; pH 7.38; nitrogen 236 kg/ha; phosphorus 18.0 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Valsad district, Gujarat. Soil: Black Soil (Regur); fertility 50.5% (Medium); moisture 28.9%; pH 7.3; nitrogen 263 kg/ha; phosphorus 11.0 kg/ha. Climate: Semi-Arid to Arid (Koppen BSh/BWh); rainfall 300-2000 mm/yr; temperature 7 to 43 C; Hot summers, mild winters, monsoon Jun-Sep, coastal humidity. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1559.5/2.36/3680.4; 21-22 1614.8/2.38/3843.2; 22-23 1585.6/2.38/3773.7; 23-24 1472.3/2.23/3283.2; 24-25 1851.4/2.42/4480.4 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1023.1/1.18/1207.3; 21-22 1049.0/1.2/1258.8; 22-23 1041.0/1.26/1311.7; 23-24 1106.1/1.13/1249.9; 24-25 991.1/1.31/1298.3 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1307.4/2.67/3490.8; 21-22 1386.2/2.68/3715.0; 22-23 1336.7/2.6/3475.4; 23-24 1721.7/2.72/4683.0; 24-25 1698.6/2.64/4484.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 854.5/2.44/2085.0; 21-22 839.5/2.52/2115.5; 22-23 906.8/2.39/2167.3; 23-24 867.3/2.45/2124.9; 24-25 919.6/2.43/2234.6.

Ambala district, Haryana. Soil: Alluvial Soil; fertility 70.3% (High); moisture 25.7%; pH 7.02; nitrogen 274 kg/ha; phosphorus 23.6 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23

1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Bhiwani district, Haryana. Soil: Alluvial Soil; fertility 69.2% (High); moisture 28.6%; pH 7.78; nitrogen 238 kg/ha; phosphorus 20.2 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Faridabad district, Haryana. Soil: Alluvial Soil; fertility 55.3% (High); moisture 29.1%; pH 7.18; nitrogen 237 kg/ha; phosphorus 13.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Fatehabad district, Haryana. Soil: Alluvial Soil; fertility 77.2% (High); moisture 23.5%; pH 7.39; nitrogen 200 kg/ha; phosphorus 27.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Gurgaon district, Haryana. Soil: Alluvial Soil; fertility 59.5% (High); moisture 20.8%; pH 7.62; nitrogen 307 kg/ha; phosphorus 15.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Hisar district, Haryana. Soil: Alluvial Soil; fertility 66.7% (High); moisture 28.3%; pH 7.64; nitrogen 233 kg/ha; phosphorus 20.3 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Jhajjar district, Haryana. Soil: Alluvial Soil; fertility 73.5% (High); moisture 28.2%; pH 7.52; nitrogen 259 kg/ha; phosphorus 13.7 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Jind district, Haryana. Soil: Alluvial Soil; fertility 77.6% (High); moisture 30.1%; pH 7.54; nitrogen 193 kg/ha; phosphorus 15.3 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Kaithal district, Haryana. Soil: Alluvial Soil; fertility 73.6% (High); moisture 18.3%; pH 7.77; nitrogen 232 kg/ha; phosphorus 23.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Karnal district, Haryana. Soil: Alluvial Soil; fertility 77.2% (High); moisture 23.5%; pH 6.91; nitrogen 265 kg/ha; phosphorus 21.3 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Kurukshetra district, Haryana. Soil: Alluvial Soil; fertility 65.2% (High); moisture 26.4%; pH 7.72; nitrogen 245 kg/ha; phosphorus 15.1 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Mahendragarh district, Haryana. Soil: Alluvial Soil; fertility 64.4% (High); moisture 23.5%; pH 6.67; nitrogen 202 kg/ha; phosphorus 23.0 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables;

low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Mewat district, Haryana. Soil: Alluvial Soil; fertility 63.5% (High); moisture 31.4%; pH 6.82; nitrogen 193 kg/ha; phosphorus 24.1 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Palwal district, Haryana. Soil: Alluvial Soil; fertility 77.0% (High); moisture 21.9%; pH 6.76; nitrogen 206 kg/ha; phosphorus 20.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Panchkula district, Haryana. Soil: Alluvial Soil; fertility 66.7% (High); moisture 21.6%; pH 6.56; nitrogen 247 kg/ha; phosphorus 27.3 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Panipat district, Haryana. Soil: Alluvial Soil; fertility 71.3% (High); moisture 24.9%; pH 6.64; nitrogen 215 kg/ha; phosphorus 16.7 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Rewari district, Haryana. Soil: Alluvial Soil; fertility 74.1% (High); moisture 30.3%; pH 7.67; nitrogen 317 kg/ha; phosphorus 27.7 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25

2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Rohtak district, Haryana. Soil: Alluvial Soil; fertility 78.8% (High); moisture 19.0%; pH 6.68; nitrogen 222 kg/ha; phosphorus 20.8 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Sirsa district, Haryana. Soil: Alluvial Soil; fertility 57.4% (High); moisture 29.8%; pH 7.3; nitrogen 255 kg/ha; phosphorus 14.6 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Sonapat district, Haryana. Soil: Alluvial Soil; fertility 61.3% (High); moisture 20.2%; pH 7.61; nitrogen 261 kg/ha; phosphorus 23.8 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Yamunanagar district, Haryana. Soil: Alluvial Soil; fertility 62.4% (High); moisture 23.2%; pH 7.03; nitrogen 286 kg/ha; phosphorus 24.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 350-800 mm/yr; temperature 4 to 44 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1594.1/1.72/2741.9; 21-22 1629.6/1.76/2868.1; 22-23 1640.2/1.8/2952.4; 23-24 1681.8/1.85/3111.3; 24-25 2036.6/1.7/3462.2 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1220.8/2.35/2868.9; 21-22 1224.0/2.37/2900.9; 22-23 1338.2/2.51/3358.9; 23-24 1150.0/2.31/2656.5; 24-25 1424.9/2.08/2963.8 | #3 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1259.5/1.26/1587.0; 21-22 1272.4/1.27/1615.9; 22-23 1291.2/1.37/1768.9; 23-24 1286.8/1.28/1647.1; 24-25 1420.8/1.3/1847.0 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1226.5/2.14/2624.7; 21-22 1294.0/2.19/2833.9; 22-23 1274.3/2.24/2854.4; 23-24 1262.9/2.34/2955.2; 24-25 1326.8/2.33/3091.4.

Bilaspur district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 45.2% (Medium); moisture 37.1%; pH 5.22; nitrogen 227 kg/ha; phosphorus 7.0 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24

1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium]
20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Chamba district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 46.6% (Medium); moisture 35.5%; pH 5.32; nitrogen 169 kg/ha; phosphorus 10.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Hamirpur district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 46.1% (Medium); moisture 33.4%; pH 6.53; nitrogen 224 kg/ha; phosphorus 9.4 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Kangra district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 53.3% (Medium); moisture 26.0%; pH 5.44; nitrogen 139 kg/ha; phosphorus 15.4 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Kinnaur district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 62.2% (High); moisture 34.4%; pH 5.93; nitrogen 178 kg/ha; phosphorus 11.3 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Kullu district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 53.4% (Medium); moisture 29.0%; pH 5.24; nitrogen 135 kg/ha; phosphorus 15.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Lahul And Spiti district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 52.1% (Medium); moisture 37.3%; pH 5.29; nitrogen 186 kg/ha; phosphorus 8.1 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water

Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Mandi district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 46.3% (Medium); moisture 22.5%; pH 5.21; nitrogen 230 kg/ha; phosphorus 9.2 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Shimla district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 55.2% (High); moisture 29.4%; pH 5.72; nitrogen 183 kg/ha; phosphorus 7.9 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Sirmaur district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 64.7% (High); moisture 35.1%; pH 6.33; nitrogen 176 kg/ha; phosphorus 7.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Solan district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 63.0% (High); moisture 27.5%; pH 5.09; nitrogen 161 kg/ha; phosphorus 13.9 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Una district, Himachal Pradesh. Soil: Mountain & Forest Soil; fertility 55.6% (High); moisture 34.0%; pH 6.43; nitrogen 145 kg/ha; phosphorus 15.2 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwb); rainfall 1000-1800 mm/yr; temperature (-2) to 32 C; Cold winters, mild-to-warm summers, monsoon Jul-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 1737.2/2.8/4864.2; 21-22 1835.0/2.8/5138.0; 22-23 1627.0/2.82/4588.1; 23-24 1846.0/2.9/5353.4; 24-25 2189.0/2.98/6523.2 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1644.5/1.67/2746.3; 21-22 1715.5/1.7/2916.3; 22-23 1726.5/1.83/3159.5; 23-24 1606.2/1.71/2746.6; 24-25 1878.4/1.84/3456.3 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1507.4/2.28/3436.9; 21-22 1531.6/2.25/3446.1; 22-23 1566.4/2.41/3775.0; 23-24 1467.0/2.32/3403.4; 24-25 1763.1/2.18/3843.6 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 256.5/2.7/692.6; 21-22 277.2/2.72/754.0; 22-23 278.6/2.77/771.7; 23-24 274.6/3.05/837.5; 24-25 237.0/3.06/725.2.

Anantnag district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 50.9% (Medium); moisture 32.2%; pH 5.0; nitrogen 239 kg/ha; phosphorus 8.8 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced

rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated):
#1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Badgam district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 41.6% (Medium); moisture 29.3%; pH 5.23; nitrogen 138 kg/ha; phosphorus 12.3 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Bandipore district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 49.8% (Medium); moisture 36.7%; pH 5.57; nitrogen 207 kg/ha; phosphorus 10.6 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Baramula district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 56.5% (High); moisture 31.6%; pH 5.85; nitrogen 234 kg/ha; phosphorus 9.4 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Doda district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 44.4% (Medium); moisture 32.8%; pH 6.52; nitrogen 124 kg/ha; phosphorus 10.5 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Ganderbal district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 62.3% (High); moisture 34.0%; pH 6.79; nitrogen 183 kg/ha; phosphorus 12.6 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Jammu district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 47.6% (Medium); moisture 37.2%; pH 5.66; nitrogen 208 kg/ha; phosphorus 10.0 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Kargil district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 54.0% (Medium); moisture 33.5%; pH 5.92; nitrogen 228 kg/ha; phosphorus 10.2 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Kathua district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 56.2% (High); moisture 27.5%; pH 5.73; nitrogen 172 kg/ha; phosphorus 7.3 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Kishtwar district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 42.3% (Medium); moisture 32.7%; pH 6.18; nitrogen 199 kg/ha; phosphorus 6.2 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Kulgam district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 48.2% (Medium); moisture 25.2%; pH 6.4; nitrogen 223 kg/ha; phosphorus 8.5 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Kupwara district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 56.7% (High); moisture 24.1%; pH 5.5; nitrogen 136 kg/ha; phosphorus 8.8 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit

Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Pulwama district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 63.8% (High); moisture 31.8%; pH 5.46; nitrogen 195 kg/ha; phosphorus 9.2 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Punch district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 64.4% (High); moisture 28.4%; pH 6.23; nitrogen 122 kg/ha; phosphorus 10.0 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Rajouri district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 61.9% (High); moisture 31.8%; pH 5.8; nitrogen 232 kg/ha; phosphorus 14.5 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Ramban district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 48.1% (Medium); moisture 30.7%; pH 5.88; nitrogen 195 kg/ha; phosphorus 9.3 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Reasi district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 46.1% (Medium); moisture 36.6%; pH 6.66; nitrogen 221 kg/ha; phosphorus 15.8 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Samba district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 58.6% (High); moisture 34.2%; pH 6.37; nitrogen 177 kg/ha; phosphorus 10.6 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22

1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Shupiyan district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 46.0% (Medium); moisture 32.3%; pH 5.52; nitrogen 150 kg/ha; phosphorus 11.9 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Srinagar district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 50.2% (Medium); moisture 25.5%; pH 6.47; nitrogen 223 kg/ha; phosphorus 7.7 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Udhampur district, Jammu And Kashmir. Soil: Mountain & Forest Soil; fertility 40.2% (Medium); moisture 27.4%; pH 6.44; nitrogen 220 kg/ha; phosphorus 7.4 kg/ha. Climate: Cold / Alpine (Koppen Dfb/ET); rainfall 650-1200 mm/yr; temperature (-5) to 30 C; Cold winters with snow (Dec-Feb), mild summers (Jun-Aug). Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1485.0/1.57/2331.5; 21-22 1427.6/1.56/2227.1; 22-23 1605.9/1.66/2665.8; 23-24 1680.5/1.62/2722.4; 24-25 1695.2/1.72/2915.7 | #2 Apple [Perennial; water Medium; difficulty Hard; labor High; profit High] 20-21 613.4/2.25/1380.1; 21-22 606.6/2.31/1401.2; 22-23 629.6/2.21/1391.4; 23-24 672.7/2.19/1473.2; 24-25 595.5/2.06/1226.7 | #3 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1604.6/2.24/3594.3; 21-22 1629.9/2.31/3765.1; 22-23 1671.2/2.28/3810.3; 23-24 1790.5/2.46/4404.6; 24-25 1668.1/2.29/3819.9 | #4 Saffron [Rabi; water Low; difficulty Very Hard; labor VeryHigh; profit High] 20-21 621.8/1.27/789.7; 21-22 626.8/1.29/808.6; 22-23 615.9/1.31/806.8; 23-24 682.9/1.27/867.3; 24-25 847.9/1.36/1153.1.

Bokaro district, Jharkhand. Soil: Red & Yellow Soil; fertility 55.0% (High); moisture 13.2%; pH 6.01; nitrogen 219 kg/ha; phosphorus 7.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Chatra district, Jharkhand. Soil: Red & Yellow Soil; fertility 41.4% (Medium); moisture 16.2%; pH 6.31; nitrogen 212 kg/ha; phosphorus 15.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Deoghar district, Jharkhand. Soil: Red & Yellow Soil; fertility 39.5% (Medium); moisture 13.4%; pH 6.53; nitrogen 139 kg/ha; phosphorus 14.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot

summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Dhanbad district, Jharkhand. Soil: Red & Yellow Soil; fertility 52.6% (Medium); moisture 13.1%; pH 6.58; nitrogen 129 kg/ha; phosphorus 10.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Dumka district, Jharkhand. Soil: Red & Yellow Soil; fertility 50.1% (Medium); moisture 17.0%; pH 6.39; nitrogen 181 kg/ha; phosphorus 15.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Garhwa district, Jharkhand. Soil: Red & Yellow Soil; fertility 60.0% (High); moisture 17.2%; pH 5.62; nitrogen 190 kg/ha; phosphorus 15.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Giridih district, Jharkhand. Soil: Red & Yellow Soil; fertility 45.0% (Medium); moisture 16.6%; pH 6.05; nitrogen 115 kg/ha; phosphorus 12.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Godda district, Jharkhand. Soil: Red & Yellow Soil; fertility 45.8% (Medium); moisture 19.9%; pH 6.58; nitrogen 200 kg/ha; phosphorus 10.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22

943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Gumla district, Jharkhand. Soil: Red & Yellow Soil; fertility 45.1% (Medium); moisture 19.5%; pH 6.54; nitrogen 164 kg/ha; phosphorus 14.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Hazaribagh district, Jharkhand. Soil: Red & Yellow Soil; fertility 41.2% (Medium); moisture 20.8%; pH 5.62; nitrogen 126 kg/ha; phosphorus 11.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Jamtara district, Jharkhand. Soil: Red & Yellow Soil; fertility 39.5% (Medium); moisture 12.5%; pH 5.5; nitrogen 157 kg/ha; phosphorus 13.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Khunti district, Jharkhand. Soil: Red & Yellow Soil; fertility 38.8% (Medium); moisture 18.5%; pH 6.57; nitrogen 128 kg/ha; phosphorus 7.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Kodarma district, Jharkhand. Soil: Red & Yellow Soil; fertility 56.9% (High); moisture 20.2%; pH 6.2; nitrogen 200 kg/ha; phosphorus 6.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Latehar district, Jharkhand. Soil: Red & Yellow Soil; fertility 46.7% (Medium); moisture 19.4%; pH 5.83; nitrogen 192 kg/ha; phosphorus 11.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25

1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21
1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 |
#4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22
943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Lohardaga district, Jharkhand. Soil: Red & Yellow Soil; fertility 54.5% (Medium); moisture 16.6%; pH 5.98; nitrogen 134 kg/ha; phosphorus 8.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Pakur district, Jharkhand. Soil: Red & Yellow Soil; fertility 54.5% (Medium); moisture 13.2%; pH 5.61; nitrogen 129 kg/ha; phosphorus 7.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Palamu district, Jharkhand. Soil: Red & Yellow Soil; fertility 56.1% (High); moisture 16.0%; pH 6.79; nitrogen 125 kg/ha; phosphorus 12.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Pashchimi Singhbhum district, Jharkhand. Soil: Red & Yellow Soil; fertility 47.9% (Medium); moisture 15.9%; pH 6.64; nitrogen 217 kg/ha; phosphorus 14.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Purbi Singhbhum district, Jharkhand. Soil: Red & Yellow Soil; fertility 42.2% (Medium); moisture 14.2%; pH 6.35; nitrogen 141 kg/ha; phosphorus 13.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Ramgarh district, Jharkhand. Soil: Red & Yellow Soil; fertility 50.5% (Medium); moisture 17.5%; pH 6.58; nitrogen 188 kg/ha; phosphorus 6.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh;

difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Ranchi district, Jharkhand. Soil: Red & Yellow Soil; fertility 39.1% (Medium); moisture 18.0%; pH 6.13; nitrogen 138 kg/ha; phosphorus 10.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Sahibganj district, Jharkhand. Soil: Red & Yellow Soil; fertility 54.7% (Medium); moisture 20.3%; pH 6.23; nitrogen 152 kg/ha; phosphorus 8.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Saraikela-Kharsawan district, Jharkhand. Soil: Red & Yellow Soil; fertility 49.5% (Medium); moisture 15.1%; pH 6.23; nitrogen 184 kg/ha; phosphorus 6.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Simdega district, Jharkhand. Soil: Red & Yellow Soil; fertility 38.0% (Medium); moisture 14.1%; pH 6.66; nitrogen 181 kg/ha; phosphorus 7.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1100-1500 mm/yr; temperature 6 to 42 C; Hot summers, mild winters, monsoon Jun-Sep. Suited crops: millets (ragi, bajra), pulses, groundnut and potato. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 960.7/1.26/1210.5; 21-22 982.3/1.26/1237.7; 22-23 1089.1/1.19/1296.0; 23-24 960.4/1.26/1210.1; 24-25 1123.5/1.38/1550.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1178.6/1.13/1331.8; 21-22 1178.6/1.16/1367.2; 22-23 1160.7/1.06/1230.3; 23-24 1210.3/1.07/1295.0; 24-25 1181.1/1.22/1440.9 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 1626.8/2.98/4847.9; 21-22 1622.5/2.96/4802.6; 22-23 1573.5/3.1/4877.9; 23-24 1630.0/2.73/4449.9; 24-25 1909.8/3.08/5882.2 | #4 Oilseeds [Rabi/Kharif; water Low-Med; difficulty Easy-Med; labor Medium; profit Low-Med] 20-21 892.5/1.28/1142.4; 21-22 943.4/1.3/1226.4; 22-23 950.1/1.33/1263.6; 23-24 830.5/1.31/1088.0; 24-25 936.9/1.35/1264.8.

Bagalkot district, Karnataka. Soil: Red & Black Soil; fertility 65.5% (High); moisture 19.6%; pH 6.82; nitrogen 242 kg/ha; phosphorus 9.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Bangalore district, Karnataka. Soil: Red & Black Soil; fertility 49.9% (Medium); moisture 21.0%; pH 6.45; nitrogen 214 kg/ha; phosphorus 11.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Bangalore Rural district, Karnataka. Soil: Red & Black Soil; fertility 47.3% (Medium); moisture 16.5%; pH 6.75; nitrogen 159 kg/ha; phosphorus 10.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Belgaum district, Karnataka. Soil: Red & Black Soil; fertility 64.8% (High); moisture 17.8%; pH 6.67; nitrogen 146 kg/ha; phosphorus 13.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Bellary district, Karnataka. Soil: Red & Black Soil; fertility 51.1% (Medium); moisture 21.3%; pH 6.47; nitrogen 237 kg/ha; phosphorus 21.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Bidar district, Karnataka. Soil: Red & Black Soil; fertility 47.3% (Medium); moisture 15.3%; pH 6.35; nitrogen 208 kg/ha; phosphorus 10.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Bijapur district, Karnataka. Soil: Red & Black Soil; fertility 64.6% (High); moisture 23.1%; pH 7.27; nitrogen 197 kg/ha; phosphorus 22.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor

VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Chamarajanagar district, Karnataka. Soil: Red & Black Soil; fertility 46.0% (Medium); moisture 18.8%; pH 6.62; nitrogen 244 kg/ha; phosphorus 16.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Chikkaballapura district, Karnataka. Soil: Red & Black Soil; fertility 63.5% (High); moisture 16.0%; pH 7.47; nitrogen 194 kg/ha; phosphorus 15.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Chikmagalur district, Karnataka. Soil: Red & Black Soil; fertility 67.3% (High); moisture 18.6%; pH 6.72; nitrogen 204 kg/ha; phosphorus 10.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Chitradurga district, Karnataka. Soil: Red & Black Soil; fertility 52.4% (Medium); moisture 16.3%; pH 6.33; nitrogen 235 kg/ha; phosphorus 16.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Dakshina Kannada district, Karnataka. Soil: Red & Black Soil; fertility 53.2% (Medium); moisture 18.9%; pH 6.76; nitrogen 209 kg/ha; phosphorus 21.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Davanagere district, Karnataka. Soil: Red & Black Soil; fertility 66.5% (High); moisture 18.7%; pH 6.63; nitrogen 189 kg/ha; phosphorus 16.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State

top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Dharwad district, Karnataka. Soil: Red & Black Soil; fertility 55.6% (High); moisture 21.9%; pH 6.92; nitrogen 175 kg/ha; phosphorus 13.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Gadag district, Karnataka. Soil: Red & Black Soil; fertility 53.7% (Medium); moisture 15.1%; pH 6.42; nitrogen 219 kg/ha; phosphorus 14.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Gulbarga district, Karnataka. Soil: Red & Black Soil; fertility 49.9% (Medium); moisture 20.8%; pH 7.18; nitrogen 168 kg/ha; phosphorus 19.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Hassan district, Karnataka. Soil: Red & Black Soil; fertility 66.3% (High); moisture 21.2%; pH 7.07; nitrogen 145 kg/ha; phosphorus 21.3 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Haveri district, Karnataka. Soil: Red & Black Soil; fertility 54.0% (Medium); moisture 25.1%; pH 6.95; nitrogen 140 kg/ha; phosphorus 9.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Kodagu district, Karnataka. Soil: Red & Black Soil; fertility 60.6% (High); moisture 20.8%; pH 6.23; nitrogen 221 kg/ha; phosphorus 20.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Kolar district, Karnataka. Soil: Red & Black Soil; fertility 56.4% (High); moisture 19.6%; pH 6.21; nitrogen 226 kg/ha; phosphorus 13.3 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Koppal district, Karnataka. Soil: Red & Black Soil; fertility 65.2% (High); moisture 18.5%; pH 6.93; nitrogen 169 kg/ha; phosphorus 11.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Mandya district, Karnataka. Soil: Red & Black Soil; fertility 62.8% (High); moisture 20.0%; pH 6.9; nitrogen 246 kg/ha; phosphorus 21.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Mysore district, Karnataka. Soil: Red & Black Soil; fertility 64.7% (High); moisture 16.3%; pH 6.97; nitrogen 236 kg/ha; phosphorus 13.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Raichur district, Karnataka. Soil: Red & Black Soil; fertility 47.3% (Medium); moisture 23.7%; pH 6.83; nitrogen 202 kg/ha; phosphorus 21.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor

VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Ramanagara district, Karnataka. Soil: Red & Black Soil; fertility 59.0% (High); moisture 19.1%; pH 6.68; nitrogen 185 kg/ha; phosphorus 10.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Shimoga district, Karnataka. Soil: Red & Black Soil; fertility 63.3% (High); moisture 24.1%; pH 6.57; nitrogen 173 kg/ha; phosphorus 20.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Tumkur district, Karnataka. Soil: Red & Black Soil; fertility 45.6% (Medium); moisture 20.2%; pH 6.8; nitrogen 215 kg/ha; phosphorus 11.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Udupi district, Karnataka. Soil: Red & Black Soil; fertility 60.4% (High); moisture 18.5%; pH 7.0; nitrogen 144 kg/ha; phosphorus 15.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Uttara Kannada district, Karnataka. Soil: Red & Black Soil; fertility 57.0% (High); moisture 16.6%; pH 6.38; nitrogen 160 kg/ha; phosphorus 13.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23 302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Yadgir district, Karnataka. Soil: Red & Black Soil; fertility 47.2% (Medium); moisture 25.4%; pH 6.73; nitrogen 228 kg/ha; phosphorus 21.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Am); rainfall 600-3800 mm/yr; temperature 11 to 38 C; Coastal humidity, drier interior plateau, monsoon Jun-Sep. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Ragi (Finger Millet) [Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 318.7/2.19/698.0; 21-22 324.6/2.25/730.4; 22-23

302.4/2.23/674.4; 23-24 319.1/2.12/676.5; 24-25 380.9/2.18/830.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1192.6/2.64/3148.5; 21-22 1189.5/2.7/3211.7; 22-23 1229.5/2.76/3393.4; 23-24 1260.3/2.55/3213.8; 24-25 1275.5/2.76/3520.4 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 740.9/2.65/1963.4; 21-22 770.1/2.62/2017.7; 22-23 691.1/2.7/1866.0; 23-24 865.4/2.49/2154.8; 24-25 704.1/2.6/1830.7 | #4 Coffee [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 1284.3/2.17/2786.9; 21-22 1332.4/2.16/2878.0; 22-23 1370.4/2.13/2919.0; 23-24 1222.3/2.0/2444.6; 24-25 1720.5/2.2/3785.1.

Alappuzha district, Kerala. Soil: Laterite Soil; fertility 33.9% (Low); moisture 29.8%; pH 5.63; nitrogen 153 kg/ha; phosphorus 7.4 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Ernakulam district, Kerala. Soil: Laterite Soil; fertility 41.9% (Medium); moisture 20.5%; pH 5.19; nitrogen 189 kg/ha; phosphorus 11.7 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Idukki district, Kerala. Soil: Laterite Soil; fertility 32.9% (Low); moisture 30.6%; pH 4.89; nitrogen 180 kg/ha; phosphorus 4.4 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Kannur district, Kerala. Soil: Laterite Soil; fertility 53.5% (Medium); moisture 32.6%; pH 4.65; nitrogen 95 kg/ha; phosphorus 10.7 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Kasaragod district, Kerala. Soil: Laterite Soil; fertility 35.6% (Medium); moisture 28.0%; pH 5.69; nitrogen 146 kg/ha; phosphorus 7.2 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Kollam district, Kerala. Soil: Laterite Soil; fertility 42.2% (Medium); moisture 20.9%; pH 5.76; nitrogen 121 kg/ha; phosphorus 5.5 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Kottayam district, Kerala. Soil: Laterite Soil; fertility 38.6% (Medium); moisture 34.5%; pH 4.62; nitrogen 176 kg/ha; phosphorus 9.7 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Kozhikode district, Kerala. Soil: Laterite Soil; fertility 51.1% (Medium); moisture 34.6%; pH 5.59; nitrogen 184 kg/ha; phosphorus 5.0 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Malappuram district, Kerala. Soil: Laterite Soil; fertility 50.3% (Medium); moisture 28.2%; pH 5.21; nitrogen 179 kg/ha; phosphorus 11.8 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Palakkad district, Kerala. Soil: Laterite Soil; fertility 48.2% (Medium); moisture 27.2%; pH 5.09; nitrogen 128 kg/ha; phosphorus 6.9 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Pathanamthitta district, Kerala. Soil: Laterite Soil; fertility 41.0% (Medium); moisture 21.3%; pH 4.6; nitrogen 167 kg/ha; phosphorus 7.6 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Thiruvananthapuram district, Kerala. Soil: Laterite Soil; fertility 53.4% (Medium); moisture 29.2%; pH 4.55; nitrogen 105 kg/ha; phosphorus 5.6 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Thiruvananthapuram district, Kerala. Soil: Laterite Soil; fertility 54.4% (Medium); moisture 23.3%; pH 5.17; nitrogen 183 kg/ha; phosphorus 11.8 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Wayanad district, Kerala. Soil: Laterite Soil; fertility 37.4% (Medium); moisture 20.7%; pH 4.7; nitrogen 96 kg/ha; phosphorus 5.6 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 2500-3500 mm/yr; temperature 21 to 35 C; Hot humid, two monsoons (Jun-Sep, Oct-Nov). Suited crops: rice, cashew, coconut, rubber, tea and spices; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 700.5/2.26/1583.1; 21-22 711.1/2.28/1621.3; 22-23 737.3/2.43/1791.6; 23-24 741.4/2.54/1883.2; 24-25 675.6/2.32/1567.4 | #2 Coconut [Perennial; water Med-High; difficulty Easy-Med; labor Medium; profit Medium] 20-21 242.3/2.93/709.9; 21-22 240.5/2.97/714.3; 22-23 242.4/2.81/681.1; 23-24 281.4/3.1/872.3; 24-25 277.9/2.93/814.2 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 551.2/1.54/848.8; 21-22 548.1/1.56/855.0; 22-23 550.0/1.62/891.0; 23-24 598.5/1.5/897.8; 24-25 601.8/1.56/938.8 | #4 Spices (Pepper/Cardamom) [Perennial; water High; difficulty Hard; labor VeryHigh; profit High] 20-21 399.8/2.77/1107.4; 21-22 402.5/2.86/1151.1; 22-23 472.5/3.05/1441.1; 23-24 426.6/2.89/1232.9; 24-25 516.3/2.85/1471.5.

Lakshadweep district, Lakshadweep. Soil: Coastal Sandy Soil; fertility 34.7% (Low); moisture 25.0%; pH 7.2; nitrogen 110 kg/ha; phosphorus 5.2 kg/ha. Climate: Tropical Monsoon (Koppen Am); rainfall 1600-1800 mm/yr; temperature 22 to 32 C; Warm humid maritime climate year-round. Suited crops: coconut and fisheries-linked horticulture. State-level crop history not available in source for this state/UT.

Alirajpur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 70.0% (High); moisture 29.3%; pH 8.12; nitrogen 273 kg/ha; phosphorus 12.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Anuppur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 52.3% (Medium); moisture 23.4%; pH 7.57; nitrogen 272 kg/ha; phosphorus 12.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Ashoknagar district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 69.3% (High); moisture 28.1%; pH 7.24; nitrogen 191 kg/ha; phosphorus 15.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Balaghat district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 66.8% (High); moisture 26.5%; pH 7.3; nitrogen 243 kg/ha; phosphorus 10.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Barwani district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 73.4% (High); moisture 22.8%; pH 7.14; nitrogen 214 kg/ha; phosphorus 14.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Betul district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 62.7% (High); moisture 26.6%; pH 8.29; nitrogen 213 kg/ha; phosphorus 13.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Bhind district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 60.5% (High); moisture 21.0%; pH 7.77; nitrogen 179 kg/ha; phosphorus 15.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21

1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Bhopal district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 51.3% (Medium); moisture 34.7%; pH 7.61; nitrogen 266 kg/ha; phosphorus 13.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Burhanpur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 51.5% (Medium); moisture 32.3%; pH 7.84; nitrogen 251 kg/ha; phosphorus 13.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Chhatarpur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 65.9% (High); moisture 32.8%; pH 7.82; nitrogen 195 kg/ha; phosphorus 16.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Chhindwara district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 66.8% (High); moisture 34.4%; pH 7.48; nitrogen 205 kg/ha; phosphorus 17.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Damoh district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 62.6% (High); moisture 31.0%; pH 7.6; nitrogen 178 kg/ha; phosphorus 16.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Datia district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 53.3% (Medium); moisture 23.0%; pH 7.81; nitrogen 247 kg/ha; phosphorus 18.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3;

22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Dewas district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 56.8% (High); moisture 21.7%; pH 8.24; nitrogen 170 kg/ha; phosphorus 10.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Dhar district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 57.3% (High); moisture 27.9%; pH 8.15; nitrogen 248 kg/ha; phosphorus 16.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Dindori district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 54.4% (Medium); moisture 25.4%; pH 7.62; nitrogen 169 kg/ha; phosphorus 11.3 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Guna district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 57.7% (High); moisture 21.9%; pH 7.72; nitrogen 241 kg/ha; phosphorus 8.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Gwalior district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 62.0% (High); moisture 31.7%; pH 7.97; nitrogen 255 kg/ha; phosphorus 13.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Harda district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 70.5% (High); moisture 23.6%; pH 7.47; nitrogen 172 kg/ha; phosphorus 13.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry

summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Hoshangabad district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 59.8% (High); moisture 23.6%; pH 7.98; nitrogen 190 kg/ha; phosphorus 11.3 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Indore district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 53.3% (Medium); moisture 26.6%; pH 7.39; nitrogen 198 kg/ha; phosphorus 10.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Jabalpur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 69.1% (High); moisture 34.0%; pH 7.65; nitrogen 233 kg/ha; phosphorus 18.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Jhabua district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 75.0% (High); moisture 29.2%; pH 8.16; nitrogen 268 kg/ha; phosphorus 17.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Katni district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 61.5% (High); moisture 21.2%; pH 7.02; nitrogen 212 kg/ha; phosphorus 13.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Mandla district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 72.2% (High); moisture 24.7%; pH 7.52; nitrogen 184 kg/ha; phosphorus 15.3 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Mandsaur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 73.5% (High); moisture 25.2%; pH 7.72; nitrogen 188 kg/ha; phosphorus 10.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Morena district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 54.9% (Medium); moisture 20.9%; pH 8.23; nitrogen 202 kg/ha; phosphorus 18.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Narsimhapur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 67.0% (High); moisture 22.9%; pH 7.23; nitrogen 255 kg/ha; phosphorus 11.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Neemuch district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 72.8% (High); moisture 22.1%; pH 7.88; nitrogen 255 kg/ha; phosphorus 10.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Panna district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 56.9% (High); moisture 34.5%; pH 7.34; nitrogen 205 kg/ha; phosphorus 13.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24

1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Raisen district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 56.3% (High); moisture 31.6%; pH 8.0; nitrogen 199 kg/ha; phosphorus 18.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Rajgarh district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 55.3% (High); moisture 20.1%; pH 7.74; nitrogen 279 kg/ha; phosphorus 8.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Ratlam district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 55.2% (High); moisture 27.8%; pH 8.05; nitrogen 161 kg/ha; phosphorus 12.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Rewa district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 68.7% (High); moisture 25.6%; pH 7.25; nitrogen 175 kg/ha; phosphorus 12.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Sagar district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 62.0% (High); moisture 32.9%; pH 7.83; nitrogen 239 kg/ha; phosphorus 19.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Satna district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 60.3% (High); moisture 26.1%; pH 8.2; nitrogen 181 kg/ha; phosphorus 16.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean

[Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Sehore district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 68.9% (High); moisture 21.5%; pH 7.61; nitrogen 176 kg/ha; phosphorus 10.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Seoni district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 61.6% (High); moisture 24.3%; pH 8.03; nitrogen 267 kg/ha; phosphorus 17.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Shahdol district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 56.7% (High); moisture 24.1%; pH 7.33; nitrogen 167 kg/ha; phosphorus 19.3 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Shajapur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 60.1% (High); moisture 23.4%; pH 8.1; nitrogen 201 kg/ha; phosphorus 8.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Sheopur district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 54.0% (Medium); moisture 29.6%; pH 8.02; nitrogen 177 kg/ha; phosphorus 19.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Shivpuri district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 71.3% (High); moisture 32.7%; pH 7.3; nitrogen 156 kg/ha; phosphorus 18.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Sidhi district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 57.6% (High); moisture 29.3%; pH 7.99; nitrogen 166 kg/ha; phosphorus 17.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Singrauli district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 73.5% (High); moisture 30.9%; pH 7.57; nitrogen 263 kg/ha; phosphorus 14.3 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Tikamgarh district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 68.6% (High); moisture 32.3%; pH 7.97; nitrogen 187 kg/ha; phosphorus 9.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Ujjain district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 56.0% (High); moisture 27.5%; pH 7.66; nitrogen 225 kg/ha; phosphorus 12.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Umari district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 69.7% (High); moisture 33.7%; pH 7.32; nitrogen 245 kg/ha; phosphorus 16.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21

1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Vidisha district, Madhya Pradesh. Soil: Black Soil (Regur); fertility 63.1% (High); moisture 22.8%; pH 8.03; nitrogen 274 kg/ha; phosphorus 16.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 800-1400 mm/yr; temperature 4 to 45 C; Hot dry summers, cool winters, monsoon Jun-Sep. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1479.3/2.29/3387.6; 21-22 1551.6/2.35/3646.3; 22-23 1600.2/2.35/3760.5; 23-24 1599.8/2.32/3711.5; 24-25 1563.2/2.39/3736.0 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1354.1/1.89/2559.2; 21-22 1355.4/1.97/2670.1; 22-23 1451.1/1.93/2800.6; 23-24 1393.5/1.82/2536.2; 24-25 1454.2/2.11/3068.4 | #3 Gram [Rabi; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1671.1/1.77/2957.8; 21-22 1624.7/1.78/2892.0; 22-23 1652.4/1.87/3090.0; 23-24 1655.6/1.89/3129.1; 24-25 2155.8/1.8/3880.4 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1119.9/1.89/2116.6; 21-22 1157.8/1.99/2304.0; 22-23 1147.5/1.92/2203.2; 23-24 1082.2/1.99/2153.6; 24-25 1043.9/1.8/1879.0.

Ahmadnagar district, Maharashtra. Soil: Black Soil (Regur); fertility 72.9% (High); moisture 34.8%; pH 7.46; nitrogen 232 kg/ha; phosphorus 13.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Akola district, Maharashtra. Soil: Black Soil (Regur); fertility 74.7% (High); moisture 21.4%; pH 7.54; nitrogen 263 kg/ha; phosphorus 11.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Amravati district, Maharashtra. Soil: Black Soil (Regur); fertility 69.7% (High); moisture 25.7%; pH 8.27; nitrogen 264 kg/ha; phosphorus 11.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Aurangabad district, Maharashtra. Soil: Black Soil (Regur); fertility 69.3% (High); moisture 25.1%; pH 7.79; nitrogen 235 kg/ha; phosphorus 18.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Bhandara district, Maharashtra. Soil: Black Soil (Regur); fertility 50.6% (Medium); moisture 23.3%; pH 7.93; nitrogen 223 kg/ha; phosphorus 13.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Bid district, Maharashtra. Soil: Black Soil (Regur); fertility 51.4% (Medium); moisture 25.2%; pH 8.12; nitrogen 154 kg/ha; phosphorus 12.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Buldana district, Maharashtra. Soil: Black Soil (Regur); fertility 73.6% (High); moisture 20.8%; pH 7.97; nitrogen 183 kg/ha; phosphorus 18.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Chandrapur district, Maharashtra. Soil: Black Soil (Regur); fertility 68.7% (High); moisture 33.3%; pH 7.28; nitrogen 219 kg/ha; phosphorus 17.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Dhule district, Maharashtra. Soil: Black Soil (Regur); fertility 56.1% (High); moisture 23.5%; pH 7.04; nitrogen 274 kg/ha; phosphorus 16.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Gadchiroli district, Maharashtra. Soil: Black Soil (Regur); fertility 65.9% (High); moisture 31.2%; pH 7.69; nitrogen 211 kg/ha; phosphorus 13.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus.

State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Gondiya district, Maharashtra. Soil: Black Soil (Regur); fertility 66.0% (High); moisture 23.0%; pH 8.15; nitrogen 255 kg/ha; phosphorus 12.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Hingoli district, Maharashtra. Soil: Black Soil (Regur); fertility 64.5% (High); moisture 22.1%; pH 8.26; nitrogen 267 kg/ha; phosphorus 19.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Jalgaon district, Maharashtra. Soil: Black Soil (Regur); fertility 58.3% (High); moisture 22.5%; pH 7.28; nitrogen 161 kg/ha; phosphorus 9.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Jalna district, Maharashtra. Soil: Black Soil (Regur); fertility 51.8% (Medium); moisture 34.8%; pH 7.1; nitrogen 167 kg/ha; phosphorus 17.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Kolhapur district, Maharashtra. Soil: Black Soil (Regur); fertility 64.5% (High); moisture 31.6%; pH 7.82; nitrogen 264 kg/ha; phosphorus 15.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water

VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Latur district, Maharashtra. Soil: Black Soil (Regur); fertility 63.1% (High); moisture 30.7%; pH 7.58; nitrogen 194 kg/ha; phosphorus 13.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Mumbai district, Maharashtra. Soil: Black Soil (Regur); fertility 54.2% (Medium); moisture 31.9%; pH 7.34; nitrogen 169 kg/ha; phosphorus 11.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Mumbai Suburban district, Maharashtra. Soil: Black Soil (Regur); fertility 71.1% (High); moisture 25.0%; pH 7.89; nitrogen 261 kg/ha; phosphorus 8.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Nagpur district, Maharashtra. Soil: Black Soil (Regur); fertility 69.1% (High); moisture 24.6%; pH 7.28; nitrogen 239 kg/ha; phosphorus 18.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Nanded district, Maharashtra. Soil: Black Soil (Regur); fertility 57.4% (High); moisture 28.5%; pH 7.38; nitrogen 222 kg/ha; phosphorus 15.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Nandurbar district, Maharashtra. Soil: Black Soil (Regur); fertility 65.3% (High); moisture 29.4%; pH 7.18; nitrogen 240 kg/ha; phosphorus 16.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Nashik district, Maharashtra. Soil: Black Soil (Regur); fertility 67.1% (High); moisture 21.1%; pH 7.58; nitrogen 203 kg/ha; phosphorus 9.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Osmanabad district, Maharashtra. Soil: Black Soil (Regur); fertility 55.6% (High); moisture 26.6%; pH 7.97; nitrogen 180 kg/ha; phosphorus 18.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Parbhani district, Maharashtra. Soil: Black Soil (Regur); fertility 63.6% (High); moisture 31.4%; pH 7.61; nitrogen 214 kg/ha; phosphorus 15.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Pune district, Maharashtra. Soil: Black Soil (Regur); fertility 73.2% (High); moisture 27.4%; pH 7.69; nitrogen 228 kg/ha; phosphorus 16.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Raigarh district, Maharashtra. Soil: Black Soil (Regur); fertility 51.8% (Medium); moisture 27.7%; pH 7.63; nitrogen 269 kg/ha; phosphorus 13.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Ratnagiri district, Maharashtra. Soil: Black Soil (Regur); fertility 61.7% (High); moisture 34.4%; pH 7.59; nitrogen 173 kg/ha; phosphorus 10.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Sangli district, Maharashtra. Soil: Black Soil (Regur); fertility 52.4% (Medium); moisture 20.0%; pH 7.56; nitrogen 250 kg/ha; phosphorus 16.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Satara district, Maharashtra. Soil: Black Soil (Regur); fertility 50.8% (Medium); moisture 28.5%; pH 7.2; nitrogen 272 kg/ha; phosphorus 10.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Sindhudurg district, Maharashtra. Soil: Black Soil (Regur); fertility 65.7% (High); moisture 24.9%; pH 7.83; nitrogen 203 kg/ha; phosphorus 17.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Solapur district, Maharashtra. Soil: Black Soil (Regur); fertility 55.8% (High); moisture 33.6%; pH 7.65; nitrogen 248 kg/ha; phosphorus 18.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus.

State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Thane district, Maharashtra. Soil: Black Soil (Regur); fertility 75.0% (High); moisture 23.4%; pH 7.37; nitrogen 182 kg/ha; phosphorus 11.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Wardha district, Maharashtra. Soil: Black Soil (Regur); fertility 64.6% (High); moisture 34.9%; pH 8.29; nitrogen 218 kg/ha; phosphorus 15.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Washim district, Maharashtra. Soil: Black Soil (Regur); fertility 71.5% (High); moisture 34.0%; pH 7.27; nitrogen 218 kg/ha; phosphorus 18.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Yavatmal district, Maharashtra. Soil: Black Soil (Regur); fertility 57.6% (High); moisture 26.6%; pH 8.28; nitrogen 278 kg/ha; phosphorus 18.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw); rainfall 600-3500 mm/yr; temperature 9 to 42 C; Hot summers, mild winters, heavy monsoon on Konkan coast. Suited crops: cotton, soybean, sorghum (jowar), sugarcane, pulses and citrus. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1351.6/1.91/2581.6; 21-22 1389.1/1.95/2708.7; 22-23 1572.3/1.93/3034.5; 23-24 1360.6/1.81/2462.7; 24-25 1470.2/2.23/3278.5 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 482.1/2.72/1311.3; 21-22 496.0/2.74/1359.0; 22-23 507.9/2.81/1427.2; 23-24 498.2/2.8/1395.0; 24-25 534.6/2.81/1502.2 | #3 Soybean [Kharif; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1465.3/2.75/4029.6; 21-22 1420.5/2.8/3977.4; 22-23 1354.9/2.65/3590.5; 23-24 1675.2/2.95/4941.8; 24-25 1558.3/2.49/3880.2 | #4 Onion [Rabi+Kharif; water Medium; difficulty Medium; labor High; profit Med-High] 20-21 1663.9/1.08/1797.0; 21-22 1708.0/1.08/1844.6; 22-23 1614.0/1.1/1775.4; 23-24 1738.4/1.04/1807.9; 24-25 1825.9/1.03/1880.7.

Bishnupur district, Manipur. Soil: Red & Lateritic Soil; fertility 53.4% (Medium); moisture 21.8%; pH 5.25; nitrogen 154 kg/ha; phosphorus 10.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium]

20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

Chandel district, Manipur. Soil: Red & Lateritic Soil; fertility 46.6% (Medium); moisture 26.9%; pH 5.37; nitrogen 174 kg/ha; phosphorus 8.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

Churachandpur district, Manipur. Soil: Red & Lateritic Soil; fertility 42.6% (Medium); moisture 19.8%; pH 5.06; nitrogen 185 kg/ha; phosphorus 9.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

Imphal East district, Manipur. Soil: Red & Lateritic Soil; fertility 40.2% (Medium); moisture 28.6%; pH 5.58; nitrogen 102 kg/ha; phosphorus 7.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

Imphal West district, Manipur. Soil: Red & Lateritic Soil; fertility 39.1% (Medium); moisture 27.2%; pH 5.19; nitrogen 106 kg/ha; phosphorus 5.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

Senapati district, Manipur. Soil: Red & Lateritic Soil; fertility 48.4% (Medium); moisture 18.3%; pH 5.99; nitrogen 115 kg/ha; phosphorus 10.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

Tamenglong district, Manipur. Soil: Red & Lateritic Soil; fertility 45.2% (Medium); moisture 24.2%; pH 4.9; nitrogen 180 kg/ha; phosphorus 13.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by

area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

Thoubal district, Manipur. Soil: Red & Lateritic Soil; fertility 35.3% (Medium); moisture 20.5%; pH 6.07; nitrogen 154 kg/ha; phosphorus 6.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

Ukhrul district, Manipur. Soil: Red & Lateritic Soil; fertility 39.7% (Medium); moisture 27.2%; pH 5.81; nitrogen 159 kg/ha; phosphorus 13.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1400-2500 mm/yr; temperature 2 to 32 C; Mild summers, cool winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 355.6/2.75/977.9; 21-22 360.5/2.74/987.8; 22-23 365.4/2.74/1001.2; 23-24 402.7/2.76/1111.5; 24-25 365.3/2.6/949.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1204.6/2.86/3445.2; 21-22 1241.9/2.92/3626.3; 22-23 1279.6/2.93/3749.2; 23-24 1264.0/2.9/3665.6; 24-25 1424.3/2.73/3888.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 939.7/2.76/2593.6; 21-22 939.4/2.8/2630.3; 22-23 936.8/2.94/2754.2; 23-24 930.0/2.48/2306.4; 24-25 932.5/2.44/2275.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1618.2/2.41/3899.9; 21-22 1613.6/2.52/4066.3; 22-23 1715.3/2.46/4219.6; 23-24 1882.3/2.87/5402.2; 24-25 2034.5/2.54/5167.6.

East Garo Hills district, Meghalaya. Soil: Red & Lateritic Soil; fertility 46.4% (Medium); moisture 22.2%; pH 5.47; nitrogen 135 kg/ha; phosphorus 7.0 kg/ha. Climate: Humid Subtropical (Koppen Cwb); rainfall 2500-11000 mm/yr; temperature 4 to 28 C; Among the wettest regions on Earth (Cherrapunji/Mawsynram), cool year-round. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 339.3/2.57/872.0; 21-22 346.6/2.55/883.8; 22-23 351.7/2.63/925.0; 23-24 439.6/2.52/1107.8; 24-25 362.0/2.64/955.7 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1664.6/2.6/4328.0; 21-22 1615.9/2.58/4169.0; 22-23 1786.9/2.66/4753.2; 23-24 1612.9/2.62/4225.8; 24-25 1808.5/2.82/5100.0 | #3 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 712.1/2.85/2029.5; 21-22 760.9/2.76/2100.1; 22-23 726.3/2.94/2135.3; 23-24 731.0/2.8/2046.8; 24-25 765.3/2.97/2272.9 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 820.2/2.93/2403.2; 21-22 823.1/2.97/2444.6; 22-23 885.8/3.09/2737.1; 23-24 832.8/3.18/2648.3; 24-25 1016.9/3.33/3386.3.

East Khasi Hills district, Meghalaya. Soil: Red & Lateritic Soil; fertility 36.1% (Medium); moisture 22.9%; pH 5.8; nitrogen 101 kg/ha; phosphorus 9.0 kg/ha. Climate: Humid Subtropical (Koppen Cwb); rainfall 2500-11000 mm/yr; temperature 4 to 28 C; Among the wettest regions on Earth (Cherrapunji/Mawsynram), cool year-round. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 339.3/2.57/872.0; 21-22 346.6/2.55/883.8; 22-23 351.7/2.63/925.0; 23-24 439.6/2.52/1107.8; 24-25 362.0/2.64/955.7 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1664.6/2.6/4328.0; 21-22 1615.9/2.58/4169.0; 22-23 1786.9/2.66/4753.2; 23-24 1612.9/2.62/4225.8; 24-25 1808.5/2.82/5100.0 | #3 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 712.1/2.85/2029.5; 21-22 760.9/2.76/2100.1; 22-23 726.3/2.94/2135.3; 23-24 731.0/2.8/2046.8; 24-25 765.3/2.97/2272.9 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 820.2/2.93/2403.2; 21-22 823.1/2.97/2444.6; 22-23 885.8/3.09/2737.1; 23-24 832.8/3.18/2648.3; 24-25 1016.9/3.33/3386.3.

Jaintia Hills district, Meghalaya. Soil: Red & Lateritic Soil; fertility 49.8% (Medium); moisture 26.5%; pH 5.89; nitrogen 181 kg/ha; phosphorus 11.4 kg/ha. Climate: Humid Subtropical (Koppen Cwb); rainfall 2500-11000 mm/yr; temperature 4 to 28 C; Among the wettest regions on Earth (Cherrapunji/Mawsynram), cool year-round. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 339.3/2.57/872.0; 21-22 346.6/2.55/883.8; 22-23 351.7/2.63/925.0; 23-24 439.6/2.52/1107.8; 24-25 362.0/2.64/955.7 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1664.6/2.6/4328.0; 21-22 1615.9/2.58/4169.0; 22-23 1786.9/2.66/4753.2; 23-24 1612.9/2.62/4225.8; 24-25 1808.5/2.82/5100.0 | #3 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 712.1/2.85/2029.5;

21-22 760.9/2.76/2100.1; 22-23 726.3/2.94/2135.3; 23-24 731.0/2.8/2046.8; 24-25 765.3/2.97/2272.9 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 820.2/2.93/2403.2; 21-22 823.1/2.97/2444.6; 22-23 885.8/3.09/2737.1; 23-24 832.8/3.18/2648.3; 24-25 1016.9/3.33/3386.3.

Ribhoi district, Meghalaya. Soil: Red & Lateritic Soil; fertility 37.4% (Medium); moisture 24.7%; pH 5.64; nitrogen 124 kg/ha; phosphorus 5.4 kg/ha. Climate: Humid Subtropical (Koppen Cwb); rainfall 2500-11000 mm/yr; temperature 4 to 28 C; Among the wettest regions on Earth (Cherrapunji/Mawsynram), cool year-round. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 339.3/2.57/872.0; 21-22 346.6/2.55/883.8; 22-23 351.7/2.63/925.0; 23-24 439.6/2.52/1107.8; 24-25 362.0/2.64/955.7 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1664.6/2.6/4328.0; 21-22 1615.9/2.58/4169.0; 22-23 1786.9/2.66/4753.2; 23-24 1612.9/2.62/4225.8; 24-25 1808.5/2.82/5100.0 | #3 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 712.1/2.85/2029.5; 21-22 760.9/2.76/2100.1; 22-23 726.3/2.94/2135.3; 23-24 731.0/2.8/2046.8; 24-25 765.3/2.97/2272.9 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 820.2/2.93/2403.2; 21-22 823.1/2.97/2444.6; 22-23 885.8/3.09/2737.1; 23-24 832.8/3.18/2648.3; 24-25 1016.9/3.33/3386.3.

South Garo Hills district, Meghalaya. Soil: Red & Lateritic Soil; fertility 40.1% (Medium); moisture 24.4%; pH 5.38; nitrogen 117 kg/ha; phosphorus 12.4 kg/ha. Climate: Humid Subtropical (Koppen Cwb); rainfall 2500-11000 mm/yr; temperature 4 to 28 C; Among the wettest regions on Earth (Cherrapunji/Mawsynram), cool year-round. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 339.3/2.57/872.0; 21-22 346.6/2.55/883.8; 22-23 351.7/2.63/925.0; 23-24 439.6/2.52/1107.8; 24-25 362.0/2.64/955.7 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1664.6/2.6/4328.0; 21-22 1615.9/2.58/4169.0; 22-23 1786.9/2.66/4753.2; 23-24 1612.9/2.62/4225.8; 24-25 1808.5/2.82/5100.0 | #3 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 712.1/2.85/2029.5; 21-22 760.9/2.76/2100.1; 22-23 726.3/2.94/2135.3; 23-24 731.0/2.8/2046.8; 24-25 765.3/2.97/2272.9 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 820.2/2.93/2403.2; 21-22 823.1/2.97/2444.6; 22-23 885.8/3.09/2737.1; 23-24 832.8/3.18/2648.3; 24-25 1016.9/3.33/3386.3.

West Garo Hills district, Meghalaya. Soil: Red & Lateritic Soil; fertility 56.3% (High); moisture 20.8%; pH 6.1; nitrogen 101 kg/ha; phosphorus 13.3 kg/ha. Climate: Humid Subtropical (Koppen Cwb); rainfall 2500-11000 mm/yr; temperature 4 to 28 C; Among the wettest regions on Earth (Cherrapunji/Mawsynram), cool year-round. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 339.3/2.57/872.0; 21-22 346.6/2.55/883.8; 22-23 351.7/2.63/925.0; 23-24 439.6/2.52/1107.8; 24-25 362.0/2.64/955.7 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1664.6/2.6/4328.0; 21-22 1615.9/2.58/4169.0; 22-23 1786.9/2.66/4753.2; 23-24 1612.9/2.62/4225.8; 24-25 1808.5/2.82/5100.0 | #3 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 712.1/2.85/2029.5; 21-22 760.9/2.76/2100.1; 22-23 726.3/2.94/2135.3; 23-24 731.0/2.8/2046.8; 24-25 765.3/2.97/2272.9 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 820.2/2.93/2403.2; 21-22 823.1/2.97/2444.6; 22-23 885.8/3.09/2737.1; 23-24 832.8/3.18/2648.3; 24-25 1016.9/3.33/3386.3.

West Khasi Hills district, Meghalaya. Soil: Red & Lateritic Soil; fertility 56.9% (High); moisture 18.2%; pH 5.87; nitrogen 197 kg/ha; phosphorus 13.2 kg/ha. Climate: Humid Subtropical (Koppen Cwb); rainfall 2500-11000 mm/yr; temperature 4 to 28 C; Among the wettest regions on Earth (Cherrapunji/Mawsynram), cool year-round. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 339.3/2.57/872.0; 21-22 346.6/2.55/883.8; 22-23 351.7/2.63/925.0; 23-24 439.6/2.52/1107.8; 24-25 362.0/2.64/955.7 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1664.6/2.6/4328.0; 21-22 1615.9/2.58/4169.0; 22-23 1786.9/2.66/4753.2; 23-24 1612.9/2.62/4225.8; 24-25 1808.5/2.82/5100.0 | #3 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 712.1/2.85/2029.5; 21-22 760.9/2.76/2100.1; 22-23 726.3/2.94/2135.3; 23-24 731.0/2.8/2046.8; 24-25 765.3/2.97/2272.9 | #4 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 820.2/2.93/2403.2; 21-22 823.1/2.97/2444.6; 22-23 885.8/3.09/2737.1; 23-24 832.8/3.18/2648.3; 24-25 1016.9/3.33/3386.3.

Aizawl district, Mizoram. Soil: Red & Lateritic Soil; fertility 57.3% (High); moisture 25.7%; pH 4.91; nitrogen 184 kg/ha; phosphorus 10.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 2000-3000 mm/yr; temperature 7 to 30 C; Mild year-round, heavy monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1363.9/1.27/1732.2; 21-22 1335.3/1.29/1722.5; 22-23 1375.1/1.28/1760.1; 23-24 1236.2/1.24/1532.9; 24-25 1472.8/1.42/2091.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 497.3/1.02/507.2; 21-22 513.2/1.02/523.5; 22-23 536.0/1.11/595.0; 23-24 526.2/0.96/505.2; 24-25 485.8/0.94/456.7 | #3 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 274.2/1.47/403.1; 21-22 285.1/1.53/436.2; 22-23 279.3/1.46/407.8; 23-24 282.5/1.54/435.1; 24-25 319.8/1.68/537.3 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1378.2/1.69/2329.2; 21-22 1342.4/1.71/2295.5; 22-23 1460.5/1.7/2482.8; 23-24 1583.3/1.71/2707.4; 24-25 1335.8/1.97/2631.5.

Champhai district, Mizoram. Soil: Red & Lateritic Soil; fertility 49.1% (Medium); moisture 23.8%; pH 5.6; nitrogen 115 kg/ha; phosphorus 11.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 2000-3000 mm/yr; temperature 7 to 30 C; Mild year-round, heavy monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1363.9/1.27/1732.2; 21-22 1335.3/1.29/1722.5; 22-23 1375.1/1.28/1760.1; 23-24 1236.2/1.24/1532.9; 24-25 1472.8/1.42/2091.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 497.3/1.02/507.2; 21-22 513.2/1.02/523.5; 22-23 536.0/1.11/595.0; 23-24 526.2/0.96/505.2; 24-25 485.8/0.94/456.7 | #3 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 274.2/1.47/403.1; 21-22 285.1/1.53/436.2; 22-23 279.3/1.46/407.8; 23-24 282.5/1.54/435.1; 24-25 319.8/1.68/537.3 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1378.2/1.69/2329.2; 21-22 1342.4/1.71/2295.5; 22-23 1460.5/1.7/2482.8; 23-24 1583.3/1.71/2707.4; 24-25 1335.8/1.97/2631.5.

Kolasib district, Mizoram. Soil: Red & Lateritic Soil; fertility 36.7% (Medium); moisture 28.2%; pH 5.99; nitrogen 147 kg/ha; phosphorus 9.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 2000-3000 mm/yr; temperature 7 to 30 C; Mild year-round, heavy monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1363.9/1.27/1732.2; 21-22 1335.3/1.29/1722.5; 22-23 1375.1/1.28/1760.1; 23-24 1236.2/1.24/1532.9; 24-25 1472.8/1.42/2091.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 497.3/1.02/507.2; 21-22 513.2/1.02/523.5; 22-23 536.0/1.11/595.0; 23-24 526.2/0.96/505.2; 24-25 485.8/0.94/456.7 | #3 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 274.2/1.47/403.1; 21-22 285.1/1.53/436.2; 22-23 279.3/1.46/407.8; 23-24 282.5/1.54/435.1; 24-25 319.8/1.68/537.3 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1378.2/1.69/2329.2; 21-22 1342.4/1.71/2295.5; 22-23 1460.5/1.7/2482.8; 23-24 1583.3/1.71/2707.4; 24-25 1335.8/1.97/2631.5.

Lawngtlai district, Mizoram. Soil: Red & Lateritic Soil; fertility 42.2% (Medium); moisture 31.6%; pH 5.83; nitrogen 136 kg/ha; phosphorus 6.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 2000-3000 mm/yr; temperature 7 to 30 C; Mild year-round, heavy monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1363.9/1.27/1732.2; 21-22 1335.3/1.29/1722.5; 22-23 1375.1/1.28/1760.1; 23-24 1236.2/1.24/1532.9; 24-25 1472.8/1.42/2091.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 497.3/1.02/507.2; 21-22 513.2/1.02/523.5; 22-23 536.0/1.11/595.0; 23-24 526.2/0.96/505.2; 24-25 485.8/0.94/456.7 | #3 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 274.2/1.47/403.1; 21-22 285.1/1.53/436.2; 22-23 279.3/1.46/407.8; 23-24 282.5/1.54/435.1; 24-25 319.8/1.68/537.3 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1378.2/1.69/2329.2; 21-22 1342.4/1.71/2295.5; 22-23 1460.5/1.7/2482.8; 23-24 1583.3/1.71/2707.4; 24-25 1335.8/1.97/2631.5.

Lunglei district, Mizoram. Soil: Red & Lateritic Soil; fertility 40.1% (Medium); moisture 24.5%; pH 6.12; nitrogen 173 kg/ha; phosphorus 6.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 2000-3000 mm/yr; temperature 7 to 30 C; Mild year-round, heavy monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1363.9/1.27/1732.2; 21-22 1335.3/1.29/1722.5; 22-23 1375.1/1.28/1760.1; 23-24 1236.2/1.24/1532.9; 24-25 1472.8/1.42/2091.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 497.3/1.02/507.2; 21-22 513.2/1.02/523.5; 22-23 536.0/1.11/595.0; 23-24 526.2/0.96/505.2; 24-25 485.8/0.94/456.7 | #3 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 274.2/1.47/403.1; 21-22 285.1/1.53/436.2; 22-23 279.3/1.46/407.8; 23-24 282.5/1.54/435.1; 24-25 319.8/1.68/537.3 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1378.2/1.69/2329.2; 21-22 1342.4/1.71/2295.5; 22-23 1460.5/1.7/2482.8; 23-24 1583.3/1.71/2707.4; 24-25 1335.8/1.97/2631.5.

Mamit district, Mizoram. Soil: Red & Lateritic Soil; fertility 54.8% (Medium); moisture 23.3%; pH 5.99; nitrogen 124 kg/ha; phosphorus 10.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 2000-3000 mm/yr; temperature 7 to 30 C; Mild year-round, heavy monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1363.9/1.27/1732.2; 21-22 1335.3/1.29/1722.5; 22-23 1375.1/1.28/1760.1; 23-24 1236.2/1.24/1532.9; 24-25 1472.8/1.42/2091.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 497.3/1.02/507.2; 21-22 513.2/1.02/523.5; 22-23 536.0/1.11/595.0; 23-24 526.2/0.96/505.2; 24-25 485.8/0.94/456.7 | #3 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 274.2/1.47/403.1; 21-22 285.1/1.53/436.2; 22-23 279.3/1.46/407.8; 23-24 282.5/1.54/435.1; 24-25 319.8/1.68/537.3 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1378.2/1.69/2329.2; 21-22 1342.4/1.71/2295.5; 22-23 1460.5/1.7/2482.8; 23-24 1583.3/1.71/2707.4; 24-25 1335.8/1.97/2631.5.

Saiha district, Mizoram. Soil: Red & Lateritic Soil; fertility 56.3% (High); moisture 21.6%; pH 5.77; nitrogen 198 kg/ha; phosphorus 6.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 2000-3000 mm/yr; temperature 7 to 30 C; Mild year-round, heavy monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops

(tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1363.9/1.27/1732.2; 21-22 1335.3/1.29/1722.5; 22-23 1375.1/1.28/1760.1; 23-24 1236.2/1.24/1532.9; 24-25 1472.8/1.42/2091.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 497.3/1.02/507.2; 21-22 513.2/1.02/523.5; 22-23 536.0/1.11/595.0; 23-24 526.2/0.96/505.2; 24-25 485.8/0.94/456.7 | #3 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 274.2/1.47/403.1; 21-22 285.1/1.53/436.2; 22-23 279.3/1.46/407.8; 23-24 282.5/1.54/435.1; 24-25 319.8/1.68/537.3 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1378.2/1.69/2329.2; 21-22 1342.4/1.71/2295.5; 22-23 1460.5/1.7/2482.8; 23-24 1583.3/1.71/2707.4; 24-25 1335.8/1.97/2631.5.

Serchhip district, Mizoram. Soil: Red & Lateritic Soil; fertility 37.0% (Medium); moisture 27.4%; pH 5.28; nitrogen 107 kg/ha; phosphorus 9.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 2000-3000 mm/yr; temperature 7 to 30 C; Mild year-round, heavy monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1363.9/1.27/1732.2; 21-22 1335.3/1.29/1722.5; 22-23 1375.1/1.28/1760.1; 23-24 1236.2/1.24/1532.9; 24-25 1472.8/1.42/2091.4 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 497.3/1.02/507.2; 21-22 513.2/1.02/523.5; 22-23 536.0/1.11/595.0; 23-24 526.2/0.96/505.2; 24-25 485.8/0.94/456.7 | #3 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 274.2/1.47/403.1; 21-22 285.1/1.53/436.2; 22-23 279.3/1.46/407.8; 23-24 282.5/1.54/435.1; 24-25 319.8/1.68/537.3 | #4 Turmeric [Kharif; water Med-High; difficulty Medium; labor High; profit High] 20-21 1378.2/1.69/2329.2; 21-22 1342.4/1.71/2295.5; 22-23 1460.5/1.7/2482.8; 23-24 1583.3/1.71/2707.4; 24-25 1335.8/1.97/2631.5.

Dimapur district, Nagaland. Soil: Red & Lateritic Soil; fertility 52.3% (Medium); moisture 22.0%; pH 5.27; nitrogen 184 kg/ha; phosphorus 9.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Kiphire district, Nagaland. Soil: Red & Lateritic Soil; fertility 54.4% (Medium); moisture 24.2%; pH 6.13; nitrogen 165 kg/ha; phosphorus 6.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Kohima district, Nagaland. Soil: Red & Lateritic Soil; fertility 55.4% (High); moisture 24.8%; pH 5.0; nitrogen 115 kg/ha; phosphorus 11.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Longleng district, Nagaland. Soil: Red & Lateritic Soil; fertility 36.1% (Medium); moisture 22.0%; pH 5.0; nitrogen 144 kg/ha; phosphorus 8.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22

1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Mokokchung district, Nagaland. Soil: Red & Lateritic Soil; fertility 47.0% (Medium); moisture 21.9%; pH 4.84; nitrogen 161 kg/ha; phosphorus 8.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Mon district, Nagaland. Soil: Red & Lateritic Soil; fertility 50.0% (Medium); moisture 19.5%; pH 4.82; nitrogen 124 kg/ha; phosphorus 9.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Peren district, Nagaland. Soil: Red & Lateritic Soil; fertility 44.1% (Medium); moisture 29.3%; pH 5.33; nitrogen 153 kg/ha; phosphorus 10.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Phek district, Nagaland. Soil: Red & Lateritic Soil; fertility 35.5% (Medium); moisture 25.2%; pH 5.28; nitrogen 142 kg/ha; phosphorus 5.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Tuensang district, Nagaland. Soil: Red & Lateritic Soil; fertility 53.0% (Medium); moisture 31.2%; pH 4.83; nitrogen 160 kg/ha; phosphorus 11.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Wokha district, Nagaland. Soil: Red & Lateritic Soil; fertility 41.6% (Medium); moisture 29.0%; pH 5.69; nitrogen 192 kg/ha; phosphorus 13.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25

1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Zunheboto district, Nagaland. Soil: Red & Lateritic Soil; fertility 36.0% (Medium); moisture 24.2%; pH 5.57; nitrogen 114 kg/ha; phosphorus 8.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 1800-2500 mm/yr; temperature 4 to 31 C; Mild summers, cool winters, heavy monsoon. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1299.8/1.78/2313.6; 21-22 1339.1/1.71/2289.9; 22-23 1299.1/1.79/2325.4; 23-24 1263.0/1.86/2349.2; 24-25 1615.0/1.79/2890.8 | #2 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 1539.1/2.7/4155.6; 21-22 1580.9/2.75/4347.5; 22-23 1535.6/2.84/4361.1; 23-24 1564.1/2.63/4113.6; 24-25 1701.3/2.98/5069.9 | #3 Millets [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1265.2/2.59/3276.9; 21-22 1263.6/2.69/3399.1; 22-23 1312.2/2.63/3451.1; 23-24 1429.9/2.81/4018.0; 24-25 1585.3/2.77/4391.3 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1494.3/2.33/3481.7; 21-22 1586.9/2.37/3761.0; 22-23 1653.2/2.52/4166.1; 23-24 1608.9/2.2/3539.6; 24-25 1404.5/2.16/3033.7.

Anugul district, Odisha. Soil: Red & Laterite Soil; fertility 57.7% (High); moisture 15.2%; pH 5.68; nitrogen 192 kg/ha; phosphorus 7.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Balangir district, Odisha. Soil: Red & Laterite Soil; fertility 46.0% (Medium); moisture 27.7%; pH 5.71; nitrogen 114 kg/ha; phosphorus 5.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Baleshwar district, Odisha. Soil: Red & Laterite Soil; fertility 56.7% (High); moisture 18.5%; pH 5.76; nitrogen 109 kg/ha; phosphorus 8.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Bargarh district, Odisha. Soil: Red & Laterite Soil; fertility 56.4% (High); moisture 21.5%; pH 6.46; nitrogen 128 kg/ha; phosphorus 9.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Baudh district, Odisha. Soil: Red & Laterite Soil; fertility 54.8% (Medium); moisture 20.8%; pH 5.42; nitrogen 194 kg/ha; phosphorus 8.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh;

difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Bhadrak district, Odisha. Soil: Red & Laterite Soil; fertility 47.2% (Medium); moisture 27.7%; pH 5.28; nitrogen 133 kg/ha; phosphorus 5.3 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Cuttack district, Odisha. Soil: Red & Laterite Soil; fertility 44.0% (Medium); moisture 17.6%; pH 6.02; nitrogen 119 kg/ha; phosphorus 11.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Debagarh district, Odisha. Soil: Red & Laterite Soil; fertility 41.1% (Medium); moisture 19.6%; pH 5.52; nitrogen 178 kg/ha; phosphorus 9.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Dhenkanal district, Odisha. Soil: Red & Laterite Soil; fertility 43.3% (Medium); moisture 26.1%; pH 5.86; nitrogen 123 kg/ha; phosphorus 13.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Gajapati district, Odisha. Soil: Red & Laterite Soil; fertility 42.9% (Medium); moisture 15.5%; pH 5.74; nitrogen 113 kg/ha; phosphorus 7.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Ganjam district, Odisha. Soil: Red & Laterite Soil; fertility 52.2% (Medium); moisture 16.7%; pH 6.21; nitrogen 203 kg/ha; phosphorus 10.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Jagatsinghapur district, Odisha. Soil: Red & Laterite Soil; fertility 51.3% (Medium); moisture 24.3%; pH 6.49; nitrogen 137 kg/ha; phosphorus 6.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Jajapur district, Odisha. Soil: Red & Laterite Soil; fertility 46.9% (Medium); moisture 21.9%; pH 5.27; nitrogen 167 kg/ha; phosphorus 5.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Jharsuguda district, Odisha. Soil: Red & Laterite Soil; fertility 56.3% (High); moisture 18.4%; pH 5.06; nitrogen 111 kg/ha; phosphorus 7.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Kalahandi district, Odisha. Soil: Red & Laterite Soil; fertility 41.3% (Medium); moisture 15.4%; pH 5.42; nitrogen 121 kg/ha; phosphorus 8.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Kandhamal district, Odisha. Soil: Red & Laterite Soil; fertility 43.9% (Medium); moisture 19.4%; pH 5.49; nitrogen 109 kg/ha; phosphorus 5.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7;

21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Kendrapara district, Odisha. Soil: Red & Laterite Soil; fertility 39.6% (Medium); moisture 24.8%; pH 6.49; nitrogen 202 kg/ha; phosphorus 9.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Kendujhar district, Odisha. Soil: Red & Laterite Soil; fertility 47.2% (Medium); moisture 19.1%; pH 6.16; nitrogen 184 kg/ha; phosphorus 12.6 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Khordha district, Odisha. Soil: Red & Laterite Soil; fertility 55.6% (High); moisture 20.6%; pH 6.15; nitrogen 188 kg/ha; phosphorus 7.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Koraput district, Odisha. Soil: Red & Laterite Soil; fertility 56.4% (High); moisture 16.2%; pH 6.49; nitrogen 184 kg/ha; phosphorus 5.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Malkangiri district, Odisha. Soil: Red & Laterite Soil; fertility 50.1% (Medium); moisture 15.4%; pH 6.16; nitrogen 187 kg/ha; phosphorus 10.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Mayurbhanj district, Odisha. Soil: Red & Laterite Soil; fertility 54.7% (Medium); moisture 16.3%; pH 5.41; nitrogen 145 kg/ha; phosphorus 5.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24

332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Nabarangapur district, Odisha. Soil: Red & Laterite Soil; fertility 45.3% (Medium); moisture 18.4%; pH 5.59; nitrogen 146 kg/ha; phosphorus 12.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Nayagarh district, Odisha. Soil: Red & Laterite Soil; fertility 41.2% (Medium); moisture 26.6%; pH 5.64; nitrogen 136 kg/ha; phosphorus 9.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Nuapada district, Odisha. Soil: Red & Laterite Soil; fertility 44.6% (Medium); moisture 18.3%; pH 5.75; nitrogen 116 kg/ha; phosphorus 8.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Puri district, Odisha. Soil: Red & Laterite Soil; fertility 48.0% (Medium); moisture 20.4%; pH 6.24; nitrogen 128 kg/ha; phosphorus 13.7 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Rayagada district, Odisha. Soil: Red & Laterite Soil; fertility 53.0% (Medium); moisture 27.6%; pH 6.26; nitrogen 115 kg/ha; phosphorus 9.7 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Sambalpur district, Odisha. Soil: Red & Laterite Soil; fertility 38.9% (Medium); moisture 25.6%; pH 5.88; nitrogen 128 kg/ha; phosphorus 13.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid,

cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Subarnapur district, Odisha. Soil: Red & Laterite Soil; fertility 37.6% (Medium); moisture 22.3%; pH 6.08; nitrogen 106 kg/ha; phosphorus 10.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Sundargarh district, Odisha. Soil: Red & Laterite Soil; fertility 53.8% (Medium); moisture 15.9%; pH 5.77; nitrogen 128 kg/ha; phosphorus 11.0 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1600 mm/yr; temperature 12 to 40 C; Hot humid, cyclone-prone coast, monsoon Jun-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 317.2/1.53/485.3; 21-22 307.8/1.5/461.7; 22-23 343.0/1.51/517.9; 23-24 332.4/1.6/531.8; 24-25 369.0/1.55/572.0 | #2 Groundnut [Kharif; water Medium; difficulty Medium; labor Medium; profit Medium] 20-21 1725.7/2.16/3727.5; 21-22 1818.8/2.18/3965.0; 22-23 1718.2/2.17/3728.5; 23-24 1795.8/2.32/4166.3; 24-25 1541.2/2.07/3190.3 | #3 Pulses [Rabi/Kharif; water Low; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 465.5/2.24/1042.7; 21-22 484.7/2.35/1139.0; 22-23 477.7/2.25/1074.8; 23-24 548.7/2.37/1300.4; 24-25 544.9/2.24/1220.6 | #4 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 371.2/2.64/980.0; 21-22 356.1/2.7/961.5; 22-23 381.8/2.74/1046.1; 23-24 418.2/2.66/1112.4; 24-25 327.7/2.82/924.1.

Karaikal district, Pondicherry. Soil: Coastal Alluvial Soil; fertility 44.8% (Medium); moisture 39.0%; pH 7.87; nitrogen 150 kg/ha; phosphorus 10.6 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1400 mm/yr; temperature 20 to 38 C; Hot humid coastal, NE monsoon Oct-Dec. Suited crops: rice, coconut, areca nut and vegetables. State-level crop history not available in source for this state/UT.

Mahe district, Pondicherry. Soil: Coastal Alluvial Soil; fertility 56.1% (High); moisture 35.5%; pH 7.33; nitrogen 147 kg/ha; phosphorus 8.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1400 mm/yr; temperature 20 to 38 C; Hot humid coastal, NE monsoon Oct-Dec. Suited crops: rice, coconut, areca nut and vegetables. State-level crop history not available in source for this state/UT.

Pondicherry district, Pondicherry. Soil: Coastal Alluvial Soil; fertility 66.0% (High); moisture 31.3%; pH 7.85; nitrogen 183 kg/ha; phosphorus 17.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1400 mm/yr; temperature 20 to 38 C; Hot humid coastal, NE monsoon Oct-Dec. Suited crops: rice, coconut, areca nut and vegetables. State-level crop history not available in source for this state/UT.

Yanam district, Pondicherry. Soil: Coastal Alluvial Soil; fertility 44.1% (Medium); moisture 25.8%; pH 7.92; nitrogen 234 kg/ha; phosphorus 10.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 1200-1400 mm/yr; temperature 20 to 38 C; Hot humid coastal, NE monsoon Oct-Dec. Suited crops: rice, coconut, areca nut and vegetables. State-level crop history not available in source for this state/UT.

Amritsar district, Punjab. Soil: Alluvial Soil; fertility 63.9% (High); moisture 24.3%; pH 7.04; nitrogen 206 kg/ha; phosphorus 26.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Barnala district, Punjab. Soil: Alluvial Soil; fertility 61.3% (High); moisture 27.9%; pH 6.59; nitrogen 185 kg/ha; phosphorus 22.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty

Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Bathinda district, Punjab. Soil: Alluvial Soil; fertility 63.5% (High); moisture 27.2%; pH 6.62; nitrogen 312 kg/ha; phosphorus 24.0 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Faridkot district, Punjab. Soil: Alluvial Soil; fertility 76.9% (High); moisture 19.9%; pH 6.92; nitrogen 231 kg/ha; phosphorus 20.6 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Fatehgarh Sahib district, Punjab. Soil: Alluvial Soil; fertility 62.4% (High); moisture 18.8%; pH 6.98; nitrogen 215 kg/ha; phosphorus 18.2 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Firozpur district, Punjab. Soil: Alluvial Soil; fertility 59.9% (High); moisture 21.7%; pH 7.32; nitrogen 234 kg/ha; phosphorus 17.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Gurdaspur district, Punjab. Soil: Alluvial Soil; fertility 68.3% (High); moisture 28.8%; pH 6.99; nitrogen 262 kg/ha; phosphorus 27.5 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Hoshiarpur district, Punjab. Soil: Alluvial Soil; fertility 68.0% (High); moisture 30.7%; pH 7.53; nitrogen 188 kg/ha; phosphorus 18.9 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Jalandhar district, Punjab. Soil: Alluvial Soil; fertility 72.5% (High); moisture 31.8%; pH 7.1; nitrogen 192 kg/ha; phosphorus 21.0 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Kapurthala district, Punjab. Soil: Alluvial Soil; fertility 58.2% (High); moisture 28.5%; pH 7.16; nitrogen 281 kg/ha; phosphorus 25.9 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Ludhiana district, Punjab. Soil: Alluvial Soil; fertility 70.7% (High); moisture 26.6%; pH 7.48; nitrogen 297 kg/ha; phosphorus 25.9 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Mansa district, Punjab. Soil: Alluvial Soil; fertility 55.9% (High); moisture 25.8%; pH 6.78; nitrogen 300 kg/ha; phosphorus 22.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Moga district, Punjab. Soil: Alluvial Soil; fertility 65.5% (High); moisture 20.6%; pH 6.94; nitrogen 278 kg/ha; phosphorus 15.3 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23

243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Muksar district, Punjab. Soil: Alluvial Soil; fertility 57.3% (High); moisture 30.4%; pH 7.49; nitrogen 207 kg/ha; phosphorus 16.7 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Patiala district, Punjab. Soil: Alluvial Soil; fertility 79.3% (High); moisture 27.9%; pH 7.29; nitrogen 223 kg/ha; phosphorus 16.8 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Rupnagar district, Punjab. Soil: Alluvial Soil; fertility 56.0% (High); moisture 28.2%; pH 6.56; nitrogen 180 kg/ha; phosphorus 23.7 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Sahibzada Ajit Singh Nagar district, Punjab. Soil: Alluvial Soil; fertility 78.7% (High); moisture 28.6%; pH 7.11; nitrogen 248 kg/ha; phosphorus 19.0 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Sangrur district, Punjab. Soil: Alluvial Soil; fertility 63.1% (High); moisture 25.3%; pH 7.06; nitrogen 263 kg/ha; phosphorus 26.4 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Shahid Bhagat Singh Nagar district, Punjab. Soil: Alluvial Soil; fertility 79.9% (High); moisture 19.1%; pH 7.0; nitrogen 205 kg/ha; phosphorus 17.6 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6;

22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Tarn Taran district, Punjab. Soil: Alluvial Soil; fertility 62.2% (High); moisture 20.4%; pH 7.49; nitrogen 249 kg/ha; phosphorus 26.7 kg/ha. Climate: Semi-Arid Subtropical (Koppen BSh); rainfall 400-900 mm/yr; temperature 4 to 42 C; Hot summers, cold winters, monsoon Jul-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1200.2/2.79/3348.6; 21-22 1207.8/2.77/3345.6; 22-23 1253.1/3.0/3759.3; 23-24 1219.1/2.77/3376.9; 24-25 1375.6/2.99/4113.0 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 607.8/1.89/1148.7; 21-22 595.4/1.89/1125.3; 22-23 563.6/1.83/1031.4; 23-24 545.8/1.92/1047.9; 24-25 565.1/2.01/1135.9 | #3 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 257.1/2.03/521.9; 21-22 261.9/2.05/536.9; 22-23 243.9/2.03/495.1; 23-24 249.9/1.99/497.3; 24-25 314.7/1.98/623.1 | #4 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 206.0/2.66/548.0; 21-22 210.8/2.69/567.1; 22-23 199.1/2.72/541.6; 23-24 245.9/2.5/614.8; 24-25 246.4/2.79/687.5.

Ajmer district, Rajasthan. Soil: Arid & Desert Soil; fertility 18.7% (Low); moisture 3.5%; pH 8.02; nitrogen 45 kg/ha; phosphorus 4.8 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Alwar district, Rajasthan. Soil: Arid & Desert Soil; fertility 37.7% (Medium); moisture 4.5%; pH 7.76; nitrogen 80 kg/ha; phosphorus 6.5 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Banswara district, Rajasthan. Soil: Arid & Desert Soil; fertility 29.6% (Low); moisture 5.6%; pH 8.57; nitrogen 49 kg/ha; phosphorus 6.0 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Baran district, Rajasthan. Soil: Arid & Desert Soil; fertility 31.8% (Low); moisture 9.1%; pH 7.98; nitrogen 79 kg/ha; phosphorus 3.5 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low;

difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Barmer district, Rajasthan. Soil: Arid & Desert Soil; fertility 21.4% (Low); moisture 3.5%; pH 8.45; nitrogen 60 kg/ha; phosphorus 8.1 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Bharatpur district, Rajasthan. Soil: Arid & Desert Soil; fertility 19.3% (Low); moisture 9.0%; pH 8.59; nitrogen 46 kg/ha; phosphorus 3.2 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Bhilwara district, Rajasthan. Soil: Arid & Desert Soil; fertility 19.1% (Low); moisture 9.0%; pH 7.81; nitrogen 78 kg/ha; phosphorus 6.0 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Bikaner district, Rajasthan. Soil: Arid & Desert Soil; fertility 33.9% (Low); moisture 6.4%; pH 8.15; nitrogen 109 kg/ha; phosphorus 4.1 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Bundi district, Rajasthan. Soil: Arid & Desert Soil; fertility 34.6% (Low); moisture 3.4%; pH 8.12; nitrogen 102 kg/ha; phosphorus 7.7 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Chittaurgarh district, Rajasthan. Soil: Arid & Desert Soil; fertility 31.7% (Low); moisture 4.8%; pH 8.04; nitrogen 65 kg/ha; phosphorus 6.7 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Churu district, Rajasthan. Soil: Arid & Desert Soil; fertility 27.2% (Low); moisture 5.3%; pH 7.9; nitrogen 57 kg/ha; phosphorus 5.6 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Dausa district, Rajasthan. Soil: Arid & Desert Soil; fertility 21.0% (Low); moisture 9.1%; pH 8.28; nitrogen 49 kg/ha; phosphorus 7.9 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Dhaulpur district, Rajasthan. Soil: Arid & Desert Soil; fertility 35.0% (Medium); moisture 4.7%; pH 7.7; nitrogen 40 kg/ha; phosphorus 3.3 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Dungarpur district, Rajasthan. Soil: Arid & Desert Soil; fertility 33.2% (Low); moisture 9.9%; pH 7.56; nitrogen 92 kg/ha; phosphorus 3.5 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Ganganagar district, Rajasthan. Soil: Arid & Desert Soil; fertility 29.8% (Low); moisture 8.3%; pH 7.97; nitrogen 40 kg/ha; phosphorus 7.2 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder

crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Hanumangarh district, Rajasthan. Soil: Arid & Desert Soil; fertility 37.8% (Medium); moisture 4.8%; pH 7.75; nitrogen 48 kg/ha; phosphorus 6.9 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Jaipur district, Rajasthan. Soil: Arid & Desert Soil; fertility 29.9% (Low); moisture 8.5%; pH 8.48; nitrogen 102 kg/ha; phosphorus 8.6 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Jaisalmer district, Rajasthan. Soil: Arid & Desert Soil; fertility 22.9% (Low); moisture 6.9%; pH 7.89; nitrogen 63 kg/ha; phosphorus 9.5 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Jalor district, Rajasthan. Soil: Arid & Desert Soil; fertility 31.6% (Low); moisture 9.8%; pH 8.04; nitrogen 77 kg/ha; phosphorus 6.4 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Jhalawar district, Rajasthan. Soil: Arid & Desert Soil; fertility 20.1% (Low); moisture 4.7%; pH 8.19; nitrogen 44 kg/ha; phosphorus 9.5 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24

1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Jhunjhun district, Rajasthan. Soil: Arid & Desert Soil; fertility 20.5% (Low); moisture 4.4%; pH 8.49; nitrogen 46 kg/ha; phosphorus 9.3 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Jodhpur district, Rajasthan. Soil: Arid & Desert Soil; fertility 32.5% (Low); moisture 3.5%; pH 8.4; nitrogen 84 kg/ha; phosphorus 8.3 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Karauli district, Rajasthan. Soil: Arid & Desert Soil; fertility 34.6% (Low); moisture 8.0%; pH 8.26; nitrogen 62 kg/ha; phosphorus 7.9 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Kota district, Rajasthan. Soil: Arid & Desert Soil; fertility 37.1% (Medium); moisture 7.1%; pH 8.36; nitrogen 70 kg/ha; phosphorus 8.3 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Nagaur district, Rajasthan. Soil: Arid & Desert Soil; fertility 38.0% (Medium); moisture 4.1%; pH 7.76; nitrogen 77 kg/ha; phosphorus 6.4 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Pali district, Rajasthan. Soil: Arid & Desert Soil; fertility 29.4% (Low); moisture 3.3%; pH 8.03; nitrogen 80 kg/ha; phosphorus 7.1 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Pratapgarh district, Rajasthan. Soil: Arid & Desert Soil; fertility 31.1% (Low); moisture 8.0%; pH 8.33; nitrogen 95 kg/ha; phosphorus 7.4 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Rajsamand district, Rajasthan. Soil: Arid & Desert Soil; fertility 28.8% (Low); moisture 7.2%; pH 7.63; nitrogen 59 kg/ha; phosphorus 6.7 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Sawai Madhopur district, Rajasthan. Soil: Arid & Desert Soil; fertility 35.5% (Medium); moisture 7.8%; pH 7.62; nitrogen 81 kg/ha; phosphorus 4.6 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Sikar district, Rajasthan. Soil: Arid & Desert Soil; fertility 32.7% (Low); moisture 8.8%; pH 8.27; nitrogen 81 kg/ha; phosphorus 5.4 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Sirohi district, Rajasthan. Soil: Arid & Desert Soil; fertility 26.9% (Low); moisture 9.0%; pH 8.44; nitrogen 76 kg/ha; phosphorus 5.6 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Tonk district, Rajasthan. Soil: Arid & Desert Soil; fertility 19.0% (Low); moisture 4.0%; pH 7.75; nitrogen 66 kg/ha; phosphorus 9.6 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

Udaipur district, Rajasthan. Soil: Arid & Desert Soil; fertility 28.1% (Low); moisture 4.6%; pH 7.64; nitrogen 63 kg/ha; phosphorus 8.7 kg/ha. Climate: Arid / Desert (Koppen BWh); rainfall 100-650 mm/yr; temperature 2 to 48 C; Very hot dry summers, cold nights in winter, sparse monsoon. Suited crops: bajra (pearl millet), moth bean, guar and drought-tolerant fodder crops, mainly under irrigation; low rainfall means most cultivation depends on irrigation or drought-resistant varieties. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Bajra (Pearl Millet) [Kharif; water Low; difficulty Easy; labor Low; profit Low] 20-21 1251.6/1.2/1501.9; 21-22 1265.7/1.24/1569.5; 22-23 1300.5/1.12/1456.6; 23-24 1248.7/1.1/1373.6; 24-25 906.2/1.2/1087.4 | #2 Mustard [Rabi; water Low-Med; difficulty Easy; labor Low-Med; profit Low-Med] 20-21 330.5/2.51/829.6; 21-22 348.3/2.54/884.7; 22-23 344.8/2.55/879.2; 23-24 351.9/2.71/953.6; 24-25 381.5/2.65/1011.0 | #3 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 690.3/2.67/1843.1; 21-22 677.7/2.68/1816.2; 22-23 717.8/2.58/1851.9; 23-24 849.5/2.99/2540.0; 24-25 707.2/2.95/2086.2 | #4 Guar [Kharif; water Low; difficulty Easy; labor Low; profit Low-Med] 20-21 1278.7/1.74/2224.9; 21-22 1307.5/1.72/2248.9; 22-23 1309.4/1.76/2304.5; 23-24 1504.3/1.83/2752.9; 24-25 1383.2/2.04/2821.7.

East District district, Sikkim. Soil: Mountain & Forest Soil; fertility 49.6% (Medium); moisture 34.4%; pH 6.44; nitrogen 133 kg/ha; phosphorus 12.1 kg/ha. Climate: Highland / Subtropical Highland (Koppen Cwb); rainfall 2000-3500 mm/yr; temperature (-5) to 28 C; Cool to cold year-round, heavy monsoon rain. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 594.2/2.44/1449.8; 21-22 613.8/2.46/1509.9; 22-23 620.0/2.46/1525.2; 23-24 535.2/2.48/1327.3; 24-25 491.0/2.61/1281.5 | #2 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 681.4/2.92/1989.7; 21-22 665.8/2.84/1890.9; 22-23 665.2/2.74/1822.6; 23-24 663.2/3.3/2188.6; 24-25 650.1/3.2/2080.3 | #3 Cardamom (Large) [Perennial; water High; difficulty Hard; labor High; profit High] 20-21 1099.4/1.28/1407.2; 21-22 1140.1/1.33/1516.3; 22-23 1156.9/1.31/1515.5; 23-24 1069.3/1.36/1454.2; 24-25 1155.9/1.42/1641.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 611.2/2.98/1821.4; 21-22 639.6/2.99/1912.4; 22-23 606.6/3.01/1825.9; 23-24 572.8/3.1/1775.7; 24-25 872.9/3.4/2967.9.

North District district, Sikkim. Soil: Mountain & Forest Soil; fertility 64.0% (High); moisture 28.4%; pH 5.09; nitrogen 230 kg/ha; phosphorus 14.8 kg/ha. Climate: Highland / Subtropical Highland (Koppen Cwb); rainfall 2000-3500 mm/yr; temperature (-5) to 28 C; Cool to cold year-round, heavy monsoon rain. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 594.2/2.44/1449.8; 21-22 613.8/2.46/1509.9; 22-23 620.0/2.46/1525.2; 23-24 535.2/2.48/1327.3; 24-25 491.0/2.61/1281.5 | #2 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 681.4/2.92/1989.7; 21-22 665.8/2.84/1890.9; 22-23 665.2/2.74/1822.6; 23-24 663.2/3.3/2188.6; 24-25 650.1/3.2/2080.3 | #3 Cardamom (Large) [Perennial; water High; difficulty Hard; labor High; profit High] 20-21 1099.4/1.28/1407.2; 21-22 1140.1/1.33/1516.3; 22-23 1156.9/1.31/1515.5; 23-24 1069.3/1.36/1454.2; 24-25 1155.9/1.42/1641.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 611.2/2.98/1821.4; 21-22 639.6/2.99/1912.4; 22-23 606.6/3.01/1825.9; 23-24 572.8/3.1/1775.7; 24-25 872.9/3.4/2967.9.

South District district, Sikkim. Soil: Mountain & Forest Soil; fertility 53.1% (Medium); moisture 30.8%; pH 5.38; nitrogen 218 kg/ha; phosphorus 11.0 kg/ha. Climate: Highland / Subtropical Highland (Koppen Cwb); rainfall 2000-3500 mm/yr; temperature (-5) to 28 C; Cool to cold year-round, heavy monsoon rain. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced

rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 594.2/2.44/1449.8; 21-22 613.8/2.46/1509.9; 22-23 620.0/2.46/1525.2; 23-24 535.2/2.48/1327.3; 24-25 491.0/2.61/1281.5 | #2 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 681.4/2.92/1989.7; 21-22 665.8/2.84/1890.9; 22-23 665.2/2.74/1822.6; 23-24 663.2/3.3/2188.6; 24-25 650.1/3.2/2080.3 | #3 Cardamom (Large) [Perennial; water High; difficulty Hard; labor High; profit High] 20-21 1099.4/1.28/1407.2; 21-22 1140.1/1.33/1516.3; 22-23 1156.9/1.31/1515.5; 23-24 1069.3/1.36/1454.2; 24-25 1155.9/1.42/1641.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 611.2/2.98/1821.4; 21-22 639.6/2.99/1912.4; 22-23 606.6/3.01/1825.9; 23-24 572.8/3.1/1775.7; 24-25 872.9/3.4/2967.9.

West District district, Sikkim. Soil: Mountain & Forest Soil; fertility 40.8% (Medium); moisture 32.9%; pH 6.71; nitrogen 219 kg/ha; phosphorus 8.8 kg/ha. Climate: Highland / Subtropical Highland (Koppen Cwb); rainfall 2000-3500 mm/yr; temperature (-5) to 28 C; Cool to cold year-round, heavy monsoon rain. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Maize [Kharif+Rabi; water Medium; difficulty Easy; labor Medium; profit Medium] 20-21 594.2/2.44/1449.8; 21-22 613.8/2.46/1509.9; 22-23 620.0/2.46/1525.2; 23-24 535.2/2.48/1327.3; 24-25 491.0/2.61/1281.5 | #2 Ginger [Kharif; water Med-High; difficulty Med-Hard; labor High; profit Med-High] 20-21 681.4/2.92/1989.7; 21-22 665.8/2.84/1890.9; 22-23 665.2/2.74/1822.6; 23-24 663.2/3.3/2188.6; 24-25 650.1/3.2/2080.3 | #3 Cardamom (Large) [Perennial; water High; difficulty Hard; labor High; profit High] 20-21 1099.4/1.28/1407.2; 21-22 1140.1/1.33/1516.3; 22-23 1156.9/1.31/1515.5; 23-24 1069.3/1.36/1454.2; 24-25 1155.9/1.42/1641.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 611.2/2.98/1821.4; 21-22 639.6/2.99/1912.4; 22-23 606.6/3.01/1825.9; 23-24 572.8/3.1/1775.7; 24-25 872.9/3.4/2967.9.

Ariyalur district, Tamil Nadu. Soil: Red & Black Soil; fertility 46.2% (Medium); moisture 25.3%; pH 7.42; nitrogen 198 kg/ha; phosphorus 17.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Chennai district, Tamil Nadu. Soil: Red & Black Soil; fertility 55.6% (High); moisture 19.0%; pH 6.36; nitrogen 150 kg/ha; phosphorus 12.0 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Coimbatore district, Tamil Nadu. Soil: Red & Black Soil; fertility 64.2% (High); moisture 15.7%; pH 6.49; nitrogen 200 kg/ha; phosphorus 11.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Cuddalore district, Tamil Nadu. Soil: Red & Black Soil; fertility 48.8% (Medium); moisture 20.8%; pH 6.68; nitrogen 208 kg/ha; phosphorus 20.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24

1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Dharmapuri district, Tamil Nadu. Soil: Red & Black Soil; fertility 48.5% (Medium); moisture 25.0%; pH 7.37; nitrogen 231 kg/ha; phosphorus 17.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Dindigul district, Tamil Nadu. Soil: Red & Black Soil; fertility 59.3% (High); moisture 21.7%; pH 7.1; nitrogen 141 kg/ha; phosphorus 21.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Erode district, Tamil Nadu. Soil: Red & Black Soil; fertility 58.5% (High); moisture 23.4%; pH 6.69; nitrogen 141 kg/ha; phosphorus 15.6 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Kancheepuram district, Tamil Nadu. Soil: Red & Black Soil; fertility 56.7% (High); moisture 19.2%; pH 6.64; nitrogen 167 kg/ha; phosphorus 15.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Kanniyakumari district, Tamil Nadu. Soil: Red & Black Soil; fertility 53.6% (Medium); moisture 25.6%; pH 6.42; nitrogen 175 kg/ha; phosphorus 12.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Karur district, Tamil Nadu. Soil: Red & Black Soil; fertility 57.5% (High); moisture 20.0%; pH 7.04; nitrogen 244 kg/ha; phosphorus 12.7 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water

VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Krishnagiri district, Tamil Nadu. Soil: Red & Black Soil; fertility 60.9% (High); moisture 14.3%; pH 6.54; nitrogen 191 kg/ha; phosphorus 9.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Madurai district, Tamil Nadu. Soil: Red & Black Soil; fertility 59.2% (High); moisture 22.1%; pH 7.17; nitrogen 196 kg/ha; phosphorus 16.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Nagapattinam district, Tamil Nadu. Soil: Red & Black Soil; fertility 54.1% (Medium); moisture 14.5%; pH 6.33; nitrogen 212 kg/ha; phosphorus 21.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Namakkal district, Tamil Nadu. Soil: Red & Black Soil; fertility 45.4% (Medium); moisture 20.7%; pH 7.18; nitrogen 230 kg/ha; phosphorus 16.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Perambalur district, Tamil Nadu. Soil: Red & Black Soil; fertility 59.3% (High); moisture 22.4%; pH 7.32; nitrogen 153 kg/ha; phosphorus 21.0 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Pudukkottai district, Tamil Nadu. Soil: Red & Black Soil; fertility 45.6% (Medium); moisture 24.0%; pH 6.3; nitrogen 161 kg/ha; phosphorus 9.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4

crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Ramanathapuram district, Tamil Nadu. Soil: Red & Black Soil; fertility 55.2% (High); moisture 18.0%; pH 6.42; nitrogen 189 kg/ha; phosphorus 14.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Salem district, Tamil Nadu. Soil: Red & Black Soil; fertility 62.7% (High); moisture 24.7%; pH 7.05; nitrogen 153 kg/ha; phosphorus 12.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Sivaganga district, Tamil Nadu. Soil: Red & Black Soil; fertility 66.0% (High); moisture 15.1%; pH 6.73; nitrogen 243 kg/ha; phosphorus 21.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Thanjavur district, Tamil Nadu. Soil: Red & Black Soil; fertility 54.5% (Medium); moisture 22.0%; pH 6.79; nitrogen 222 kg/ha; phosphorus 9.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

The Nilgiris district, Tamil Nadu. Soil: Red & Black Soil; fertility 48.3% (Medium); moisture 21.4%; pH 6.5; nitrogen 213 kg/ha; phosphorus 13.6 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Theni district, Tamil Nadu. Soil: Red & Black Soil; fertility 65.4% (High); moisture 23.8%; pH 6.84; nitrogen 225 kg/ha; phosphorus 12.5 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Thiruvallur district, Tamil Nadu. Soil: Red & Black Soil; fertility 56.4% (High); moisture 16.4%; pH 7.32; nitrogen 230 kg/ha; phosphorus 20.7 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Thiruvallur district, Tamil Nadu. Soil: Red & Black Soil; fertility 65.2% (High); moisture 25.5%; pH 6.5; nitrogen 242 kg/ha; phosphorus 16.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Thoothukkudi district, Tamil Nadu. Soil: Red & Black Soil; fertility 54.7% (Medium); moisture 20.7%; pH 6.65; nitrogen 171 kg/ha; phosphorus 12.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Tiruchirappalli district, Tamil Nadu. Soil: Red & Black Soil; fertility 46.9% (Medium); moisture 20.0%; pH 7.35; nitrogen 209 kg/ha; phosphorus 15.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Tirunelveli district, Tamil Nadu. Soil: Red & Black Soil; fertility 54.9% (Medium); moisture 19.6%; pH 6.47; nitrogen 230 kg/ha; phosphorus 11.6 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty

Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Tiruppur district, Tamil Nadu. Soil: Red & Black Soil; fertility 61.5% (High); moisture 23.1%; pH 6.95; nitrogen 234 kg/ha; phosphorus 12.8 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Tiruvannamalai district, Tamil Nadu. Soil: Red & Black Soil; fertility 65.3% (High); moisture 22.8%; pH 7.24; nitrogen 213 kg/ha; phosphorus 20.0 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Vellore district, Tamil Nadu. Soil: Red & Black Soil; fertility 67.8% (High); moisture 19.0%; pH 7.26; nitrogen 221 kg/ha; phosphorus 14.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Viluppuram district, Tamil Nadu. Soil: Red & Black Soil; fertility 66.3% (High); moisture 18.7%; pH 6.94; nitrogen 151 kg/ha; phosphorus 11.9 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Virudhunagar district, Tamil Nadu. Soil: Red & Black Soil; fertility 64.3% (High); moisture 18.8%; pH 6.71; nitrogen 167 kg/ha; phosphorus 15.4 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 700-1200 mm/yr; temperature 18 to 40 C; Hot year-round, NE monsoon Oct-Dec is main rain season. Suited crops: groundnut, millets, cotton, pulses, oilseeds and tobacco. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1179.1/2.33/2747.3; 21-22 1212.2/2.44/2957.8; 22-23 1344.4/2.37/3186.2; 23-24 1224.8/2.23/2731.3; 24-25 1175.2/2.51/2949.8 | #2 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 1562.4/2.51/3921.6; 21-22 1591.0/2.57/4088.9; 22-23 1681.8/2.67/4490.4; 23-24 1716.8/2.54/4360.7; 24-25 1764.4/2.41/4252.2 | #3 Banana [Perennial; water High; difficulty Med-Hard; labor High; profit High] 20-21 1565.6/1.81/2833.7; 21-22 1517.2/1.81/2746.1; 22-23 1571.9/1.78/2798.0; 23-24 1352.3/1.82/2461.2; 24-25 1880.7/1.94/3648.6 | #4 Cotton [Kharif; water High; difficulty Hard; labor High; profit High] 20-21 1323.8/1.26/1668.0; 21-22 1345.4/1.29/1735.6; 22-23 1433.2/1.37/1963.5; 23-24 1550.3/1.32/2046.4; 24-25 1484.6/1.39/2063.6.

Dhalai district, Tripura. Soil: Red & Lateritic Soil; fertility 53.5% (Medium); moisture 30.5%; pH 4.9; nitrogen 157 kg/ha; phosphorus 9.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 2000-2500 mm/yr; temperature 10 to 35 C; Hot humid summers, mild winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit

Medium] 20-21 1392.6/1.73/2409.2; 21-22 1492.1/1.78/2655.9; 22-23 1440.2/1.75/2520.3; 23-24 1489.0/1.8/2680.2; 24-25 1415.5/1.79/2533.7 | #2 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 715.3/1.98/1416.3; 21-22 733.6/2.03/1489.2; 22-23 741.7/2.08/1542.7; 23-24 657.5/2.17/1426.8; 24-25 720.8/2.16/1556.9 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 228.1/2.0/456.2; 21-22 243.3/2.03/493.9; 22-23 240.9/1.93/464.9; 23-24 273.9/2.29/627.2; 24-25 247.7/2.04/505.3 | #4 Pineapple [Perennial; water Medium; difficulty Medium; labor Med-High; profit Medium] 20-21 395.9/1.72/680.9; 21-22 418.9/1.76/737.3; 22-23 388.4/1.85/718.5; 23-24 376.0/1.75/658.0; 24-25 442.8/1.92/850.2.

North Tripura district, Tripura. Soil: Red & Lateritic Soil; fertility 49.1% (Medium); moisture 24.3%; pH 5.36; nitrogen 147 kg/ha; phosphorus 10.2 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 2000-2500 mm/yr; temperature 10 to 35 C; Hot humid summers, mild winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1392.6/1.73/2409.2; 21-22 1492.1/1.78/2655.9; 22-23 1440.2/1.75/2520.3; 23-24 1489.0/1.8/2680.2; 24-25 1415.5/1.79/2533.7 | #2 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 715.3/1.98/1416.3; 21-22 733.6/2.03/1489.2; 22-23 741.7/2.08/1542.7; 23-24 657.5/2.17/1426.8; 24-25 720.8/2.16/1556.9 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 228.1/2.0/456.2; 21-22 243.3/2.03/493.9; 22-23 240.9/1.93/464.9; 23-24 273.9/2.29/627.2; 24-25 247.7/2.04/505.3 | #4 Pineapple [Perennial; water Medium; difficulty Medium; labor Med-High; profit Medium] 20-21 395.9/1.72/680.9; 21-22 418.9/1.76/737.3; 22-23 388.4/1.85/718.5; 23-24 376.0/1.75/658.0; 24-25 442.8/1.92/850.2.

South Tripura district, Tripura. Soil: Red & Lateritic Soil; fertility 46.5% (Medium); moisture 24.6%; pH 5.94; nitrogen 174 kg/ha; phosphorus 8.1 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 2000-2500 mm/yr; temperature 10 to 35 C; Hot humid summers, mild winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1392.6/1.73/2409.2; 21-22 1492.1/1.78/2655.9; 22-23 1440.2/1.75/2520.3; 23-24 1489.0/1.8/2680.2; 24-25 1415.5/1.79/2533.7 | #2 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 715.3/1.98/1416.3; 21-22 733.6/2.03/1489.2; 22-23 741.7/2.08/1542.7; 23-24 657.5/2.17/1426.8; 24-25 720.8/2.16/1556.9 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 228.1/2.0/456.2; 21-22 243.3/2.03/493.9; 22-23 240.9/1.93/464.9; 23-24 273.9/2.29/627.2; 24-25 247.7/2.04/505.3 | #4 Pineapple [Perennial; water Medium; difficulty Medium; labor Med-High; profit Medium] 20-21 395.9/1.72/680.9; 21-22 418.9/1.76/737.3; 22-23 388.4/1.85/718.5; 23-24 376.0/1.75/658.0; 24-25 442.8/1.92/850.2.

West Tripura district, Tripura. Soil: Red & Lateritic Soil; fertility 53.4% (Medium); moisture 30.0%; pH 5.01; nitrogen 158 kg/ha; phosphorus 7.6 kg/ha. Climate: Tropical Savanna (Koppen Aw); rainfall 2000-2500 mm/yr; temperature 10 to 35 C; Hot humid summers, mild winters, monsoon May-Sep. Suited crops: millets, pulses, cashew and, with irrigation, rice; the high rainfall also favours plantation crops (tea, coffee, spices) where terrain allows. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1392.6/1.73/2409.2; 21-22 1492.1/1.78/2655.9; 22-23 1440.2/1.75/2520.3; 23-24 1489.0/1.8/2680.2; 24-25 1415.5/1.79/2533.7 | #2 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 715.3/1.98/1416.3; 21-22 733.6/2.03/1489.2; 22-23 741.7/2.08/1542.7; 23-24 657.5/2.17/1426.8; 24-25 720.8/2.16/1556.9 | #3 Rubber [Perennial; water High; difficulty Hard; labor High; profit Medium] 20-21 228.1/2.0/456.2; 21-22 243.3/2.03/493.9; 22-23 240.9/1.93/464.9; 23-24 273.9/2.29/627.2; 24-25 247.7/2.04/505.3 | #4 Pineapple [Perennial; water Medium; difficulty Medium; labor Med-High; profit Medium] 20-21 395.9/1.72/680.9; 21-22 418.9/1.76/737.3; 22-23 388.4/1.85/718.5; 23-24 376.0/1.75/658.0; 24-25 442.8/1.92/850.2.

Agra district, Uttar Pradesh. Soil: Alluvial Soil; fertility 73.5% (High); moisture 21.3%; pH 7.37; nitrogen 215 kg/ha; phosphorus 20.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Aligarh district, Uttar Pradesh. Soil: Alluvial Soil; fertility 78.7% (High); moisture 23.3%; pH 7.64; nitrogen 318 kg/ha; phosphorus 26.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24

1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium]
20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Allahabad district, Uttar Pradesh. Soil: Alluvial Soil; fertility 59.1% (High); moisture 29.5%; pH 6.54; nitrogen 235 kg/ha; phosphorus 25.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Ambedkar Nagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 72.2% (High); moisture 25.5%; pH 7.0; nitrogen 293 kg/ha; phosphorus 23.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Auraiya district, Uttar Pradesh. Soil: Alluvial Soil; fertility 66.7% (High); moisture 30.5%; pH 6.8; nitrogen 203 kg/ha; phosphorus 22.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Azamgarh district, Uttar Pradesh. Soil: Alluvial Soil; fertility 79.3% (High); moisture 21.5%; pH 6.82; nitrogen 199 kg/ha; phosphorus 25.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Baghpat district, Uttar Pradesh. Soil: Alluvial Soil; fertility 60.7% (High); moisture 25.0%; pH 7.79; nitrogen 181 kg/ha; phosphorus 20.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Bahraich district, Uttar Pradesh. Soil: Alluvial Soil; fertility 67.8% (High); moisture 29.3%; pH 6.96; nitrogen 237 kg/ha; phosphorus 14.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium;

difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Ballia district, Uttar Pradesh. Soil: Alluvial Soil; fertility 73.5% (High); moisture 29.0%; pH 6.68; nitrogen 235 kg/ha; phosphorus 26.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Balrampur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 55.1% (High); moisture 22.2%; pH 7.22; nitrogen 226 kg/ha; phosphorus 16.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Banda district, Uttar Pradesh. Soil: Alluvial Soil; fertility 66.5% (High); moisture 20.5%; pH 7.19; nitrogen 278 kg/ha; phosphorus 21.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Bara Banki district, Uttar Pradesh. Soil: Alluvial Soil; fertility 57.3% (High); moisture 29.8%; pH 6.73; nitrogen 287 kg/ha; phosphorus 17.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Bareilly district, Uttar Pradesh. Soil: Alluvial Soil; fertility 74.6% (High); moisture 20.9%; pH 6.74; nitrogen 249 kg/ha; phosphorus 12.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Basti district, Uttar Pradesh. Soil: Alluvial Soil; fertility 60.6% (High); moisture 28.1%; pH 7.59; nitrogen 191 kg/ha; phosphorus 26.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4

crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Bijnor district, Uttar Pradesh. Soil: Alluvial Soil; fertility 74.9% (High); moisture 30.2%; pH 7.41; nitrogen 274 kg/ha; phosphorus 20.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Budaun district, Uttar Pradesh. Soil: Alluvial Soil; fertility 71.3% (High); moisture 30.9%; pH 6.63; nitrogen 224 kg/ha; phosphorus 13.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Bulandshahr district, Uttar Pradesh. Soil: Alluvial Soil; fertility 78.6% (High); moisture 24.2%; pH 7.38; nitrogen 297 kg/ha; phosphorus 27.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Chandauli district, Uttar Pradesh. Soil: Alluvial Soil; fertility 59.0% (High); moisture 29.2%; pH 7.65; nitrogen 186 kg/ha; phosphorus 24.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Chitrakoot district, Uttar Pradesh. Soil: Alluvial Soil; fertility 63.9% (High); moisture 27.1%; pH 7.17; nitrogen 216 kg/ha; phosphorus 14.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Deoria district, Uttar Pradesh. Soil: Alluvial Soil; fertility 57.9% (High); moisture 19.4%; pH 7.33; nitrogen 229 kg/ha; phosphorus 15.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Etah district, Uttar Pradesh. Soil: Alluvial Soil; fertility 72.3% (High); moisture 27.6%; pH 7.2; nitrogen 310 kg/ha; phosphorus 18.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Etawah district, Uttar Pradesh. Soil: Alluvial Soil; fertility 75.9% (High); moisture 19.1%; pH 7.46; nitrogen 318 kg/ha; phosphorus 25.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Faizabad district, Uttar Pradesh. Soil: Alluvial Soil; fertility 69.5% (High); moisture 26.8%; pH 6.96; nitrogen 275 kg/ha; phosphorus 24.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Farrukhabad district, Uttar Pradesh. Soil: Alluvial Soil; fertility 80.0% (High); moisture 24.9%; pH 6.58; nitrogen 263 kg/ha; phosphorus 13.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Fatehpur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 61.1% (High); moisture 22.6%; pH 7.45; nitrogen 205 kg/ha; phosphorus 14.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard;

labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Firozabad district, Uttar Pradesh. Soil: Alluvial Soil; fertility 56.1% (High); moisture 30.2%; pH 7.4; nitrogen 185 kg/ha; phosphorus 12.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Gautam Buddha Nagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 69.0% (High); moisture 22.0%; pH 7.28; nitrogen 240 kg/ha; phosphorus 26.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Ghaziabad district, Uttar Pradesh. Soil: Alluvial Soil; fertility 62.2% (High); moisture 27.5%; pH 6.57; nitrogen 313 kg/ha; phosphorus 27.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Ghazipur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 73.5% (High); moisture 24.5%; pH 6.79; nitrogen 293 kg/ha; phosphorus 23.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Gonda district, Uttar Pradesh. Soil: Alluvial Soil; fertility 60.5% (High); moisture 24.3%; pH 7.1; nitrogen 295 kg/ha; phosphorus 22.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Gorakhpur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 71.1% (High); moisture 27.1%; pH 6.85; nitrogen 232 kg/ha; phosphorus 12.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2;

21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Hamirpur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 74.7% (High); moisture 24.1%; pH 7.07; nitrogen 214 kg/ha; phosphorus 15.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Hardoi district, Uttar Pradesh. Soil: Alluvial Soil; fertility 69.7% (High); moisture 21.3%; pH 6.58; nitrogen 287 kg/ha; phosphorus 18.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Jalaun district, Uttar Pradesh. Soil: Alluvial Soil; fertility 64.5% (High); moisture 24.0%; pH 7.56; nitrogen 224 kg/ha; phosphorus 24.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Jaunpur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 78.5% (High); moisture 27.3%; pH 7.06; nitrogen 284 kg/ha; phosphorus 19.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Jhansi district, Uttar Pradesh. Soil: Alluvial Soil; fertility 65.4% (High); moisture 25.4%; pH 6.91; nitrogen 194 kg/ha; phosphorus 18.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Jyotiba Phule Nagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 58.1% (High); moisture 23.7%; pH 7.22; nitrogen 310 kg/ha; phosphorus 12.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot

summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Kannauj district, Uttar Pradesh. Soil: Alluvial Soil; fertility 70.5% (High); moisture 24.4%; pH 6.53; nitrogen 214 kg/ha; phosphorus 13.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Kanpur Dehat district, Uttar Pradesh. Soil: Alluvial Soil; fertility 60.4% (High); moisture 21.8%; pH 7.02; nitrogen 254 kg/ha; phosphorus 12.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Kanpur Nagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 59.0% (High); moisture 19.3%; pH 7.21; nitrogen 226 kg/ha; phosphorus 20.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Kanshiram Nagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 60.5% (High); moisture 18.3%; pH 7.72; nitrogen 195 kg/ha; phosphorus 14.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Kaushambi district, Uttar Pradesh. Soil: Alluvial Soil; fertility 58.7% (High); moisture 31.7%; pH 7.3; nitrogen 265 kg/ha; phosphorus 27.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium]

20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Kheri district, Uttar Pradesh. Soil: Alluvial Soil; fertility 57.2% (High); moisture 31.6%; pH 6.77; nitrogen 267 kg/ha; phosphorus 18.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Kushinagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 64.6% (High); moisture 31.0%; pH 6.69; nitrogen 319 kg/ha; phosphorus 18.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Lalitpur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 71.2% (High); moisture 31.6%; pH 6.57; nitrogen 309 kg/ha; phosphorus 21.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Lucknow district, Uttar Pradesh. Soil: Alluvial Soil; fertility 72.6% (High); moisture 20.1%; pH 7.19; nitrogen 274 kg/ha; phosphorus 19.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Mahamaya Nagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 58.9% (High); moisture 21.4%; pH 7.61; nitrogen 184 kg/ha; phosphorus 23.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Mahoba district, Uttar Pradesh. Soil: Alluvial Soil; fertility 80.0% (High); moisture 18.1%; pH 6.71; nitrogen 274 kg/ha; phosphorus 13.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23

1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Mahrajanj district, Uttar Pradesh. Soil: Alluvial Soil; fertility 69.7% (High); moisture 27.6%; pH 7.26; nitrogen 231 kg/ha; phosphorus 23.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Mainpuri district, Uttar Pradesh. Soil: Alluvial Soil; fertility 69.9% (High); moisture 20.9%; pH 7.23; nitrogen 303 kg/ha; phosphorus 22.7 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Mathura district, Uttar Pradesh. Soil: Alluvial Soil; fertility 66.8% (High); moisture 22.5%; pH 6.61; nitrogen 214 kg/ha; phosphorus 12.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Mau district, Uttar Pradesh. Soil: Alluvial Soil; fertility 79.7% (High); moisture 21.1%; pH 7.56; nitrogen 203 kg/ha; phosphorus 16.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Meerut district, Uttar Pradesh. Soil: Alluvial Soil; fertility 65.5% (High); moisture 22.5%; pH 7.54; nitrogen 314 kg/ha; phosphorus 26.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Mirzapur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 58.8% (High); moisture 28.9%; pH 6.69; nitrogen 307 kg/ha; phosphorus 20.3 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane

[Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Moradabad district, Uttar Pradesh. Soil: Alluvial Soil; fertility 63.4% (High); moisture 20.2%; pH 6.52; nitrogen 214 kg/ha; phosphorus 26.6 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Muzaffarnagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 74.9% (High); moisture 31.6%; pH 6.63; nitrogen 262 kg/ha; phosphorus 16.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Pilibhit district, Uttar Pradesh. Soil: Alluvial Soil; fertility 68.6% (High); moisture 22.5%; pH 6.87; nitrogen 260 kg/ha; phosphorus 14.9 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Pratapgarh district, Uttar Pradesh. Soil: Alluvial Soil; fertility 66.7% (High); moisture 27.1%; pH 6.67; nitrogen 310 kg/ha; phosphorus 20.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Rae Bareilly district, Uttar Pradesh. Soil: Alluvial Soil; fertility 75.5% (High); moisture 27.2%; pH 7.42; nitrogen 280 kg/ha; phosphorus 26.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Rampur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 70.3% (High); moisture 21.9%; pH 6.63; nitrogen 264 kg/ha; phosphorus 13.1 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Saharanpur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 61.0% (High); moisture 18.8%; pH 7.21; nitrogen 202 kg/ha; phosphorus 21.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Sant Kabir Nagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 74.8% (High); moisture 29.5%; pH 6.9; nitrogen 256 kg/ha; phosphorus 21.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Shahjahanpur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 75.7% (High); moisture 26.3%; pH 6.82; nitrogen 284 kg/ha; phosphorus 13.4 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Shrawasti district, Uttar Pradesh. Soil: Alluvial Soil; fertility 74.4% (High); moisture 26.3%; pH 6.64; nitrogen 191 kg/ha; phosphorus 24.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Siddharthnagar district, Uttar Pradesh. Soil: Alluvial Soil; fertility 62.3% (High); moisture 30.5%; pH 7.49; nitrogen 277 kg/ha; phosphorus 16.5 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard;

labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Sitapur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 72.7% (High); moisture 31.3%; pH 6.62; nitrogen 225 kg/ha; phosphorus 15.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Sonbhadra district, Uttar Pradesh. Soil: Alluvial Soil; fertility 64.8% (High); moisture 28.4%; pH 7.12; nitrogen 259 kg/ha; phosphorus 17.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Sultanpur district, Uttar Pradesh. Soil: Alluvial Soil; fertility 58.5% (High); moisture 21.7%; pH 7.62; nitrogen 264 kg/ha; phosphorus 18.0 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Unnao district, Uttar Pradesh. Soil: Alluvial Soil; fertility 74.7% (High); moisture 18.9%; pH 6.83; nitrogen 212 kg/ha; phosphorus 27.8 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Varanasi district, Uttar Pradesh. Soil: Alluvial Soil; fertility 72.7% (High); moisture 26.6%; pH 6.51; nitrogen 205 kg/ha; phosphorus 22.2 kg/ha. Climate: Humid Subtropical (Koppen Cwa); rainfall 700-1400 mm/yr; temperature 4 to 45 C; Hot summers, cool winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 795.5/1.06/843.2; 21-22 804.1/1.05/844.3; 22-23 835.6/1.18/986.0; 23-24 783.7/1.05/822.9; 24-25 882.1/1.15/1014.4 | #2 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1030.6/2.53/2607.4; 21-22 1019.2/2.55/2599.0; 22-23 1074.4/2.47/2653.8; 23-24 1118.9/2.48/2774.9; 24-25 1248.7/2.67/3334.0 | #3 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1205.5/2.59/3122.2; 21-22 1188.7/2.63/3126.3; 22-23 1102.1/2.73/3008.7; 23-24 1092.2/2.79/3047.2; 24-25 1179.9/2.86/3374.5 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 634.4/2.9/1839.8; 21-22 645.9/2.92/1886.0; 22-23 653.9/2.85/1863.6; 23-24 740.7/2.9/2148.0; 24-25 682.6/2.84/1938.6.

Almora district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 49.5% (Medium); moisture 36.8%; pH 6.38; nitrogen 173 kg/ha; phosphorus 13.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22

1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Bageshwar district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 64.4% (High); moisture 29.4%; pH 6.16; nitrogen 230 kg/ha; phosphorus 8.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Chamoli district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 62.2% (High); moisture 23.6%; pH 6.17; nitrogen 213 kg/ha; phosphorus 12.1 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Champawat district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 52.4% (Medium); moisture 31.9%; pH 5.27; nitrogen 145 kg/ha; phosphorus 8.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Dehradun district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 54.9% (Medium); moisture 29.1%; pH 5.44; nitrogen 225 kg/ha; phosphorus 9.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Garhwal district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 51.2% (Medium); moisture 28.6%; pH 5.33; nitrogen 207 kg/ha; phosphorus 10.5 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Hardwar district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 40.4% (Medium); moisture 37.4%; pH 6.47; nitrogen 206 kg/ha; phosphorus 14.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0

to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Nainital district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 62.7% (High); moisture 27.4%; pH 6.1; nitrogen 193 kg/ha; phosphorus 8.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Pithoragarh district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 45.5% (Medium); moisture 23.8%; pH 6.19; nitrogen 213 kg/ha; phosphorus 13.6 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Rudrapur district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 47.9% (Medium); moisture 25.3%; pH 5.82; nitrogen 185 kg/ha; phosphorus 15.2 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Tehri Garhwal district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 61.9% (High); moisture 36.7%; pH 6.53; nitrogen 235 kg/ha; phosphorus 10.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Udham Singh Nagar district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 41.2% (Medium); moisture 23.3%; pH 5.7; nitrogen 150 kg/ha; phosphorus 7.7 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Uttarkashi district, Uttarakhand. Soil: Mountain & Forest Soil; fertility 63.8% (High); moisture 25.1%; pH 6.73; nitrogen 211 kg/ha; phosphorus 12.4 kg/ha. Climate: Humid Subtropical / Highland (Koppen Cwa/ET); rainfall 1000-2000 mm/yr; temperature 0 to 35 C; Cold winters in hills, warm plains, monsoon Jun-Sep. Suited crops: temperate fruits (apple, apricot), potato, maize and terraced rice/wheat. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Wheat [Rabi; water Medium; difficulty Easy-Med; labor Medium; profit Medium] 20-21 1004.1/2.74/2751.2; 21-22 1032.5/2.81/2901.3; 22-23 1046.9/2.85/2983.7; 23-24 1017.3/2.48/2522.9; 24-25 1206.6/3.01/3631.9 | #2 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1018.0/2.01/2046.2; 21-22 1016.8/2.02/2053.9; 22-23 1134.5/1.94/2200.9; 23-24 1198.0/1.99/2384.0; 24-25 966.0/2.31/2231.5 | #3 Sugarcane [Year-round(12-18mo); water VeryHigh; difficulty Hard; labor VeryHigh; profit Med-High] 20-21 222.4/2.4/533.8; 21-22 234.8/2.4/563.5; 22-23 237.0/2.51/594.9; 23-24 222.9/2.52/561.7; 24-25 239.9/2.39/573.4 | #4 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1064.1/1.76/1872.8; 21-22 1071.8/1.82/1950.7; 22-23 1121.1/1.86/2085.2; 23-24 1253.3/1.88/2356.2; 24-25 1491.8/1.72/2565.9.

Bankura district, West Bengal. Soil: Alluvial Soil; fertility 71.9% (High); moisture 22.6%; pH 7.34; nitrogen 206 kg/ha; phosphorus 27.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Bardhaman district, West Bengal. Soil: Alluvial Soil; fertility 62.5% (High); moisture 21.6%; pH 7.42; nitrogen 271 kg/ha; phosphorus 19.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Birbhum district, West Bengal. Soil: Alluvial Soil; fertility 70.8% (High); moisture 20.2%; pH 7.38; nitrogen 217 kg/ha; phosphorus 16.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Dakshin Dinajpur district, West Bengal. Soil: Alluvial Soil; fertility 59.1% (High); moisture 22.7%; pH 6.93; nitrogen 243 kg/ha; phosphorus 15.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Darjiling district, West Bengal. Soil: Alluvial Soil; fertility 59.8% (High); moisture 25.6%; pH 6.67; nitrogen 276 kg/ha; phosphorus 27.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice

[Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Haora district, West Bengal. Soil: Alluvial Soil; fertility 65.7% (High); moisture 30.6%; pH 6.63; nitrogen 186 kg/ha; phosphorus 23.5 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Hugli district, West Bengal. Soil: Alluvial Soil; fertility 74.0% (High); moisture 29.8%; pH 6.57; nitrogen 288 kg/ha; phosphorus 18.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Jalpaiguri district, West Bengal. Soil: Alluvial Soil; fertility 62.6% (High); moisture 20.4%; pH 7.79; nitrogen 188 kg/ha; phosphorus 25.2 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Koch Bihar district, West Bengal. Soil: Alluvial Soil; fertility 71.0% (High); moisture 28.3%; pH 7.43; nitrogen 300 kg/ha; phosphorus 14.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Kolkata district, West Bengal. Soil: Alluvial Soil; fertility 55.0% (High); moisture 26.4%; pH 6.96; nitrogen 197 kg/ha; phosphorus 15.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Maldah district, West Bengal. Soil: Alluvial Soil; fertility 63.3% (High); moisture 19.0%; pH 6.57; nitrogen 308 kg/ha; phosphorus 17.0 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Murshidabad district, West Bengal. Soil: Alluvial Soil; fertility 79.6% (High); moisture 31.5%; pH 6.69; nitrogen 280 kg/ha; phosphorus 21.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Nadia district, West Bengal. Soil: Alluvial Soil; fertility 72.3% (High); moisture 19.3%; pH 6.75; nitrogen 190 kg/ha; phosphorus 21.7 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

North Twenty Four Parganas district, West Bengal. Soil: Alluvial Soil; fertility 79.7% (High); moisture 27.4%; pH 7.42; nitrogen 317 kg/ha; phosphorus 22.8 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Paschim Medinipur district, West Bengal. Soil: Alluvial Soil; fertility 56.0% (High); moisture 30.1%; pH 6.97; nitrogen 180 kg/ha; phosphorus 20.1 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Purba Medinipur district, West Bengal. Soil: Alluvial Soil; fertility 78.4% (High); moisture 21.6%; pH 7.14; nitrogen 204 kg/ha; phosphorus 12.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22

1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Puruliya district, West Bengal. Soil: Alluvial Soil; fertility 57.0% (High); moisture 28.2%; pH 7.62; nitrogen 200 kg/ha; phosphorus 16.6 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

South Twenty Four Parganas district, West Bengal. Soil: Alluvial Soil; fertility 59.9% (High); moisture 18.4%; pH 7.22; nitrogen 277 kg/ha; phosphorus 22.4 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.

Uttar Dinajpur district, West Bengal. Soil: Alluvial Soil; fertility 64.7% (High); moisture 25.8%; pH 6.62; nitrogen 201 kg/ha; phosphorus 26.9 kg/ha. Climate: Tropical Wet & Dry (Koppen Aw/Cwa); rainfall 1200-3000 mm/yr; temperature 9 to 40 C; Hot humid summers, mild winters, monsoon Jun-Sep. Suited crops: wheat, rice, sugarcane, maize, pulses and a wide range of vegetables. State top-4 crops by area, 2020-21 to 2024-25, each year as area '000 ha / yield t/ha / production '000 t (estimated): #1 Rice [Kharif; water VeryHigh; difficulty Med-Hard; labor High; profit Medium] 20-21 1284.6/1.04/1336.0; 21-22 1342.3/1.07/1436.3; 22-23 1300.9/1.13/1470.0; 23-24 1218.7/1.13/1377.1; 24-25 1473.1/1.16/1708.8 | #2 Potato [Rabi; water Med-High; difficulty Medium; labor High; profit Medium] 20-21 1736.1/2.71/4704.8; 21-22 1813.4/2.68/4859.9; 22-23 1804.9/2.86/5162.0; 23-24 1587.9/2.45/3890.4; 24-25 1937.2/2.83/5482.3 | #3 Jute [Kharif; water High; difficulty Med-Hard; labor High; profit Low-Med] 20-21 1427.0/2.77/3952.8; 21-22 1448.4/2.74/3968.6; 22-23 1344.6/2.88/3872.4; 23-24 1506.1/2.92/4397.8; 24-25 1372.5/2.73/3746.9 | #4 Tea [Perennial; water High; difficulty Hard; labor VeryHigh; profit Medium] 20-21 1355.3/2.73/3700.0; 21-22 1396.9/2.78/3883.4; 22-23 1583.0/2.64/4179.1; 23-24 1553.9/2.8/4350.9; 24-25 1464.6/2.53/3705.4.