

This is CS50x

OpenCourseWare

David J. Malan (<https://cs.harvard.edu/malan/>)

malan@harvard.edu

[f](https://www.facebook.com/dmalan) (<https://www.facebook.com/dmalan>) [G](https://github.com/dmalan) (<https://github.com/dmalan>) [@](https://www.instagram.com/davidjmalan/) (<https://www.instagram.com/davidjmalan/>) [in](https://www.linkedin.com/in/malan/)

(<https://www.linkedin.com/in/malan/>) [Q](https://www.quora.com/profile/David-J-Malan) (<https://www.quora.com/profile/David-J-Malan>) [T](https://twitter.com/davidjmalan) (<https://twitter.com/davidjmalan>)

Problem Set 1

For this problem set, you'll use CS50 IDE, a cloud-based programming environment. This environment is similar to CS50 Sandbox and CS50 Lab, the programming environments that David discussed during lecture.

What to Do

1. Go to ide.cs50.io (<https://ide.cs50.io>) and click "Sign in with GitHub" to access your CS50 IDE.
2. Submit [Hello](#)
3. Submit one of:
 - [this version of Mario](#) if feeling less comfortable
 - [this version of Mario](#) if feeling more comfortable
4. Submit one of:
 - [Cash](#) if feeling less comfortable
 - [Credit](#) if feeling more comfortable

If you submit both Marios, we'll record the higher of your two scores. If you submit both of Cash and Credit, we'll record the higher of your two scores.

When to Do It

By 11:59pm on 31 December 2020.

Advice

- Try out any of David's programs from class via [Week 1](#)'s source code.
- If you see any errors when compiling your code with `make`, focus first on fixing the very first error you see, scrolling up as needed. If unsure what it means, try asking `help50` for help. For instance, if trying to compile `hello`, and

```
make hello
```

is yielding errors, try running

```
help50 make hello
```

instead!

