GitHub ⬤

🐍 Auto Py to Exe

Help Post **Ne**

Language: [English   ⌄]

Script Location

[D:/Users/willem/OneDrive/MSIS/3. Fall 2022/Avid_Acceptance/AvidAcceptance/PaymentProl]   [Browse]

Onefile (--onedir / --onefile)

[One Directory] [One File]

Console Window (--console / --windowed)

[Console Based] [Window Based (hide the console)]

🔼 Icon (--icon)

[D:/Users/willem/OneDrive/MSIS/3. Fall 2022/Avid_Acceptance/logoonly.ico]   [Browse]

🔼 Additional Files (--add-data)

[Add Files] [Add Folder] [Add Blank]

[C:/Users/wille/.conda/envs/Core/Library/mingw-w64] [./Library/mingw-w64] ⊟

[D:/Users/willem/OneDrive/MSIS/3. Fall 2022/Avid_Ac] [.] ⊟

If you want to put files in the root directory, put a period (.) in the destination.

🔼 Advanced

General Options

--name   [PaymentPredictorUtility]

--upx-dir   [VALUE]   [Browse for Folder]

--ascii   [Enable]

--clean   [Enable]

--log-level   [⌄]

What to bundle, where to search

--add-binary   ➕

--paths   ➕

--hidden-import   ➕

--collect-submodules   ➕

--collect-data   ➕

--collect-binaries ⊞

--collect-all ⊞

xgboost ⊟

pyarrow ⊟

--copy-metadata ⊞

--recursive-copy-metadata ⊞

--additional-hooks-dir ⊞

--runtime-hook ⊞

--exclude-module ⊞

--key [VALUE]

--splash [D:/Users/willem/OneDrive/MSIS/3. Fall 2022/Avid_Acceptance/Logo.png] [Browse for File]

How to generate

--debug [⌄]

--python-option ⊞

--strip [Enable]

--noupx [Enable]

--upx-exclude ⊞

Windows And Mac Os X Specific Options

--disable-windowed-traceback [Enable]

Windows specific options

--version-file [FILE] [Browse for File]

--manifest [<FILE or XML>] [Browse for File]

--no-embed-manifest [Disable]

--resource ⊞

--uac-admin [Enable]

--uac-uiaccess [Enable]

Windows Side-by-side Assembly searching options (advanced)

--win-private-assemblies [Enable]

--win-no-prefer-redirects [Enable]

Mac OS X specific options

--osx-bundle-identifier [VALUE]

--target-architecture [ARCH]

--codesign-identity

IDENTITY

--osx-entitlements-file

FILENAME

Rarely used special options

--runtime-tmpdir

PATH

--bootloader-ignore-signals

Enable

Other

--argv-emulation

Enable

⌃ Settings

auto-py-to-exe Specific Options

Output Directory

C:/Users/wille/Desktop/PaymentProb/Output

Browse

Increase Recursion Limit

Enable

Manually Provide Options

Manual Argument Input

ARGUMENTS

Configuration

Import Config From JSON File

Export Config To JSON File

Current Command

```
pyinstaller --noconfirm --onedir --console --icon "D:/Users/willem/OneDrive/MSIS/3. Fall
2022/Avid_Acceptance/logoonly.ico" --name "PaymentPredictorUtility" --ascii --clean --splash
```

CONVERT .PY TO .EXE