```
using System;
using System.Collections.Generic;
using System. Windows. Forms;
using System.Data.SqlClient;
namespace WindowsFormsApp1
  public partial class Form1 : Form
    public Form1()
      InitializeComponent();
    private void Form1_Load(object sender, EventArgs e)
      LoadData();
    private void LoadData()
      string connectString = "Data Source=DESKTOP-OP1S0BT; Initial Catalog=romaandkirill; Integrated
Security=true;";
      using (SqlConnection myConnection = new SqlConnection(connectString))
         try
           myConnection.Open();
           Console. WriteLine("Подключение к базе данных успешно!");
           string query = "SELECT * FROM Faculties3 ORDER BY fac_id";
           SqlCommand command = new SqlCommand(query, myConnection);
           SqlDataReader reader = command.ExecuteReader();
           List<string[]> data = new List<string[]>();
           while (reader.Read())
             string[] row = new string[3];
             row[0] = reader["fac_id"].ToString();
             row[1] = reader["fac_name_full"].ToString();
             row[2] = reader["fac_name_abbr"].ToString();
             data.Add(row);
           reader.Close();
           foreach (string[] s in data)
             dataGridView1.Rows.Add(s);
         }
         catch (SqlException ex)
           MessageBox.Show("Ошибка при подключении к базе данных: " + ex.Message, "Ошибка",
MessageBoxButtons.OK, MessageBoxIcon.Error);
         catch (Exception ex)
           MessageBox.Show("Произошла непредвиденная ошибка: " + ex.Message, "Ошибка",
MessageBoxButtons.OK, MessageBoxIcon.Error);
    }
```

```
private void dataGridView1_CellContentClick(object sender, DataGridViewCellEventArgs e)
    private void button1_Click(object sender, EventArgs e)
      string facNameFull = textBox1.Text;
      string facNameAbbr = textBox2.Text;
      string connectString = "Data Source=DESKTOP-OP1S0BT; Initial Catalog=romaandkirill; Integrated
Security=true;";
      using (SqlConnection myConnection = new SqlConnection(connectString))
         myConnection.Open();
         string query = "INSERT INTO Faculties3 (fac_name_full, fac_name_abbr) VALUES (@fullName, @abbr);
SELECT SCOPE_IDENTITY();";
         using (SqlCommand command = new SqlCommand(query, myConnection))
           command.Parameters.AddWithValue("@fullName", facNameFull);
           command.Parameters.AddWithValue("@abbr", facNameAbbr);
           int newId = Convert.ToInt32(command.ExecuteScalar());
           dataGridView1.Rows.Add(new object[] { newId, facNameFull, facNameAbbr });
      }
      textBox1.Clear();
      textBox2.Clear();
  }
}
```

