

Ordering Overview

ABB Nitrogen Partner Guide



Like the rest of Nitrogen, the ordering process is asynchronous. The initial submission will result in an ID being returned and remaining updates on the order will be delivered as asynchronous callback messages delivered to your subscription endpoints.

Synchronous Initial Validation

At the time of initially submitting the order payload, Nitrogen performs some synchronous validation checks for things that are possible to check immediately (e.g. valid payload, valid product offer, valid combination of values in payload etc.).



Initial Validation Failure

If the initial validation fails, the submission will be rejected immediately with a **422 Unprocessable Content** validation error as the synchronous response. No order resource will be created in Nitrogen and no order id will be generated.

In this instance, you should check and

resolve the issues in the validation error and try again to achieve a successful submission.

Initial Validation Success

If the initial validation passes, Nitrogen will create an order resource in **New** status and return a synchronous **201 Created** response with a unique order ID in the response payload.

The unique order ID will then be used to identify the order in asynchronous callback messages, and can also be used to query the order via the GET order endpoint if required.

Order Lifecycle and

Status

Once an order has passed initial validation and been created in Nitrogen, it will then go through a series of additional validation and verification steps, including ongoing validation with the upstream provider/s (e.g. NBN).

Nitrogen will then manage the status and sub-status of the order from its initial status **New** through to completion or rejection/cancellation through a series of status and sub-status changes.

Status and Sub-Status

The status of the order describes largely where it is at in the order lifecycle.

The sub-status allows more information to be provided as to the reason for the current status.

The below table outlines the possible status and sub-status combinations for an order, and what they generally mean. Note, new combinations may be added as required and some statuses and sub-statuses won't apply to some orders.

Status	Sub-Status	Description
New	New	Order has been created, not yet submitted to upstream provider (if required)
New	Awaiting	Order has been

	Upstream	submitted to upstream provider, not yet accepted by them
In Progress	Awaiting Upstream	Order has been accepted and is in progress with an upstream provider
In Progress	Wholesaler Action	Order is in progress within Nitrogen
Awaiting Tenant Action	Appointment Required	Order is awaiting you to attach a valid appointment
Awaiting Tenant Action	Appointment Reschedule Required	Order is awaiting you to reschedule its appointment
Awaiting	Provide	Order is awaiting

Tenant Action	Information	you to submit required information or take requested action
Rejected	Rejected By Upstream	Order is rejected due to upstream provider rejecting it
Rejected	Rejected By Wholesaler	Order is rejected by Nitrogen
Cancelling	Awaiting Upstream	Order is pending cancellation with upstream provider
Cancelling	Wholesaler Action	Order is pending cancellation within Nitrogen
Cancelled	Cancelled	Order was

	By Tenant	cancelled at your request
Cancelled	Cancelled By Wholesaler	Order was cancelled by Nitrogen
Cancelled	Cancelled By Upstream	Order was cancelled by upstream provider
Cancelled	Cancelled By Failed Auto Appointment	Order was cancelled due to Nitrogen being unable to automatically book an appointment
Complete	Complete	Order has completed successfully

Order Webhook Events

Throughout the life of an order, many events occur and asynchronous messages will be delivered to your subscription endpoints automatically.

The following events are currently sent for orders:

- `order.acknowledged.event`
- `order.accepted.event`
- `order.completed.event`
- `order.planned-remediation-date.event`
- `order.failed.event`
- `order.rejected.event`

- order.cancelled.event
- order.awaiting-cancel.event
- order.disconnect.in-progress.event
- order.disconnect.failed.event
- order.disconnect.awaiting.event
- order.provider-action-required.event
- order.auto-appointment-failed.event
- order.appointment-required.event
- order.service-test-completed.event
- order.appointment-reschedule-required.event
- order.appointment-rescheduled.event
- order.more-time-accepted.event
- order.more-time-rejected.event

- `order.rsp-action-completed.event`
- `order.rsp_action-required.event`
- `order.device-details-required.event`
- `order.information-required-reminder.event`
- `order.nbn-action-completed.event`
- `order.shipment-in-transit.event`
- `order.amend-failed.event`
- `order.amend-in-progress.event`
- `order.amend-accepted.event`
- `order.amend-rejected.event`

For detailed information on each event, consult the API specification.

New event types will be added as

required and will be added to the documentation as they are added.

In addition to the above events in the context of an order resource, related resources will also receive events that closely correspond to the ordering lifecycle. For example, updates to appointments, activation of the service that an order creates etc.