Coblentz, K.E., A.E. Rosenblatt, M. Novak. The application of Bayesian hierarchical models to quantify individual diet specialization. Ecology.

Metadata S6

Whelk diet data

Authors

Kyle E.Coblentz Department of Integrative Biology Oregon State University Corvallis, OR, USA, 97330

Adam E. Rosenblatt School of Forestry & Environmental Studies Yale University New Haven, Connecticut, USA, 06511

Mark Novak Department of Integrative Biology Oregon State University Corvallis, OR, USA, 97330

File list

Whelk_Data_S6.csv

Description

Whelk_Data_S6.csv- Data S6 contains the intertidal whelk data set analyzed in the manuscript. The data represent the diets of 95 whelks from two rocky intertidal sites on the Pacific Coast of Panama. The .csv file contains 619 rows and 4 columns. Each row represents an observation on an individual whelk. For each observation, the following are recorded: column 1) the ID number of the whelk (Snail ID; factor), col. 2) the site at which the whelk was observed (Site; factor), col. 3) the size class into which the whelk was placed (Size Class; factor, <20 = less than 20mm, 20-30 = 20mm to 30mm, and >30 = greater than 30mm), col. 4) prey that the whelk was observed feeding on (factor - Bal = Balanus sp., Os = Ostrea spp., Sm = Siphonaria maura, Brc = Brachidontes, Ser = Serpulid polychaete, Ver = Vermetids, Chm = Chama echinata, An = Anachis sp., Cht = Chiton sokesii, Is = Isognomon, Lth = Lithophaga, Fis = Fissurella longifisssa, Crp = Crepidula incurva, Nr = Nerita scabricosta, Ac = Acanthina brevidentata, Fos = Fossarus sp., Mit = Mitra sp., Vit = Vitularia sp., Tm = Thais melones). For details on the data collection see West (1988).

References

West, L. 1988. Prey selection by the tropical snail Thais melones: a study of interindividual variation. Ecology $\bf 69$:1839–1854.