Kyle Klausen

CSD-430 / Module 8

02/20/26

Code:

MovieBean.java

```
package mybeans;

import java.sql.*;
import java.util.ArrayList;

public class MovieBean {

  private Connection conn;

  public MovieBean() throws Exception {
    Class.forName("com.mysql.cj.jdbc.Driver");
    conn = DriverManager.getConnection(
      "jdbc:mysql://localhost:3306/CSD430",
      "student1",
      "pass"
    );
  }

  public ArrayList<Integer> getMovieIds() throws SQLException {
    ArrayList<Integer> ids = new ArrayList<>();
```

```
    Statement stmt = conn.createStatement();
    ResultSet rs = stmt.executeQuery("SELECT movie_id FROM kyle_movies_data");

    while (rs.next()) {
        ids.add(rs.getInt("movie_id"));
    }
    return ids;
}

public ResultSet getMovieById(int id) throws SQLException {
    PreparedStatement ps = conn.prepareStatement(
        "SELECT * FROM kyle_movies_data WHERE movie_id = ?"
    );
    ps.setInt(1, id);
    return ps.executeQuery();
}

// Updates an existing movie record
public void updateMovie(int id, String title, String genre,
                String director, int releaseYear,
                double rating) throws SQLException {

    PreparedStatement ps = conn.prepareStatement(
        "UPDATE kyle_movies_data SET title=?, genre=?, director=?, release_year=?, rating=?
WHERE movie_id=?"
    );
```

```
        ps.setString(1, title);
        ps.setString(2, genre);
        ps.setString(3, director);
        ps.setInt(4, releaseYear);
        ps.setDouble(5, rating);
        ps.setInt(6, id);

        ps.executeUpdate();
    }
}
```

Index.jsp

```
<%@ page import="java.util.ArrayList" %>
<%@ page import="mybeans.MovieBean" %>

<%
    MovieBean bean = new MovieBean();
    ArrayList<Integer> ids = bean.getMovieIds();
%>

<!DOCTYPE html>
<html>
<head>
    <title>Select Movie to Update</title>
    <style>
        body { font-family: Arial; background-color: #f4f4f4; text-align: center; }
```

```
      .container { margin-top: 50px; }
      select, input { padding: 8px; margin: 10px; }
      input[type=submit] { background-color: #4CAF50; color: white; border: none; }
   </style>
</head>
<body>

<div class="container">
   <h2>Select Movie ID to Update</h2>

   <form action="editRecord.jsp" method="post">
      <select name="movieID">
         <% for(Integer id : ids) { %>
            <option value="<%= id %>"><%= id %></option>
         <% } %>
      </select>
      <br>
      <input type="submit" value="Edit Record">
   </form>
</div>

</body>
</html>
```

EditRecord.jsp:

```
<%@ page import="java.sql.*" %>
```

```
<%@ page import="mybeans.MovieBean" %>

<%
  int id = Integer.parseInt(request.getParameter("movieID"));
  MovieBean bean = new MovieBean();
  ResultSet rs = bean.getMovieById(id);
  rs.next();
%>

<!DOCTYPE html>
<html>
<head>
  <title>Edit Movie</title>
  <style>
    body { font-family: Arial; background-color: #eef; text-align: center; }
    input { padding: 8px; margin: 5px; }
  </style>
</head>
<body>

<h2>Update Movie Record</h2>

<form action="updateRecord.jsp" method="post">

  Movie ID (Primary Key): <br>
  <b><%= rs.getInt("movie_id") %></b>
```

```
<input type="hidden" name="movie_id"
    value="<%= rs.getInt("movie_id") %>">
<br><br>

Title:<br>
<input type="text" name="title"
    value="<%= rs.getString("title") %>"><br>

Genre:<br>
<input type="text" name="genre"
    value="<%= rs.getString("genre") %>"><br>

Director:<br>
<input type="text" name="director"
    value="<%= rs.getString("director") %>"><br>

Release Year:<br>
<input type="text" name="release_year"
    value="<%= rs.getInt("release_year") %>"><br>

Rating:<br>
<input type="text" name="rating"
    value="<%= rs.getDouble("rating") %>"><br><br>

<input type="submit" value="Update Record">
```

```
</form>


</body>
</html>
```

UpdateRecord.jsp:

```
<%@ page import="java.sql.*" %>
<%@ page import="mybeans.MovieBean" %>


<%
   int id = Integer.parseInt(request.getParameter("movie_id"));
   String title = request.getParameter("title");
   String genre = request.getParameter("genre");
   String director = request.getParameter("director");
   int releaseYear = Integer.parseInt(request.getParameter("release_year"));
   double rating = Double.parseDouble(request.getParameter("rating"));

   MovieBean bean = new MovieBean();
   bean.updateMovie(id, title, genre, director, releaseYear, rating);

   ResultSet rs = bean.getMovieById(id);
   rs.next();
%>

<!DOCTYPE html>
<html>
<head>
```

```
  <title>Updated Record</title>
  <style>
    body { font-family: Arial; text-align: center; }
    table { margin: auto; border-collapse: collapse; }
    th, td { border: 1px solid black; padding: 10px; }
    th { background-color: #4CAF50; color: white; }
  </style>
</head>
<body>

<h2>Record Successfully Updated</h2>

<table>
<tr>
  <th>movie_id (INT)</th>
  <th>title (VARCHAR)</th>
  <th>genre (VARCHAR)</th>
  <th>director (VARCHAR)</th>
  <th>release_year (INT)</th>
  <th>rating (DECIMAL 2,1)</th>
</tr>
<tr>
  <td><%= rs.getInt("movie_id") %></td>
  <td><%= rs.getString("title") %></td>
  <td><%= rs.getString("genre") %></td>
  <td><%= rs.getString("director") %></td>
```

```
    <td><%= rs.getInt("release_year") %></td>
    <td><%= rs.getDouble("rating") %></td>
  </tr>
  </table>


  </body>
  </html>
```

Screenshots:



Record Successfully Updated

movie_id (INT)	title (VARCHAR)	genre (VARCHAR)	director (VARCHAR)	release_year (INT)	rating (DECIMAL 2,1)
7	Fight Club	Drama	David Fincher	1999	9.2




Grammarly
Content
Edit Movie
localhost:8080/CSD430_Project/editRecord.jsp
Finish update
Gmail
YouTube
Maps
Github
Update Movie Record
Movie ID (Primary Key):
7
Title:
Fight Club
Genre:
Drama
Director:
David Fincher
Release Year:
1999
Rating:
8.8
Update Record


Grammarly
Content
Select Movie to Update
localhost:8080/CSD430_Project/
Finish update
Gmail
YouTube
Maps
Github
Select Movie ID to Update
1
2
3
4
5
6
7
8
9
10


Grammarly
Content
Select Movie to Update
localhost:8080/CSD430_Project/
Finish update
Gmail
YouTube
Maps
Github
Select Movie ID to Update
1
Edit Record