Contents

- 1. Read the data file (comma separated or excel file format) into MATLAB and store the values
- 2. Identify and report key features of the mean ECG signal, including
- a. Heart Rate between peaks
- b. Indicate the QRS complex and T and P wave on a graphical representation of the data
- c. Maximum and minimum voltage
- d. Average P-Q, P-R or Q-T interval
- 3) Using electric potential from two of the lead channels, calculate and graphically display the mean axis of depolarization
- 4) Disease Diagnostics

```
% Kyle King
% BIOE340 - Section 0102
% Lab Assignment #2
% 10-26-2014
clc, clear all, close all % Boilerplate
```

1. Read the data file (comma separated or excel file format) into MATLAB and store the values

```
% Open the file and get name and path then store data in "a"
[Name, Path] = uigetfile('.*');
filename = strcat(Path, Name);
% Ask which file format is used (i.e. CSV or XLS)
% prompt = 'Are you using XLS Y/N: ';
% str = input(prompt, 's');
% if isempty(str)
    str = 'Y';
% end
% Read file
if str == 'Y'
  a = xlsread(filename);
  % % For quick Testing:
  % a = xlsread('/Users/kyleking/Documents/Developer/ Matlab/Matlab-Physiology/Lab 2/6Lead
ECG2.xls');
  % a = xlsread('/Users/kyleking/Documents/Developer/ Matlab/Matlab-Physiology/Lab 2/jacki
e_ecg.xls');
else
  a = csvread(filename, 2, 0);
end
% Parse the data
t = a(:,1); % Time
Lone = a(:, 2); % Lead 1
Ltwo = a(:, 3); % Lead 2
Lthr = a(:, 4); % Lead 3
```

2. Identify and report key features of the mean ECG signal, including

```
% Signal Prep and Clean Up
% First Detrending data
[p,s,mu] = polyfit(t,Lone, 5);
fluctuation = polyval(p,t,[],mu);
ECG data = Lone - fluctuation;
% Then smooth the data with a Savitzky-Golay transform
smoothECG = sgolayfilt(ECG data,7, 23);
% figure, plot(t, Lone, 'g', t, ECG_data, 'b', t, smoothECG, 'r'); % To compare datasets an
d assure reasonable manipulation
% Find Max/Min Peaks location and then absolute maxes
[~,localMaxes] = findpeaks(smoothECG, 'MinPeakDistance', 20);
[~,localMins] = findpeaks(-smoothECG, 'MinPeakDistance', 10);
mxLead = max(smoothECG); mnLead = min(smoothECG);
% Combine min and max peaks into one data structure
peaks = combine(localMins, localMaxes, 8, 9);
% Calibrated values to search within a given range of maximum smoothECG values to:
% Find R-Waves
Rwaves = localMaxes(smoothECG(localMaxes) > 0.8*mxLead);
peaks = combine(Rwaves, peaks, 3, 0); % Combine into main data struc
% Find T-Waves
Twaves = localMaxes(smoothECG(localMaxes) > 0.12*mxLead & smoothECG(localMaxes) < 0.8*mxLea
peaks = combine(Twaves, peaks, 5, 0); % Combine into main data struc
% Going through the partially labeled peaks data structure, search for peaks in relation to
easily identified R and T:
% Initiliaze data
lenPeaks = length(peaks(:,1)); tmpQ = []; tmpP = []; tmpS = [];
% Find Q-Wave
for i = 1:(lenPeaks-1)
                                % run through all max peaks
    if peaks(i+1, 2) == 3
                            % if next peak is an R wave, it's a Q
        tmpQ = [tmpQ; peaks(i,1)]; % store it dynamically in temp data structure
    end
end
peaks = combine(tmpQ, peaks, 2, 0); % Combine into main data struc
% Find P-Wave
                                % run through all max peaks
for i = 1:(lenPeaks-1)
    if peaks(i, 2) == 9 \& (peaks(i+1, 2) == 2 | peaks(i+2, 2) == 2) % if next peak is a
n Q wave, it's a P
        tmpP = [tmpP; peaks(i,1)];
    end
end
peaks = combine(tmpP, peaks, 1, 0); % Combine into main data struc
% Find S-Wave
for i = 10:(lenPeaks-1)
                                 % run through all max peaks
    if peaks(i-2, 2) == 3 \&\& peaks(i, 2) == 8 % if last peak is an Q wave, it's a S
        tmpS = [tmpS; peaks(i,1)];
    end
end
peaks = combine(tmpS, peaks, 4, 0); % Combine into main data struc with label
```

```
% For testing before nextMatch was written
% % Plot the identified data elements
% lenMax = length(localMaxes); lenMin = length(localMins); lenPeaks = length(peaks(:,1));
% % Plot the smooth ECG data
% figure, hold on, plot(t, smoothECG),
% for i = 1:(lenMin+lenMax)
    % Check for combine.m issue with wave being identified as 0 - i.e. not overwritten
   if peaks(i, 2) == 0
      disp('ALERT! Issue with combine.m')
    end
% end
% % Loop through the length of the peaks data to pull out important features
% for i = 1:length(peaks(:,1))
   if peaks(i, 2) == 0
      disp('Error: lol that sucks')
ջ
용
   elseif peaks(i, 2) == 1
     % Plot P-Waves
      % disp(['P ' num2str(peaks(i))])
     plot(t(peaks(i)), smoothECG(peaks(i)), 'bs'),
용
   elseif peaks(i, 2) == 2
용
     % Plot Q-Waves
      % disp(['Q ' num2str(peaks(i))])
      plot(t(peaks(i)), smoothECG(peaks(i)), 'r+'),
9
   elseif peaks(i, 2) == 3
용
      % Plot R-Waves
용
      % disp(['R ' num2str(peaks(i))])
9
     plot(t(peaks(i)), smoothECG(peaks(i)), 'go'),
용
   elseif peaks(i, 2) == 4
    % Plot S-Waves
용
      % disp(['S ' num2str(peaks(i))])
용
     plot(t(peaks(i)), smoothECG(peaks(i)), 'ro'),
용
   elseif peaks(i, 2) == 5
용
     % Plot T-Waves
용
      % disp(['T ' num2str(peaks(i))])
용
      plot(t(peaks(i)), smoothECG(peaks(i)), 'gd', 'MarkerFaceColor', 'b'),
   elseif peaks(i, 2) == 8
용
      % Plot Min's for testing
용
      % plot(t(peaks(i)), smoothECG(peaks(i)), 'd', 'MarkerFaceColor', 'b'),
용
   elseif peaks(i, 2) == 9
용
      % Plot Max's for testing
      % plot(t(peaks(i)),smoothECG(peaks(i)),'r+'),
    else
      disp(['?? ' num2str(peaks(i))])
    end
% end
% % Give title and labels
% title('ECG Signal Analysis'), xlabel('Time (s)'), ylabel('Voltage (mV)'), grid on, axis t
ight, hold off
```

a. Heart Rate between peaks

Un-combine peaks by pulling out relevant peaks from main peaks data struc

```
Pwaves = nextMatch(peaks, 1);
Qwaves = nextMatch(peaks, 2);
Swaves = nextMatch(peaks, 4);

% Initiliaze elements
Rint = []; tInt = [];


% Find time between all R peaks
for i = 2:length(Rwaves)
    tInt = t(Rwaves(i)) - t(Rwaves(i-1));
    Rint = [Rint; tInt];
end

% Calculate and display Mean HR
HR = 60/mean(tInt);
disp(['Avg HR = ' num2str(HR) ' bpm'])
```

Avg HR = 78.4314 bpm

b. Indicate the QRS complex and T and P wave on a graphical representation of the data

```
figure, hold on
% Plot EKG data
plot(t, smoothECG),
% Add marker
plot(t(Pwaves), smoothECG(Pwaves), 'rs', 'MarkerFaceColor','g'),
plot(t(Qwaves), smoothECG(Qwaves), 'r+'),
plot(t(Rwaves), smoothECG(Rwaves), 'go'),
plot(t(Swaves), smoothECG(Swaves), 'ro'),
plot(t(Twaves), smoothECG(Twaves), 'rd', 'MarkerFaceColor','b'),
% Give title and labels
title('ECG Signal Analysis'), xlabel('Time (s)'), ylabel('Voltage (mV)'), grid on,
legend('Smooth ECG signal','P-Wave', 'Q-Wave','R-Wave','S-Wave', 'T-Wave', 'Location', 'Nor
thWest');
axis tight, hold off
```



c. Maximum and minimum voltage

```
maxVoltage = max(ECG_data);
disp(['Max Voltage = ' num2str(maxVoltage) 'mV'])
minVoltage = min(ECG_data);
disp(['Min Voltage = ' num2str(minVoltage) 'mV'])
disp('Note: Max/Min of detrended data and accounted for error in data collection')
```

```
Max Voltage = 0.70558mV
Min Voltage = -0.3322mV
Note: Max/Min of detrended data and accounted for error in data collection
```

d. Average P-Q, P-R or Q-T interval

Initiliaze variables

```
lenP = length(Pwaves); lenQ = length(Qwaves); count = 0; PQint = [];

% If misalignment in number of datapoints, go with the lesser value
if lenP>lenQ
    count = lenQ;
else
    count = lenP;
end

% Take the difference
```

```
for i = 2:(count-1)
   PQint(i-1) = t(Qwaves(i)) - t(Pwaves(i-1));
end
% Average and display
PQavg = mean(PQint);
disp(['Avg interval between P-Q = ' num2str(PQavg) 's'])
```

Avg interval between P-Q = 0.122s


3) Using electric potential from two of the lead channels, calculate and graphically display the mean axis of depolarization

Detrend data for Lead Three

```
[p,s,mu] = polyfit(t,Lthr, 5);
fluctuation = polyval(p,t,[],mu);
ECG_dataL3 = Lthr - fluctuation;

% Convert to x/y cordinates
xCord = ECG_data(Rwaves(1));
yCord = -(ECG_data(Rwaves(1)) + 2*ECG_dataL3(Rwaves(1)))/(sqrt(3));

% Plot in a round compass
figure, compass(xCord,yCord);
```



4) Disease Diagnostics

Initialize counter array

```
QRSints = [];
% Initiliaze variables
lenS = length(Swaves);
% If misalignment in number of datapoints, go with the lesser value
if lenS > lenQ
    lenData = lenQ;
else
    lenData = lenS;
end
% For length of data, calculate width of QRS complex
for i = 1:length(lenData)
    QRSints = [QRSints; t(Swaves(i))-t(Qwaves(i))];
end
QRSwidth = mean(QRSints);
% Check for slow HR
if(HR < 60)
  % If other factors concurr, make diagnosis
  if QRSwidth <= .12 && 1.2 <= PQavg <= 2
    disp('Diagnosis: Sinus Bradycardia');
  else
    % Possibly not bad news
    disp('Diagnosis: Some form of Bradycardia');
  end
else
  % The good news
  disp('No Bradycardia');
end
% ALso, may accidentally be really good at diagnosis some of the others by unintended warni
ngs!
```

No Bradycardia

Published with MATLAB® R2014b