



ORTCD



TIME: $1\frac{1}{2}$ HOURS

TOTAL: 60

NAME OF LEARNER:	GRADE 8:

Question number	1	2	3	4	5	6	7	8	Total
Total marks	5	7	7	8	9	8	4	12	60
Learner marks									
Moderated marks									

INSTRUCTIONS:



- 1. This question paper consists of 10 pages and 8 questions.
- Section A consists of 5 multiple choice questions, answer the questions on the answer sheet provided.
- 3. Section B and C questions must be answered in the space provided on this paper.
- 4. Clearly show all calculations.
- 5. Calculators are allowed.
- 6. If necessary, round answers off to 2 decimal places, unless stated otherwise.
- 7. Diagrams are not necessarily drawn to scale.
- 8. It is in your best interest to write neatly and legibly.


Stanmorephysics.com

SECTION A: MULTIPLE CHOICE QUESTIONS


QUESTION 1

provided on page 4. If you want to change your choice, put a cross through the wrong letter and circle your new choice.

- The lowest common multiple and the highest common factor of 27 and 36 are.......
 - A) 27 and 36
 - B) 9 and 108
 - C) 108 and 9
 - 36 and 27 D) (1)
- 1.2. A factory makes 5 000 cell phones per week. How many cell phones would they make if they increased production by 50%?
 - A) 10 000
 - B) 5500
 - C) 2500
 - D) 7500
 - (1)
- 1.3. Calculate:



- A) 34
- B) 2
- -22 C)
- 22 D) (1)
- 1.4. The rule for the input and output values that are represented in the flow diagram below is...



- A) output = input - 6
- B) output = input + 6
- input = output 6C)
- input = output 6D)

(1)

1.5. The following verbal expression is given:

Subtract a number from the product of 3 and that same number.

The correct algebraic expression is ...

A)
$$y - 3y$$

B)
$$3 - y$$

C)
$$y - 3$$

D)
$$3y - y$$

(1)

[TOTAL: 5]

ANSWER SHEET

CIRCLE YOUR ANSWERS FROM SECTION A IN THE GRID BELOW AS SHOWN IN THE EXAMPLE:

565	100		
A	B	С	D
A	В	С	D
A	B B	С	D
Α	В	С	D
Α	В	С	D
Α	В	С	D
	A norephys A A A	A B norephysics.com A B A B A B	A B C A B C A B C

Subtotal Question 1= $[5 \times 1]$

QUESTION 2: WHOLE NUMBERS

2.1 State whether each of the following statements is true or false.

$0 \div 86 = 86 \div 0$	(1)
10 + (5 + 12) = (10 + 5) + 12	(1)

2.2 Simplify the following. Show all your calculations.

$$(15 + 20) \div 7 - 2$$



2.3 Thabo ,Silas and Jacob are paid a total of R1500 for the work that they did. They decide to share the amount in the ratio 6:5:4 respectively.

How much of money will Silas receive?



[TOTAL: 7]

QUESTION 3: INTEGERS

3.1 State whether each of the following statements is true or false.

$-5(2+1) = (-5 \times 2) + (-5 \times 1)$	(1)
$x \times (-1) = (-1) \times x$	(1)

3.2 Simplify the following. Show all your calculations.

$$(-14+5) \times -8$$

3.2 Stanmorephysics.com (2)

3.3 The sum of two numbers is −2. Their product is −24. What are the two numbers? Show all calculations.



[TOTAL:7]

QUESTION 4: COMMON AND DECIMAL FRACTIONS

4.1 Simplify the following. Show all your calculations.

$$4.1.1 \qquad \frac{9}{15} + \frac{2}{3} - 2\frac{5}{5}$$



4.1.2	
	(2)

4.2 Elvis spends $\frac{21}{200}$ of his pocket money on chewing gum, 0,546 of his pocket money on a pair of shoes and 28% of his pocket money on a present for his mom. If Elvis gets R300 for pocket money, what percentage of his pocket money does he have left?



[TOTAL:8]

5.1 Match column A to column B. Write your answer in the answer column provided.

Column	A Answer	Column B
5.1.1 6 ²	5.1.1	$(2^2) \times (2^2) \times (2^2)$
5.1.2 2 ⁶	5.1.2	$(2\times3)\times(2\times3)$
		(2)

5.2 Simplify the following. Show all your calculations.



5.3 Jolene remembers her teacher saying:

"When you divide powers, you subtract the exponents".

Jolene simplified $\frac{m^4}{n^6}$ as follows:

$$\frac{m^4}{n^6} = \frac{m^{4-6}}{n} = \frac{m^{-2}}{n}$$

5.3.1 Why is Jolene's answer incorrect?

5.3.1	
	(2)


5.3.2 Provide the correct answer for $\frac{m^4}{n^6}$

5.3.2	
	(2)

[TOTAL: 9]

QUESTION 6: NUMERIC AND GEOMETRIC PATTERNS

6.1 The pattern below is made using squares. Study the pattern and then answer the questions that follow.



6.1.1 Write down an algebraic rule that describes the number pattern.



6.1.2 Using your answer from question 6.1.1, determine the number of squares that will make up pattern number 6?




6.1.3 Which pattern number will be made up of 1025 squares?

6.1.3	
	(3)

[TOTAL: 8]

7.1 Consider the equation and the corresponding table below:



Input number (x)	1	2	3	b
Output number (y)	а	- 2	- 7	- 34

Complete the table by writing down the values for a and b.

7.1	a =	
	b =	(4)

[TOTAL: 4]

QUESTION 8: ALGEBRAIC EXPRESSIONS

Stanmorephysics.com

8.1 Answer the questions related to the following expression:

$$2a - 4a^2 - 8a$$

8.1.1 Are the terms 2a and -8a like or unlike terms? Provide a reason for your answer.

8.1.1	
	(2)

8.1.2 Write an equivalent expression for $2a - 4a^2 - 8a$

8.1.2		
		(2)

8.1.3 Determine the value of the expression if : a = -1

8.1.3	
	(3)

8.2 Simplify the following expressions fully.

8.2.1
$$(-x)^2 + b - x^2 - \sqrt{b^2}$$

8.2.1 (2)

8.2.2 $-6(3a-2b) + 6a - b$

8.2.2 Stanmorephysics.com

[TOTAL:12]

GRAND TOTAL: 60





MEMORANDUM

MATHEMATICS

GRADE 8

JUNE CONTROL TEST 2024

TIME: $1\frac{1}{2}$ HOURS

TOTAL: 60

SECTION A

QUESTION 1:

1.1. C ✓

1.2. D ✓

1.3. C ✓

1.4. Burephysics.com

1.5. D ✓

[5]

SECTION B

QUESTION 2:

QUESTION	ANSWER	ALLOCATION OF MARKS	MARKS
2.1	False	√A	
100	True	√A	(2)
2.2	$(15 + 20) \div 7 - 2$ = $35 \div 7 - 2$ = $5 - 2$	$\checkmark M 35 \div 7 - 2$ $\checkmark A (3)$	
	= 3		(2)
2.3	Total number of parts is $6 + 5 + 4 = 15$ $\frac{R1500}{15} = R100$ Stanmorephysics.com	$\checkmark M \frac{R1500}{15}$	
	5 Stanmore physics com 5 Silas will receive $5 \times R100 = R500$	$\checkmark M 5 \times R100$	
		✓ CA R500	
			(3)
		•	[7]

QUESTION 3:

3.1	True	✓ A	(2)
	True	✓ A	(2)
3.2	$(-14+5) \times -8$	✓ M -9 × -8	
	$= -9 \times -8$	✓A 72	
	= 72		(2)
3.3	-6 and 4	✓ A −6 and 4	
	$-6 \times 4 = -24 \ and -6 + 4 = -2$	✓ M	
		$-6 \times 4 = -24$ and	
		-6 + 4 = -2	(3)

[7]

QUESTION 4:

4.1.1.	$\frac{9}{15} + \frac{2}{3} - 2\frac{5}{5}$ $= \frac{9}{15} + \frac{2}{3} - \frac{15}{5}$ $= \frac{9}{15} + \frac{2 \times 5}{3 \times 5} - \frac{15 \times 3}{5 \times 3}$ $= \frac{9}{15} + \frac{10}{15} - \frac{45}{15}$ $= \frac{9 + 10 - 45}{15}$ $= \frac{9 + 10 - 45}{15}$ $= \frac{-26}{15}$ $= -1\frac{11}{15}$ Stanmore physics.com	$\checkmark M \frac{9}{15} + \frac{2\times5}{3\times5} - \frac{15\times3}{5\times3}$ $\checkmark CA - 1\frac{11}{15}$ Accept $\frac{-26}{15}$ as Q does not specify mixed number as answer	(3)
4.1.2.	7,86 + 3,7 - 4,999	✓ A 6,561	
	= 6,561	✓ A 6,56 rounding as per QP	506-473
	= 6,56	original instructions	(2)
4.2	$\frac{21}{200} \text{ of R300} = \text{R31,50}$ $0,546 \text{ of R300} = \text{R163,80}$ $28\% \text{ of R300} = \text{R84,00}$ $Total used = R31,50 + R163,80 + R84,00$ $= \text{R 279,30}$ $\text{Total left} = \text{R300} - \text{R 279,30}$ $= R20,70$ $\% \text{ left} = \frac{R20,70}{R300} \times 100 = 6,9\%$ OR $\frac{21}{200} \times 100 = 10,5\%$ 546	✓ M Total used = R31,50 + R163,80 + R84,00 ✓ M Total left = R300 - R R 279,30 = R20,70 ✓ CA = 6,9% ✓ 10,5% ✓ 54,6 %	
	$1000 \times 100 = 54,6\%$		
	28% Given		(3)

$\therefore Left = 100 - 10.5 - 54.6 - 28$	CA ✓ 6,9%	
= 6,9%		

[8]

QUESTION 5:

5.1.1	$(2 \times 3) \times (2 \times 3)$	✓ A	(1)
5.1.2.	$(2^2) \times (2^2) \times (2^2)$	✓ A	
			(1)
5.2	$\sqrt[3]{127-2} \times (-5)^2$	✓✓ M 5 × 25	
	$=\sqrt[3]{125} \times 25$	✓ CA 125	
	= 5 × 25		
	= 125		(3)
5.3.1	The exponent rule states that if you are dividing exponents of the same base then the powers can be subtracted. Here the bases are not the same so the	√√explanation	
	powers cannot be subtracted.		(2)
5.3.2	$\frac{m^4}{n^6}$	√√A	
	n°		(2)

[9]

QUESTION 6:

6.1.1	Tn = 4n - 3	$\checkmark 4n \checkmark - 3$	(2)
6.1.2	$Tn = 4n - 3$ $T_6 = 4(6) - 3$ $= 24 - 3$ $= 21$	✓ CA formula $✓ substitution$ $✓ CA = 21$	
			(3)
6.1.3	$Tn = 4n - 3$ $1025 = 4n - 3$ $\frac{1025 + 3}{4} = n$ $n = 257$	✓ CA formula $✓ substitution$ $✓ CA = 257$	(3)

[8]

QUESTION 7:

7.1	✓ substitution ✓ A 1	
$-x^{2} + 2 = -34$ $-34 - 2 = -x^{2}$ $-36 = -x^{2}$ $36 = x^{2}$ $x = b = 6 \text{ or } -6$	✓ substitution ✓ A 6 or – 6	
		(4)
A WH		[4]

QUESTION 8:

8.1.1	Like terms. The variables and exponents are the same for both terms.	✓ like terms ✓ explanation	(2)
8.1.2	$2a - 4a^2 - 8a$ $= -6a - 4a^2$ Stanmore physics.com	✓ ✓ A	(2)
8.1.3	$-6a - 4a^{2}$ $= -6(-1) - 4(-1)^{2}$ $= 6 - 4$	✓ substitution ✓ M ✓ CA 2	
	= 2		(3)
8.2.1	$(-x)^{2} + b - x^{2} - \sqrt{b^{2}}$ $= x^{2} + b - x^{2} - b$ $= 0$	$ \begin{array}{l} \checkmark \checkmark \mathbf{M} \\ = x^2 + b - x^2 - b \\ \checkmark CA 0 \end{array} $	(2)
8.2.2 Star	-6(3a-2b) + 6a - b $= -18a + 12b + 6a - b$ $= -12a + 11b + 6a - b$	$\checkmark \checkmark \mathbf{M} = -18a + 12b + 6a - b$ $\checkmark CA$ $= -12a + 11b$	
			(3)

[12]