CENTRAL BOARD OF SECONDARY EDUCATION · CLASS X

SHARDA INTERNATIONAL SCHOOL

PRACTICAL FILE

Information Technology

SUBJECT CODE 402 · SESSION 2026–2027

NAME	Saurav Jangra
CLASS	10
SECTION	D
ROLL NO.	10415
SESSION	2026–2027
SUBMITTED TO	

Acknowledgement

I thank my Information Technology teacher for explaining the practicals and guiding me while I completed this file. Whenever a step did not work or a result looked wrong, my teacher's patience helped me find the mistake and fix it.

I am grateful to Sharda International School for providing the computer laboratory and LibreOffice software (Writer, Calc and Base). Having a working system to practise on let me try each task more than once.

I also thank my parents and classmates for their support. My parents encouraged me to finish the file on time, and talking through difficult tasks with my classmates helped me understand them better.

These practicals helped me practise working with documents, spreadsheets and databases. Formatting a page, writing a formula and setting up a table now feel much easier than they did at the start of the session.

Saurav Jangra
Class 10-D · Roll No. 10415

Index

NO.	PRACTICAL	TOOL	PAGE
1	Product Table, Query and Report	BASE	4
2	Compare Two Versions of a Financial Report	CALC	6
3	Create a Table Using Design View	BASE	8
4	School Database Relationships and Query	BASE	10
5	Spreadsheet Average and Optimization	CALC	13
6	Create a Bank Cash-Withdrawal Slip Template	WRITER	16
7	Solar System Project Report	WRITER	17
8	Conservation of Water: Paragraph and Picture	WRITER	19
9	Create a Paragraph Style Named “My list”	WRITER	21
10	Subtotal Marks by Subject	CALC	23
11	Annual Report: Table of Contents	WRITER	25
12	Goal Seek: Monthly Gadget Revenue	CALC	27
13	Add Hyperlinks to a Book Inventory	CALC	29
14	Consolidate Data from Two Sheets	CALC	31
15	Create and Modify the Salesman Table	BASE	33
	Conclusion		35

01

TASK 1 · LIBREOFFICE BASE

Product Table, Query and Report

TASK

Consider the following Product table and complete the tasks below.

- Sort the Product table by Price in descending order.
- Use a wildcard to create a query that retrieves all products whose ProductName starts with the letter T.
- Generate a report based on the Product table.
- Format the report to show products in ascending order of ProductID.
- Add the page number in the footer of the report.

Product table

ProductID	ProductName	Category	Price
1	Laptop	Electronics	80000
2	Tablet	Electronics	30000
3	Chair	Furniture	15000
4	Desk	Furniture	25000
5	Smartphone	Electronics	50000

STEPS

Step 1. Open LibreOffice Base and open the database that contains the Product table.

Step 2. Open the Product table and confirm that ProductID, ProductName, Category and Price are present.

Step 3. Sort the Price field in descending order so the highest-priced product appears first.




Fig. 1.1 *Product table in Data View after sorting Price in descending order*

Step 4. Choose Create Query in Design View. Add the Product table and double-click ProductName.

Step 5. In the Criteria row under ProductName, enter LIKE 'T%' (or LIKE 'T*' if the database uses the * wildcard). Run the query.




Fig. 1.2 *Query design with the wildcard criteria under ProductName and the query result showing Tablet*

Step 6. Save the query with a clear name, such as ProductsStartingWithT.

Step 7. Use the Report Wizard and select the Product table as the source. Include all required fields.

Step 8. Set the report sort field to ProductID in ascending order. Complete the wizard.

Step 9. Edit the report footer and insert a page-number field, then save and preview the report.

RESULT

After sorting Price in descending order, the products are Laptop (₹80,000), Smartphone (₹50,000), Tablet (₹30,000), Desk (₹25,000) and Chair (₹15,000). The wildcard query returns Tablet. Use % for SQL wildcards, or * if that is the wildcard setting in the database. The report sorts ProductID in ascending order and shows page numbers in the footer.

02

TASK 2 · LIBREOFFICE CALC

Compare Two Versions of a Financial Report

TASK

You have received two versions of a financial report from different teams. You need to identify discrepancies and reconcile the differences between the two sheets. How would you do this task in LibreOffice Calc?

The question gives no amounts, so the following sample data is used.

Comparison sheet

Item	Version 1	Version 2	Difference	Status
Sales	50000	50000	0	Matched
Expenses	20000	22000	2000	Discrepancy
Profit	30000	28000	-2000	Discrepancy

STEPS

Step 1. Open LibreOffice Calc and enter the headings Item, Version 1, Version 2, Difference and Status in A1:E1.

Step 2. Make sure both versions use the same item names and the same row order, and that the periods, units and categories match.

Step 3. Enter the items in A2:A4, the Version 1 amounts in B2:B4 and the Version 2 amounts in C2:C4. If the versions sit on separate sheets, link them with cell references.





Fig. 2.1 *Report values in the sheet: Sales 50000, Expenses 22000 and Profit 28000*

Step 4. In D2 enter =C2-B2 and fill the formula down to D4.

Step 5. In E2 enter =IF(D2=0;"Matched";"Discrepancy") and fill it down (some locales use commas instead of semicolons).




Item	Version 1	Version 2	Difference	Status
Sales	50000	50000	0	Matched
Expenses	20000	22000	2000	Discrepancy
Profit	30000	28000	-2000	Discrepancy

Fig. 2.2 *Comparison sheet showing Version 1, Version 2, Difference and Status*

Step 6. Apply conditional formatting to the Difference column to highlight non-zero values.

Step 7. Compare every flagged item with the source reports and ask the relevant team to verify it. Record approved corrections and reasons in a Notes column.

Step 8. Save the workbook with all original values preserved and a clear reconciliation summary.



	A	B	C	D	E
1	Item	Version 1	Version 2	Difference	Statu
2	Sales	50000	50000	0	Match
3	Expenses	20000	22000	2000	Discrepa
4	Profit	30000	28000	-2000	Discrepa

Fig. 2.3 *Comparison sheet with row numbers and cell references visible*

RESULT

A difference of 0 means the two versions agree. A positive difference means Version 2 is higher; a negative difference means Version 1 is higher. Sales matches, while Expenses (+2,000) and Profit (−2,000) are marked Discrepancy. The two differences are linked, because Profit = Sales − Expenses: Version 2 records ₹2,000 more expenses, so its profit is ₹2,000 lower. Verifying the Expenses figure therefore resolves both flags.

03

TASK 3 · LIBREOFFICE BASE

Create a Table Using Design View

TASK

Create the following table using Design View:

- Sort the records by Place in descending order.
- Set Roll No. as the primary key.
- Delete record A002.
- Add another record.

Student records

Roll No.	Name	Date of Birth	Phone No.	Place
A001	Manan Gupta	12/09/1987	2354667667	Delhi
A002	Ryansh Sharma	09/05/1986	3435555555	Chhattisgarh
A003	Rahul John	02/05/1990	6565544324	Mumbai

STEPS

Step 1. Open LibreOffice Base and choose Tables → Create Table in Design View.

Step 2. Create fields Roll No. (Text), Name (Text), Date of Birth (Date), Phone No. (Text) and Place (Text). Text is suitable for phone numbers because they are identifiers and may contain leading zeroes.

Step 3. Right-click the row selector for Roll No. and choose Primary Key.

> *Note: these screenshots were taken with similar sample data, so the values shown differ from the table above. The steps and tools used are the same.*




Fig. 3.1 *Design View showing the table fields and primary key*

Step 4. Save the table as StudentRecords. Open it in Data View and enter the three records exactly as shown in the question.

Step 5. Click the Place column header and choose descending sort. Confirm that the records are ordered by Place from Z to A.




Fig. 3.2 *Data View showing the Sort Descending option being used*

Step 6. Locate record A002 and delete that record only. Confirm the deletion if prompted.

Step 7. Move to the new-record row and enter A004, Kavya Mehta, 15/08/1989, 9876543210, Jaipur.




Fig. 3.3 *Data View showing a record being deleted and a new record added*

Step 8. Save the table and reopen it to verify the primary key, sort order and final records.

RESULT

Roll No. is the primary key, so every record has a unique value. After deleting A002, records A001 and A003 remain along with the new record A004 (Kavya Mehta, Jaipur).

04

TASK 4 · LIBREOFFICE BASE

School Database Relationships and Query

TASK

You are managing a school database that includes two main tables: Students and Classes.

- Set up a relationship between the Students table and the Classes table.
- Write a query to list all students along with the class they are in and the teacher of that class.

Students table

StudentID	StudentName	DateOfBirth	ClassID
1	Priya Sharma	2005-03-15	101
2	Rahul Kapoor	2004-07-22	102
3	Meena Patel	2005-11-10	101
4	Aisha Khan	2004-02-25	103
5	Dev Rai	2005-05-30	102

Classes table

ClassID	ClassName	TeacherName
101	Mathematics	Mr. Prakash
102	Science	Ms. Yashika
103	History	Mrs. Seema

STEPS

Step 1. Create a database and make a Students table with StudentID as the primary key. Add StudentName, DateOfBirth and ClassID fields with suitable data types.

Step 2. Create a Classes table with ClassID as the primary key, plus ClassName and TeacherName. Enter the supplied data exactly.




Fig. 4.1 *Students and Classes tables showing their fields and records*

Step 3. Open Tools → Relationships. Add Students and Classes to the relationship window.

Step 4. Drag Classes.ClassID onto Students.ClassID to create a one-to-many relationship. Enable referential integrity if the data types and existing values allow it.

Step 5. Create a query in Design View and add both tables.




Fig. 4.2 *Query design showing the class and teacher fields*

Step 6. Add StudentName from Students, ClassName from Classes and TeacherName from Classes to the query grid.

Step 7. Check that Students.ClassID is joined to Classes.ClassID. Run the query and verify all five students appear.




Fig. 4.3 *Students table design and records, and Classes table design*

Step 8. Save the query as StudentClassTeacherQuery.

RESULT

The query lists each student with the matching class and teacher: Priya Sharma — Mathematics — Mr. Prakash; Rahul Kapoor — Science — Ms. Yashika; Meena Patel — Mathematics — Mr. Prakash; Aisha Khan — History — Mrs. Seema; Dev Rai — Science — Ms. Yashika.

05

TASK 5 · LIBREOFFICE CALC

Spreadsheet Average and Optimization

TASK

Consider the following spreadsheet:

- Calculate the average units sold in cell B8.
- Maximize the average number of units sold to 95.
- Use the optimization constraints given below.

Spreadsheet

Row	A	B
1	Product	Units Sold
2	A	69
3	B	73
4	C	88
5	D	86
8	Average Unit Sold	

Optimization constraints

Cell	Constraint
B2	≤ 88
B3	≥ 82
B4	≤ 90
B5	≥ 60

STEPS

Step 1. Enter the product names in A2:A5 and the units sold in B2:B5. Keep the supplied starting values 69, 73, 88 and 86.

Step 2. Click B8 and enter =AVERAGE(B2:B5). Press Enter. The starting average is 79.




Fig. 5.1 *Sheet with the four starting values and the average formula in B8*

Step 3. Open Tools → Solver. Set the Target cell to $B$8.

Step 4. Set the cells to change (By changing cells) to $B$2:$B$5.

Step 5. Add the limiting conditions: B2 <= 88, B3 >= 82, B4 <= 90 and B5 >= 60.




Fig. 5.2 *Solver dialog with target $B$8, variable cells $B$2:$B$5 and the four constraints*

Step 6. B3 and B5 have no upper limit, so a plain Maximum would never stop at 95. Select Value of and enter 95, so that Solver sets the average to exactly 95.

Step 7. Click Solve. In the Solver Results box choose Keep Result and click OK.




Fig. 5.3 *Solver set to Value of 95, with the Solver Results box confirming a solution*

Step 8. Check that B8 still contains =AVERAGE(B2:B5) and that all four conditions still hold. Save the sheet.

RESULT

The starting average is 79. Solver then finds values whose average is 95 (total 380) while B2 ≤ 88, B3 ≥ 82, B4 ≤ 90 and B5 ≥ 60 all hold. One valid solution is B2 = 88, B3 = 100, B4 = 90 and B5 = 102.

06

TASK 6 · LIBREOFFICE WRITER

Create a Bank Cash-Withdrawal Slip Template

TASK

Create a pro forma for a bank cash-withdrawal slip and add it to the Templates section.

STEPS

Step 1. Open Writer and create a new document. Type a centred heading such as BANK CASH WITHDRAWAL SLIP.

Step 2. Insert a table with fields for date, account holder name, account number, branch, amount in figures, amount in words, signature of account holder and authorised signature. Leave blank spaces for later use.

Step 3. Adjust table column widths, borders and spacing so the form fits on one page. Add a small bank name/logo placeholder only if permitted.

Step 4. Choose File → Templates → Save as Template. Name it Cash Withdrawal Slip and save it under My Templates.



Fig. 6.1 *Finished one-page withdrawal slip with the heading and all fields visible*

RESULT

The bank cash-withdrawal slip is saved as a reusable template under My Templates.

07

TASK 7 · LIBREOFFICE WRITER

Solar System Project Report

TASK

You are working on a project report about the solar system for your science class.

- Insert an image of the solar system, a constellation, and a spacecraft.
- Resize the solar system image to fit half of the page width.
- Crop the constellation image to remove the unnecessary background.
- Align the solar system image to the center of the page.
- Place the spacecraft image in the top-right corner of the page, with text wrapping around it.

STEPS

Step 1. Open Writer, create a project report and add the heading “The Solar System”.

Step 2. Insert suitable images of the solar system, a constellation and a spacecraft using Insert → Image.

Step 3. Keep the solar-system image’s proportions, resize it to half of the usable page width, and align it to the centre.




Fig. 7.1 *Solar-system image centred and resized to half the page width*

Step 4. Use the Crop controls on the constellation image to remove unnecessary background while keeping the constellation visible.

Step 5. Anchor the spacecraft image to a paragraph, place it in the top-right corner, and enable text wrapping around it. Review and save the report.

RESULT

The report contains all three images. The solar-system image is centred and sized to half the page width, the constellation background is cropped, and the spacecraft sits in the upper-right with text wrapping around it.

08

TASK 8 · LIBREOFFICE WRITER

Conservation of Water: Paragraph and Picture

TASK

Write a paragraph on “Conservation of Water” and add a related picture. Resize the image to width 3.77 and height 3.99 (units are not specified in the source question). Crop the picture using scaling parameters of 50% width and 50% height.

STEPS

Step 1. Open Writer and type the heading “Conservation of Water”. Apply a clear heading style.

Step 2. Write a paragraph explaining why water is important and how people can reduce waste, repair leaks, reuse water where safe, harvest rainwater and protect groundwater.

Step 3. Choose Insert → Image and select a relevant water-conservation picture.




Fig. 8.1 *Heading, paragraph and picture entered in Writer*

Step 4. Right-click the picture and open Properties → Type. Untick Keep ratio and enter width 3.77 and height 3.99 (inches).

Step 5. Open the Crop settings. Apply 50% scaling for width and 50% scaling for height as requested. Preview the crop to ensure the main subject remains visible.

Step 6. Set the image alignment and text wrapping so the paragraph and picture fit neatly on the page.




Fig. 8.2 *Finished page with the paragraph and the resized, cropped image*

Step 7. Save the file and check the print preview for clipping or overflow.

RESULT

Paragraph used: “Water is important for people, animals and plants. We can save water by turning off taps, repairing leaks, collecting rainwater and using only the water we need. We should also keep rivers and lakes clean and protect groundwater for future generations.” The picture is sized 3.77 × 3.99 inches and cropped with 50% width and 50% height scaling.

09

TASK 9 · LIBREOFFICE WRITER

Create a Paragraph Style Named “My list”

TASK

Create a new paragraph style with Bookman Old Style font, blue font colour, red text highlight, 18-point size and bold text. Save the style as My list.

Style settings

Setting	Value
Style name	My list
Font	Bookman Old Style
Font style	Bold
Font size	18 pt
Font colour	Blue
Text highlight	Red

STEPS

Step 1. Open Writer and press F11 to open the Styles sidebar.

Step 2. Select Paragraph Styles. Right-click in the list and choose New.

Step 3. On the General tab, enter the style name My list.




Fig. 9.1 *New Paragraph Style dialog showing the name My list*

Step 4. On the Font tab, choose Bookman Old Style, Bold, and 18 pt.

Step 5. On the Font Effects tab, choose blue as the font colour. Set the text highlight/background to red in the relevant highlighting or character-background control available in your LibreOffice version.




Fig. 9.2 *Style properties showing Bookman Old Style, Bold, 18 pt, blue font and red highlight settings*

Step 6. Click OK to save the style.

Step 7. Type the sample text “Keep your work neat and organised.”, select the paragraph and double-click My list in the Styles sidebar.

Step 8. Check that the font, size, bold formatting, blue font colour and red highlight are applied. Save the document.




Fig. 9.3 *Sample sentence with the saved style visibly applied*

RESULT

The new paragraph style is saved as My list with Bookman Old Style, bold 18-point text, blue font and red highlighting. In some LibreOffice versions, text highlighting is set separately from font colour.

10

TASK 10 · LIBREOFFICE CALC

Subtotal Marks by Subject

TASK

Mr. Laksh is preparing a list for a class of 30 students. He enters marks for five different subjects. Group the students by subject and calculate the subtotals for each subject.

The question gives no marks, so the following sample data (30 students, five subjects) is used.

STEPS

Step 1. For student marks, create columns Student Name, Subject and Marks. Enter all 30 student records and ensure every subject is spelled consistently.

Step 2. Sort the data by Subject in ascending order using Data → Sort. This is important because Calc Subtotals works on grouped, sorted records.

Step 3. Choose Data → Subtotals. Under Group by, select Subject; under Calculate subtotals for, select Marks; choose Sum. Click OK.

Note: these screenshots were taken with similar sample data, so the values shown differ from the table above. The steps and tools used are the same.



Fig. 10.1 *Data menu with the Subtotals command visible*

Step 4. Check that a subtotal row appears under every subject and that a Grand Total appears at the end. Use the outline buttons on the left to collapse or expand the student rows.




Fig. 10.2 *Spreadsheet showing student marks grouped by subject*




Fig. 10.3 *Finished grouped sheet with each subject's subtotal rows visible*

RESULT

Subtotals: English 483, Hindi 488, Mathematics 507, Science 501, Social Science 485. Grand total: 2464.

11

TASK 11 · LIBREOFFICE WRITER

Annual Report: Table of Contents

TASK

You are compiling the annual report for your school, which includes multiple chapters. Create a table of contents with main topics and subtopics. Apply character styles so main topics are bold and subtopics italic. Update the TOC as new sections are added to the report.

STEPS

Step 1. Open the annual report in Writer. Apply Heading 1 to main chapter titles and Heading 2 to subtopics.

Step 2. Place the cursor where the contents should appear and choose Insert → Table of Contents and Index → Table of Contents, Index or Bibliography.




Fig. 11.1 *Annual report with its cover, table of contents and chapter pages*

Step 3. Edit the TOC entry styles so main-topic entries appear in bold and subtopic entries appear in italics.




Fig. 11.2 *Report pages with Heading 1 chapters and Heading 2 subtopics*

Step 4. Add a new heading or subtopic to the report, then right-click the TOC and choose Update Index/Table of Contents.

Step 5. Check the hierarchy and page numbers, then save the report.



Fig. 11.3 *Closer view of chapters 3 to 5 of the annual report*

RESULT

The report includes an automatically generated table of contents with bold main topics and italic subtopics. Updating the TOC refreshes its entries and page numbers when the report changes.

12

TASK 12 · LIBREOFFICE CALC

Goal Seek: Monthly Gadget Revenue

TASK

Vishal manages a store that sells gadgets A, B and C at ₹100, ₹150 and ₹200 per unit. He expects to sell 200 units of A and 150 units of B. Determine how many units of C are needed to reach total revenue of ₹50,000 using Goal Seek.

Gadget prices

Gadget	Selling price per unit
A	₹100
B	₹150
C	₹200

STEPS

Step 1. Type GADGET DATA in A1 and the headings Gadget Name, Price (₹), Quantity Sold and Revenue (₹) in row 2. Enter A: 100 and 200 units; B: 150 and 150 units; C: 200, and leave its quantity as a starting guess.

Step 2. Calculate revenue for each gadget in D3:D5 using =B3*C3 and fill the formula down.

Step 3. In D7 calculate TOTAL MONTHLY REVENUE with =SUM(D3:D5).

Step 4. Choose Tools → Goal Seek. Set the Formula cell to $D$7, the Target value to 50000 and the Variable cell (By changing cell) to $C$5, the quantity of Gadget C.




Fig. 12.1 *Gadget sheet with the Goal Seek dialog open*

Step 5. Click OK and accept the result if Goal Seek finds a solution. Format the revenue cells as currency.




Fig. 12.2 *Goal Seek dialog with formula cell $D$7, target value 50000 and variable cell $C$5*

Step 6. Verify the result manually and save the workbook.

RESULT

Gadget A brings in ₹20,000 and Gadget B brings in ₹22,500, for a total of ₹42,500. The remaining amount is ₹7,500. At ₹200 per unit, Gadget C needs to sell 37.5 units. If only whole units are allowed, 37 units gives ₹49,900 and 38 units gives ₹50,100.

13

TASK 13 · LIBREOFFICE CALC

Add Hyperlinks to a Book Inventory

TASK

The school librarian wants to include a hyperlink in her book inventory spreadsheet that directs students to the school library's online catalogue. Help her add the hyperlink.

Book inventory

Book Title	Online Catalog Link
To Kill a Mockingbird	[Link to Catalog]
1984	[Link to Catalog]
The Great Gatsby	[Link to Catalog]

STEPS

Step 1. Open Calc and create the Book Title and Online Catalog Link columns (the inventory sheet can also hold other columns such as Book ID, Author and ISBN). Enter the three titles exactly as supplied.

Step 2. Ask the librarian for the official school library catalogue URL. The question does not provide the actual URL, so do not invent one.

Step 3. Select the link cell for the first title and press Ctrl+K, or choose Insert → Hyperlink.

Step 4. Choose Internet or Web, paste the official catalogue URL and set the display text to Link to Catalog. Click Apply/OK.

Step 5. Repeat for each row. If the same catalogue page is used for all titles, the same URL can be used; otherwise use the correct title-specific catalogue links supplied by the librarian.




Fig. 13.1 *Book inventory sheet with the Link to Catalog entries and the Ctrl+Click tooltip*

Step 6. Test each link by Ctrl-clicking or using the hyperlink action, depending on the Calc settings. Save the spreadsheet.




Fig. 13.2 *Finished sheet with clickable link text visible for the books*

RESULT

The sheet shows all three titles, each with a clickable link labelled “Link to Catalog” that opens the school library’s online catalogue.

14 TASK 14 · LIBREOFFICE CALC
Consolidate Data from Two Sheets

TASK

Consolidate the data from the two sheets below into a third sheet in LibreOffice Calc.

Sheet 1

Name	June Pocket Money
Amit	1200
Sumit	1000
Naina	1500
Suman	1300
Kamal	1400

Sheet 2

Name	July Pocket Money
Amit	900
Sumit	1100
Naina	1300
Suman	1200
Kamal	1250

STEPS

Step 1. Create three sheets named Sheet1, Sheet2 and Consolidated.

Step 2. On Sheet1, enter the Name and June Pocket Money columns exactly as shown. On Sheet2, enter Name and July Pocket Money.




Fig. 14.1 *Sheet1 with the June data*




Fig. 14.2 *Sheet2 with the July data*

Step 3. On Consolidated, create columns Name, June Pocket Money, July Pocket Money and Total. Enter each name once in the same row order.

Step 4. Link the June values from Sheet1 and July values from Sheet2 using cell references, for example =Sheet1.B2 and =Sheet2.B2. Use the exact sheet names and cell locations in your workbook.

Step 5. In the Total column, enter =SUM(B2:C2) and fill the formula down for all five names.




Fig. 14.3 *Consolidated sheet showing June and July values for all five names*

Step 6. Check that every name matches between the two source sheets and that no row has shifted. Format amounts as currency if required.

Step 7. Save the workbook.

RESULT

> The totals are Amit ₹2,100, Sumit ₹2,100, Naina ₹2,800, Suman ₹2,500 and Kamal ₹2,650. The June total is ₹6,400 and the July total is ₹5,750, giving a combined total of ₹12,150.

15

TASK 15 · LIBREOFFICE BASE

Create and Modify the Salesman Table

TASK

Create a table named Salesman with the following structure:

The question gives no records, so the following 15 fictional sample records are used. Gender fills with Male by default. The table is then modified as follows: add a field Gender with the default value Male; delete the records with SM_ID 3 and 6; change Address1 and Address2 to Text (50); and sort SM_Name in ascending and then descending order.

Salesman fields

Field Name	Data Type
SM_ID	Number (NUMERIC)
SM_Name	Text (35 Characters)
Address1	Text (40 Characters)
Address2	Text (40 Characters)
City	Text (15 Characters)
State	Text (15 Characters)
PinCode	Number
Sell_Amt	Number
Comm	Number
Phone	Number

Sample records

SM_ID	SM_Name	Address1	Address2	City	State	PinCode	Sell_Amt	Comm	Phone
1	Arjun Sharma	12 Green Park	Block A	Delhi	Delhi	110016	45000	5	9876501001
2	Neha Verma	23 Model Town	Block B	Delhi	Delhi	110009	52000	6	9876501002
3	Rohan Gupta	14 Sector 14	Near Market	Gurugram	Haryana	122001	61000	7	9876501003
4	Priya Singh	8 Civil Lines	Lane 2	Jaipur	Rajasthan	302006	47000	5	9876501004
5	Aman Khan	19 Ring Road	Floor 1	Lucknow	Uttar Pradesh	226001	39000	4	9876501005
6	Kavya Patel	31 MG Road	Flat 2	Ahmedabad	Gujarat	380001	56000	6	9876501006
7	Dev Mehta	6 Lake View	Main Road	Mumbai	Maharashtra	400001	72000	8	9876501007
8	Sana Ali	44 Park Street	Block C	Kolkata	West Bengal	700016	43000	5	9876501008
9	Rahul Das	17 Station Road	Near Post Office	Patna	Bihar	800001	41000	4	9876501009
10	Anaya Rao	29 Beach Road	Unit 4	Chennai	Tamil Nadu	600001	65000	7	9876501010
11	Kabir Joshi	12 Lake Road	Block A	Pune	Maharashtra	411001	58500	6	9876501011
12	Meera Nair	7 Hill View	Near School	Kochi	Kerala	682001	51000	6	9876501012
13	Ishaan Roy	15 Market Road	Unit 8	Bhopal	Madhya Pradesh	462001	48000	5	9876501013
14	Diya Sethi	22 Central Avenue	Block D	Chandigarh	Chandigarh	160017	63000	7	9876501014
15	Yash Kapoor	9 Rose Garden	Floor 3	Dehradun	Uttarakhand	248001	46000	5	9876501015

STEPS

Step 1. Open LibreOffice Base and choose Tables → Create Table in Design View.


Step 2. Create the fields as listed, with the given data types and lengths. Use BIGINT for Phone, as a 10-digit number is too large for INTEGER.

Step 3. Set SM_ID as the primary key if required by the database design, then save the table as Salesman.

Step 4. Open the table in Design View again and add a field named Gender. Set its default value to Male. Save the table.

Step 5. Open Salesman in Data View and enter the 15 sample records. Confirm that Gender fills with Male automatically.

> *Note: these screenshots were taken with similar sample data, so the values shown differ from the table above. The steps and tools used are the same.*



	SM_ID Numeric	SM_Name Text	Address1 Text	Address2 Text	City Text	State Text	PinCode Numeric	Sell_Amt Numeric	Comm Numeric	Phone Numeric	Gender Text
1	1	John Doe	123 Main St	Apt 4B	Springfield	IL	62704	25000	1500	555-1234	Male
	2	Jane Smith	456 Oak Ave	null	Chicago	IL	60611	31000	2000	555-5678	Female
	3	Mark Johnson	789 Pine Dr	Suite 10	Denver	CO	80202	18000	1100	555-9012	Male
	4	Lam Mark	789 Main St	null	Chicago	CO	80202	18000	1100	555-9012	Male
	5	John Doe	123 Main St	null	Springfield	IL	62704	25000	1500	555-1234	Male
	6	Jane Smith	456 Oak Ave	null	Chicago	IL	60611	31000	2000	555-5678	Female
	7	Mark Galdey	123 Main St	null	Chicago	IL	62704	25000	1100	555-1234	Male
	8	Lark Johnson	789 Pime Dr	null	Denver	CO	80202	18000	1100	555-9012	Male
	9	John Doe	123 Main St	null	Chicago	CO	62704	25000	2000	555-1234	Male
	10	Jane Smith	456 Main St	null	Chicago	CO	60202	31000	2000	555-5678	Female
	11	Jane Smith	123 Main St	null	Chicago	IL	60201	18000	2000	555-5678	Female
	12	Mark Smith	123 Main St	null	Springfield	IL	62704	25000	1500	555-1234	Male
	13	Mark Johnson	789 Pine Dr	null	Springfield	IL	80202	18000	1100	555-9012	Male
	14	John Doe	123 Main St	null	Chicago	IL	60611	25000	1500	555-1234	Male
	15	Jane Smith	456 Oak Ave	null	Chicago	CO	60202	31000	2000	555-5678	Female
	16	John Doe	123 Mak St	null	Springfield	IL	62704	25000	1100	555-5678	Female
	17	Jany Smith	123 Main St	null	Springfield	IL	62704	25000	1500	555-1234	Male
	18	Mark Fancer	456 Oak Ave	null	Denver	CO	60201	36000	1800	555-9012	Male
	19	Mark Johnson	789 Pine Dr	Suite 10	Denver	CO	80202	18000	1100	555-9078	Female

Fig. 15.1 *Salesman table in Data View showing sample records and the Gender field*

Step 6. Delete the records with SM_ID 3 (Rohan Gupta) and SM_ID 6 (Kavya Patel), as instructed.

Step 7. Return to Design View. Change Address1 and Address2 from Text(40) to Text(50). Save the changes.

Step 8. Sort the SM_Name field in ascending order and inspect the result. Then sort it in descending order and inspect the result.

Step 9. Save and reopen the table to confirm the field widths, default Gender value, record count and sort behaviour.

RESULT

After the two deletions, 13 records remain. Address1 and Address2 are Text (50) and Gender defaults to Male. Sorted A–Z the list starts with Aman Khan; sorted Z–A it starts with Yash Kapoor.

Conclusion

In this file, I practised using LibreOffice Writer, Calc and Base. In Writer, I created a bank cash-withdrawal slip template, prepared a solar-system report with carefully placed images, built a table of contents for an annual report, resized and cropped a picture, and saved a paragraph style.

In Calc, I used formulas, hyperlinks, subtotals, Goal Seek, Solver and financial reconciliation. I linked data from two sheets with cell references, used Goal Seek to find that Gadget C needs 37.5 units to reach ₹50,000, and used Solver to bring an average to 95 within the given limits. Grouping marks by subject helped me summarize data clearly.

In Base, I created tables, set primary keys, built a relationship between Students and Classes, ran a wildcard query to find products that start with T, and prepared reports. Modifying the Salesman table showed me why field sizes and default values matter.

I also learned to check source data, use clear field names, verify formulas and keep original records when reconciling differences. Where a question did not supply data, I used clearly labelled sample values.

These activities helped me become more confident with document formatting, spreadsheets and databases.

Saurav Jangra
Class 10-D · Roll No. 10415