

Save
Legend
Historical Distribution
Current Distribution
Potential Habitat
PAKISTAN
INDIA
BHUTAN
BANGLADESH
Sukaphai
Barda
Pilibhit
Dudhwa
Kaziranga
Jalpaiguri
Manas
Lakhimpur Kheri

Source : https://www.houseplans.com/collection/1-bedroom






Figure 1: Share of population without grid access (percent of total)





Source: World Bank, Bloomberg New Energy Finance. Note: Figures refer to 2012 data.

Precipitation changes: trend over land from 1900 to 1994




Sources: Climate change 1995, The science of climate change, contribution of working group 1 to the second assessment report of the intergovernmental panel on climate change, UNEP and WMO, Cambridge press university, 1996; Hulme et al., 1991 and 1994; Global Historical Climate Network (GHCN), Vose et al., 1995 and Eischeid et al., 1995)



Population by incon
[X]Close
Thousand million
0
05
10
15
20
25
30
35
2004
1960
Consumption level
Low income
Middle income
High income
No data
China and
Indonesia
joined the
"middle income world"
in the 1990s
Source: World Bank, 2006 (figures for 2005)




Share of World GDP PPP 2011, World Bank, ICP


Last Glacial Maximum (18,000 ^{14}C years ago)
Closed Forest
Extreme Desert


Browser Usage on Wikimedia
October 2011





Sea-to-Air
Heat Transfer
Solar Warming
of Ocean Waters
Warm Shallow Current
Cold and Salty Deep Current



Malaysia
Malaysia
Singapore
Indonesia
km
10
20


City with at least 1,000,000 inhabitants in 2006



Source: *Global Intelligence Alliance, Business Perspectives on Emerging Markets 2012-2017 Survey, Qn: Which are the top 5 Emerging Markets for your industry over the next 5 years? N=29*



GDP per capita - PPP in International U.S. Dollar
50,000 $ +
35,000 $ - 50,000 $
20,000 $ - 35,000 $
10,000 $ - 20,000 $
5,000 $ - 10,000$
2,000 $ - 5000 $
< 2,000 $
No Data
Countries by GDP (PPP) Per Capita in 2015


Air Temperature
Jan
-50 -40 -35 -30 -25 -20 -15 -10 -5 0 5 10 15 20 25 30 35°C
Data: NCEP/NCAR Reanalysis Project, 1959-1997 Climatologies


Change in potential cereal output, 2080

- Decrease -50% or more
- Decrease 25-50%
- Decrease 5-25%
- No change ±5%
- Increase 5-25%
- Increase 25% or more
- Not suitable


Under HadCM3 model, IPCC SRES A2 scenario


Climate zones for temperature and humidity
hot humid
warm humid
hot dry summer, warm winter
hot dry summer, cold winter
temperate
cool temperate


Arctic Ocean
Arctic Ocean
GREENLAND
NORTH AMERICA
EUROPE
ASIA
North Pacific Ocean
North Atlantic Ocean
AFRICA
North Pacific Ocean
Indian Ocean
SOUTH AMERICA
AUSTRALIA
South Atlantic Ocean
South Pacific Ocean
Distribution of tropical rain forests



180°
120°
60°
0°
60°
120°
180°
60°
30°
0°
Equatór
30°
60°
Scale by latitude
60°
30°
0 1,000 2,000 mi
0 1,610 3,220 km
Principal regions where tropical rainforest is the natural vegetation
©1997, Encyclopædia Britannica, Inc.


Precipitation changes: trend over land from 1900 to 1994




Sources: Climate change 1995, The science of climate change, contribution of working group 1 to the second assessment report of the intergovernmental panel on climate change, UNEP and WMO, Cambridge press university, 1996; Hulme et al., 1991 and 1994; Global Historical Climate Network (GHCN), Vose et al., 1995 and Eischeid et al., 1995)

Bomb Calorimeter





Stairs
1555B
IGERT
Student
Offices
1295
Research
Clean Room
Deposition
Furnaces
1555
1555A
Teaching
Micromachining
Lab
1292A - Service Chase
DI
Water
Plant
Gas Storage
1283A
Teaching
Photolithography
Lab
1292
Research
Deposition
Furnaces
RIE
1283
Teaching
Microelectronics
Lab
ELEV
1286
Research
Photolithography
Lab
1280 - Entrance
Stairs
1268
Staff
Offices
EMCB
Tunnel
1282
OMVPE
Lab
1282A
Mechanical
Room

7.14 POPULATION DENSITY—June 2010




Source: Regional Population Growth, Australia (3218.0).


Last Glacial Maximum (18,000 ¹⁴C years ago)
Closed Forest
Extreme Desert
Early Holocene (8,000 ¹⁴C years ago)
Closed Forest
Extreme Desert
Present Potential Vegetation
Closed Forest (>70% canopy cover)
Extreme Desert (<2% vegetation cover)


MoneyGame Chart of the Day


World: 2013 GDP Growth Forecast

(Percent)




Source: IMF staff estimates


>97%
90-97%
80-90%
70-80%
60-70%
50-60%
35-50%
<35%
Literacy Rates


Persons/sq km
<2
2-10
11-40
41-100
101-500
>500
Miller Projection



Floods
Number of events
Data plotted by decade
350
300
250
200
150
100
50
0
2000
1950
America
2000
1950
Europe
2000
1950
Asia
2000
1950
Africa
2000
1950
Oceania
Source: Millennium Ecosystem Assessment


Map of Azerbaijan





Russia
Georgia
Azerbaijan
Armenia
Nagorno-
Karabakh
Baku
Caspian Sea
Iran
Nakhichevan
大澳学院
Arab


World forest distribution




Annual Sunshine Hours for France
Less than 1750 hours
1750 to 2000 hours
2000 to 2250 hours
2250 to 2500 hours
2500 to 2750 hours
More than 2750 hours
Charante-Maritime


Germany
France
German
Austria
Liechtenstein
French
Romansh
Italian
Italy
linguistic map of Switzerland
大澳学院

Global Warming Predictions



大澳学院