

Save
Legend
Historical Distribution
Current Distribution
Potential Habitat
PAKISTAN
INDIA
BHUTAN
BANGLADESH

Source : https://www.houseplans.com/collection/1-bedroom







Figure 1: Share of population without grid access (percent of total)




Source: World Bank, Bloomberg New Energy Finance. Note: Figures refer to 2012 data.




Sources: Climate change 1995, The science of climate change, contribution of working group 1 to the second assessment report of the intergovernmental panel on climate change, UNEP university, 1996; Hulme et al., 1991 and 1994; Global Historical Climate Network (GHCN), Vose et al., 1995 and Eischeid et al., 1995)


Population by in
Thousand million
0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
2004
1960
Consumption
Low income
Middle incor
High income
No data
China and
Indonesia
joined the
'middle income world'
in the 1990s
Source: World Bank, 2006 (figures for 2005)




Share of World GDP PPP 2011, World Bank, ICP


Last Glacial Maximum (18,000 ^{14}C years ago)
Closed Forest
Extreme Desert


Browser Usage on Wikimedia


October 2011





Sea-to-Air
Heat Transfer
Solar Warming
of Ocean Waters
Warm Shallow Current
Cold and Salty Deep Current


Malaysia
Singapore
km
10
20



City with at least 1,000,000 inhabitants in 2006




Source: *Global Intelligence Alliance, Business Perspectives on Emerging Markets 2012-2017 Survey,*
Qn: Which are the top 5 Emerging Markets for your industry over the next 5 years? N=29



GDP per capita - PPP in International U.S. Dollar
50,000 $ +
35,000 $ - 50,000 $
20,000 $ - 35,000 $
10,000 $ - 20,000 $
5,000 $ - 10,000$
2,000 $ - 5000 $
< 2,000 $
No Data
Countries by GDP (PPP) Per Capita in 2015


Air Temperature





Data: NCEP/NCAR Reanalysis Project, 1959-1997 Climatologies


Change in potential cereal output, 2080
Decrease -50% or more
Decrease 25-50%
Decrease 5-25%
No change ±5%
Increase 5-25%
Increase 25% or more
Not suitable
Under HadCM3 model, IPCC SRES A2 scenario


Climate zones for temperature and humidity
hot humid
warm humid
hot dry summer, warm winter
hot dry summer, cold winter
temperate
cool temperate



Arctic Ocean
GREENLAND
NORTH AMERICA
North Pacific Ocean
North Atlantic Ocean
EUROPE
ASIA
AFRICA
Indian Ocean
SOUTH AMERICA
South Atlantic Ocean
South Pacific Ocean
Distribution of tropical rain forests



180°
120°
60°
0°
60°
120°
180°
60°
30°
0°
Equatór
30°
60°
Scale b
60°
30°
0 1
0 1
Principal regions where tropical rainforest is the natural vegetation
©1997, Encyclopædia B




Sources: Climate change 1995, The science of climate change, contribution of working group 1 to the second assessment report of the intergovernmental panel on climate change, UNE university, 1996; Hulme et al., 1991 and 1994; Global Historical Climate Network (GHCN), Vose et al., 1995 and Eischeid et al., 1995)

Bomb Calorimeter





Stairs
1555B
IGERT
Student
Offices
1555
1555A
Teaching
Micromachining
Lab
DI
Water
Plant
Gas Storage
1283A
Teaching
Photolithography
Lab
1283
Teaching
Microelectronics
Lab
ELEV
1290 - Entrance
Stairs
1268
Staff
Offices
EMCB
Tunnel
1282
OMVPE
Lab


7.14 POPULATION DENSITY—June 2010





Source: Regional Population Growth, Australia (3218.0).



Last Glacial Maximum (18,000 ¹⁴C years ago)
Closed Forest
Extreme Desert
Early Holocene (8,000 ¹⁴C years ago)
Closed Forest
Extreme Desert
Present Potential Vegetation
Closed Forest (>70% canopy cover)
Extreme Desert (<2% vegetation cover)

MoneyGame Chart of the Day




>97%
90-97%
80-90%
70-80%
60-70%
50-60%
35-50%
<35%
Literacy Rates



Persons/sq km
<2
2-10
11-40
41-100
101-500
>500



Floods
2000
1950
America
2000
1950
Europe
2000
1950
Asia
1950
Africa
Source: Millennium Ecosystem Assessment


Map of Azerbaijan




Russia
Georgia
Azerbaijan
Armenia
Nagorno-
Karabakh
Baku
Caspian Sea
Iran
Nakhichevan


World forest distribution


Annual Sunshine Hours
France
Less than 1750
1750 to 2000 ho
2000 to 2250 ho
2250 to 2500 ho
2500 to 2750 ho
More than 2750
Charante-
Maritime


Germany
France
German
Austria
Liechtenstein
French
Romansh
Italian
Italy
linguistic map of Switzerland

Global Warming Predictions

