



D E L H I P O L I C E

STANDING ORDER NO. 329 OF 2021

PROCUREMENT, MAINTENANCE AND OPERATIONAL USAGE OF MOBILE BARRICADES

INTRODUCTION

Mobile barricades are important and effective tools to maintain law & order, control crowd, regulate the flow of vehicular traffic, ensure security checking at VVIP functions and also to check crime and apprehend criminals. But of late, it has been observed that the utilization of mobile barricades has not been proper. Mobile barricades are being used in a haphazard manner, and stolen and a few displaying names of one Police Station are found in the jurisdiction of another Police Station. A number of barricades sometimes also display the names of private sponsors and some of them are ill-maintained and not properly painted. Most significantly, mobile barricades are being left unmanned on the roads, which cause traffic problems apart from projecting a poor image of the police. There have been instances where motorists, especially two-wheeler riders, have collided with these barricades during night hours resulting in injury.

In order to correct the above situation and ensure that mobile barricades are used purposefully and effectively, these instructions are hereby issued for strict compliance by all Districts and Units.

PROCUREMENT OF BARRICADES

1. All Districts and Traffic Unit will conduct a periodical survey of the total number of barricades physically available with them. Provisioning & Logistics (P&L) Unit shall also maintain the record pertaining to number of barricades, which have been sanctioned and supplied to various Districts and Units from time to time. A regular audit of barricades will be carried out by the Districts and Units, as in the case of other Government property and the record of the same shall be maintained in the office of Reserve Inspector (RI) of the district concerned.
2. All condemned and junked barricades lying in the Police Stations or in the police stations area should be collected and deposited with the P&L Unit for

disposal. The iron & steel items have a prescribed life span of 25-30 years and as such condemnation of barricades by the Districts should generally be discouraged.

3. Henceforth, all barricades will be procured by the P&L Unit. The requirement of barricades by Districts and Units should be projected directly to the P&L Unit with a copy to PHQ. Procurement of new barricades will be allowed on the basis of due justification like addition of checking points, routes of VVIP or places of function to be secured etc.

4. However, Districts and Units, in emergent cases, can procure Barricades (maximum 100 at a time) directly, under intimation to PHQ, as per the rate fixed by the P&L Unit.

MAINTENANCE AND REPAIR OF BARRICADES

The P&L Unit will award an Annual Maintenance Contract (AMC) for painting and all kinds of repair work of the barricades of Delhi Police every year. This should cover painting of barricades, as per the prescribed standard format or design and other repair works such as changing of wheels, steel plates, angle irons, fluorescent triangles etc.

Each Police Station and Traffic Circle shall conduct a quarterly survey of barricades and blinkers provided to it and send a 'Quarterly Diary of Barricades & Blinkers' to DCP through HAA Branch on the format enclosed as Annexure-A. This will help in repair work like painting and welding of broken parts and also procurement of new barricades.

PROHIBITION ON DISPLAY OF ADVERTISEMENTS ON BARRICADES

1. No barricades should be procured through private sponsors and even if some of them have been in the past, the names of such sponsors should not be displayed. Similarly, no commercial or private advertisements shall be allowed on the barricades. Only the names of the Districts should be displayed in a uniform manner as per the design approved.

2. While disposing of W.P. (C) No. 8193/2007 titled '*Charanjeet Singh Vs. GNCT of Delhi & Ors.*', vide order dated 25.11.2008, the Hon'ble High Court of Delhi had directed that "*...the Delhi Police to remove all private advertisements from its mobile barricades, kiosks, boards and hoardings. The DCP, Headquarters, shall personally ensure the compliance of this order. In case the petitioner finds any violation of the said standing order, it shall be open to the petitioner to report the same to the respondent. The respondent shall look into the same and communicate its response/compliance to the petitioner within two weeks.*"

3. In case of non-compliance or in the event of any complaint in this regard getting substantiated, the ACP/SHO/TI etc. or the officer concerned shall be held responsible.

GUIDELINES FOR USAGE OF THE MOBILE BARRICADES

1. There is no need to display the names of police stations on barricades. The barricades should display the name of District or Unit these belong to, and should be numbered in a systematic manner so that they can be accounted for in the event of any loss or diversion etc. Each Police Station be given a number followed by the number of the barricades. For instance, New Delhi District may like to give Parliament Street the code No.1 for this purpose, its barricades will be numbered 1/1, 1/2, 1/3 and so on.
2. Before a mobile barricade is put to use during the night hours, it must have necessary fluorescent paint/reflective tapes as well as blinkers so that they are visible from a long distance. It is the responsibility of the ACP, Incharge of the Sub-Division, and SHO to ensure that all barricades have such facilities.
3. The staff shall invariably keep a '**Checking Register**' to enter the details of drivers (including mobile number) and the make and registration number of the vehicles checked along with time of checking. They shall first enter the names and belt numbers of the staff deployed and location of checking in this Register. The Checking Officers of the police station, supervisory officers, Night GOs, etc. will also check this Register and enter their remarks regarding the alertness of the staff with the time of checking.
4. The staff deployed on these points must wear specially designed fluorescent jackets while performing duties during night hours. Area SHO/ ACP and officers on checking duty shall ensure effective supervision over the checking staff so as to ensure compliance. The Zonal Officer/Inspector of the Traffic Circle concerned and Inspectors (ATO) of concerned police station shall check such barricade points at regular intervals to ensure there is no traffic build up, the barricades are not unmanned or left abandoned. Inspectors (ATO) and Traffic Inspectors of the Circles should inform the respective Control Rooms in case the traffic build up is observed.
5. (a). Placement of barricades by the local police should not be done in a routine manner, but must be done with prior approval of District DCP in consultation with DCP/Traffic Ranges with a view to achieve a purpose. The timing and the exact place of checking should be intimated to PCR Command Room, Traffic Control Room and the District Control Room. The hours of checking should be for reasonable period only. The placement of mobile barricades, which are operationally managed by the local police station staff, should be such that they don't cause traffic congestion or unnecessary inconvenience to the general public, including the pedestrians and the motorists.

(b). In case a long queue of vehicles builds up or there is congestion or traffic blockade, the checking staff should immediately loosen the barricades to release the traffic till the situation is normalized. Checking can be resumed once the traffic becomes normal.

(c). Barricading should be avoided at accident-prone areas, traffic intersections, junctions, turns, traffic merging points, near the bus stops, foot of the flyovers, loops and other such places where chances of traffic build up are higher even during short checking duration.

(d). As far as possible, the barricade checking may be avoided during peak hours.

The checking protocol as above at the barricades is for normal or routine checking. However, if necessitated due to operational reasons during contingency and other exigencies, local police may act as per the arrangements drawn by them for such contingency.

6. While the checking of vehicles is of prime importance, the safety of staff as well as the road-users is also equally important. Placement/distance of one barricade from other be done in such a manner that the staff performing duties could protect themselves in case of any over-speeding or dangerously-driven vehicle hits the barricades.

7. While the alignment of the barricades should be done in such a way to ensure that traffic slows down for checking, at the same time it should not be placed in a manner that they cannot be negotiated especially by heavy vehicles. This should be ensured by frequent checking by SHOs, ACsP and DCsP.

8. The barricades or the picket so installed meant for vehicle checking be stationed at a place having maximum illumination on the road so that the picket staff may have proper light to carry out the checks, and motorists could also see them from a distance to slow down.

9. In case there is no proper light on the road due to power failure or fog or smog or rain, the Incharge of the Picket should inform the Duty Officer of the Police Station and or the District Control Room and remove the barricades to a safe place. He shall not leave the barricades on the roadside.

10. Under no circumstances, the barricades should be left unmanned. They should be removed from the carriageway and footpaths when not in use so that they do not cause any traffic hindrance or become a cause of potential hazard for the motorists and pedestrians. The checking party should park their own vehicles and equipment at a place where they do not become a cause of traffic congestion. A separate temporary 'checking bay' should be created for vehicle checking to allow other traffic movement undisturbed.

This aspect be given special attention by the Night Checking Officers of the Police Station, Sub-division, District Night GO or Delhi Night Supervisory Officer. Even officers from PCR or Traffic Police, as and when they notice such a lapse, they should immediately inform the District Control Room about the same.

Selection of locations for barricading should be done holistically considering the jurisdiction and topography of the district rather than isolated placement by the police stations. This will avoid placement of barricades too close to each other at boundaries of the police stations. Sufficient distance between consecutive barricading should be maintained in a single corridor to allow smooth discharge of traffic.

11. In case of any mishap due to unmanned or wrong placement of barricades, the concerned staff, the SHO and Traffic Inspector/Zonal Officer of Traffic, as the case may be, shall be held responsible.

12. After closure of pickets, the staff concerned on return to police stations, should record a DD entry about removal of barricades at a safe place, which may not be causing any obstructions in the free flow of traffic and also may not pose any threat to other road users.

13. The Night Checking Officer of the Police station, while submitting Night Patrolling Diary to the District Control Room in the morning at about 6.00 AM, will specifically inform the Control Room that all the barricades installed during the night patrolling have been removed to a safe place.

14. The Emergency Response Vehicle (ERV), Motorcycle Patrol, Division and Beat staff also have a very important role in this regard. In case they notice any unattended barricade on any road in violation of the instructions, the same shall be removed and kept at a safe place without waiting for any order of any officer. The PCR Van may also take such pro-active steps and remove such barricades and bring the same to the notice of the District Control Room concerned.

OTHER INSTRUCTIONS

1. There is no point in putting barricades at the border and other places during timings when there is no proper checking. It is seen at times that barricades as such are unmanned but at some other place at a distance one or two persons are on duty. This happens even on major arterial roads or even on a highway. This is an unprofessional way of checking, and should be curbed through frequent checking and disciplinary action against the defaulters.

2. Barricades are said to be maintained in shifts of 8 hours working but, since it is professionally not feasible to perform duties at the barricades for 8 hours on sustained basis, the staff should be directed to be on duty at the barricades for specified periods only so that they may remain alert and focused. In case the

barricades are required to be placed for checking for longer durations, the staff component should be suitably enhanced so that due rotation can be achieved.

3. From the point of view of effective checking and prevention, the time and place of barricades should be so changed that there is an element of surprise, both time factor-wise and location-wise. This should be personally ensured by the District DCsP.

4. There is high likelihood of demoralization amongst the staff performing such duties on a regular basis if they are not given a chance to perform other jobs. Therefore, the staff on regular barricade duties should be rotated so that everyone gets a chance to be on barricade duty as well as on other duties.

5. In order to ensure meaningful and professional checking, SHO and Inspector (ATO) should participate in the checking more regularly, and set an example for the checking staff.

6. District DCsP should also conduct surprise checks and participate in the checks from time to time.

7. Checking at the barricades will be meaningless if rogue vehicles or anti-social elements manage to dodge the checking and escape with firearms, weapons or contraband. On suspicion, a thorough search should be ensured of vehicles and suspects.

8. While checking is going on, the support staff should hold their fire-arms in ready-to-respond posture so as to be able to intervene in case of any need. This must be ensured through frequent checks by supervisory formations.

9. Periodically, **integrated checks** should be conducted by district police, traffic police and PCR staff together at the barricades so as to create the deterrent impact on traffic violators and other law-breakers.

10. Districts and Units should hold the Police Stations to which they are allotted, responsible for any loss of barricades. All barricades, therefore, should be entered in the Stock Register and shown issued to some Unit/ Police Station/Police Post etc. They should not be left in isolated stretches from where these can be stolen.

11. Overall supervision and responsibility of operational checking after placement of barricades will be that of the jurisdictional DCsP, who will co-ordinate with the Control Room.

SUPERSESSSION CLAUSE

This standing order supersedes previous Standing Order No. 329 of 2018 issued vide No.806-956/Record Branch (AC-I)/PHQ, dated 27.03.2018 and all other previous circulars/instructions on this subject.

Rakesh Asthana
(Rakesh Asthana),
Commissioner of Police,
Delhi. 07.09.2021

O.B. No. 22/2021

No. 3301-3450/Record Branch/PHQ, dated Delhi, the 07/09/2021.

Copy forwarded for information and necessary action to the:-

1. All Special Commissioners of Police, including MD/DPHC, Delhi.
2. All Joint Commissioners of Police, Delhi.
3. All Additional Commissioners of Police, Delhi.
4. Principal/PTC, Jharoda Kalan, Delhi
5. All Deputy Commissioners of Police of Districts & Units, including FRRO, Delhi.
6. OSD to CP, LA to CP and FA to CP, Delhi.
7. All ACsP in PHQ, including ACP/IT Centre, PHQ, Delhi.
8. All ACsP/Sub-Division and all SHOs in Delhi.
9. All Inspectors/PHQ, including PS and Reader to CP, Delhi
14. Librarian/PHQ, and Record Branch/PHQ with 10 spare copies.

QUARTERLY DIARY OF BARRICADES & BLINKERS

Name of Police Station _____ Dated _____

A-BARRICADES

Total No. of Barricades Available with Police Station/ Traffic Circle as on 1st day of the Last Quarter	Total No. of Barricades in Proper Condition	No. of Additional Barricades Provided in the current Quarter	No. of Barricades Repaired/ Repainted in the Current Quarter	No. of Barricades requiring repair/re-painting	No. of more Barricades Required for operational matters	Remarks, if any.

B-BLINKERS

Total No. of Blinkers Available with Police Station/ Traffic Circle as on 1st day of Last Quarter	Total No. of Blinkers in Proper Condition	No. of Additional Blinkers Provided in the Current Quarter	No. of Blinkers Repaired in the Current Quarter	No. of Blinkers requiring repair	No. of more Blinkers Required for operational matters	Remarks, if any.

Sign of MHCM(GP)
Police Station _____

Sign of SHO/ _____

No. _____ /R-SHO/PS _____
Dated: _____