

Contents

SurfaceLevel 2.0	2
Overview.....	2
Control Flow	2
Commands	3
File	3
Gamma/Colorspaces	5
Resampling.....	11
Texture Addressing.....	13
YUV Options.....	14
Mipmaps.....	17
Normal Maps	18
Transforms	19
Quality Settings	20
Misc.	20
PNG Options	21
BMP Options	22
Notes	24
Gamma	24
Texture Addressing.....	25
YUV	25
BMP.....	25

SurfaceLevel 2.0

Overview

SurfaceLevel 2.0 is a texture converter and basic image editor. It loads many image file formats, converts to and from almost every video-game API texture (OpenGL, Vulkan, Metal, and Direct3D 12), offers a fast and high-quality resampler, and saves to many file formats. It is useful for performing nearly all video-game-related texture operations, such as compression, pre-multiplying alpha, generating normal maps, resampling/generating crisp mipmaps, etc., and for general-purpose image resampling, colorspace conversion, format conversion, etc. SurfaceLevel 2.0 is meant to gather a large quantity of features together and to provide more options for those features than you will find in any other tool. For example, when resampling, it is possible to specify different samplers for your image width, height, and depth, and different samplers for the RGB colors and the alpha channel—the sharpest resamplers often create ringing, which is particularly bad for the alpha channel; here you can use a ringing filter for the colors but a non-ringing filter for alpha (while specifying the same or different filters for both the color and alpha widths, heights, and depths).

SurfaceLevel 2.0 seeks to be useful in the level of detail for each feature, the number of features, and the performance of each feature. Supports volume (3-D) textures, texture arrays, cube maps, and mipmaps.

Control Flow

SurfaceLevel 2.0 doesn't try to be overly smart, so as long as you understand the basic internal workflow it should be easy to predict what it will do in any edge cases. Internally it performs the following operations in order:

1. Loads the image file.
2. Performs a conversion to the desired target format.
 - a. Converts to RGBA64F.
 - b. Converts to linear, applying any applicable colorspace conversions and gamma corrections necessary.
 - c. Applies requested transforms, such as swapping, swizzling, flipping, etc.
 - d. Performs resampling and generates mipmaps.
 - e. Applies pre-multiplied alpha.
 - f. Converts to the requested texture format, applying gamma-correction as necessary, etc.
3. Saves to the desired file.

- a. If the current format is not directly supported by the file, it is converted to the nearest format that is supported by the file.

The ways it tries to be smart:

1. By default, it will try to ensure only 1 gamma transform occurs from source to linear and from linear to destination. If images do not contain gamma data, they are assumed to be sRGB (`-g`, `-gamma`, `-srgb`, `-rgbe`, and `-linear` to change this assumption). If they contain gamma data, whether implicit by the format (`VK_FORMAT_B8G8R8_SRGB`, for example) or from an embedded ICC profile, that is used instead. However, if you manually supply a source gamma value with `-g`, `-gamma`, `-srgb`, `-rgbe`, or `-linear`, your supplied gamma will be stacked with any contained/embedded gamma data. This can allow you to correct images that may have been saved with incorrect gamma. To specify your own gamma curve to be used *in-place* of any embedded or selected colorspace profiles, use `-g`, `-gamma`, `-srgb`, `-rgbe`, or `-linear` to define your own gamma curve and `-ignore_input_colorspace_gamma` to ignore the gamma curve in any colorspace profiles being used.
2. To simplify the process, it is not necessary to specify the export format. If your conversion format is not supported, it will find the closest match that is supported. It will try to ensure a lossless conversion, but the option to specify the export format is always available if needed. This only applies to general image formats. For specialized GPU-leaning formats, such as DDS, KTX, PVR, etc., export will fail if the format specified in `-format` is not supported by the file.
For example, `-png_format` is never strictly necessary because any format supplied by `-format` can be automatically converted to a format supported by the PNG file specification; `-png_format` is entirely optional. No automatic conversion is made when saving to DDS, for example, so the format supplied by `-format` must be supported by the DDS file specification.

Commands

File

Command	Parameter	Description
<code>-file</code>	<code><file path></code>	A path to an image file to load and convert. The <code>-file</code> , <code>-yuv_file</code> , and <code>-outfile</code> commands can be used multiple times to load and save multiple files.

-yuv_file	<file path> <width> <height>	<p>Path to a YUV file to load. If the extension does not indicate the YUV encoding, then - yuv_input_format must be called to specify the YUV encoding.</p> <p>Recognized file extensions:</p> <p>yuv444p16 yuv444p12le yuv444p10le yuv444p yuv444y16 yuv444y12le yuv444y10le yuv444y yuv422p16 yuv422p12le yuv422p10le yuv422p yuv422y16 yuv422y12le yuv422y10le yuv422y yuv420p16 yuv420p12le yuv420p10le yuv420p yuv420y16 yuv420y12le yuv420y10le yuv420y yuva12le yuva10le uyvy16 uyvy12le uyvy10le uyvy y210 yuy2 yv12 yv12 p016 p010 y012 y010 nv12</p>
------------------	---------------------------------	---

		nv21 y416 y410 ayuv Extensions other than these will require the format to be explicitly set.
-outfile -out_file	<file path>	The path to which to save the file supplied with the last -file command. The destination file format is determined by the file extension. Currently supported formats: PNG BMP TGA JPG J2K JP2 EXR DDS KTX PVR

Gamma/Colorspaces

Command	Parameter	Description
-gamma -g	<gamma>	Sets the input gamma power. Defaults to -2.2 (precise sRGB). See Notes .
-targetgamma	<gamma>	Sets the output gamma power. Defaults to -2.2 (precise sRGB).
-rgbe -linear		Sets the source and output gamma to 0.0.
-srgb		Sets the source gamma to -2.2 (precise sRGB).
-target_srgb		Sets the output gamma to -2.2 (precise sRGB).
-input_colorspace	sRGB sRGB_precise	Sets the source colorspace profile to an accurate no-gap sRGB.

	sRGB_std sRGB_standard	Sets the source colorspace profile to the standard sRGB.
	smpte_170 smpte_170m 170m	Sets the source colorspace profile to an accurate no-gap SMPTE 170M-1999.
	smpte_170_std smpte_170m_std 170m_std smpte_170_standard smpte_170m_standard 170m_standard	Sets the source colorspace profile to the standard SMPTE 170M-1999.
	rec709 rec.709 bt709 bt.709 itu_bt709 itu_bt.709	Sets the source colorspace profile to an accurate no-gap ITU-R Recommendation BT.709-5.
	rec709_std rec.709_std bt709_std bt.709_std itu_bt709_std itu_bt.709_std rec709_standard rec.709_standard bt709_standard bt.709_standard itu_bt709_standard itu_bt.709_standard	Sets the source colorspace profile to the standard ITU-R Recommendation BT.709-5.
	adobe adobergb adobe_rgb	Sets the source colorspace profile to Adobe RGB (1998) Color Image Encoding Version 2005-05.
	bt2020 bt.2020 itu_bt2020 itu_bt.2020	Sets the source colorspace profile to an accurate no-gap ITU-R Recommendation BT.2020.
	bt2020_std bt.2020_std	Sets the source colorspace profile to

	itu_bt2020_std itu_bt.2020_std bt2020_standard bt.2020_standard itu_bt2020_standard itu_bt.2020_standard	the standard ITU-R Recommendation BT.2020.
	dcip3 dci-p3 dci_p3	Sets the source colorspace profile to SMPTE RP 431-2:2011.
	smpte_240 smpte_240m 240m	Sets the source colorspace profile to an accurate no-gap SMPTE 240M-1999.
	smpte_240_std smpte_240m_std 240m_std smpte_240_standard smpte_240m_standard 240m_standard	Sets the source colorspace profile to the standard SMPTE 240M-1999.
	ntsc_1953 ntsc1953	Sets the source colorspace profile to an accurate no-gap NTSC 1953.
	ntsc_1953_std ntsc1953_std ntsc_1953_standard ntsc1953_standard	Sets the source colorspace profile to the standard NTSC 1953.
	tech_3213 tech3213	Sets the source colorspace profile to an accurate no-gap EBU Tech. 3213.
	tech_3213_std tech3213_std tech_3213_standard tech3213_standard	Sets the source colorspace profile to the standard EBU Tech. 3213.
	displayp3 display-p3 display_p3	Sets the source colorspace profile to an accurate no-gap Display P3 Color Encoding (v 1.0).
	displayp3_std display-p3_std display_p3_std	Sets the source colorspace profile to

	displayp3_standard display-p3_standard display_p3_standard	the standard Display P3 Color Encoding (v 1.0).
	rec601 rec.601 bt601 bt.601 itu_bt601 itu_bt.601	Sets the source colorspace profile to an accurate no-gap ITU-R Recommendation BT.601 (525).
	rec601_std rec.601_std bt601_std bt.601_std itu_bt601_std itu_bt.601_std rec601_standard rec.601_standard bt601_standard bt.601_standard itu_bt601_standard itu_bt.601_standard	Sets the source colorspace profile to the standard ITU-R Recommendation BT.601 (525).
	rec601_pal rec.601_pal bt601_pal bt.601_pal itu_bt601_pal itu_bt.601_pal	Sets the source colorspace profile to an accurate no-gap ITU-R Recommendation BT.601 (625).
	rec601_pal_std rec.601_pal_std bt601_pal_std bt.601_pal_std itu_bt601_pal_std itu_bt.601_pal_std rec601_pal_standard rec.601_pal_standard bt601_pal_standard bt.601_pal_standard itu_bt601_pal_standard itu_bt.601_pal_standard	Sets the source colorspace profile to the standard ITU-R Recommendation BT.601 (625).
	generic_film film	Sets the source colorspace profile to generic film.

	bt470_ntsc bt470_m_ntsc	Sets the source colorspace profile to an accurate no-gap Rec. ITU-R BT.470-6 (M/NTSC).
	bt470_pal bt470_m_pal	Sets the source colorspace profile to an accurate no-gap Rec. ITU-R BT.470-6 (M/PAL).
	bt470_b bt470_b1 bt470_d bt470_d1 bt470_g bt470_h bt470_k bt470_k1 bt470_l bt470_n_pal bt470_secam bt470_l_secam	Sets the source colorspace profile to an accurate no-gap Rec. ITU-R BT.470-6 (B, B1, D, D1, G, H, K, N/PAL, K1, L/SECAM).
	ntsc_1987 smpte_c	Sets the source colorspace profile to SMPTE C with a pow(2.2) curve.
	ntsc_1987_std smpte_c_std	Sets the source colorspace profile to the standard SMPTE C.
	romm_rgb rommrgb	Sets the source colorspace profile to Reference Output Medium Metric RGB (ROMM RGB).
	rimm_rgb rimmrgb	Sets the source colorspace profile to Reference Input Medium Metric RGB (RIMM RGB).
	erimm_rgb erimmrgb	Sets the source colorspace profile to Extended Reference Input Medium Metric RGB (ERIMM RGB).

	plasa plasa_ansi	Sets the source colorspace profile to PLASA ANSI E1.54.
	protune gopro	Sets the source colorspace profile to Protune Native (GoPro).
	s-gamut sgamut s_gamut	Sets the source colorspace profile to S-Gamut.
	s-gamut3 sgamut3 s_gamut3	Sets the source colorspace profile to S-Gamut3.
	s-gamut3cine sgamut3cine s_gamut3cine s-gamut3_cine sgamut3_cine s_gamut3_cine	Sets the source colorspace profile to S-Gamut3.Cine.
-target_colorspace	Same as for -input_colorspace .	Sets the output colorspace profile.
-input_colorspace_file	<file path>	Sets the input colorspace profile. Loads .ICC and .ICM files.
-target_colorspace_file	<file path>	Sets the output colorspace profile. Loads .ICC and .ICM files.
-dont_embed_icc		No colorspace profile will be embedded into files with colorspace-profile support.
-embed_icc		Any specified output colorspace profiles will be embedded into files with colorspace-profile support. This is the default.
-ignore_input_colorspace_gamma		The gamma in any supplied or embedded input colorspace profile will be ignored.

-rendering_intent -render_intent	perceptual	All colors are scaled to fit into the target colorspace. Useful for converting from wide colorspace to more narrow ones.
	relative_colorimetric	Colors in gamut are unchanged, but colors outside of gamut are clipped to the nearest in-gamut color. This is the default.
	saturation	Like perceptual , but tends to make colors more saturated.
	absolute_colorimetric	Not intended for color conversion, but rather typically for digital inkjet proofing.

Resampling

Command	Parameter	Description
-filter	box	Applies the selected filter to all non-mipmap filters.
	point	
	tent	The default mipmap alpha filter.
	linear	
	quadraticsharp	The default non-mipmap filter.
	quadratic_sharp	
	quadratic	
	quadraticapprox	
	quadraticapproximate	
	quadratic_approximate	
	quadraticmix	
	quadratic_mix	
	kaiser	
	lanczos2	
	lanczos3	
	lanczos4	
	lanczos6	
	lanczos8	
	lanczos12	
	lanczos64	

	mitchell	One of the best choices for upscaling.
	catmul catmulrom catmul_rom catmul-rom	
	bspline b-spline b_spline	
	cardinal card cardinaluniform cardinal_uniform	The default mipmap color filter.
	hermite	
	hamming	
	hanning	
	blackman	
	gaussiansharp gaussian_sharp	
	gaussian	
	bell	
	-filterw	Same as for -filter . Sets the non-mipmap color and alpha <i>width</i> filter.
	-filterh	Same as for -filter . Sets the non-mipmap color and alpha <i>height</i> filter.
	- filterd	Same as for -filter . Sets the non-mipmap color and alpha <i>depth</i> filter.
	-filterw_color	Same as for -filter . Sets the non-mipmap color <i>width</i> filter.
	-filterh_color	Same as for -filter . Sets the non-mipmap color <i>height</i> filter.
	-filterd_color	Same as for -filter . Sets the non-mipmap color <i>depth</i> filter.
	-filterw_alpha	Same as for -filter . Sets the non-mipmap alpha <i>width</i> filter.
	-filterh_alpha	Same as for -filter . Sets the non-mipmap alpha <i>height</i> filter.
	-filterd_alpha	Same as for -filter . Sets the non-mipmap alpha <i>depth</i> filter.
	-prescale	<new width> <new height> Resamples the image to the given width/height using the selected non-mipmap filters.

-prescale3 -resample_size	<new width> <new height> <new depth>	Resamples the image to the given width/height/depth using the selected non-mipmap filters.
-resample_to	nearest	Resamples to the nearest power of 2 in each dimension.
	lo	Resamples to the next power-of-2 down.
	hi	Resamples to the next power-of-2 up.
-rel_scale	<width multiplier> <height multiplier>	Resamples by the given width and height multipliers.
-rel_scale3	<width multiplier> <height multiplier> <depth multiplier>	Resamples by the given width, height, and depth multipliers.
-clamp2 -clamp	<width> <height>	Clamps the image to the given width and height.
-clamp3	<width> <height> <depth>	Clamps the image to the given width, height, and depth.

Texture Addressing

Command	Parameter	Description
-textureaddressing -ta	clamp	U, V, and W coordinates are clamped to the edge of the texture. Equal to D3D12_TEXTURE_ADDRESS_MODE_CLAMP.
	repeat wrap	U, V, and W coordinates repeat beyond the 0..1 range. Equal to D3D12_TEXTURE_ADDRESS_MODE_WRAP.
	mirror reflect	U, V, and W are mirrored beyond the 0..1 range. Equal to D3D12_TEXTURE_ADDRESS_MODE_MIRROR.
	mirroronce mirror_once	U, V, and W are mirrored 1 time beyond the 0..1 range, after which clamping is used. Equal to D3D12_TEXTURE_ADDRESS_MODE_MIRROR_ONCE.

	border bordercolor border_color	The border color is used when U, V, and W go outside of 0..1. Equal to D3D12_TEXTURE_ADDRESS_MODE_BORDER.
	no_border nul_border	Nothing is considered to exist beyond the U, V, and W texture edges. This is the default.
-textureaddressingw -taw	Same as -ta.	Applies only to the U coordinate.
-textureaddressingh -tah	Same as -ta.	Applies only to the V coordinate.
-textureaddressingd -tad	Same as -ta.	Applies only to the W coordinate.
- textureaddressingw_opaque -taw_color	Same as -ta.	Applies only to the U coordinate and to color channels.
- textureaddressingh_opaque -tah_color	Same as -ta.	Applies only to the V coordinate and to color channels.
- textureaddressingd_opaque -tad_color	Same as -ta.	Applies only to the W coordinate and to color channels.
- textureaddressingw_alpha -taw_alpha	Same as -ta.	Applies only to the U coordinate and to the alpha channel.
-textureaddressingh_alpha -tah_alpha	Same as -ta.	Applies only to the V coordinate and to the alpha channel.
-textureaddressingd_alpha -tad_alpha	Same as -ta.	Applies only to the W coordinate and to the alpha channel.
-border_color	<r> <g> <a>	Sets the border color for the U, V, and W coordinates. Defaults to 0.0 0.0 0.0 1.0 .

YUV Options

Command	Parameter	Description
-yuv_input_format	<any Vulkan, DXGI, or Metal	Sets the format (encoding) of the YUV file being loaded.

	YUV format>	
	nv12	DXGI_FORMAT_NV12/ VK_FORMAT_G8_B8R8_2PLANE_420_UNORM
	nv21	DXGI_FORMAT_NV21
	yv12	DXGI_FORMAT_YV12
	yuy2	DXGI_FORMAT_YUY2/VK_FORMAT_G8B8G8R8_422_UNORM/D XGI_FORMAT_G8R8_G8B8_UNORM/MTLPixelFormatGBGR422
	uyvy	DXGI_FORMAT_R8G8_B8G8_UNORM/ VK_FORMAT_B8G8R8G8_422_UNORM/ MTLPixelFormatBGRG422
	p010	DXGI_FORMAT_P010/ VK_FORMAT_G10X6_B10X6R10X6_2PLANE_420_UNORM_3PA CK16
	p016	DXGI_FORMAT_P016/ VK_FORMAT_G16_B16R16_2PLANE_420_UNORM
	p210	DXGI_FORMAT_P210/ VK_FORMAT_G10X6_B10X6R10X6_2PLANE_422_UNORM_3PA CK16
	p216	DXGI_FORMAT_P216/ VK_FORMAT_G16_B16R16_2PLANE_422_UNORM
	y210	DXGI_FORMAT_Y210/ VK_FORMAT_G10X6B10X6G10X6R10X6_422_UNORM_4PACK1 6
	y216	DXGI_FORMAT_Y216/ VK_FORMAT_G16B16G16R16_422_UNORM
	y410	DXGI_FORMAT_Y410
	y416	DXGI_FORMAT_Y416
	ayuv	DXGI_FORMAT_AYUV
- yuv_format	Same as - yuv_input_format .	Sets the encoding when saving to a YUV format.
- yuv_input_use_approx		Uses a common approximate YUV -> RGB conversion when loading a YUV file. By default the full YUV -> RGB algorithm is used.
- yuv_use_approx		Uses a common approximate RGB -> YUV conversion when writing to a YUV file. By default the full RGB -> YUV algorithm is used.
	REC_709 REC709	Sets the Kr and Kb factors according to the ITU-R Recommendation BT.709-5 standard.

- yuv_input_ kr_kb		0.212639005871510 and 0.072192315360734. This is the default.
	REC_2020 REC2020	Sets the Kr and Kb factors according to the ITU-R Recommendation BT.2020 standard. 0.2627 and 0.0593.
	SMPTC	Sets the Kr and Kb factors according to the SMPTE C standard. 0.2124 and 0.0866.
	REC_601 REC601	Sets the Kr and Kb factors according to the ITU-R Recommendation BT.601 standard. 0.2988390 and 0.1143500.
	CIE_1931 CIE1931	Sets the Kr and Kb factors according to the CIE 1931 standard. 0.3086 and 0.0820.
	NTSC_1953 NTSC1953	Sets the Kr and Kb factors according to the NTSC 1953 standard. 0.3 and 0.11.
	EBU_TECH_3213 EBUTECH3213	Sets the Kr and Kb factors according to the EBU Tech. 3213 standard. 0.2988390 and 0.1143500.
-yuv_kr_kb	Same as -yuv_input_kr_kb.	Sets the output Kr and Kb factors when saving to a YUV file.
-yuv_input_set_kr_kb	<kr> <kb>	Manually specifies the Kr and Kb factors for loading a YUV file.
-yuv_set_kr_kb	<kr> <kb>	Manually specifies the Kr and Kb factors for saving to a YUV file.
-yuv_input_set_z -yuv_input_set_black	<black level>	Sets the black level (0..1) for loading a YUV file. Defaults to 0.0.
-yuv_set_z -yuv_set_black	<black level>	Sets the black level (0..1) for saving to a YUV file.
-yuv_input_set_s	<scale>	Sets the scaler (0..1) for loading a YUV file. Defaults to 1.0.

- yuv_input_ set_scale		
-yuv_set_s - yuv_set_sc ale	<scale>	Sets the scaler (0..1) for saving to a YUV file. Defaults to 1.0.
- yuv_input_ pc		Sets the black level to 0.0, scale to 1.0, Kr and Kb to the ITU-R Recommendation BT.709-5 standard, and enables the full non-approximate conversion routine for loading YUV files.
-yuv_pc		Sets the black level to 0.0, scale to 1.0, Kr and Kb to the ITU-R Recommendation BT.709-5 standard, and enables the full non-approximate conversion routine for saving to a YUV file.
- yuv_input_ studio		Sets the black level to (16.0 / 255.0), scale to (219.0 / 255.0), Kr and Kb to the ITU-R Recommendation BT.709-5 standard, and enables the full non-approximate conversion routine for loading YUV files.
- yuv_studio		Sets the black level to (16.0 / 255.0), scale to (219.0 / 255.0), Kr and Kb to the ITU-R Recommendation BT.709-5 standard, and enables the full non-approximate conversion routine for saving to a YUV file.

Indices & Palettes

Command	Parameter	Description

Mipmaps

Command	Parameter	Description
-nomips -nomipmaps -no_mips -no_mipmaps		No mipmaps are generated and existing mipmaps are discarded.
-nmips	<total mipmaps>	Sets the total number of mipmaps desired. Set to 0 to generate (or keep) a full mipmap chain. Defaults to 0 .
-keepmips		By default, new mipmaps will be generated as specified by -nmips (which defaults to 0 , so a full chain is generated).

-keepmipmaps -keep_mips -keep_mipmaps		This command allows existing mipmaps to be retained instead of overwritten. Existing mipmaps beyond the -nmips specification will be truncated, and if -nmips extends beyond the number of existing mipmaps then new mipmaps will be generated to fill the gap.
-mip_filter	Same as for -filter .	Applies the selected filter to all mipmap filters.
-mip_filterw	Same as for -filter .	Sets the mipmap color and alpha <i>width</i> filter.
-mip_filterh	Same as for -filter .	Sets the mipmap color and alpha <i>height</i> filter.
-mip_filterd	Same as for -filter .	Sets the mipmap color and alpha <i>depth</i> filter.
-mip_filterw_color	Same as for -filter .	Sets the mipmap color <i>width</i> filter.
-mip_filterh_color	Same as for -filter .	Sets the mipmap color <i>height</i> filter.
-mip_filterd_color	Same as for -filter .	Sets the mipmap color <i>depth</i> filter.
-mip_filterw_alpha	Same as for -filter .	Sets the mipmap alpha <i>width</i> filter.
-mip_filterh_alpha	Same as for -filter .	Sets the mipmap alpha <i>height</i> filter.
-mip_filterd_alpha	Same as for -filter .	Sets the mipmap alpha <i>depth</i> filter.

Normal Maps

Command	Parameter	Description
-nm_channel	r red	The normal map will be generated using the R channel.
	g green	The normal map will be generated using the G channel.
	b blue	The normal map will be generated using the B channel.
	a alpha	The normal map will be generated using the A channel.
	max	The normal map will be generated using the max value between the RGBA channels. This is the default.
	rgb	The normal map will be generated using the average value between the RGB channels.
	colorspace	The normal map will be generated using the weighted average value between the RGB channels. Use -luma to select from predefined weights or -weight to manually specify weights.

-norm -normalize		Indicates that the normal maps should be normalized.
-opengl -unity -blender -maya		Specifies that the normal map should be compatible with OpenGL.
-directx -ue4 -unreal -unrealengine -ue -dsmax		Specifies that the normal map should be compatible with DirectX.
-n3x3		Normal maps will be generated with a 3×3 kernel.
-n5x5		Normal maps will be generated with a 5×5 kernel.
-n7x7		Normal maps will be generated with a 7×7 kernel.
-n9x9		Normal maps will be generated with a 9×9 kernel.
-scale -nm_z		Specifies the normal map's Z influence.

Transforms

Command	Parameter	Description
-format	<any Vulkan, DXGI, or Metal format>	Converts the loaded image to the given texture format.
-ogl_format	<internal format> <type> <base internal format>	Converts the loaded image to the given OpenGL texture format.
-ignore_alpha		Any alpha channel is set to all 1's.
-alpha_threshold	<cutoff>	Sets the alpha cutoff ([0..255]) for conversions to formats with binary alpha. Defaults to 128 .
-premultiply_alpha -premult_alpha		Specifies that alpha should be pre-multiplied. If an image is already pre-multiplied it is not pre-multiplied again.
-swizzle	<swizzle>	Specifies a swizzle to apply.

		Valid swizzle characters: rgbaxyzw01. Must be 4 characters long and is not case-sensitive.
-swap		Swaps the R and B channels.

Quality Settings

Command	Parameter	Description
-quality_highest -very_slow		The highest quality setting for compressing textures in BC*, EAC, ETC*, PVR, and ASTC formats.
-quality_production -slow		The 2 nd -highest quality setting for compressing textures in BC*, EAC, ETC*, PVR, and ASTC formats.
-quality_normal -basic		The normal quality setting for compressing textures in BC*, EAC, ETC*, PVR, and ASTC formats.
-fast		A fast but somewhat low-quality setting for compressing textures in BC*, EAC, ETC*, PVR, and ASTC formats.
-quick -veryfast		A faster but lower-quality setting for compressing textures in BC*, EAC, ETC*, PVR, and ASTC formats.
-ultrafast		The fastest but lowest-quality setting for compressing textures in BC*, EAC, ETC*, PVR, and ASTC formats.

Misc.

Command	Parameter	Description
-weight -weights	<red weight> <green weight> <blue weight>	Sets the luminance weight factors manually.
-luma	REC_709 REC709	Sets the luminance weight factors according to the ITU-R Recommendation BT.709-5 standard. 0.212639005871510, 0.715168678767756, and 0.072192315360734. This is the default.
	REC_2020 REC2020	Sets the luminance weight factors according to the ITU-R Recommendation BT.2020 standard. 0.2627, 0.678, and 0.0593.
	SMPTC	Sets the luminance weight factors according to the SMPTE C standard. 0.2124, 0.7011, and 0.0866.

	REC_601 REC601	Sets the luminance weight factors according to the ITU-R Recommendation BT.601 standard. 0.2988390, 0.5868110, and 0.1143500.
	CIE_1931 CIE1931	Sets the luminance weight factors according to the CIE 1931 standard. 0.3086, 0.6094, and 0.0820.
	NTSC_1953 NTSC1953	Sets the luminance weight factors according to the NTSC 1953 standard. 0.3, 0.59, and 0.11.
	EBU_TECH_3213 EBUTECH3213	Sets the luminance weight factors according to the EBU Tech. 3213 standard. 0.2988390, 0.5868110, and 0.1143500.
-printformats -print_formats		Prints all supported formats that can be supplied to -format .

PNG Options

Command	Parameter	Description
-png_default		Default PNG compression (6) will be used.
-png_bestspeed		Fast PNG compression (1) will be used.
-png_bestcompression		Best PNG compression (9) will be used.
-png_level		Specifies the PNG compression level. [0..9].
-png_nocompression		No PNG compression will be used.
-png_interlaced		Interlacing will be used. The default is no interlacing.
-png_format	R8G8B8 RGB24 RGB	Specifies the PNG format to which to save. If the format is not specified, the closest format to what was specified by -format (or the original file's format if -format is not specified) will be used.
	R8G8B8_SRGB	

	RGB24_SRGB	
	RGB_SRGB	
	R8G8B8A8	
	RGBA32	
	RGBA	
	R8G8B8A8_SRGB	
	RGBA32_SRGB	
	RGBA_SRGB	
	R16G16B16	
	RGB16	
	R16G16B16A16	
	RGBA16	
	L8	
	LUMINANCE8	
	GREYSCALE8	
	GRAYSCALE8	
	L16	
	LUMINANCE16	
	GREYSCALE16	
	GRAYSCALE16	
	I1	
	INDEXED1	
	I2	
	INDEXED2	
	I4	
	INDEXED4	
	I8	
	INDEXED8	

BMP Options

Command	Parameter	Description
-bmp_rle		RLE encoding will be used to save the BMP file. This is not set by default.
-bmp_noalpha		Alpha will not be saved or will be set to 1 in the BMP file. The default is to store alpha when available.
-bmp_nobitmask -bmp_nomask		By default, the BMP file will contain masks for the R, G, B, and A channels. This setting causes the BMP

		file to be saved without the masks. See Notes .
-bmp_format	R8G8B8 RGB24 RGB	Specifies the BMP format to which to save. See Notes . If the format is not specified, the closest format to what was specified by -format (or the original file's format if -format is not specified) will be used.
	R8G8B8_SRGB RGB24_SRGB RGB_SRGB	
	R8G8B8A8 RGBA32 RGBA	
	R8G8B8A8_SRGB RGBA32_SRGB RGBA_SRGB	
	B8G8R8A8	
	B8G8R8A8_SRGB	
	A8B8G8R8	
	A8B8G8R8_SRGB	
	R4G4B4A4	
	B4G4R4A4	
	A4R4G4B4	
	A4B4G4R4	
	R5G6B5	
	B5G6R5	
	R5G5B5A1	
	A1B5G5R5	
	A1R5G5B5	
	A4B4G4R4	

TGA Options

Command	Parameter	Description
-tga_rle		The TGA file will be saved with RLE encoding.
-tga_format	R8G8B8	Specifies the TGA format to which to save.

	RGB24 RGB	If the format is not specified, the closest format to what was specified by -format (or the original file's format if -format is not specified) will be used.
	R8G8B8_SRGB RGB24_SRGB RGB_SRGB	
	R8G8B8A8 RGBA32 RGBA	
	R8G8B8A8_SRGB RGBA32_SRGB RGBA_SRGB	
	A1R5G5B5 A1RGB5	
	L8 LUMINANCE8 GREYSCALE8 GRAYSCALE8	

Notes

Gamma

- Positive values use a raw $\text{pow}(1/\gamma)$ -based gamma curve. Negative values are divided into 2 halves: If γ is ≤ -1.0 , an XtoLinear transform is applied; if $-1.0 < \gamma < 0.0$, a LinearToX transform is applied, where X is the curve specified by one of the standards (sRGB, ITU-R Recommendation BT.709-5, etc.) Generally, gamma will be above 1.0 or below -1.0.
- The default standard curve is sRGB Precise, so a default value of -2.2 results in a precise sRGB -> Linear transform.
- The relationship is reversed for target gamma. A positive value results in a $\text{pow}(\gamma)$ transform being applied, while if γ is ≤ -1.0 , a LinearToX transform is applied; if $-1.0 < \gamma < 0.0$, an XtoLinear transform is applied.
- This means that when considering gamma, you specify what the input is and what the target should be. By knowing what the input gamma is, the reverse transform can be applied to put the image back into linear space, and by knowing what the

target gamma should be, a proper transform from linear to the target gamma can be made.

Texture Addressing

- Texture addressing is used during resampling and normal-map creation.
- For standard image resampling, **nul_border** is appropriate, as it will only sample from in-image texels, meaning no influence from outside 0..1 at all, and edge texels won't have an abnormally large influence as they would with **clamp**. For in-game textures, select the addressing mode that matches how it will be addressed in the game.

YUV

- By default, YUV <-> RGB algorithms that take additional parameters (Kr, Kb, Z, and B) are used. These provide reliable conversions, but many implementations use an approximation for these conversions, which can result in slight adjustments to the colors. Switching to the approximate conversion would be appropriate if you are dealing with a YUV file that has been adjusted to account for this color shift.
- The approximate YUV algorithm does not use Kr, Kb, Z, or B.
- YUV files that contain multiple frames are loaded as 3-D volume textures, with each slice of the depth component being a frame. You can resample the depth component to change the number of frames in the animation. This effectively smoothly speeds up or slows down the animation. Because this is a resampling through time rather than over color frequencies, a linear filter is most appropriate unless a specific visual effect is desired.

BMP

- Bit masks aren't used when saving a file as RLE.
- Some packed formats, such as A4R4G4B4, will only retain their component orders if bit masks are used. Without bit masks, the saved BMP file may have swizzled the components (for example to R4G4B4A4).