Angular Accessibility

Alexander Thalhammer | @LX_T

About me

ANGULAR
ARCHITECTS

About me …

… my office

About me

Hi, it's me → @LX_T https://alex.thalhammer.name/

- **Alex Thalhammer** from Graz, Austria (est. 1983)
  - **Angular Software Tree** GmbH (est. 2019)
- Web Dev for 23 years (I‘ve come a long way baby)
- 2011 - 2017 WordPress Dev (Web, PHP & jQuery)
- Since 2017 **Angular Dev** (Web, TS, Rx - NG 4.0.0)
- Since 2020 **Angular Evangelist, Coach** & **Consultant**
  - Member of **Angular Architects** https://www.angulararchitects.io/

ANGULAR ARCHITECTS

About you

ANGULAR
ARCHITECTS

Tell us sth about yourself

- Hi, my name is …
- I currently work on …
- Good accessibility is …
- My goal(s) for this workshop is (are) …

About you

Let us know about your

- OS
- Browser
- IDE (IntelliJ/WebStorm vs VS Code)
- ?

Pollings

About this workshop

ANGULAR
ARCHITECTS

Every participant should

- understand the ***importance*** of accessibility
- know how to ***measure*** the accessibility
- know how to ***tweak*** the accessibility
- become a ***accessibility evangelist*** in her/his project/team/company

My goals



Didactics

We work together I

- Don’t hesitate to interupt me at ***ANY TIME***
  - Questions
  - Remarks or
  - Feedback ☺

- Somebody else might have the same question
  - Be a hero and ask it



We work together II

- Remote: Please turn camera on ***ALL THE TIME***
  - Necessary for me to get your feedback
  - This will also improve the workshop for all ☺

Workshop

Timetable (today)

- 09:00 - 13:15 (incl. 15m ☕ break)

Workshop

ANGULAR
ARCHITECTS

Timetable (tomorrow)

- 09:00 - 12:15 (incl. 15m 🍵 break)
- 1hr 🍲 break
- 13:15 - 16:30 (incl. 15m 🍵 break)
- 16:30 - 17:00 Q&A & Feedback
- 17:00 - 17:30 Break
- 17:30 - 19:30 Night Session

Workshop

ANGULAR
ARCHITECTS

What does accessibility (A11y) mean?

- What did you say?

What does accessibility (A11y) mean?

- What does **Wikipedia** say?

- "**Accessibility** is the design of products, devices, services, vehicles, or environments so as to be usable by people with disabilities. The concept of accessible design and practice of accessible development ensures both "direct access" (i.e. unassisted) and "indirect access" meaning compatibility with a person's assistive technology (for example, computer screen readers)."
  -- https://en.wikipedia.org/wiki/Accessibility

What does web accessibility (A11y) mean?

- What does **Google** say?

- "An accessible site is one whose content can be accessed regardless of any user's impairments and whose functionality can also be operated by the most diverse range of users possible."
  -- https://web.dev/articles/what-is-accessibility

What does web accessibility (A11y) mean?

- What does **ChatGPT** say?

- "Web accessibility means designing and developing websites and applications so they can be used by everyone, including people with disabilities."
  -- ChatGPT

Why A11y?

- What would you say?

Why A11y?

- "As developers, it's easy to assume that all users can see and use a keyboard, mouse, or touch screen to interact with your page. This can lead to an experience that works well for some people but creates issues for others that range from simple annoyances to complete blockers."
  -- https://web.dev/articles/what-is-accessibility

Why A11y?

- "Web accessibility is important because it ensures that everyone, including people with disabilities, can access, navigate, and interact with websites and applications, promoting inclusivity, equal opportunity, compliance with legal standards, and improved user experience for all"
  -- ChatGPT

Why A11y?



Inclusive
A Microsoft Design Toolkit

Why?

Agenda & Labs

ANGULAR
ARCHITECTS

Agenda

01: A11y Tools

03: A11y Standards

05: A11y Best Practices

02: A11y Foundations

04: WAI ARIA

06: A11y in Angular

Labs (not in the same order ☺)

01: Setup A11y Testing Tools

03: Semantic HTML & Structure

05: Forms & LiveAnnouncer

02: Angular Router

04: Keyboard Nav & Tab Focus

06: Color & Contrast

Setup for Labs

- NodeJS version ^18.19.1 or ^**20.11.1** or ^22
  - https://angular.dev/reference/versions#actively-supported-versions

Actively supported versions

This table covers Angular versions under active support.

Angular	Node.js	TypeScript	RxJS
19.0.x	^18.19.1 || ^20.11.1 || ^22.0.0	>=5.5.0 <5.7.0	^6.5.3 || ^7.4.0
18.1.x || 18.2.x	^18.19.1 || ^20.11.1 || ^22.0.0	>=5.4.0 <5.6.0	^6.5.3 || ^7.4.0
18.0.x	^18.19.1 || ^20.11.1 || ^22.0.0	>=5.4.0 <5.5.0	^6.5.3 || ^7.4.0
17.3.x	^18.13.0 || ^20.9.0	>=5.2.0 <5.5.0	^6.5.3 || ^7.4.0
17.1.x || 17.2.x	^18.13.0 || ^20.9.0	>=5.2.0 <5.4.0	^6.5.3 || ^7.4.0
17.0.x	^18.13.0 || ^20.9.0	>=5.2.0 <5.3.0	^6.5.3 || ^7.4.0

Try "node -v"

Use NVM ☺

Mac Alternative: Use Homebrew

Setup for Labs

- Git
  - Personally I used to use Sourcetree
    - but currently migrating to Tower | Fork
- VS Code (free) or IntelliJ/WebStorm (better IMHO)
  - Personally I prefer WebStorm
- Chrome (or Chromium based alternative)
  - Other browsers are okay for private matters ☺

Recommendations

- Use prettier
  - especially for .ts & .htmk files



- Use ESLint
  - in your IDE of choice and/or from terminal

- Use Git
  - we recommend to at least commit after every lab
  - easier switching back and forth with my solution

Starter Kit

- Incl. Slides
- Incl. Labs (exercises)
- Clone from https://github.com/L-X-T/ng-b357

Ready for takeoff

ANGULAR
ARCHITECTS