SCSS

Alexander Thalhammer | @LX_T

SCSS

- what is SASS/SCSS?
- getting started
- SCSS features

Agenda

What Is SASS/SCSS?

- SASS → syntactically awesome style sheets
  - comes in two flavors SASS & SCSS → we prefer SCSS
- SCSS is a superset of CSS (just like TypeScript > JS)
- isn't understood by the browser, but compiled to CSS

Installing SASS

- command line
  - or via compass
- npm (not the most performant)
- choco (Windows)
- brew (Mac)
- or just use it within Angular – out of the box ☺

SCSS Features

- nested rules
- variables
- partials
- extends
- operators
- mixins (custom snippets)
- helper functions
- conditions & loops

SCSS Nesting (***the*** feature!)

```
nav {
    ul {
        li {
            a {
                color: deepskyblue;

                &:hover {
                    color: lightskyblue;
                    text-decoration: none;
                }
            }
        }
    }
}
```

SCSS Variables

```
$font-stack: Helvetica, sans-serif;
$primary-color: #333;

body {
  font: 100% $font-stack;
  color: $primary-color;
}
```

SCSS Partials

```scss
// _base.scss
$font-stack: Helvetica, sans-serif;
$primary-color: #333;

body {
  font: 100% $font-stack;
  color: $primary-color;
}
```

```scss
// styles.scss
@use 'base';

.inverse {
  background-color: base.$primary-color;
  color: white;
}
```

SCSS Extends

```scss
%message-shared {
  border: 1px solid #ccc;
  padding: 10px;
  color: #333;
}
```

```scss
.success {
  @extend %message-shared;
  border-color: green;
}

.error {
  @extend %message-shared;
  border-color: red;
}

.warning {
  @extend %message-shared;
  border-color: yellow;
}
```

SCSS Operators

```
@use "sass:math";

.container {
  display: flex;
}

article[role="main"] {
  width: math.div(600px, 960px) * 100%;
}

aside[role="complementary"] {
  width: math.div(300px, 960px) * 100%;
  margin-left: auto;
}
```

SCSS Mixins

```
@mixin theme($theme: DarkGray) {
  background: $theme;
  box-shadow: 0 0 1px rgba($theme, .25);
  color: #fff;
}

.info {
  @include theme;
}
.alert {
  @include theme($theme: DarkRed);
}
.success {
  @include theme($theme: DarkGreen);
}
```

SCSS Helper Functions

- hsla($hue, $saturation, $lightness, $alpha: 1);

- rgba($red, $green, $blue, $alpha: 1);

- lighten($red, 10%);
- darken($red, 10%);

- https://sass-lang.com/documentation/modules/

SCSS Conditions & Loops

```
@mixin theme-colors($light-theme: true)
{
  @if $light-theme {
    background-color: $light-background;
    color: $light-text;
  } @else {
    background-color: $dark-background;
    color: $dark-text;
  }
}
```

```
$base-color: #036;

@for $i from 1 through 3 {
  ul:nth-child(3n + #{$i}) {
    background-color: lighten($base-
color, $i * 5%);
  }
}
```

Best Practices

- Use SCSS **if you write CSS**!
  - To nest (i.e. group) your styles
  - To structure your global styles (thru partials)
- Use custom properties for globals
  - SCSS variables for local variables if needed
- Use inline //comments
- Organize nested selectors consistently

Tips

SCSS

- what is SASS/SCSS?
- ways to use SCSS
- SCSS features

Summary

Questions?

ANGULAR
ARCHITECTS